

论著

## 中国汉族帕金森病人microRNA-7变异分析

张学伟<sup>1</sup>, 郭纪锋<sup>2</sup>, 艾三喜<sup>2</sup>, 胡雅岑<sup>2</sup>, 孙启英<sup>2</sup>, 徐倩<sup>2</sup>, 吕占云<sup>2</sup>, 李凯<sup>2</sup>, 董晓丽<sup>2</sup>, 沈璐<sup>2</sup>, 江泓<sup>2</sup>, 潘乾<sup>3</sup>, 夏昆<sup>3</sup>, 严新翔<sup>2</sup>, 唐北沙<sup>2</sup>

1. 中南大学 湘雅医院健康管理中心,长沙 410008;
2. 中南大学 湘雅医院神经内科,长沙 410008;
3. 中南大学 医学遗传学国家重点实验室,长沙 410078

**摘要:** 目的: 调查中国大陆帕金森病 (Parkinson's disease, PD) 患者microRNA-7基因的变异.方法: 对225例汉族PD患者应用DNA测序技术进行microRNA-7基因突变分析.结果: 在本组PD患者中未发现microRNA-7变异.结论: MicroRNA-7基因突变不是导致中国人群罹患PD的主要因素.

**关键词:** 帕金森病 microRNA-7基因 基因突变 DNA测序

## Mutation analysis of microRNA- 7 gene in Chinese patients with Parkinson's disease

ZHANG Xuewei<sup>1</sup>, GUO Jifeng<sup>2</sup>, AI Sanxi<sup>2</sup>, HU Yaceng<sup>2</sup>, SUN Qiying<sup>2</sup>, XU Qian<sup>2</sup>, L? Zhanyun<sup>2</sup>, LI Kai<sup>2</sup>, DONG Xiaoli<sup>2</sup>, SHEN Lu<sup>2</sup>, JIANG Hong<sup>2</sup>, PAN Qian<sup>3</sup>, XIA Kun<sup>3</sup>, YAN Xinxiang<sup>2</sup>, TANG Beisha<sup>2</sup>

1. Health Management Center, Xiangya Hospital, Changsha 410008;
2. Department of Neurology, Xiangya Hospital, Changsha 410008;
3. State Key Laboratory of Medical Genetics of China, Central South University, Changsha 410078, China

**Abstract:** Objective: To investigate the mutation of small sequence changes in microRNA-7 gene in Chinese patients with Parkinson's disease (PD). Methods: We analyzed miR-7 variants in 225 PD patients from Chinese Han group by DNA sequence. Results: None of the patients had miR-7 variants. Conclusion: MiR-7 variation is not associated with PD in Chinese patients.

扩展功能

本文信息

► Supporting info

► PDF(1443KB)

► [HTML全文]

► 参考文献[PDF]

► 参考文献

服务与反馈

► 把本文推荐给朋友

► 加入我的书架

► 加入引用管理器

► 引用本文

► Email Alert

► 文章反馈

► 浏览反馈信息

本文关键词相关文章

► 帕金森病

► microRNA-7基因

► 基因突变

► DNA测序

本文作者相关文章

► 张学伟

► 郭纪锋

► 艾三喜

► 胡雅岑

► 孙启英

► 徐倩

► 吕占云

► 李凯

► 董晓丽

► 沈璐

► 江泓

► 潘乾

► 夏昆

► 严新翔

► 唐北沙

PubMed

► Article by ZHANG Xuewei

► Article by GUO Jifeng

► Article by AI Sanxi

► Article by HU Yaceng

► Article by SUN Qiying

► Article by XU Qian

► Article by L? Zhanyun

► Article by LI Kai

► Article by DONG Xiaoli

Keywords: Parkinson's disease microRNA-7 gene gene mutation DNA sequence

收稿日期 2011-10-10 修回日期 网络版发布日期

DOI: 10.3969/j.issn.1672-7347.2012.12.001

基金项目:

This work was supported by the Major State Basic Research Development Program of China ("973" Program, 2011CB510000) and the National Natural Science Foundation of China (81130021, 30900469, and 30971035).

通讯作者: TANG Beisha, Email: bstang7398@yahoo.com.cn

作者简介: ZHANG Xuewei, M.D., physician, mainly engaged in the research of neurodegenerative and neurogenetic disorders.

作者Email: bstang7398@yahoo.com.cn

#### 参考文献:

- 1.de Rijk MC, Launer LJ, Berger K, et al. Prevalence of Parkinson's disease in Europe: a collaborative study of population-based cohorts [J]. *Neurology*, 2000, 54(11 Suppl 5): S21-S23.
- 2.Fahn S. Description of Parkinson's disease as a clinical syndrome [J]. *Ann NY Acad Sci*, 2003, 991: 1-14.
- 3.Huang Y, Cheung L, Rowe D, et al. Genetic contributions to Parkinson's disease [J]. *Brain Res Brain Res Rev*, 2004, 46(1): 44-70.
- 4.Steece-Collier K, Maries E, Kordower JH, et al. Etiology of Parkinson's disease: genetics and environment revisited [J]. *Proc Natl Acad Sci USA*, 2002, 99(22): 13972-13974.
- 5.Spillantini MG, Schmidt ML, Lee VM, et al. Alpha-synuclein in Lewy bodies [J]. *Nature*, 1997, 388(6445): 839-840.
- 6.Junn E, Lee KW, Jeong BS, et al. Repression of alpha-synuclein expression and toxicity by microRNA-7 [J]. *Proc Natl Acad Sci USA*, 2009, 106(31): 13052-13057.
- 7.Ibanez P, Bonnet AM, Debarges B, et al. Causal relation between alpha-synuclein gene duplication and familial Parkinson's disease [J]. *Lancet*, 2004, 364(9440): 1169-1171.
- 8.Singleton AB, Farrer M, Johnson J, et al. Alpha-synuclein locus triplication causes Parkinson's disease [J]. *Science*, 2003, 302(5646): 841.
- 9.Zarranz JJ, Alegre J, Gomez-Esteban JC, et al. The new mutation, E46K, of alpha-synuclein causes Parkinson and Lewy body dementia [J]. *Ann Neurol*, 2004, 55(2): 164-173.
- 10.Schneider BL, Seehus CR, Capowski EE, et al. Over-expression of alpha-synuclein in human neural progenitors leads to specific changes in fate and differentiation [J]. *Hum Mol Genet*, 2007, 16 (6): 651-666.
- 11.Ballard CG, Jones EL. CSF {alpha}-synuclein as a diagnostic biomarker for Parkinson disease and related dementias [J]. *Neurology*, 2010, 16(75/20): 1760-1761.
- 12.Zhou W, Schaack J, Zawada WM, et al. Overexpression of human alpha-synuclein causes dopamine neuron death in primary human mesencephalic culture [J]. *Brain Res*, 2002, 926(1/2): 42-50.
- 13.Bartel DP. MicroRNAs: genomics, biogenesis, mechanism, and function [J]. *Cell*, 2004, 116 (2): 281-297.
- 14.Weston MD, Pierce ML, Rocha-Sanchez S, et al. MicroRNA gene expression in the mouse inner ear [J]. *Brain Res*, 2006, 1111(1): 95-104.
- 15.Mencarelli A, Modamio-Høybjør S, Redshaw N, et al. Mutations in the seed region of human miR-96 are responsible for nonsyndromic progressive hearing loss [J]. *Nat Genet*, 2009, 41(5): 609-613.
- 16.Hu Z, Shu Y, Chen Y, et al. Genetic polymorphisms in the precursor microRNA flanking region and non-small cell lung cancer survival [J]. *Am J Respir Crit Care Med*, 2011, 183(5): 641-648.
- 17.Valencia-Sanchez MA, Liu J, Hannon GJ, et al. Control of translation and mRNA degradation by miRNAs and siRNAs [J]. *Genes Dev*, 2006, 20(5): 515-524.
- 18.Krichevsky AM, King KS, Donahue CP, et al. A microRNA array reveals extensive regulation of microRNAs during brain development [J]. *RNA*, 2003, 9(10): 1274-1281.
- 19.Wang WX, Rajeev BW, Stromberg AJ, et al. The expression of microRNA miR-107 decreases early in Alzheimer's disease and may accelerate disease progression through regulation of beta-site amyloid precursor protein-cleaving enzyme 1 [J]. *J Neurosci*, 2008, 28 (5): 1213-1223.
- 20.Karres JS, Hilgers V, Carrera I, et al. The conserved microRNA miR-8 tunes atrophin levels to prevent neurodegeneration in Drosophila [J]. *Cell*, 2007, 131(1): 136-145.

21. Kim J, Inoue K, Ishii J, et al. A MicroRNA feedback circuit in midbrain dopamine [J]. *Science*, 2007, 317(5842): 1220-1224.
22. Wang G, van der Walt JM, Mayhew G, et al. Variation in the miRNA-433 binding site of FGF20 confers risk for Parkinson disease by overexpression of alpha-synuclein [J]. *Am J Hum Genet*, 2008, 82(2): 283-289.
23. Cogswell JP, Ward J, Taylor IA, et al. Identification of miRNA changes in Alzheimer's disease brain and CSF yields putative biomarkers and insights into disease pathways [J]. *J Alzheimers Dis*, 2008, 14(1): 27-41
24. Hébert SS, Horr K, Nicolai L, et al. Loss of microRNA cluster miR-29a/b-1 in sporadic Alzheimer's disease correlates with increased BACE1/bsecretase expression [J]. *Proc Natl Acad Sci U S A*, 2008, 105(17): 6415-6420
25. Sibley CR, Seow Y, Curtis H, et al. Silencing of Parkinson's disease-associated genes with artificial mirtron mimics of miR-1224 [J]. *Nucleic Acids Res*, 2012, 40(19): 9863-9875.

本刊中的类似文章

1. 蔡在伏1, 唐发清2, 陈方平1, 解勤之1, 王光平1. 一种新的 GP II b基因540A缺失移码突变引起的血小板无力症[J]. 中南大学学报(医学版), 2008, 33(02): 165-168
2. 吕红斌, 周赟, 胡建中, 雷光华, 朱敏, 李康华. **肾天童炎天童软骨发育不全症细胞线粒体DNA缺失突变的分析[J]. 中南大学学报(医学版)**, 2006, 31(05): 640-644
3. 武明花, 李小玲, 黄琛, 唐运莲, 张祖平, 李桂源. LRRC4基因在脑胶质瘤细胞系中表达缺失[J]. 中南大学学报(医学版), 2007, 32(02): 231-234
4. 王光平, 陈方平, 付敢. 鼻咽癌细胞系IkB $\alpha$  mRNA表达及其DNA序列分析[J]. 中南大学学报(医学版), 2007, 32(05): 758-764
5. 王俊岭1, 沈璐1,2, 雷立芳1,2, 徐倩1, 周洁1, 刘玉涛1, 关文娟1, 潘乾3, 夏昆3, 唐北沙1,2,3, 江泓1,2. 中国大陆脊髓小脑性共济失调家系和散发病例的最新基因突变分析[J]. 中南大学学报(医学版), 2011, 36(6): 482-
6. 罗育林, 程瑞雪, 冯德云, 付春燕, 沈明. MDM2蛋白过度表达致p53功能失活在原发性肝细胞癌发生中的作用[J]. 中南大学学报(医学版), 2001, 26(1): 13-
7. 邓昊, 唐炜立, 潘乾, 周智广, 雷闽湘, 陈勇, 邓汉湘, 夏家辉. 中国汉族迟发型2型糖尿病与胰高血糖素受体基因Gly40Ser突变的关系[J]. 中南大学学报(医学版), 2001, 26(4): 291-
8. 邓豪余, rCBF显像在PD, AD和OPCA中的应用[J]. 中南大学学报(医学版), 2002, 27(3): 279-
9. 门美超, 薛晋杰, 蒋璐, 王鸿涵, 潘乾, 冯永. 一种新的高效快速检测遗传性耳聋的方法[J]. 中南大学学报(医学版), 2011, 36(11): 1079-1084
10. 易文君, 钟德卉, 邹琼燕. BRAF基因突变与甲状腺乳头状癌的相关性[J]. 中南大学学报(医学版), 2012, 37(4): 370-373