**Current Issue** 

Browse Issues

Search

About this Journal

Instruction to Authors

👀 Online Submission

Subscription

Contact Us

RSS Feed

## Acta Medica Iranica

2009;47(4):59-61

## Case Report

The First Record of Linguatula serrata Infection of Two-Humped Camel (Camelus bactrinus) In Iran

H Haddadzadeh <sup>1</sup>, S Shamsadin Athari <sup>2</sup>, B Hajimohammadi <sup>2</sup>

<sup>1</sup>Dept. of Parasitology, Faculty of Veterinary Medicine, University of Tehran, Iran

<sup>2</sup>Faculty of Veterinary Medicine, University of Urmia, Iran

Corresponding Author:

H Haddadzadeh

Dept. of Parasitology, Faculty of Veterinary Medicine, University of Tehran, Iran

Tel: +98 912 148 36 95; Fax: +9866933222;

E-mail: hhadad@ut.ac.ir

November 12,2008 Received: Accept: February 12,2009 Available online: March 9,2009

## Abstract:

Linguatula serrata, is a cosmopolitan zoonotic parasite. Adult of L. serrrata parasitize the nasopharynx of canids. Consuming raw glandular material of infected intermediate hosts (camel, sheep, cattle, goat, etc.) can infect human. In Iran, two-humped camel is merely found in cold regions (Ardabil and East Azarbijan provinces) and is in danger of extinction. A seven-year-old two-humped male camel, due to car accident injury was sent to slaughterhouse of Tabriz, Iran. In meat inspection practice, the visceral organs were taken out. A small red nodule having a white center was observed at the surface of the left lobe of lung. To study more, the whole of the left lobe of lung was sent to the parasitology laboratory. One nymph of L. serrata was separated from the specimen. This is the first report of infection with L. serrate of two-humped camel in Iran.

## Keywords:

Two-humped camel , Linguatula serrata , Iran

TUMS ID: 12735

Full Text HTML 🕖 Full Text PDF 🚵 55 KB

top A

Home - About - Contact Us

TUMS E. Journals 2004-2009 Central Library & Documents Center Tehran University of Medical Sciences

Best view with Internet Explorer 6 or Later at 1024\*768 Resolutions