



您的位置: [首页](#)>> 文章摘要

眼性前庭诱发肌电位研究进展

谢溯江, 郑颖鹃, 张琳

100142 北京空军航空医学研究所前庭功能实验室

谢溯江, Email:sujiang_xie@yahoo.com.cn

全军后勤科研“十二五”重大项目(AKJ11J004)

关键词: 眩晕症

[评论](#) [收藏](#) [全](#)

文献标引: 谢溯江, 郑颖鹃, 张琳. 眼性前庭诱发肌电位研究进展[J/CD]. 中华临床医师杂志: 电子版, 2013, 7(9)

参考文献:

[1] McNerney KM, Burkard RF. The vestibular evoked myogenic potential (VEMP): air- versus bone-conducted stimuli. *Ear Hear*, 2011, 32:e6-e15. :[\[PubMed\]](#)

[2] Rosengren SM, Kingma H. New perspectives on vestibular evoked myogenic potentials. *Neurol*, 2013, 26:74-80. :[\[PubMed\]](#)

[3] Curthoys IS. A critical review of the neurophysiological evidence underlying the use of sound, vibration and galvanic stimuli in testing using sound, vibration and galvanic stimuli. *Clin Neurophysiol*, 2010, 121:132-141.

[4] Curthoys IS, Vulovic V, Sokolic L, et al. Irregular primary otolith afferents from the utricle and saccule respond to both bone conducted vibration and to air conducted sound. *Res Bull*, 2012, 89:16-21. :[\[PubMed\]](#)

[5] Manzari L, Burgess AM, Curthoys IS. Dissociation between cVEMP and oVEMP responses: different vestibular origins of each VEMP? *Eur Arch Otorhinolaryngol*, 2010, 267:1487-1489. :[\[PubMed\]](#)

[6] Curthoys IS, Iwasaki S, Chihara Y, et al. The ocular vestibular-evoked myogenic potential: bone-conducted sound; probable superior vestibular nerve origin. *Clin Neurophysiol*, 2011, 122:122-128.

[7] Shin BS, Oh SY, Kim JS, et al. Cervical and ocular vestibular-evoked myogenic potentials in patients with vestibular neuritis. *Clin Neurophysiol*, 2012, 123:369-375. :[\[PubMed\]](#)

[8] Kantner C, Gürkov R. Characteristics and clinical applications of ocular vestibular evoked myogenic potentials. *Hearing Research*, 2012, 294:55-63. :[\[PubMed\]](#)

期刊导读

7卷17期 2013年9月 [最新]

期刊存档

期刊存档

[查看目录](#)

期刊订阅

在线订阅

邮件订阅

RSS

作者中心

资质及晋升信息

作者查稿

写作技巧

投稿方式

作者指南



期刊服务

建议我们

会员服务

广告合作

继续教育

[9] Uchino Y, Sasaki M, Sato H, et al. Utriculoocular reflex arc of the cat. *J Neurophysiol*, 1903. :[\[PubMed\]](#)

[10] Isu N, Graf W, Sato H, et al. Sacculo-ocular reflex connectivity in cats. *Exp Brain Res*, 2000, 131:262–268. :[\[PubMed\]](#)

[11] Kushiro K, Zakir M, Ogawa Y, et al. Saccular and utricular inputs to sternocleidomastoid motoneurons of decerebrate cats. *Exp Brain Res*, 1999, 126:410–416. :[\[PubMed\]](#)

[12] Uchino Y, Kushiro K. Differences between otolith- and semicircular canal activation circuitry in the vestibular system. *Neurosci Res*, 2011, 71:315–327. :[\[PubMed\]](#)

[13] Govender S, Rosengren SM, Colebatch JG. Vestibular neuritis has selective effects on bone-conducted cervical and ocular vestibular evoked myogenic potentials. *Clin Neurophysiol*, 2011, 122:1255. :[\[PubMed\]](#)

[14] Manzari L, Burgess AM, Curthoys IS. Ocular and cervical vestibular evoked myogenic potentials in response to bone-conducted vibration in patients with probable inferior vestibular nerve dysfunction. *Otol, 2012*, 126:683–691. :[\[PubMed\]](#)

[15] Taylor RL, Wijewardene AA, Gibson WP, et al. The vestibular evoked-potential in patients with superior canal dehiscence syndrome. *Clin Neurophysiol*, 2011, 122:1256–1263. :[\[PubMed\]](#)

[16] Jacobson GP, McCaslin DL, Piker EG, et al. Patterns of abnormality in cVEMP, oVEMP, and sVEMP may provide topological information about vestibular impairment. *J Am Acad Audiol*, 2011, 24:100–107. :[\[PubMed\]](#)

[17] Murofushi T, Nakahara H, Yoshimura E, et al. Association of air-conducted sound-evoked cVEMP and caloric test findings in patients with unilateral peripheral vestibular dysfunction. *Otolaryngol, 2011*, 131:945–950. :[\[PubMed\]](#)

[18] Murofushi T, Wakayama K, Chihara Y. oVEMP to air-conducted tones reflects functional differences in vestibular populations from cVEMP? *Eur Arch otorhinolaryngol*, 2010, 267:995–996. :[\[PubMed\]](#)

[19] Iwasaki S, Chihara Y, Smulders YE, et al. The role of the superior vestibular nerve in the generation of ocular vestibular-evoked myogenic potentials to bone-conducted vibration at Fz. *Clin Neurophysiol*, 2009, 120: 588–593. :[\[PubMed\]](#)

[20] Todd NP, Rosengren SM, Colebatch JG. Ocular vestibular evoked myogenic potentials elicited by impulsive transmastoid accelerations. *Clin Neurophysiol*, 2008, 119:1638–1651. :[\[PubMed\]](#)

[21] Curthoys IS. The interpretation of clinical tests of peripheral vestibular function. *Laryngoscope*, 2012, 122:1342–1352. :[\[PubMed\]](#)

[22] Welgampola MS, Migliaccio AA, Myrie OA, et al. The human sound-evoked vestibulo-ocular reflex: its electromyographic correlate. *Clin Neurophysiol*, 2009, 120:158–166. :[\[PubMed\]](#)

[23] Todd NP, Rosengren SM, Aw ST, et al. Ocular vestibular evoked myogenic potentials elicited by air- and bone-conducted sound. *Clin Neurophysiol*, 2007, 118:381–390. :[\[PubMed\]](#)

[24] Chihara Y, Iwasaki S, Ushio M, et al. Vestibular-evoked extraocular potentials elicited by sound: another clinical test for vestibular function. *Clin Neurophysiol*, 2007, 118:2745–2752. :[\[PubMed\]](#)

[25] Chihara Y, Iwasaki S, Ushio M, et al. Ocular vestibular-evoked myogenic potentials in extraocular muscles but not facial or cochlear nerve activity. *Clin Neurophysiol*, 2009, 120:1567-1576. :[\[PubMed\]](#)

[26] Smulders YE, Welgampola MS, Burgess AM, et al. The n10 component of the ocular vestibular evoked myogenic potential (oVEMP) is distinct from the R1 component of the blink reflex. *Clin Neurophysiol*, 2009, 120:1567-1576. :[\[PubMed\]](#)

[27] Rosengren SM, Todd NP, Colebatch JG. Vestibular-evoked extraocular potentials elicited by stimulation with bone-conducted sound. *Clin Neurophysiol*, 2005, 116:1938-1948. :[\[PubMed\]](#)

[28] Rosengren SM, Welgampola MS, Colebatch JG. Vestibular evoked myogenic potentials: a future. *Clin Neurophysiol*, 2010, 121:636-651. :[\[PubMed\]](#)

[29] Weber KP, Rosengren SM, Michels R, et al. Single motor unit activity in human extraocular muscles during the vestibulo-ocular reflex. *J Physiol*, 2012, 590:3091-3101. :[\[PubMed\]](#)

[30] Park HJ, Lee IS, Shin JE, et al. Frequency-tuning characteristics of cervical vestibular evoked myogenic potentials induced by air-conducted tone bursts. *Clin Neurophysiol*, 2010, 121:1567-1576. :[\[PubMed\]](#)

[31] Murnane OD, Akin FW, Kelly KJ, et al. Effects of stimulus and recording parameters on the bone-conduction ocular vestibular evoked myogenic potential. *J Am Acad Audiol*, 2011, 22:469-478. :[\[PubMed\]](#)

[32] Lewis A, Mustain W, Xu Y, et al. Frequency tuning in the tone burst-evoked myogenic potentials of extraocular muscles in normal human subjects. *J Otolaryngol Head Neck Surg*, 2010, 39:49-54. :[\[PubMed\]](#)

[33] Taylor RL, Bradshaw AP, Halmagyi GM, et al. Tuning characteristics of ocular and extraocular vestibular evoked myogenic potentials in intact and dehiscent ears. *Audiol Neurootol*, 2009, 14:10-19. :[\[PubMed\]](#)

[34] Todd NP, Rosengren SM, Colebatch JG. A utricular origin of frequency tuning in the human vestibular system? *Neurosci Lett*, 2009, 451:175-180. :[\[PubMed\]](#)

[35] Todd NP, Rosengren SM, Govender S, et al. Low-frequency tuning in the human vestibular system: projection is determined by both peripheral and central mechanisms. *Neurosci Lett*, 2009, 451:175-180. :[\[PubMed\]](#)

[36] Zhang AS, Govender S, Colebatch JG. Tuning of the ocular vestibular evoked myogenic potential (oVEMP) to AC sound shows two separate peaks. *Exp Brain Res*, 2011, 213:111-116. :[\[PubMed\]](#)

[37] Todd NP, Cody FW, Banks JR. A saccular origin of frequency tuning in myogenic potentials: implications for human responses to loud sounds. *Hear Res*, 2000, 141:180-188. :[\[PubMed\]](#)

[38] Wang SJ, Jaw FS, Young YH. Ocular vestibular-evoked myogenic potentials elicited by air-conducted versus binaural acoustic stimulations. *Clin Neurophysiol*, 2009, 120:420-423. :[\[PubMed\]](#)

[39] Govender S, Rosengren SM, Colebatch JG. The effect of gaze direction on the ocular vestibular evoked myogenic potential produced by air-conducted sound. *Clin Neurophysiol*, 2009, 120:1567-1576. :[\[PubMed\]](#)

[40] Tseng CC, Wang SJ, Young YH. Comparison of bone-conducted vibration for eliciting extraocular vestibular-evoked myogenic potentials: forehead versus mastoid tapping. *Otolaryngol Head Neck Surg*, 2012, 146:289-294. :[\[PubMed\]](#)

- [41] Zhang AS, Govender S, Colebatch JG. Tuning of the ocular vestibular evoked myogenic potentials to bone-conducted sound stimulation. *J Appl Physiol*, 2012, 112:1279–1290. :[\[PubMed\]](#)
- [42] Cheng PW, Chen CC, Wang SJ, et al. Acoustic, mechanical and galvanic stimulation of the ocular vestibular-evoked myogenic potentials. *Clin Neurophysiol*, 2009, 120:1841–1844. :[\[PubMed\]](#)
- [43] Wang SJ, Weng WJ, Jaw FS, et al. Ocular and cervical vestibular-evoked myogenic potentials to determine whether air- or bone-conducted stimuli are optimal. *Ear Hear*, 2010, 31:283–290.
- [44] Piker EG, Jacobson GP, McCaslin DL, et al. Normal characteristics of the ocular vestibular-evoked myogenic potential. *J Am Acad Audiol*, 2011, 22:222–230. :[\[PubMed\]](#)
- [45] Nguyen KD, Welgampola MS, Carey JP. Test-retest reliability and age-related changes in the ocular and cervical vestibular evoked myogenic potential tests. *Otol Neurotol*, 2010, 31:1005–1011.
- [46] Rosengren SM, Govender S, Colebatch JG. Ocular and cervical vestibular evoked myogenic potentials produced by air- and bone-conducted stimuli: comparative properties and effects of age. *Clin Neurophysiol*, 2011, 122:2282–2289. :[\[PubMed\]](#)
- [47] Tseng CL, Chou CH, Young YH. Aging effect on the ocular vestibular-evoked myogenic potentials. *Otol Neurotol*, 2010, 31:959–963. :[\[PubMed\]](#)
- [48] Agrawal Y, Zuniga MG, Davalos-Bichara M, et al. Decline in semicircular canal function with age. *Otol Neurotol*, 2012, 33:832–839. :[\[PubMed\]](#)
- [49] Hsu YS, Wang SJ, Young YH. Ocular vestibular-evoked myogenic potentials in children with air-conducted sound stimulation. *Clin Neurophysiol*, 2009, 120:1381–1385. :[\[PubMed\]](#)
- [50] Chou CH, Hsu WC, Young YH. Ocular vestibular-evoked myogenic potentials via bone-conducted vibration in children. *Clin Neurophysiol*, 2012, 123:1880–1885. :[\[PubMed\]](#)
- [51] Sung PH, Cheng PW, Young YH. Effect of gender on ocular vestibular-evoked myogenic potentials with various stimulation modes. *Clin Neurophysiol*, 2011, 122:183–187. :[\[PubMed\]](#)

综 述

帕金森病伴发抑郁发病机制的影像学研究

刘佳佳, 刘卫国. . 中华临床医师杂志: 电子版
2013;7(9):3963–3966.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

帕金森病相关认知损害的生物标记物

李振光, 于占彩, 董春玉, 于永鹏. . 中华临床医师杂志: 电子版
2013;7(9):3967–3970.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

转化生长因子- β 1在中枢神经系统疾病中作用的研究进展

田荣振, 战华, 王宁, 孙立鹏. . 中华临床医师杂志: 电子版
2013;7(9):3971–3973.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

蛛网膜囊肿继发硬膜下血肿的研究进展

徐坤, 徐宝占, 初明. . 中华临床医师杂志: 电子版

2013;7(9):3974-3976.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

地塞米松治疗小儿化脓性脑膜炎的研究进展

宋颖燕, 孔黎明, 王俊霞, 王亚娟. . 中华临床医师杂志: 电子版

2013;7(9):3977-3979.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

眼性前庭诱发肌电位研究进展

谢溯江, 郑颖鹃, 张琳. . 中华临床医师杂志: 电子版

2013;7(9):3980-3983.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

运动诱导的线粒体适应与用药

曾淑兰, 张国海. . 中华临床医师杂志: 电子版

2013;7(9):3984-3987.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

脑源性神经营养因子研究进展

吴莎, 华清泉, 杨琨, 蔡雷. . 中华临床医师杂志: 电子版

2013;7(9):3988-3990.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

肥胖抑制素在慢性肾脏病中的研究进展

张羽, 解汝娟. . 中华临床医师杂志: 电子版

2013;7(9):3991-3993.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

血凝素样氧化低密度脂蛋白受体-1与冠心病损伤机制的研究现状

刘军锋, 贾克刚, 刘运德. . 中华临床医师杂志: 电子版

2013;7(9):3994-3996.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

谷氨酰胺在危重患者营养治疗中的应用

孙鹏, 李双成, 陈凌志. . 中华临床医师杂志: 电子版

2013;7(9):3997-3999.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

DNA微卫星不稳定与胃癌

叶敏, 孙大志, 魏品康. . 中华临床医师杂志: 电子版

2013;7(9):4000-4002.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

羊水栓塞发病机制的免疫学研究进展

池小玲, 孙静莉. . 中华临床医师杂志: 电子版

2013;7(9):4003-4006.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

肿瘤的免疫编辑与自然选择

王泉杰, 吴文川. . 中华临床医师杂志: 电子版

2013;7(9):4007-4009.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

影像技术对肾动脉狭窄的形态学和功能性评估

刘为英, 冯建伟, 高沁怡, 李亚明. . 中华临床医师杂志: 电子版

2013;7(9):4010-4013.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

对比剂肾病防治的研究进展

李羨颜, 刘丹, 严励. . 中华临床医师杂志: 电子版
2013;7(9):4014-4016.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

血清成纤维细胞生长因子23水平在慢性肾脏病中的作用

李苏芳, 解汝娟. . 中华临床医师杂志: 电子版
2013;7(9):4017-4019.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

成骨细胞特异性因子2的研究进展

王春杰, 刘茂东, 王斯, 李英. . 中华临床医师杂志: 电子版
2013;7(9):4020-4022.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

血管紧张素转换酶2与胰岛素抵抗及糖尿病

张振洲, 张晓晓, 钟久昌. . 中华临床医师杂志: 电子版
2013;7(9):4023-4025.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

转移性结直肠癌全身治疗原则、现状和进展

于鹏, 马进元, 朱步东. . 中华临床医师杂志: 电子版
2013;7(9):4026-4029.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

氢氧混合气在临床应用研究进展

李雪, 陈龙, 史源. . 中华临床医师杂志: 电子版
2013;7(9):4030-4032.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

肝豆状核变性患者免疫功能状况的研究进展

余小玲, 胡文彬. . 中华临床医师杂志: 电子版
2013;7(9):4033-4035.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

水通道蛋白-5及其信号通路在原发性干燥综合征发病中的作用

黄翠平, 周京国. . 中华临床医师杂志: 电子版
2013;7(9):4036-4038.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

胰高血糖素样肽-1对心肌梗死后干细胞治疗作用的研究进展

杨俊杰, 周浩, 陈韵岱. . 中华临床医师杂志: 电子版
2013;7(9):4039-4041.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

放射联合基因治疗在肿瘤治疗中的研究进展

李丽丽, 郝建秀, 王芹, 姜立平, 邢志伟, 姜恩海, 李进. . 中华临床医师杂志: 电子版
2013;7(9):4042-4044.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

人类辅助生殖技术的伦理思考

杨刚, 麦庆云. . 中华临床医师杂志: 电子版
2013;7(9):4045-4048.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

