

## 论著

### 小鼠下丘脑SH2B1, SOCS3, PTP1B及NPY表达的变化及其与肥胖的关系

苏涛<sup>1</sup>, 吴静<sup>2</sup>, 刘玮芳<sup>2</sup>, 段朝军<sup>1</sup>, 张赛<sup>1</sup>, 汤参娥<sup>1</sup>, 罗凡砚<sup>3</sup>

中南大学湘雅医院 1. 医学科学研究中心; 2. 内分泌科; 3. 心胸外科, 长沙 410008

#### 摘要:

目的: 研究肥胖小鼠及正常小鼠不同周龄下丘脑组织SH2B1(adapter protein with a Src-homology 2 domain), 细胞因子信号转导抑制蛋白3(the suppressor of cytokine signaling-3, SOCS3), 蛋白质酪氨酸磷酸酶1B(proteintyrosine phosphatase 1B, PTP1B)和神经肽Y(neturopetide Y, NPY)表达的变化规律及其与血清瘦素及胰岛素水平的关系。方法: 选用健康C57BL/6乳鼠制作肥胖动物模型, 计算Lee's指数及稳态模型胰岛素抵抗指数。荧光定量RT-PCR法检测下丘脑SH2B1, SOCS3及PTP1B mRNA表达量, Western印迹检测下丘脑SH2B1和NPY蛋白表达量。结果: 与同周龄对照组小鼠相比, 肥胖组小鼠下丘脑组织SH2B1 mRNA表达减少, SOCS3及PTP1B mRNA表达增加; Western印迹结果显示: 肥胖组小鼠SH2B1蛋白表达水平较对照组下降, NPY表达升高。直线相关分析显示: 血清瘦素和血清空腹胰岛素水平与SH2B1 mRNA表达呈负相关, 与SOCS3及PTP1B mRNA表达正相关。结论: SH2B1, SOCS3, PTP1B及NPY是肥胖发生、发展过程中的关键因子。

关键词: 肥胖 小鼠 SH2B1 细胞因子信号转导抑制蛋白3 蛋白质酪氨酸磷酸酶1B 神经肽Y

### Expression change of SH2B1, SOCS3, PTP1B and NPY in mice hypothalamus and its relation with obesity SU

SU Tao<sup>1</sup>, WU Jing<sup>2</sup>, LIU Weifang<sup>2</sup>, DUAN Chaojun<sup>1</sup>, ZHANG Sai<sup>1</sup>, TANG Can'e<sup>1</sup>, LUO Fanyan<sup>3</sup>

1. Institute of Medical Sciences; 2. Department of Endocrinology; 3. Department of Cardiothoracic Surgery, Xiangya Hospital, Central South University, Changsha 410008, China

#### Abstract:

Objective: To investigate the expression pattern of adapter protein with a Src-homology 2 domain (SH2B1), the suppressor of cytokine signaling-3 (SOCS3), protein-tyrosine phosphatase 1B (PTP1B) and neturopetide Y (NPY) in obese and normal mice hypothalamus and its relation with serum leptin and insulin levels. Methods: The obesity animal model was prepared with healthy C57/bl6 mice. Lee's index and Homeostasis model assessment-insulin resistance (HOMA-IR) were calculated. The mRNA levelsof SH2B1, SOCS3, PTP1B and NPY were measured by fluorescent quantitation RT-PCR. The SH2B1 and NPY protein expressions were detected by Western blot. Results: Compared with the normal mice of the same age, SH2B1 mRNA expression in the obese mice hypothalamus decreased. SOCS3 and PTP1B mRNA expression increased. Western blot showed that SH2B1 protein expression decreased, while NPY protein expression increased in the obese mice. Linear correlation analysis showed that the serum leptin and fasting insulin levels were negatively correlated with SH2B1mRNA expression and positively correlated with SOCS3 and PTP1B mRNA expression.

Conclusion: SH2B1, SOCS3, PTP1B and NPY are key factors for obesity development.

Keywords: obesity mouse a Src-homology 2 domain the suppressor of cytokine signaling-3 proteintyrosine phosphatase 1B neturopetide Y

收稿日期 2013-06-26 修回日期 网络版发布日期

DOI: 10.11817/j.issn.1672-7347.2014.01.008

基金项目:

湖南省自然科学基金(14JJ4011); 湖南省科技厅基金(2013FJ4112)。This work was supported by the Natural Science Foundation of Hunan Province (14JJ4011) and Science and Technology Project of Hunan Province (2013FJ4112), P. R. China.

通讯作者: 罗凡砚, Email: drlfy@163.com

作者简介: 苏涛, 副主任技师, 主要从事肥胖发病机制方面的研究。

作者Email: Email: drlfy@163.com

## 扩展功能

### 本文信息

- Supporting info
- PDF(716KB)
- [HTML全文]
- 参考文献[PDF]
- 参考文献

### 服务与反馈

- 把本文推荐给朋友
- 加入我的书架
- 加入引用管理器
- 引用本文
- Email Alert
- 文章反馈
- 浏览反馈信息

### 本文关键词相关文章

- 肥胖
- 小鼠
- SH2B1
- 细胞因子信号转导抑制蛋白3
- 蛋白质酪氨酸磷酸酶1B
- 神经肽Y

### 本文作者相关文章

PubMed

## 参考文献:

1. DPorte Jr, Seeley RJ, Woods SC, et al. Obesity, diabetes and the central nervous system  
[J]. *Diabetologia*, 1998, 41(8): 863-881.
2. Schwartz MW, Woods SC, DPorter Jr, et al. Central nervous control of food intake  
[ J]. *Nature*, 2000, 404(6): 661-671.
3. Li M, Li Z, Morris DL, et al. Identification of SH2B2beta as an inhibitor for SH2B1- and SH2B2alpha-promoted Janus kinase-2 activation and insulin signaling  
[ J]. *Endocrinology*, 2007, 148(4): 1615-1621.
4. Bjorbaek C, EHaschimi K, Frantz JD, et al. The role of SOCS3 in leptin signaling and leptin resistance  
[ J]. *J Biol Chem*, 1999, 274 (42): 30059-30065.
5. Escrivá F, Agote M, Rubio E, et al. In vivo insulin-dependent glucose uptake of specific tissues is decreased during ageing of mature Wistar rats  
[ J]. *Endocrinology*, 1997, 138(1): 49-54.
6. Hansen JA, Lindberg K, Hilton DJ, et al. Mechanism of inhibition of growth hormone receptor signaling by suppressor of cytokine signaling proteins  
[ J]. *Mol Endocrinol*, 1999, 13(11): 1832-1856.
7. White CL, Whittington A, Barnes MJ, et al. HF diets increase hypothalamic PTP1B and induce leptin resistance through both leptin-independent and -independent mechanisms  
[ J]. *Am J Physiol Endocrinol Metab*, 2009, 296(2): E291-299.
8. Li Z, Zhou Y, Carter-Su C, et al. SH2B1 enhances leptin signaling by both Janus kinase 2 Tyr813 phosphorylation-dependent and -independent mechanisms  
[ J]. *Mol Endocrinol*, 2007, 21(9): 2270-2281.
9. Song W, Ren D, Li W, et al. SH2B regulation of growth, metabolism, and longevity in both insects and mammals  
[ J]. *Cell Metab*, 2010, 11(5): 427-437.
10. Ren D, Li M, Duan C, et al. Identification of SH2-B as a key regulator of leptin sensitivity, energy balance, and body weight in mice  
[ J]. *Cell Metab*, 2005, 2(2): 95-104.
11. Morris DL, Cho KW, Zhou Y, et al. SH2B1 enhances insulin sensitivity by both stimulating the insulin receptor and inhibiting tyrosine dephosphorylation of insulin receptor substrate proteins  
[ J]. *Diabetes*, 2009, 58(9): 2039-2047.
12. Chen Z, Morris DL, Jiang L, et al. SH2B1 in  $\beta$  cells regulates glucose metabolism by promoting  $\beta$  cell survival and islet expansion  
[ J]. *Diabetes*, 2013  
[Epub ahead of print].
13. Volckmar AL, Bolze F, Jarick I, et al. Mutation screen in the GWAS derived obesity gene SH2B1 including functional analyses of detected variants  
[ J]. *BMC Med Genomics*, 2012, 5: 65.
14. Morrison CD, White CL, Wang Z, et al. Increased hypothalamic protein tyrosine phosphatase 1B contributes to leptin resistance with age  
[ J]. *Endocrinology*, 2007, 148(1): 433-440.
15. Asante-Appiah E, Kennedy BP. Protein tyrosine phosphatases: the quest for negative regulators of insulin action  
[ J]. *Am J Physiol Endocrinol Metab*, 2003, 284(4): E663-670.
16. González-Rodríguez A, Mas Gutierrez JA, Sanz-González S, et al. Inhibition of PTP1B restores IRS1-mediated hepatic insulin signaling in IRS2-deficient mice

- [ J]. Diabetes, 2010, 59(3): 588-599.
17. Panzhinskiy E, Ren J, Nair S. Protein tyrosine phosphatase 1B and insulin resistance: role of endoplasmic reticulum stress/reactive oxygen species/nuclear factor kappa B axis  
[ J]. PLoS One, 2013, 8(10): e77228.
18. Bjørbaek C, Elmquist JK, Frantz JD, et al. Identification of SOCS-3 as a potential mediator of central leptin resistance  
[ J]. Mol Cell, 1998, 1(4): 619-625.
19. Yang Z, Hulver M, McMillan RP, et al. Regulation of insulin and leptin signaling by muscle suppressor of cytokine signaling 3 (SOCS3)  
[ J]. PLoS One, 2012, 7(10): e47493.
20. Jiang C, Kim JH, Li F, et al. Hypoxia-inducible factor 1 $\alpha$  regulates a SOCS3-STAT3-adiponectin signal transduction pathway in adipocytes  
[ J]. J Biol Chem, 2013, 288(6): 3844-3857.
21. Cao ZP, Wang F, Xiang XS, et al. Intracerebroventricular administration of conjugated linoleic acid (CLA) inhibits food intake by decreasing gene expression of NPY and AgRP  
[ J]. Neurosci Lett, 2007, 418(3): 217-221.
22. Shi J, Yan J, Lei Q, et al. Intragastric administration of evodiamine suppresses NPY and AgRP gene expression in the hypothalamus and decreases food intake in rats  
[ J]. Brain Res, 2009, 1247: 71-78.
23. Korner J, Savontaus E, Chua SC Jr, et al. Leptin regulation of Agrp and Npy mRNA in the rat hypothalamus  
[ J]. J Neuroendocrinol, 2001, 13(11): 959-966.
24. Morrison CD, Morton GJ, Niswender KD, et al. Leptin inhibits hypothalamic Npy and Agrp gene expression via a mechanism that requires phosphatidylinositol 3-OH-kinase signaling  
[ J]. Am J Physiol Endocrinol Metab, 2005, 289(6): E1051-1057.
25. Mayer CM, Belsham DD. Insulin directly regulates NPY and AgRP gene expression via the MAPK MEK/ERK signal transduction pathway in mHypoE-46 hypothalamic neurons  
[ J]. Mol Cell Endocrinol, 2009, 307(1/2): 99-108.

#### 本刊中的类似文章

1. 黄东<sup>1</sup>, 黄晓玲<sup>1</sup>, 阎雪彬<sup>1</sup>, 邬力祥<sup>2</sup>, 王明安<sup>1</sup>. C57BL/6小鼠骨癌痛模型的制备与评价[J]. 中南大学学报(医学版), 2008,33(02): 115-120
2. 李文正; 薛志刚; 王果; 潘乾; 戴和平; 夏家辉; .小鼠Connexin 31基因组克隆的筛选及荧光原位杂交定位[J]. 中南大学学报(医学版), 2001,26(6): 499-
3. 陶光实; 杨盛波; 林秋华; 刘毅智; 杨元华; 吴宜林; 刘凤英; 胡锦涛; 孙去病; .转染人乳头瘤病毒的宫颈癌U14移植同系小鼠后的生长特性和转移规律[J]. 中南大学学报(医学版), 2001,26(6): 515-
4. 蒋铁建; 苏恒; 周智广; .NOD小鼠胰岛分离与纯化的方法研究[J]. 中南大学学报(医学版), 2002,27(1): 85-
5. 黄艳红; 谭孟群; 谢祁阳; 王绮如; .小鼠骨髓内皮细胞无血清条件培养液代替刺激因子培养BF-UE和CFU-Meg[J]. 中南大学学报(医学版), 2002,27(5): 474-
6. 朱红; 赖伏英; 孙黎; 方云祥; .重组人粒细胞集落刺激因子对辐射后小鼠中性粒细胞减少的治疗作用[J]. 中南大学学报(医学版), 2002,27(6): 509-
7. 刘小伟; 游宇; 卢放根; 羊东晔; 欧阳春晖; 吴小平; .LPS信号转导分子TLR4表达与小鼠肝损伤的关系[J]. 中南大学学报(医学版), 2003,28(3): 217-
8. 薛志刚 朱晒红 潘乾 梁德生 李玉梅 刘雄昊 夏昆 夏家辉 .

## 硅纳米颗粒的生物毒理学研究

[J]. 中南大学学报(医学版), 2006, 31(01): 6-8

9. 邵江华, 洪鼎华, 杨新明. 代乳喂养对3件浴器中细菌的定植及酶缺乏时的听力损害[J]. 中南大学学报(医学版), 2006, 31(01): 79-84

10. 周正廷, 汤百华. 低浓度鼻喷剂对母性试验[J]. 中南大学学报(医学版), 2006, 31(03): 450-452

11. 罗梅, 曹格明. 乙醇对老年小鼠环核苷酸的影响[J]. 中南大学学报(医学版), 2006, 31(04): 566-569

12. 王成峰, 蔡露. 脂肪肝相态小鼠肝脏细胞死亡及癌前病变[J]. 中南大学学报(医学版), 2006, 31(06): 814-818

13. 吴志国, 龙莉莉, 肖波, 陈锶, 易芳. 匹罗卡品致痫大鼠海马神经肽Y中间神经元数目变化及其轴突出芽[J]. 中南大学学报(医学版), 2009, 34(02): 93-98

14. 李汶, 卢光琇. 8-细胞早期胚胎和8-细胞紧密化胚胎基因表达差异的初步研究[J]. 中南大学学报(医学版), 2007, 32(02): 252-258

15. 刘昭前, 莫玮, 黄琼, 周宏灏. 人类 $\beta$ -肾上腺素受体基因的遗传多态性及其与肥胖的关系[J]. 中南大学学报(医学版), 2007, 32(03): 359-367