	Current Issue Browse Issues	Acta Medica Iranica 2009;47(4) : 74-77	
P	Search	Maxillary Central Incisor with Two Roots: A Case Report	
ć	>	L. Khojastehpour, A. Khayat	
	About this Journal Instruction to Authors	Abstract:	
0	Online Submission	A 16 year old female was referred to an oral and maxillofacial radiologist for evaluation of a radiolucent area at mesial radicular aspect of right maxillary central incisor which was detected accidentally during pre-orthodontic treatment check	
6	Subscription	ups. Clinical examination showed no particular signs or symptoms except for slightly tenderness to lateral percussion.	
Č.	Contact Us	Second radiograph with altered horizontal angulations showed a mesial supernumerary root which the radiolucency seemed to be associated with that. In order to treat the tooth, the composite filling was removed and canals were cleaned, shaped, and obturated by lateral condensation technique.	
5	RSS Feed		
		Keywords:	
		Two rooted maxillary central incisor Anatomic variations	
		TUMS ID: 2258	
		Full Text HTML 🕖 Full Text PDF 🖄 310 KB	
			top 🔺

Home - About - Contact Us

TUMS E. Journals 2004-2009 Central Library & Documents Center Tehran University of Medical Sciences

Best view with Internet Explorer 6 or Later at 1024*768 Resolutions