[Print Version]
[PubMed Citation] [Related Articles in PubMed]

The Angle Orthodontist: Vol. 59, No. 1, pp. 31–36.

Mandibular rotation and lower face height indicators

Joseph Ghafari, DCD, DMD; a llana Brin, DMD; Mary Beth Kelley, DMD

^aDepartment of Orthodontics, School of Dental Medicine, University of Pennsylvania, 4001 Spruce Street A1, Philadelphia, PA 19104

ABSTRACT

Lower face height indicators and mandibular rotation are assessed at 7 and 12 years of age in a sample of 46 children, comparing the corpus axis and mandibular plane as indicators of change in mandibular position. The parameters involving the mandibular plane consistently show higher correlations.

Dr. Ghafari is Associate Professor of Orthodontics at the University of Pennsylvania, School of Dental Medicine. He holds the degree of Docteur en Chirurgie Dentaire from the Universite Saint Joseph, Beirut, Lebanon and a DMD degree from the University of Pennsylvania, and a Certificate in Orthodontics from the Harvard School of Dental Medicine, Forsyth Dental Center, Boston, Massachusetts

Dr. Brin is member of the Faculty of Orthodontics at the Hebrew University, Hadassah School of Dental Medicine, Jerusalem, Israel. She holds a DMD degree from the Hebrew University and a Certificate in Orthodontics from the University of Pennsylvania School of Dental Medicine

Dr. Kelley is in the private practice of Orthodontics in Narberth, Pennsylvania in the Philadelphia area. She holds a DMD degree from Tufts University in Boston, and a Certificate in Orthodontics from the University of Pennsylvania School of Dental Medicine

KEY WORDS: Cephalometrics, Lower face, Mandibular rotation, Vertical.

© Copyright by E. H. Angle Education and Research Foundation, Inc. 1989