

Journal of Andrology, Vol 13, Issue 6 457-464, Copyright © 1992 by The American Society of Andrology

REVIEW

Androgen regulation of programmed death of normal and malignant prostatic cells

J. T. Isaacs, P. I. Lundmo, R. Berges, P. Martikainen, N. Kyprianou and H. F. English

Johns Hopkins Oncology Center, Johns Hopkins Medical Institute, Baltimore, Maryland.

Androgen-dependent normal prostatic glandular cells and androgen-dependent prostatic cancer cells can be induced to undergo cell death after androgen ablation. This death does not require the cells to proliferate and occurs as an energy-dependent process collectively referred to as "programmed cell death" in which the cells actively commit "suicide." Associated with this programmed cell death pathway is the enhanced expression of a series of genes and the fragmentation of the genomic DNA into nucleosomal oligomers. This genomic DNA fragmentation is the irreversible commitment step in the death of the cell and results from activation of Ca²⁺/Mg(2+)-dependent endonuclease activity within the cell nucleus. This activation is due to sustained elevation of intracellular free Ca²⁺ (Cai) induced after androgen ablation. Metastatic prostatic cancer within an individual patient is heterogeneous, including both androgen-dependent and -independent cancer cells. Thus, androgen ablation is rarely curative since it only induces the programmed death of the androgen-dependent cancer cells without activating this pathway in the androgen-independent cancer cells within the patient. Androgen-independent prostatic cancer cells do not activate this death process after androgen ablation, since this does not induce a sustained increase in Cai. A new approach to treat androgen-independent prostatic cancer cells has focused on the use of chemotherapeutic agents to induce a sustained increase in Cai. These studies demonstrate that if such a sustained elevation in Cai is maintained, even androgen-independent prostatic cancer cells undergo programmed cell death.

This article has been cited by other articles:

**JBC Online**▶ [HOME](#)

K. S. R. Sastry, Y. Karpova, S. Prokopovich, A. J. Smith, B. Essau, A. Gersappe, J. P. Carson, M. J. Weber, T. C. Register, Y. Q. Chen, *et al.*
Epinephrine Protects Cancer Cells from Apoptosis via Activation of cAMP-dependent Protein Kinase and BAD Phosphorylation
J. Biol. Chem., May 11, 2007; 282(19): 14094 - 14100.

[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)

This Article

- ▶ [Full Text \(PDF\)](#)
- ▶ [Alert me when this article is cited](#)
- ▶ [Alert me if a correction is posted](#)

Services

- ▶ [Similar articles in this journal](#)
- ▶ [Similar articles in PubMed](#)
- ▶ [Alert me to new issues of the journal](#)
- ▶ [Download to citation manager](#)

Citing Articles

- ▶ [Citing Articles via HighWire](#)
- ▶ [Citing Articles via Google Scholar](#)

Google Scholar

- ▶ [Articles by Isaacs, J. T.](#)
- ▶ [Articles by English, H. F.](#)
- ▶ [Search for Related Content](#)

PubMed

- ▶ [PubMed Citation](#)
- ▶ [Articles by Isaacs, J. T.](#)
- ▶ [Articles by English, H. F.](#)



MOLECULAR ENDOCRINOLOGY

▶ HOME

O. Y. Khan, G. Fu, A. Ismail, S. Srinivasan, X. Cao, Y. Tu, S. Lu, and Z. Nawaz

Multifunction Steroid Receptor Coactivator, E6-Associated Protein, Is Involved in Development of the Prostate Gland
Mol. Endocrinol., March 1, 2006; 20(3): 544 - 559.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



The American Journal of PATHOLOGY

▶ HOME

R. P. McCarthy, S. Zhang, D. G. Bostwick, J. Qian, J. N. Eble, M. Wang, H. Lin, and L. Cheng
Molecular Genetic Evidence for Different Clonal Origins of Epithelial and Stromal Components of Phyllodes Tumor of the Prostate
Am. J. Pathol., October 1, 2004; 165(4): 1395 - 1400.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



Cancer Research

▶ HOME

P. Rocchi, A. So, S. Kojima, M. Signaevsky, E. Beraldi, L. Fazli, A. Hurtadocoll, K. Yamanaka, and M. Gleave
Heat Shock Protein 27 Increases after Androgen Ablation and Plays a Cytoprotective Role in Hormone-Refractory Prostate Cancer
Cancer Res., September 15, 2004; 64(18): 6595 - 6602.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



JBC Online

▶ HOME

X. Mu and C. Chang
TR3 Orphan Nuclear Receptor Mediates Apoptosis through Up-regulating E2F1 in Human Prostate Cancer LNCaP Cells
J. Biol. Chem., October 31, 2003; 278(44): 42840 - 42845.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



MOLECULAR ENDOCRINOLOGY

▶ HOME

M. E. Wright, M.-J. Tsai, and R. Aebersold
Androgen Receptor Represses the Neuroendocrine Transdifferentiation Process in Prostate Cancer Cells
Mol. Endocrinol., September 1, 2003; 17(9): 1726 - 1737.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



Journal of ANDROLOGY

▶ HOME

D. J. Lamb, E. Puxeddu, N. Malik, D. L. Stenoien, R. Nigam, G. Y. Saleh, M. Mancini, N. L. Weigel, and M. Marcelli
Molecular Analysis of the Androgen Receptor in Ten Prostate Cancer Specimens Obtained Before and After Androgen Ablation
J Androl, March 1, 2003; 24(2): 215 - 225.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



THE JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM

▶ HOME


P. Harkonen, S. Torn, R. Kurkela, K. Porvari, A. Pulkka, A. Lindfors, V. Isomaa, and P. Vihko
Sex Hormone Metabolism in Prostate Cancer Cells during Transition to an Androgen-Independent State
J. Clin. Endocrinol. Metab., February 1, 2003; 88(2): 705 - 712.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



MOLECULAR ENDOCRINOLOGY

▶ HOME

A. J. James, I. U. Agoulnik, J. M. Harris, G. Buchanan, W. D. Tilley, M. Marcelli, D. J. Lamb, and N. L. Weigel
A Novel Androgen Receptor Mutant, A748T, Exhibits Hormone Concentration-Dependent Defects in Nuclear Accumulation and Activity Despite Normal Hormone-Binding Affinity
Mol. Endocrinol., December 1, 2002; 16(12): 2692 - 2705.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



Proceedings of the National Academy of Sciences

▶ HOME


P. S. Nelson, N. Clegg, H. Arnold, C. Ferguson, M. Bonham, J. White, L. Hood, and B. Lin
The program of androgen-responsive genes in neoplastic prostate epithelium
PNAS, September 3, 2002; 99(18): 11890 - 11895.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



Journal of ANDROLOGY

▶ HOME

J. Singh, L. Young, D. J. Handelsman, and Q. Dong
Prostate Epithelial Expression of a Novel Androgen Target Gene
J Androl, September 1, 2002; 23(5): 652 - 660.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



Cancer Research

▶ HOME

M. Chakraborty, S. G. Qiu, K. M. Vasudevan, and V. M. Rangnekar
Par-4 Drives Trafficking and Activation of Fas and FasL to Induce Prostate Cancer Cell Apoptosis and Tumor Regression
Cancer Res., October 1, 2001; 61(19): 7255 - 7263.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



MOLECULAR ENDOCRINOLOGY

▶ HOME

D. Waltregny, I. Leav, S. Signoretti, P. Soung, D. Lin, F. Merk, J. Y. Adams, N. Bhattacharya, N. Cirenei, and M. Loda
Androgen-Driven Prostate Epithelial Cell Proliferation and Differentiation in Vivo Involve the Regulation of p27
Mol. Endocrinol., May 1, 2001; 15(5): 765 - 782.
[\[Abstract\]](#) [\[Full Text\]](#)



MOLECULAR ENDOCRINOLOGY

▶ HOME

S. Lu, G. Jenster, and D. E. Epner
Androgen Induction of Cyclin-Dependent Kinase Inhibitor p21 Gene: Role of Androgen Receptor and Transcription Factor Sp1 Complex
Mol. Endocrinol., May 1, 2000; 14(5): 753 - 760.
[\[Abstract\]](#) [\[Full Text\]](#)



Cancer Research

▶ HOME

R. Yu, S. Mandlekar, S. Ruben, J. Ni, and A-N. T. Kong
Tumor Necrosis Factor-related Apoptosis-inducing Ligand-mediated Apoptosis in Androgen-independent Prostate Cancer Cells
Cancer Res., May 1, 2000; 60(9): 2384 - 2389.
[\[Abstract\]](#) [\[Full Text\]](#)



Endocrinology

▶ HOME


S. Banerjee, P. P. Banerjee, and T. R. Brown
Castration-Induced Apoptotic Cell Death in the Brown Norway Rat Prostate Decreases as a Function of Age
Endocrinology, February 1, 2000; 141(2): 821 - 832.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



Cancer Research

▶ HOME

M. Marcelli, M. Ittmann, S. Mariani, R. Sutherland, R. Nigam, L. Murthy, Y. Zhao, D. DiConcini, E. Puxeddu, A. Esen, et al.
Androgen Receptor Mutations in Prostate Cancer
Cancer Res., February 1, 2000; 60(4): 944 - 949.
[\[Abstract\]](#) [\[Full Text\]](#)



Endocrinology

▶ HOME

S. Lu, S. Y. Tsai, and M.-J. Tsai
Molecular Mechanisms of Androgen-Independent Growth of Human Prostate Cancer LNCaP-AI Cells
Endocrinology, November 1, 1999; 140(11): 5054 - 5059.
[\[Abstract\]](#) [\[Full Text\]](#)



MOLECULAR ENDOCRINOLOGY

▶ HOME


S. Lu, M. Liu, D. E. Epner, S. Y. Tsai, and M.-J. Tsai
Androgen Regulation of the Cyclin-Dependent Kinase Inhibitor p21 Gene through an Androgen Response Element in the Proximal Promoter
Mol. Endocrinol., March 1, 1999; 13(3): 376 - 384.
[\[Abstract\]](#) [\[Full Text\]](#)



Clinical Cancer Research

▶ HOME


K. A. Moffatt, W. U. Johannes, and G. J. Miller
1{ { alpha} } ,25-Dihydroxyvitamin D3 and Platinum Drugs Act Synergistically to Inhibit the Growth of Prostate Cancer Cell Lines
Clin. Cancer Res., March 1, 1999; 5(3): 695 - 703.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



Cancer Research

▶ HOME

M. Marcelli, G. R. Cunningham, M. Walkup, Z. He, L. Sturgis, C. Kagan, R. Mannucci, I. Nicoletti, B. Teng, and L. Denner
Signaling Pathway Activated during Apoptosis of the Prostate Cancer Cell Line LNCaP: Overexpression of Caspase-7 as a New Gene Therapy Strategy for Prostate Cancer
Cancer Res., January 1, 1999; 59(2): 382 - 390.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)



Proceedings of the National Academy of Sciences

▶ HOME

J. Ghosh and C. E. Myers
Inhibition of arachidonate 5-lipoxygenase triggers massive apoptosis in human prostate cancer cells
PNAS, October 27, 1998; 95(22): 13182 - 13187.
[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)

