## **Turkish Journal of Medical Sciences**

**Turkish Journal** 

Co-Existence of Intrahepatic Bile Duct Adenoma and Colonic Adenocarcinoma

of

Gülen AKYOL<sup>1</sup>, Nüket ÜZÜM<sup>1</sup>, Nusret AKYÜREK<sup>2</sup>, Bülent MENTEŞ<sup>2</sup>

**Medical Sciences** 

<sup>1</sup>Department of Pathology, Faculty of Medicine, Gazi University, Ankara - TURKEY

<sup>2</sup>Department of General Surgery, Faculty of Medicine, Gazi University, Ankara - TURKEY



Abstract: Intrahepatic bile duct adenoma (BDA) is a rare benign tumor of the liver that is usually diagnosed by microscopic examination. Most cases are incidentally discovered during surgery or autopsy. Here, we report the co-existence of colonic adenocarcinoma and intrahepatic BDA mimicking metastasis in a 62-year-old man. The patient underwent metastasectomy because of the presence of colonic adenocarcinoma diagnosed at almost the same time. The diagnosis was benign in frozen sections intraoperatively and total colectomy was performed during the same operation. BDA should be included in the diseases to be differentiated from hepatic primary or metastatic tumors.



medsci@tubitak.gov.tr Key Words: Bile duct adenoma, liver, immunohistochemistry

Scientific Journals Home Page

Turk J Med Sci 2008; 38(4): 351-355.

Full text: pdf

Other articles published in the same issue: Turk J Med Sci,vol.38,iss.4.