

# Cryptology ePrint Archive: Report 2011/685

## Cryptanalysis of Symmetric Block Ciphers Based on the Feistel Network with Non-bijective S-boxes in the Round Function

*Roman Oliynykov*

**Abstract:** We consider ciphertext-only attack on symmetric block ciphers based on the Feistel network with secret S-boxes installed as an additional parameter, like in Soviet GOST 28147-89. In case when S-boxes are generated by authorized agency and cannot be verified by end-user of the cipher (e.g., in case of special equipment for encryption), application of non-bijective S-boxes allows significantly decrease deciphering complexity for authorized agency preserving high-level strength for other cryptanalysts. We show that it is necessary to have non-bijective S-boxes which outputs form non-trivial subgroup and give an example for deciphering complexity with known and secret non-bijective S-boxes for GOST.

**Category / Keywords:** block ciphers, Feistel network, ciphertext-only attack

**Date:** received 16 Dec 2011, last revised 16 Dec 2011

**Contact author:** ROliynykov at gmail com

**Available formats:** [PDF](#) | [BibTeX Citation](#)

**Version:** 20111223:120947 ([All versions of this report](#))

**Discussion forum:** [Show discussion](#) | [Start new discussion](#)

---

[ [Cryptology ePrint archive](#) ]