

Double-Speed Safe Prime Generation

David Naccache

Gemplus Card International
Applied Research & Security Centre
34 rue Guynemer, Issy-les-Moulineaux, F-92447, France
david.naccache@gemplus.com

Abstract. Safe primes are prime numbers of the form $p = 2q + 1$ where q is prime. This note introduces a simple method for doubling the speed of safe prime generation. The method is particularly suited to settings where a large number of RSA moduli must be generated.

keywords : safe primes, key-generation, prime-generation, RSA.

1 Introduction

Safe primes are prime numbers of the form $p = 2q + 1$ where q is prime. Such primes have various cryptographic advantages, we refer the reader to [1] for further references about safe primes and their applications.

Given a probabilistic prime generation algorithm \mathcal{A} that takes as input a size parameter k and outputs a random prime $2^{k-1} < p < 2^k$ with $p \equiv 3 \pmod{4}$, the straightforward way to generate a k -bit safe prime consists of calling \mathcal{A} with different random seeds until both p and $(p - 1)/2$ are prime :

```
do( $p := \mathcal{A}(k)$ ) while ( $(p - 1)/2$  is composite)
```

A well-known result (the prime number theorem [1]), states that the number of primes not exceeding n is approximately $n/\ln n$.

Let $p(k)$ be the probability that k -bit odd integer is prime; applying the prime number theorem, we get :

$$p(k) \simeq \frac{1}{2^{k-2}} \left(\frac{2^k}{k \ln 2} - \frac{2^{k-1}}{(k-1) \ln 2} \right) \simeq \frac{2}{k \ln 2}$$

Assuming that the time complexity of \mathcal{A} (denoted $f(k)$) depends only on k , the overall complexity of the straightforward safe prime generation approach is given by :

$$C(k) = \frac{f(k)}{p(k-1)} \simeq \frac{f(k)k \ln 2}{2}$$

In the following section we will show that this complexity can be divided by a factor of two.

2 The new technique

The idea consists in testing the primality of both $2p + 1$ and $(p - 1)/2$ for every prime generated by \mathcal{A} .

Hence the new algorithm is :

`do($p := \mathcal{A}(k)$) while ($(p - 1)/2$ and $2p + 1$ are composite)`

The probability $p'(k)$ that either $(p - 1)/2$ or $2p + 1$ is prime is given by :

$$p'(k) = 1 - (1 - p(k - 1))(1 - p(k + 1)) \simeq 2p(k)$$

Hence the overall complexity of this new algorithm is given by :

$$C'(k) = \frac{f(k)}{p'(k)} = \frac{f(k)k \ln 2}{4} = \frac{1}{2}C(k)$$

The complexity of safe prime generation is thus divided by two at the cost of generating primes of size k or $k + 1$ with equal probability. The generation of RSA moduli of a prescribed length $2k$ can thus be efficiently batched (for instance in a smart-card personalization facility) by sorting the primes into two separate files (F_k containing k -bit primes and F_{k+1} containing $(k + 1)$ -bit ones). Starting the same generation procedure again for k and $k - 1$, we obtain two other files (F'_k and F'_{k-1}) containing k -bit and $(k - 1)$ -bit primes. $2k$ -bit RSA moduli are then be formed by picking primes in $\{F'_k, F_k\}$ or in $\{F'_{k-1}, F_{k+1}\}$.

References

1. A. Menezes, P. van Oorschot & S. Vanstone, *Handbook of applied cryptography*, CRC Press, pp. 64 and 164.