

## Analytical determination of the position loop gain for linear motor CNC machine tool

**Z. Pandilov\***

Faculty of Mechanical Engineering, University "Sv. Kiril i Metodij"-Skopje, Karpos II b.b., P.O.Box 464, MK-1000, Skopje, Republic of Macedonia

\* Corresponding author: E-mail address: panzo@mf.edu.mk

Received 07.01.2008; published in revised form 01.02.2008

### Analysis and modelling

#### ABSTRACT

**Purpose:** One of the most important factors which influence on the dynamical behavior of the linear motor servo drives for CNC machine tools is position loop gain or Kv factor.

**Design/methodology/approach:** From the magnitude of the Kv-factor depends tracking or following error. In multi-axis contouring the following errors along the different axes may cause form deviations of the machined contours. Generally position loop gain Kv should be high for faster system response and higher accuracy, but the maximum gains allowable are limited due to undesirable oscillatory responses at high gains and low damping factor. Usually Kv factor is experimentally tuned on the already assembled machine tool.

**Findings:** This paper presents a simple method for analytically calculation of the position loop gain Kv. A combined digital-analog model of the 4-th order of the position loop is presented. In order to ease the calculation, the 4-th order system is simplified with a second order model. With this approach it is very easy to calculate the Kv factor for necessary position loop damping. The difference of the replacement of the 4-th order system with second order system is presented with the simulation program MATLAB. Analytically calculated Kv factor is function of the nominal angular frequency  $\omega$  and damping D of the linear motor servo drive electrical parts (motor and regulator), as well as sampling period T.

**Research limitations/implications:** The influence of nonlinearities was taken with the correction factor.

**Originality/value:** Our investigations have proven that experimentally tuned Kv factor differs from analytically calculated Kv factor less than 10%, which is completely acceptable.

**Keywords:** Numerical techniques; CNC machine tool; Linear motor servo drive; Position loop gain

### 1. Introduction

The most important variable, which describes the behaviour of a position control loop for CNC machine tool linear motor servo drives, is position loop gain or Kv-factor. This is the ratio of the command velocity (feed rate)  $v$  to the position control deviation (following error, tracking error, lag)  $\Delta x$  [3,4,7,13,14]

$$K_v[s^{-1}] = \frac{v[\text{mm/s}]}{\Delta x[\text{mm}]} \quad \text{or} \quad K_v \left[ \frac{\text{m/min}}{\text{mm}} \right] = \frac{v[\text{m/min}]}{\Delta x[\text{mm}]} \quad (1)$$

$$K_v[s^{-1}] = \frac{1000}{60} \cdot K_v \left[ \frac{\text{m/min}}{\text{mm}} \right] \quad (2)$$

From the magnitude of the Kv-factor depends tracking or following error. In multi-axis contouring the following errors along the different axes may cause form deviations of the machined contours. Generally position loop gain Kv should be high for faster system response and higher accuracy, but the maximum gains allowable are limited due to undesirable oscillatory responses at high gains and low damping factor.

Usually  $K_v$  factor is experimentally tuned on the already assembled machine tool [4,9,14]. This paper presents approach for analytically calculation of the position loop gain  $K_v$ . A combined 4-th order digital-analog model of the position loop is presented. In order to ease the calculation, the 4-th order system is simplified with a second order model. With this approach it is very easy to calculate the  $K_v$  factor for necessary position loop damping. The difference of the replacement of the 4-th order system with second order system is presented with the simulation program MATLAB. Analytically calculated  $K_v$  factor is function of the nominal angular frequency  $\omega$  and damping  $D$  of the feed drive electrical parts (motor and regulator), as well as sampling period  $T$ .

## 2. The combined digital-analog model of the linear motor servo drive position control loop and analytical calculation of the $K_v$ factor

Fig.1 presents digital-analog model of the CNC machine tool linear motor servo drive position control loop, where  $s$  represents Laplace operator.




Fig. 1. Combined digital-analog model of the linear motor servo drive position control loop

Similar models are presented in [4,10,12]. Because of the existence of the digital part in the presented model we must use  $z$ -transformation for analysis. With some approximations and substitutions it is possible to analyze presented model in  $s$ -domain (with Laplace transformation). Digital-analog converter is substituted with zero order holder (z.o.h.) and sampler [5]. The new model is presented in Fig.2.

According [5] we can approximate sampler and zero order holder (z.o.h.) in Laplace domain with the following transfer function:

$$G(s) = \frac{1 - e^{-T \cdot s}}{T \cdot s} \tag{3}$$

With the Padè approximation of the first order for the  $e^{-T \cdot s}$  we get:

$$e^{-T \cdot s} \approx \frac{1 - \frac{T}{2} \cdot s}{1 + \frac{T}{2} \cdot s} \tag{4}$$

where  $T$  is sampling time (period).

In that case  $G(s)$  becomes:

$$G(s) = \frac{1 - e^{-T \cdot s}}{T \cdot s} \approx \frac{1}{1 + \frac{T}{2} \cdot s} \tag{5}$$

With these simplifications linear motor servo drive position control loop may be presented with following model (Fig.3).




Fig. 2. Modified model of the linear motor servo drive position control loop presented in figure 1




Fig. 3. Analog model of the linear motor servo drive position control loop

The model in Fig.3 may be analyzed in  $s$ -domain with Laplace transformation. The transfer function of the linear motor servo drive position control loop presented in Fig.3 is:

$$\frac{X_o(s)}{X_i(s)} = \frac{K_v \cdot \frac{1}{\frac{T}{2} \cdot s + 1} \cdot \frac{1}{\frac{1}{\omega^2} \cdot s^2 + \frac{2D}{\omega} \cdot s + 1} \cdot \frac{1}{s}}{1 + K_v \cdot \frac{1}{\frac{T}{2} \cdot s + 1} \cdot \frac{1}{\frac{1}{\omega^2} \cdot s^2 + \frac{2D}{\omega} \cdot s + 1} \cdot \frac{1}{s}} \tag{6}$$

$$\frac{X_d(s)}{X_i(s)} = \frac{K_v}{\left(\frac{T}{2} \cdot s + 1\right) \cdot \left(\frac{1}{\omega^2} \cdot s^2 + \frac{2D}{\omega} \cdot s + 1\right) \cdot \left(\frac{1}{s}\right) + K_v} \tag{7}$$

$$\frac{X_o(s)}{X_i(s)} = \frac{b_0}{a_4 \cdot s^4 + a_3 \cdot s^3 + a_2 \cdot s^2 + a_1 \cdot s + a_0} \tag{8}$$

where:

$$a_4 = \frac{T}{2\omega^2}, \quad a_3 = \frac{1}{\omega^2} + \frac{D}{\omega} \cdot T, \quad a_2 = \frac{2D}{\omega} + \frac{T}{2}, \quad a_1 = 1, \quad a_0 = Kv$$

and  $b_0 = Kv$ .

Having information's about the magnitude of the variables  $\omega$ ,  $D$ , and  $T$  in real linear motor servo drive position control loops, we can conclude that  $a_4, a_3$  tends towards zero ( $a_4, a_3 \rightarrow 0$ ). So in that case we can simplify 4-th order system with the second order system [1,4]. We will present linear motor servo drive position control loop with the simplified transfer function:

$$\frac{Xo(s)}{Xi(s)} = \frac{b_0}{a_2 \cdot s^2 + a_1 \cdot s + a_0} \quad (9)$$

where  $a_2 = \frac{2D}{\omega} + \frac{T}{2}$ ,  $a_1 = 1$ ,  $a_0 = Kv$  and  $b_0 = Kv$ .

In that case

$$\frac{Xo(s)}{Xi(s)} = \frac{Kv}{\left(\frac{2D}{\omega} + \frac{T}{2}\right) \cdot s^2 + s + Kv} \quad (10)$$

To check if it is correct to substitute 4-th order with second order system, we will simulate the system transfer function response on step function with simulation program MATLAB. Numerical values of the parameters of the examined system are:

$$\omega=1000 \text{ s}^{-1}, \quad D=0.7, \quad T=0.001 \text{ s} \text{ and } Kv=166.67 \text{ s}^{-1}.$$

Fig. 4 gives responses of the position control loop transfer function of 4-th and 2-nd order on step function.

From Fig. 4 it is obvious that the differences caused by substitution are minimal. It makes substitution completely acceptable. For the second order system it is possible very easy and fast to calculate Kv-factor for necessary position control loop damping.

We can write the second order system transfer function in the following form:

$$\frac{Xo(s)}{Xi(s)} = \frac{1}{\frac{1}{\omega_n^2} \cdot s^2 + \frac{2\zeta}{\omega_n} \cdot s + 1} \quad (11)$$

where  $\zeta$  is position control loop damping ( $0 < \zeta < 1$ ), and  $\omega_n$  is nominal angular frequency of the position control loop. We will transform equation (10) in the form of equation (11).

$$\begin{aligned} \frac{Xo(s)}{Xi(s)} &= \frac{Kv}{\left(\frac{2D}{\omega} + \frac{T}{2}\right) \cdot s^2 + s + Kv} = \\ &= \frac{1}{\frac{\left(\frac{2D}{\omega} + \frac{T}{2}\right)}{Kv} \cdot s^2 + \frac{1}{Kv} \cdot s + 1} \end{aligned} \quad (12)$$




Fig. 4. (-----) Time response of the 4-th order system (.....) Time response of the 2-nd order system

Comparing (11) and (12) we can obtain:

$$\omega_n = \sqrt{\frac{Kv}{\frac{2D}{\omega} + \frac{T}{2}}} \quad \text{and} \quad \zeta = \frac{1}{2} \cdot \sqrt{\frac{1}{Kv \left(\frac{2D}{\omega} + \frac{T}{2}\right)}} \quad (13)$$

In order to have required position control loop damping  $\zeta$ , Kv-factor should be calculated with the following equation:

$$Kv = \frac{1}{4\zeta^2 \left(\frac{2D}{\omega} + \frac{T}{2}\right)} \quad (14)$$

Due to the presence of nonlinearities in reality the value of Kv must be decreased up to 40% [4].

$$Kv = \frac{0.6}{4\zeta^2 \left(\frac{2D}{\omega} + \frac{T}{2}\right)} \quad (15)$$

Equation (15) gives direct analytical relationship between Kv-factor and  $\omega$ ,  $D$ ,  $T$  and  $\zeta$ , which are already known variables, or can be calculated very easy.

With the equation (15) it is possible to estimate CNC machine tool linear motor servo drive position loop gain Kv without performing experiments.

We will check correctness of the equation (15) on real linear motor servo drive position control loop of high speed cutting CNC linear motor machine (HSC 11) developed on the Institute for Production Engineering and Machine Tools (PTW) at Technical University Darmstadt, Germany. Position loop damping  $\zeta=0.7$  is preferable according [2,6,8,12,15]. That is the

value, which gives minimal contouring errors. Other numerical values of the examined system are:  $\omega=1000\text{ s}^{-1}$ ,  $D=0.7$ , and  $T=0.001\text{ s}$ . With the substitution in the equation (15) the position loop gain value  $K_v=157.89\text{ s}^{-1}$  is calculated. Experimentally tuned value of  $K_v$ -factor on examined machine tool axis was  $K_v=166.67\text{ s}^{-1}$ . The difference between analytically calculated and experimentally obtained value of  $K_v$ -factor is around 5.5%, which is completely acceptable.

### 3. Conclusions

The equation (15) enables very fast, simple and precise analytical calculation of position loop gain  $K_v$  as a function of already known position control loop parameters ( $\omega$ -nominal angular frequency of the feed drive electrical parts,  $D$ -damping of the feed drive electrical parts, and  $T$ -sampling time). In that way we can avoid long-time experimental tuning of the  $K_v$ -factor on machine tool. And of course analytical calculation of the  $K_v$  factor gives possibility to estimate the accuracy of the system in the design phase.

### Acknowledgements

This research was done during my study visit at the Institute of Production Engineering and Machine Tools (PTW), Faculty of Mechanical Engineering, Darmstadt University of Technology, Darmstadt, Germany, sponsored by the DAAD (German Academic Exchange Service).

### References

- [1] H. Gao, Increase of Dynamic Contour Accuracy by Application of Contour Error Oriented Optimization Exemplified by a Linear Motor Feed Drive, Dissertation, TU Darmstadt, Germany, 1999 (In German).
- [2] T.B. Bullock, G.W. Yountkin, Bode diagrams analyze servo-systems, *Machine Design* 9 (1995) 49-54.
- [3] S. Gordon, M. T. Hillery, Development of a high-speed CNC cutting machine using linear motors, *Journal of Materials Processing Technology* 166 (2005) 321-329.
- [4] H. Gross, J. Hamann, G. Wiegaertner, *Electrical Feed Drives in Automation: Basic, Computation, Dimensioning*, MCD Corporate Publishing, Erlangen and Munich, 2001.
- [5] L. Harder, J. A. Isaksson, Robust PI-control of cutting forces in turning, *Proceedings of the 31 MATADOR Conference, Manchester, U.K., 1995*, 261-266.
- [6] W.T. Lei, Y.Y. Hsu, Error measurement of five-axis CNC machines with 3D probe-ball, *Journal of Materials Processing Technology* 139 (2003) 127-133.
- [7] X. Luo, K. Cheng, D. Webb, F. Wardle, Design of ultraprecision machine tools with applications to manufacture of miniature and micro components, *Journal of Materials Processing Technology* 167 (2005) 515-528.
- [8] Z. Pandilov, V. Dukovski, Application of the double ball bar test for optimizing contouring accuracy of CNC milling machine, *Proceedings of the 11<sup>th</sup> International Scientific Conference on Production Engineering, CIM 2007, Biograd, Croatia, 2007*, 251-256.
- [9] Z. Pandilov, V. Dukovski, Analytical calculation of the CNC machines position loop gain, *Journal of Achievements in Materials and Manufacturing Engineering* 23/1 (2007) 71-74.
- [10] D.A. Smith, Wide bandwidth control of high-speed milling machine feed drives, Dissertation, University of Florida, USA, 1999.
- [11] P. Soucek, *Servo mechanisms for machine tools*, CVUT, Prague, 2004 (In Czech).
- [12] G.W. Yountkin, *Industrial Servo Control Systems: Fundamentals and Applications*, Marcel Dekker Inc., 1996.
- [13] J. Wang, Robust Tracking Controller Design with Application to an X-Y Feed Table for High-Speed Machining, PhD dissertation, ISBN, 90-5682-468-6, Katholieke Universiteit Leuven, Belgium, January 2004.
- [14] M. Weck, *Machine Tools and Machinig Systems, Volume 3, Mechatronics Systems: Feed Drives and Process Diagnosis*, Springer, 2007 (In German).
- [15] M. Weck, P. Krueger, C. Brecher, Limits for controller settings with electric linear direct drives, *International Journal of Machine Tools and Manufacture* 41 (2001) 65-88.