

The Flora of Balıkdamı Wetland and Its Surroundings (Sivrihisar, Eskişehir - Turkey)

Onur KOYUNCU, Ebru ATAŞLAR, Süleyman TOKUR, Meltem ERDİR ERTEN, Murat ARDIÇ

Eskişehir Osmangazi University, Faculty of Sciences and Literature, Department of Biology, 26480 Eskişehir - TURKEY

Received: 09.08.2007

Accepted: 28.03.2008

Abstract: The present study involves the flora of Balıkdamı Wetland and its surroundings in Sivrihisar, Eskişehir, Turkey. This 2-year study (2002-2003) examined the plant samples collected in this region and determined that there are 51 families, as well as 250 taxa belonging to 173 genera (247 species, 1 subspecies, and 2 varieties). All of these taxa belong to the Angiosperms (201 Dicotyledons, 49 Monocotyledons) subdivision. The largest families are Brassicaceae (31), Poaceae (29), and Fabaceae (25) in terms of the number of species and subspecies included. Genera represented by the highest number of species are *Alyssum* L. (5), *Centaurea* L. (5), and *Consolida* L. (4). The phytogeographical distribution is as follows: 47 Irano-Turanian (18.8%), 27 Euro-Siberian (10.8%), 23 Mediterranean (9.2%), and 153 unknown or other-regional elements (61.2%). The number of endemic taxa within the study area is 29 (11.6%). Fifty-one taxa are new records for the B3 square.

Key Words: Flora, Balıkdamı Wetland, Eskişehir, Turkey

Balıkdamı Sulak Alanı ve Çevresinin Florası (Sivrihisar, Eskişehir - Türkiye)

Özet: Bu çalışma, Eskişehir ili Sivrihisar ilçesinde yer alan Balıkdamı Sulak Alanı ve Çevresi florasını içermektedir. Çalışma alanından 2002-2003 yıllarında 2 yıl süresince toplanan bitki örneklerinin değerlendirilmesi sonucu 51 familya ve 173 cinsle ait 250 takson (247 tür, 1 alttür, 2 varyete) bulunmuştur. Bu taksonların tamamı kapalı tohumlular alt bölümünde ait olup, 201'i çift çenekli, 49'u tek çeneklidir. İçerdikleri tür ve tür altı takson sayısı bakımından en büyük familyalar Brassicaceae (31), Poaceae (29) ve Fabaceae (25) dir. En çok türle temsil edilen cinsler ise *Alyssum* L. (5), *Centaurea* L. (5) ve *Consolida* L. (4) dir. Bitki coğrafyası elemanlarının dağılımı İran-Turan 47 (% 18,8), Avrupa-Sibirya 27 (% 10,8), Akdeniz 23 (% 9,2) ve diğer bölgeler veya fitocoğrafi bölgeleri bilinmeyenler 153 (% 61,2)'dir. Çalışma alanındaki endemik takson sayısı 29 (% 11,6)'dur. 51 takson B3 karesi için yeni kayittır.

Anahtar Sözcükler: Flora, Balıkdamı Sulak Alanı, Eskişehir, Türkiye

Introduction

Wetlands constitute the richest and the most prolific ecosystem, a rather complicated system that serves local people enormously as well as the country as a whole. Wetlands are incomparable considering all other ecosystems in that they have unique functions and values. As the effects of climatic changes upon humans and wildlife increase, the adaptation capability of wetlands to rapidly changing conditions appears to be an indispensable element. Therefore, there are an increasing

number of studies on wetlands and their functions across the world.

There are 135 wetlands in Turkey that have achieved international recognition. These wetlands make up 2,206,835 ha altogether. Our study area, which is Balıkdamı Wetland, is only one of these wetlands and comprises 1470 ha (Magnin & Yarar, 1997).

Balıkdamı is situated between $31^{\circ}33'37''$ / $31^{\circ}40'14''$ E longitude and between $39^{\circ}10'18''$ / $39^{\circ}12'48''$ N latitude in the district of Sivrihisar, a town in Eskişehir

The present study is part of project entitled "Research into the Ecosystem of Balıkdamı" (Project Number: 2002/19041) funded by the Association of Scientific Research at Eskişehir Osmangazi University.

province. According to the grid system, it is situated in the B3 square (Davis, 1965-1985). Balıkdamı is quite an interesting ecosystem with its rich flora and fauna, apart from being a favourite location for migratory birds. It was declared as a site of second level importance for birds and so it is under protection (Magnin & Yarar, 1997) (Figure 1).

The most important study conducted so far on the floristic structure of the wetlands in Turkey was by Seçmen and Leblebici (1996).

In addition, one study looked into only the flora of Gökada. In that study, only Gökada marshy places, a part of the Balıkdamı wetland, and located between Balıkdamı village and Ahiler village, and its surrounding area were studied. After determination of samples collected from this area in 1994, 140 taxa that belong to 38 families were found (Türe et al., 1996).

The study area's importance in terms of its flora was the main reason for our choosing it as the study area. Furthermore, unsystematic grazing of animals and random collection of the plants occurring here pose a threat to its very existence by causing erosion. Therefore, the present study aimed to determine all the plants occurring in this region before they become extinct, as well as drawing up a list of all the endemic plants. We also aimed to record new records of plants in the B3 square,

which would add to the existing knowledge of Turkish flora.

The climate of Eskişehir seems to be a transition climate type between the West Anatolian and the Inner Anatolian climates at first glance; there is often a harsh, territorial climate in the city itself (MGM, 1997). The city is surrounded by mountains to the north and south, as well as by high plateaus to the west. While this hinders the effect of the Mediterranean and Black Sea climates on the city, it allows, albeit slightly, the West Anatolian climate to permeate into the city (Akman, 1990). The ombrothermic diagram of Eskişehir was prepared according to the climatic data obtained from meteorological stations in Eskişehir (Figure 2).

Materials and Methods

Samples of plants were collected for the wetland of Balıkdamı and its surrounding, in order to determine the floristic structure of the study area in 2002 and 2003. The research area is situated between $31^{\circ}33'37''/31^{\circ}40'14''$ E longitude and between $39^{\circ}10'18''/39^{\circ}12'48''$ N latitude in the district of Sivrihisar, a town in Eskişehir province.

The specimens were dried using standard herbarium methods. The majority of the specimens were identified




Figure 1. Map of the study area




Figure 2. Ombothermic diagrams of Eskişehir

with the help of the *Flora of Turkey and the East Aegean Islands* (Davis, 1965-1985; Davis et al., 1988; Güner et al., 2000). Some of the identifications were checked in *Flora Europaea* (Tutin et al., 1964-1980), *Flora Hellenica* (Strid & Tan, 1997), *Flora Iranica* (Rechinger, 1965-1977), *Flora of Iraq* (Townsend & Guest, 1966-1985), and *Flora Palaestina* (Zohary, 1966-1972). The herbaria of ANK, ESSE, GAZI, and HUB were used to check these specimens. All of the plant specimens are kept in the Herbarium of Eskişehir Osmangazi University Sciences and Literature Faculty (OUFE).

The plant taxa of the Balıkdamı Wetland and its surroundings are listed in the appendix. All the taxa in the floristic list are given according to the order in the *Flora of Turkey and the East Aegean Islands* (Davis, 1965-1985; Davis et al., 1988). The list gives the locality of the taxa first, followed by habitat, altitude, collection date, herbarium number, endemism, phytogeographical region, life form and IUCN (2001) threat category for endemic taxa. Grid square and city name are not mentioned for each location because the study area is completely within the square B3 Eskişehir. An asterisk in front of a plant name indicates a new record for the B3 grid square (Donner, 1990; Duman & Karavelioğulları, 1995; Yıldız & Aytaç 1995; Mutlu & Erik, 1999; Serin & Ertuğrul, 1999; Kargioğlu & Aşçı, 2001; Kaynak & Tarımcılar, 2001; Kaynak et al., 2003; Yıldırımlı, 1994, 1997a, 1997b, 1999, 2000, 2001a, 2001b, 2002, 2003a, 2003b, 2005).

The data of this study were compared with those of other studies (Türe et al., 1996; Ocak & Türe, 2001; Türe & Böcek, 2001).

The authors of species names are given according to Brummitt and Powell (2001).

Abbreviations

The abbreviations used in the text and the appendix are Euxine (Eux.), Euro-Siberian element (Euro-Sib.), Mediterranean element (Medit.), East Mediterranean element (E. Medit.), Irano-Turanian element (Ir.-Tur.), Hemicryptophyte (Hcrp.), Therophyte (Th.), Cryptophyte (Crp.), Chamaephyte (Ch.), Vascular parasite (Vp.), Mesophanerophyte (Msph.), Herbarium of Eskişehir Osmangazi University Sciences and Literature Faculty (OUFE).

Results and Discussion

The present study examines the flora of Balıkdamı Wetland and its surroundings. This area is an internationally recognised wetland and an ecosystem covering 1470 ha. Two hundred and fifty taxa were identified as a result of the studies performed in the region over 2 years. These taxa belong to 51 families and 173 genera, and they consist of 247 species, 1 subspecies, and 2 varieties. All of these taxa belong to Angiosperms. Two hundred and one taxa belong to the Dicotyledons while the other 49 belong to the Monocotyledons. While 29 out of the 250 taxa are endemic, 51 taxa are considered new records for the B3 square (Table 1).

The largest families are Brassicaceae (31), Poaceae (29), and Fabaceae (25) in terms of the number of species and subspecies included. Genera represented by the highest number of species are *Alyssum* L. (5), *Centaurea* L. (5), and *Consolida* L. (4). The phytogeographical distribution is 47 Irano-Turanian (18.8%), 27 Euro-Siberian (10.8%), 23 Mediterranean

Table 1. The dispersion of taxa into large taxonomic groups.

	Number of Families	Number of Genera	Number of Taxa
Spermatophyta	51	173	250
Angiospermae	51	173	250
Dicotyledoneae	42	138	201
Monocotyledoneae	9	35	49
Total	51	173	250

(9.2%), and 153 unknown or other-regional elements (61.2%). The number of endemic species within the study area is 29 (11.6%). Fifty-one taxa are new records for the B3 square.

The largest families according to the number of species in this study are presented in Table 2. The family Brassicaceae is the largest group in the study area, with 31 taxa. The family Poaceae is the second-largest group in the study area, with 29 taxa. The family Fabaceae ranks third, with 25 taxa. Table 3 compares regions close and similar to Balıkdamı Wetlands and its surroundings. It was assumed that Brassicaceae is the family containing the most taxa (Türe et al., 1996). Others studies named Asteraceae as the family with the highest number of taxa (Ocak & Türe, 2001; Türe & Böyük, 2001).

The genera containing the highest number of species in this study are listed in Table 4. According to this list,

Table 2. The families containing the highest number of taxa.

Families	Number of taxa	Rate (%)
Brassicaceae	31	12.4
Poaceae	29	11.6
Fabaceae	25	10.0
Asteraceae	25	10.0
Lamiaceae	18	7.2
Caryophyllaceae	12	4.8
Apiaceae	10	4.0
Ranunculaceae	9	3.6
Liliaceae	9	3.6
Boraginaceae	8	3.2

Table 3. Comparison of large families in Balıkdamı Wetland and neighbouring areas.

Families (%)	1	2	3	4
Brassicaceae	12.4	14.0	8.5	4.9
Poaceae	11.6	9.0	4.26	4.6
Fabaceae	10.0	10.0	9.6	7.9
Asteraceae	10.0	9.0	14.7	9.9
Lamiaceae	7.2	9.0	6.8	6.0
Caryophyllaceae	4.8	3.5	5.7	1.92
Apiaceae	4.0	0.7	5.7	3.03
Ranunculaceae	3.6	4.28	2.84	2.2
Liliaceae	3.6	2.14	8.24	1.65
Boraginaceae	3.2	3.5	5.11	3.58

1. Flora of Balıkdamı, 2. Flora of Gökada, 3. Flora of OGÜ Meşelik Campus, 4. Flora of Anadolu University Campus.

Table 4. The genera containing the highest number of taxa.

Families	Number of taxa	Rate (%)
<i>Alyssum</i>	5	2.0
<i>Centaurea</i>	5	2.0
<i>Consolida</i>	4	1.6
<i>Gypsophila</i>	4	1.6
<i>Astragalus</i>	4	1.6
<i>Trifolium</i>	4	1.6
<i>Medicago</i>	4	1.6
<i>Veronica</i>	4	1.6
<i>Salvia</i>	4	1.6

the genera *Alyssum* and *Centaurea* rank first, with 5 taxa each (2.00%).

The species of the study area, categorised according to phytogeographical regions, can be listed as follows: Irano-Turanian elements 47 (18.8%), Euro-Siberian elements 27 (10.8%), Mediterranean elements 23 (9.2%), and the remaining 153 (61.2%) taxa are unknown or other-regional. The results of the studies conducted in close and similar areas, along with phytogeographical distribution, are presented in Table 5. Many specimens belonging to the Irano-Turanian phytogeographical region were determined in this study. Euro-Siberian elements, which rank second, are followed by Mediterranean elements. A comparison between our study results and those of others carried out in the study area indicates that we can see the same phytogeographical sequence in the flora of Gökada (Türe et al., 1996).

In this study, 29 of the 250 taxa are endemic plants. The rate of endemism is 11.6% and is higher in our study than in other studies carried out in nearby areas (Table 5). Threat categories for endemic taxa are listed as follows: *Scabiosa hololeuca* Bornm. is EN (Endangered), *Thymus leucostomus* Hausskn. & Velen var. *argillaceus* Jalas is VU (Vulnerable), and other 27 endemic taxa are LC (Least Concern) (IUCN, 2001).

The life forms of the taxa according to Raunkiaer are given in Table 6. Of the taxa, 127 (50.8%) are hemicryptophytes, 83 (33.2%) are therophytes, 23 (9.2%) are cryptophytes, 13 (5.2%) are chamaephytes, 3 (1.2%) are vascular parasites, and 1 (0.4%) is a mesophanerophyte. Raunkiaer's life forms spectrum acts as an indicator of the region or climate (Raunkiaer, 1934).

Table 5. A comparison of the phytogeographical elements and endemism.

Research area	1	2	3	4
Irano-Turanian	18.8	16.40	17.80	7.7
Euro-Siberian	10.8	7.80	4.80	8.8
Mediterranean	9.2	7.00	6.10	3.3
Multi-regional or unknown	61.2	71.40	71.30	80.2
Endemism	11.6	10.00	9.00	3.0

1. Flora of Balıkdamı, 2. Flora of Gökada, 3. Flora of OGÜ Meşelik Campus, 4. Flora of Anadolu University Campus.

Table 6. Life forms in the research area.

Life form	Number of taxa	Rate (%)
Hemicryptophyte	127	50.8
Therophyte	83	33.2
Cryptophyte	23	9.2
Chamaephyte	13	5.2
Vascular parasite	3	1.2
Mesophanerophyte	1	0.4
Total	250	100

References

- Akman Y (1990). *İklim ve Biyoiklim*. Ankara: Palme Yayınları.
- Brummitt RK & Powell CE (eds) (2001). *Authors of Plant Names*. Kew Royal Botanic Gardens.
- Davis PH (ed) (1965-1985). *Flora of Turkey and the East Aegean Islands*. Vols. 1-9. Edinburgh: Edinburgh University Press.
- Davis PH, Mill RR & Tan K (eds) (1988). *Flora of Turkey and the East Aegean Islands*. Vol. 10. Edinburgh: Edinburgh University Press.
- Donner J (1990). Distribution maps to P.H. Davis "Flora of Turkey, 1-10". *Linzer Biol Beitr* 22: 381-515.
- Duman H & Karavelioğulları FA (1995). New floristic records for the Grid Squares (A4, A8, B1, B3, B6, C1-C6). *Turk J Bot* 19: 623-626.
- Güner A, Özhatay N, Ekim T & Başer KHC (eds) (2000). *Flora of Turkey and the East Aegean Islands*. Vol. 11. Edinburgh: Edinburgh University Press.
- IUCN (2001) *IUCN Red List of Threatened Species, Categories and Criteria (Version 3.1)*. IUCN Species Survival Commission. IUCN, Gland, Switzerland & Cambridge, UK.
- Kargioğlu M & Aşçı F (2001). B3 Karesinden yeni floristik kayıtlar. *Ot Sistematisk Botanik Dergisi* 8: 67-72.
- Kaynak G & Tarımcılar G (2001). New floristic records for the Grid Square B3 Uluborlu-Isparta, Turkey. *Turk J Bot* 25: 163-165.
- Kaynak G, Günay R, Tarımcılar G, Benlioğlu O & Yılmaz Ö (2003). New floristic records for the Grid Square A2 (Bursa) and B3 (Uluborlu-Isparta). *Ot Sistematisk Botanik Dergisi* 10: 169-179.
- Magnin G & Yarar M (1997). *Important Bird Areas in Turkey*. Doğal Hayatı Koruma Derneği, İstanbul, Türkiye.
- MGM (1997). Meteoroloji Genel Müdürlüğü, Eskişehir Bölge Müdürlüğü Yayınları.
- Mutlu B & Erik S (1999). New floristic records from various squares in flora of Turkey. *Ot Sistematisk Botanik Dergisi* 6: 45-56.
- Özak A & Türe C (2001). The Flora of the Meşelik Campus of Osmangazi University. *Ot Sistematisk Botanik Dergisi* 8: 19-46.
- Raunkiaer C (1934). *The Life Forms of Plants and Statistical Plant Geography*. Oxford: Clarendon Press.
- Rechinger KH (ed) (1965-1977). *Flora Iranica*. Graz-Austria: Akademische Druck und Verlagsanstalt.
- Seçmen Ö & Leblebici E (1996). Türkiye Sulak Alan Bitkileri ve Bitki Örtüsü, Bornova-İzmir.
- Serin M & Ertuğrul K (1999). New floristic records for the Square B3 and B4 (İlgın-Konya, Turkey). *Turk J Bot* 23: 71-73.
- Strid A & Tan K (eds) (1997). *Flora Hellenica*. Konigstein: Koeltz Scientific Books.
- Townsend CC & Guest E (1966-1985). *Flora of Iraq*. Baghdad: Ministry of Agriculture, Baghdad and Bentham-Moxon Trust.
- Tutin TG, Heywood VH, Burges NA, Moore DM, Valentine DH, Walters S & Webb BA (eds) (1964-1980). *Flora Europaea*. Vols. 1-5. Cambridge: Cambridge University Press.
- Türe C, Ocak A & Mısırdalı H (1996). Balıkdamı'nın (Gökada) Florası. *Anadolu Üniversitesi Fen Fakültesi Dergisi*, 2: 55-69.
- Türe C & Böcük H (2001). The flora of the Anadolu University Campus (Eskişehir-Turkey). *Anadolu University Journal of Science and Technology* 2: 83-95.
- Yıldırımlı Ş (1994). Türkiye'den *Brassicaceae (Cruciferae)* familyasından, çeşitli kareler için yeni floristik kayıtlar. *Turk J Bot* 18: 389-392.
- Yıldırımlı Ş (1997a). The chorology of the Turkish species of *Acanthaceae*, *Aceraceae*, *Aizoaceae*, *Amaranthaceae* and *Anacardiaceae* families. *Ot Sistematisk Botanik Dergisi* 4: 125-130.
- Yıldırımlı Ş (1997b). The chorology of the Turkish species of *Apiaceae* family. *Ot Sistematisk Botanik Dergisi* 4: 105-128.
- Yıldırımlı Ş (1999). The chorology of the Turkish species of *Asteraceae* family. *Ot Sistematisk Botanik Dergisi* 6: 75-123.
- Yıldırımlı Ş (2000). The chorology of the Turkish species of *Boraginaceae* family. *Ot Sistematisk Botanik Dergisi* 7: 257-272.
- Yıldırımlı Ş (2001a). The chorology of the Turkish species of *Brassicaceae*, *Buddlejaceae*, and *Buxaceae* families. *Ot Sistematisk Botanik Dergisi* 8: 141-171.
- Yıldırımlı Ş (2001b). The chorology of the Turkish species of *Cactaceae*, *Callitrichaceae*, *Calycanthaceae* and *Campanulaceae* families. *Ot Sistematisk Botanik Dergisi* 8: 157-171.

- Yıldırımlı Ş (2002). The chorology of the Turkish species of *Caryophyllaceae*, *Casuarinaceae*, *Celastraceae*, *Ceratophyllaceae* and *Cercidiphyllaceae* families. *Ot Sistematisk Botanik Dergisi* 9: 175-199.
- Yıldırımlı Ş (2003a). The chorology of the Turkish species of *Chenopodiaceae*, *Cistaceae*, *Convolvulaceae*, *Cornaceae* and *Corylaceae* families. *Ot Sistematisk Botanik Dergisi* 10: 203-215.
- Yıldırımlı Ş (2003b). The chorology of the Turkish species of *Crassulaceae*, *Cucurbitaceae*, *Cuscutaceae* and *Cynocrambaceae* families. *Ot Sistematisk Botanik Dergisi* 10: 249-263.
- Yıldırımlı Ş (2005). The chorology of the Turkish species of *Fabaceae*. *Ot Sistematisk Botanik Dergisi* 12: 117-170.
- Yıldız G & Aytaç Z (1995). New floristic records for the various grid squares from the *Lamiaceae*. *Turk J Bot* 19: 627-630.
- Zohary M (1966-1972). *Flora Palaestina*. Jerusalem: The Israel Academy for Science and Humanities.

APPENDIX

THE FLORISTIC LIST

SPERMATOPHYTA	<i>Adonis flammea</i> Jacq.	OUFE 10668; Balıkdamı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10669.
ANGIOSPERMAE	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10661; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10662.	Th.
DICOTYLEDONEAE		<i>P. somniferum</i> L.
RANUNCULACEAE		Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10670.
<i>Nigella arvensis</i> L. var. <i>involuta</i> Boiss.		Cultivated. Th.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10654.		* <i>Hypecoum procumbens</i> L.
Hcrp.		Göktepe village, around Düden, limestone rocky places, 840 m, 17.05.2003, OUFE 10671.
<i>Consolida thirkeana</i> (Boiss.) Schröd.		Medit. Th.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10655.		<i>H. imberbe</i> Sibth. & Sm.
Endemic. Th. LC		Göktepe village, around Düden, limestone rocky places, 840 m, 17.05.2003, OUFE 10672; Balıkdamı bridge, roadside and fieldside, 780 m, 06.06.2003, OUFE 10673.
<i>C. orientalis</i> (Gay) Schröd.		Th.
Balıkdamı bridge, roadside and fieldside, 780 m, 16.06.2002, OUFE 10656; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10657.		CRUCIFERAE (BRASSICACEAE)
Th.		<i>Eruca sativa</i> Mill.
<i>C. regalis</i> S.F.Gray subsp. <i>paniculata</i> (Host) Soo var. <i>paniculata</i>		Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10674.
Balıkdamı bridge, roadside and fieldside, 780 m, 16.06.2002, OUFE 10658; Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10659.		Th.
Th.		* <i>Crambe orientalis</i> L. var. <i>orientalis</i>
<i>C. hellespontica</i> (Boiss.) Chater		Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10675.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10660.		Ir.-Tur. Hcrp.
Th.		<i>Conringia orientalis</i> (L.) Andrz.
		Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10676.
		Th.
		* <i>C. planisiliqua</i> Fisch. & C.A.Mey.
		Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10677.

Ir.-Tur. Th.	<i>Alyssum linifolium</i> Steph. ex Willd. var. <i>linifolium</i>	Hcrp.
Lepidium latifolium L.	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10689.	* <i>Barbarea vulgaris</i> R.Br.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10678.	Th.	Göktepe village, around Düden, limestone rocky places, 840 m, 25.04.2003, OUFE 10699.
Hcrp.	<i>A. dasycarpum</i> Steph. ex Willd.	Hcrp.
Cardaria draba (L.) Desv. subsp. <i>draba</i>	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10690.	* <i>Matthiola tricuspidata</i> (L.) R.Br.
Balıkdami bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10679; Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10680; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10681.	Th.	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10700.
Ir.-Tur. Hcrp.	<i>A. desertorum</i> Stapf. var. <i>desertorum</i>	Th.
<i>Isatis glauca</i> Aucher ex Boiss. subsp. <i>glauca</i>	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10691.	<i>Erysimum crassipes</i> Fisch. & C.A.Mey.
Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10682.	Th.	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10701.
Ir.-Tur. Hcrp.	<i>A. pateri</i> Nyar. subsp. <i>pateri</i>	Hcrp.
<i>Thlaspi perfoliatum</i> L.	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10692.	<i>Chorispora syriaca</i> Boiss.
Göktepe village, around Düden, limestone rocky places, 840 m, 17.05.2003, OUFE 10683.	Endemic. Hcrp. LC	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10702.
Th.	<i>A. sibiricum</i> Willd.	Ir.-Tur. Th.
* <i>T. alliaceum</i> L.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10693.	<i>Sisymbrium loeselii</i> L.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10684.	Hcrp.	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10703.
Th.	<i>Draba muralis</i> L.	Hcrp.
* <i>Hymenolobus procumbens</i> (L.) Nutt. ex Torrey & Gray	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10694.	<i>S. altissimum</i> L.
Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10685.	Th.	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10704; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10705.
Th.	<i>Erophila verna</i> (L.) Chevall. subsp. <i>verna</i>	Hcrp.
Capsella bursa-pastoris (L.) Medik.	Göktepe village, around Düden, limestone rocky places, 840 m, 22.03.2002, OUFE 10695.	<i>Descurainia sophia</i> (L.) Webb ex Prantl
Göktepe village, around Düden, limestone rocky places, 840 m, 16.06.2002, OUFE 10686.	Th.	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10706; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10707.
Cosmopolitan. Th.	<i>Arabis caucasica</i> Willd. subsp. <i>caucasica</i>	Th.
Boreava orientalis Jaub. & Spach	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 22.03.2002, OUFE 10696.	<i>Camelinia rumelica</i> Velen
Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10687.	Euro-Sib. Hcrp.	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10708.
Th.	* <i>A. nova</i> Vill.	Th.
* <i>Neslia apiculata</i> Fisch. & C.A.Mey. & Ave-Lall.	Göktepe village, around Düden, limestone rocky places, 840 m, 25.04.2003, OUFE 10697.	RESEDACEAE
Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10688.	Th.	<i>Reseda lutea</i> L. var. <i>lutea</i>
Th.	* <i>Rorippa sylvestre</i> (L.) Bess.	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10709.
	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10698.	

Th.	Euro-Sib. Hcrp.	Th.
CISTACEAE	Gypsophila perfoliata L. var. perfoliata	* P. equisetiforme Sibth. & Sm.
<i>Helianthemum nummularium</i> (L.) Mill. subsp. <i>lycaonicum</i> Coode & Cullen	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10719.	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10729.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10710.	Hcrp.	Hcrp.
Endemic. Ir.-Tur. Hcrp. LC	<i>G. eriocalyx</i> Boiss.	Rumex crispus L.
* <i>Fumana thymifolia</i> (L.) Verlot var. <i>thymifolia</i>	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10720.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10730.
Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10711.	Endemic. Ir.-Tur. Hcrp. LC	Hcrp.
Medit. Hcrp.	<i>G. viscosa</i> Murray	R. dentatus L. subsp. <i>halacsyi</i> (Rech.) Rech.f.
POLYGALACEAE	Göktepe village, around Düden, limestone rocky places, 840 m, 25.04.2003, OUFE 10721.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10731.
* <i>Polygala vulgaris</i> L.	Ir.-Tur. Th.	Th.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10712.	<i>G. pilosa</i> Huds.	CHENOPODIACEAE
Euro-Sib. Hcrp.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10722.	* <i>Chenopodium urbicum</i> L.
CARYOPHYLLACEAE	Ir.-Tur. Th.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10732; Balıkdamı bridge, roadside and fieldside, 780 m, 06.06.2003, OUFE 10733.
* <i>Minuartia erythrosepala</i> (Boiss.) Hand.-Mazz. var. <i>erythrosepala</i>	<i>Bolanthus minuartioides</i> (Jaub. & Spach) Hub.-Mor.	Th.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10713.	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10723.	<i>C. album</i> L. subsp. <i>album</i> var. <i>album</i>
Hcrp.	Endemic. Hcrp. LC	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10734.
* <i>M. urumiensis</i> (Bornm.) Bornm.	<i>Silene italica</i> (L.) Pers.	Th.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10714.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10724.	* <i>Salicornia europaea</i> L.
Ir.-Tur. Th.	Hcrp.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10735.
* <i>Cerastium anomalum</i> Waldst. & Kit.	<i>S. subconica</i> Friv.	Th.
Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10715.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10725; Balıkdamı bridge, roadside and fieldside, 780 m, 06.06.2003, OUFE 10726.	AMARANTHACEAE
Th.	Th.	<i>Amaranthus retroflexus</i> L.
<i>Dianthus pallens</i> Sibth. & Sm. var. <i>pallens</i>	ILLECEBRACEAE	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10736.
Göktepe village, around Düden, limestone rocky places, 840 m, 16.06.2002, OUFE 10716; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10717.	* <i>Paronychia argyroloba</i> Stapf	Th.
Hcrp.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10727.	HYPERICACEAE
* <i>D. giganteus</i> d'Urv.	Endemic. Hcrp. LC	<i>Hypericum organifolium</i> Willd.
Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10718.	POLYGONACEAE	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10737.
	<i>Polygonum amphibium</i> L.	Hcrp.
	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10728.	<i>H. perforatum</i> L.
		Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10738.
		Hcrp.

MALVACEAE	FABACEAE (LEGUMINOSAE)	T. fragiferum L. var. fragiferum
<i>Malva sylvestris</i> L.	* <i>Astragalus pamphylicus</i> Boiss.	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10759.
Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10739.	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10748; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10749.	Hcrp.
Hcrp.	Medit. Hcrp.	<i>T. caudatum</i> Boiss.
<i>Alcea rosea</i> L.	<i>A. glycyphyllos</i> L. subsp. <i>glycyphyllos</i>	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10760.
Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10740.	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10750.	Endemic. Hcrp. LC
Hcrp.	Euro-Sib. Hcrp.	* <i>T. arvense</i> L. var. <i>arvense</i>
LINACEAE	<i>A. lydius</i> Boiss.	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10761.
<i>Linum hirsutum</i> L. subsp. <i>anatolicum</i> (Boiss.) Hayek var. <i>anatolicum</i>	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10751; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10752.	Th.
Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10741.	Endemic. Ir.-Tur. Hcrp. LC	<i>Melilotus officinalis</i> (L.) Desr.
Endemic. Ir.-Tur. Hcrp. LC	* <i>A. vulnerariae</i> DC.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10762; Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10763.
GERANIACEAE	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10753; Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10754.	Hcrp.
<i>Erodium hoeftianum</i> C.A.Mey.	Endemic. Ch. LC	<i>Medicago lupulina</i> L.
Göktepe village, around Düden, limestone rocky places, 840 m, 14.04.2002, OUFE 10742.	* <i>Lathyrus palustris</i> L. subsp. <i>palustris</i>	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10764.
Th.	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10755.	Ch.
<i>E. ciconium</i> (L.) L'Hér.	Euro-Sib. Hcrp.	<i>M. sativa</i> L. subsp. <i>sativa</i>
Göktepe village, around Düden, limestone rocky places, 840 m, 16.06.2002, OUFE 10743.	<i>L. digitatus</i> (M.Bieb.) Fiori	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10765; Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10766.
Th.	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10756.	Hcrp.
<i>E. cicutarium</i> (L.) L'Hér. subsp. <i>cicutarium</i>	E. Medit. Hcrp.	<i>M. x varia</i> Martyn
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10744.	<i>Ononis spinosa</i> L. subsp. <i>antiquorum</i> (L.) Briq.	Balıkdami bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10767.
Th.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10757.	Hcrp.
ZYGOPHYLLACEAE	Medit. Hcrp.	<i>M. minima</i> (L.) Bart. var. <i>minima</i>
<i>Peganum harmala</i> L.	<i>Trifolium nigrescens</i> Viv. subsp. <i>petrisavii</i> (Clem.) Holmboe	Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10768.
Göktepe village, around Düden, limestone rocky places, 840 m, 16.06.2002, OUFE 10745; Balıkdami village, fieldside, 800 m, 16.06.2002, OUFE 10746.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10758.	Th.
Hcrp.	Th.	<i>Lotus corniculatus</i> L. var. <i>corniculatus</i>
RUTACEAE	<i>Trifolium petrisavii</i> (Clem.) Holmboe	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10769.
<i>Haplophyllum myrtifolium</i> Boiss.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10758.	Hcrp.
Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10747.	var. <i>tenuifolius</i> L.	
Endemic. Ir.-Tur. Hcrp. LC		

Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10770.	LYTHRACEAE	Hcrp.
Hcrp.	<i>Lythrum salicaria</i> L.	<i>Turgenia latifolia</i> (L.) Hoffm.
var. <i>alpinus</i> Ser.	Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 03.07.2002, OUFE 10781.	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10791.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10771.	Euro-Sib. Hcrp.	Th.
Euro-Sib. Hcrp.	ONAGRACEAE	* <i>Orlaya daucoides</i> (L.) Greuter
<i>Coronilla varia</i> L. subsp. <i>varia</i>	<i>Epilobium hirsutum</i> L.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10792.
Balıkdamı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10772.	Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 03.07.2002, OUFE 10782.	Medit. Th.
Hcrp.	Hcrp.	<i>Daucus carota</i> L.
<i>Onobrychis gracilis</i> Besser	CRASSULACEAE	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10793.
Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10773.	<i>Sedum acre</i> L.	Hcrp.
Hcrp.	Balıkdamı bridge, roadside and fieldside, 780 m, 16.06.2002, OUFE 10783; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10784.	* <i>D. guttatus</i> Sm.
<i>O. armena</i> Boiss. & Huet	Ch.	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10794.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10774.	APIACEAE (UMBELLIFERAEE)	Hcrp.
Endemic. Hcrp. LC	<i>Eryngium campestre</i> L. var. <i>virens</i> Link	DIPSACACEAE
<i>O. oxyodonta</i> Boiss.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10785.	<i>Dipsacus laciniatus</i> L.
Balıkdamı bridge, roadside and fieldside, 780 m, 06.06.2003, OUFE 10775.	Hcrp.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10801.
Hcrp.	<i>Biforia radians</i> M.Bieb.	Hcrp.
* <i>Ebenus boissieri</i> Barbey	Balıkdamı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10786.	<i>Scabiosa hololeuca</i> Bornm.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10776.	Th.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10802; Göktepe village, around Düden, limestone rocky places, 840 m, 24.06.2003, OUFE 10803.
Endemic. E. Medit. Hcrp. LC	<i>Oenanthe silaifolia</i> M.Bieb.	Endemic. Ir.-Tur. Hcrp. EN
<i>Alhagi pseudalhagi</i> (M.Bieb.) Desv.	Balıkdamı bridge, roadside and fieldside, 780 m, 06.06.2003, OUFE 10787.	<i>S. argentea</i> L.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10777.	Ch.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10804; Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10805; Göktepe village, around Düden, limestone rocky places, 840 m, 24.06.2003, OUFE 10806.
Ir.-Tur. Ch.	* <i>O. aquatica</i> (L.) Poiret	Hcrp.
ROSACEAE	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10788.	ASTERACEAE (COMPOSITAE)
<i>Potentilla reptans</i> L.	Ch.	<i>Xanthium spinosum</i> L.
Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10778; Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10779.	* <i>Ferulago sylvatica</i> (Besser) Reichb.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10807.
Hcrp.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10789.	Th.
<i>Sanguisorba minor</i> Scop. subsp. <i>lasiocarpa</i> (Boiss. & Hausskn.) Nordb.	Euro-Sib. Hcrp.	
Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10780.	<i>Torilis leptophylla</i> (L.) Reichb.	
Hcrp.	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10790.	

<i>Pulicaria dysenterica</i> (L.) Bernh.	village to Fettahoğlu plateau, limestone rocky places, 860 m, 06.06.2003, OUFE 10820.	Th.
Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10808.	Hcrp.	<i>Echinops ritro</i> L.
<i>Tussilago farfara</i> L.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10809.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10833.
<i>Euro-Sib. Crp.</i>	Balıkdamı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10821.	Hcrp.
<i>Anthemis tinctoria</i> L. var. <i>discoidea</i> (All.) DC.	Th.	<i>Cichorium intybus</i> L. subsp. <i>intybus</i>
Balıkdamı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10810.	<i>C. iberica</i> Trev. ex Spreng.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10834.
<i>A. austriaca</i> Jacq.	Balıkdamı bridge, roadside and fieldside, 780 m, 06.06.2003, OUFE 10822; Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 06.06.2003, OUFE 10823; Göktepe village, around Düden, limestone rocky places, 840 m, 24.08.2003, OUFE 10824.	Hcrp.
Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 16.06.2002, OUFE 10811.	Hcrp.	<i>Scorzonera suberosa</i> C.Koch. subsp. <i>suberosa</i>
Th.	<i>C. urvillei</i> DC. subsp. <i>urvillei</i>	Balıkdamı village, fieldside, 800 m, 25.06.2003, OUFE 10835.
<i>Achillea wilhelmsii</i> C.Koch	Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 06.06.2003, OUFE 10825.	Ir.-Tur. Crp.
Balıkdamı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10812; Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 06.06.2003, OUFE 10813.	E. Medit. Hcrp.	<i>Tragopogon longirostis</i> Bisch. ex Sch.Bip. var. <i>longirostis</i>
Ir.-Tur. Hcrp.	* <i>C. triumfetti</i> All.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10836.
<i>Gundelia tournefortii</i> L. var. <i>tournefortii</i>	Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 06.06.2003, OUFE 10826.	Hcrp.
Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 16.06.2002, OUFE 10814.	Hcrp.	<i>Taraxacum serotinum</i> (Waldst. & Kit.) Poriet
Ir.-Tur. Hcrp.	<i>C. depressa</i> M.Bieb.	Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 06.06.2003, OUFE 10837.
<i>Onopordum anatolicum</i> (Boiss.) Eig	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10827; Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 06.06.2003, OUFE 10828; Göktepe village, around Düden, limestone rocky places, 840 m, 24.08.2003, OUFE 10829.	Hcrp.
Balıkdamı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10815; Balıkdamı bridge, roadside and fieldside, 780 m, 06.06.2003, OUFE 10816.	Th.	<i>Chondrilla juncea</i> L. var. <i>juncea</i>
Endemic. Ir.-Tur. Hcrp. LC	<i>Crupina crupinastrum</i> (Moris) Vis.	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10830.
* <i>Cirsium creticum</i> (Lam.) d'Urv. subsp. <i>creticum</i>	Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10830.	Th.
Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10817; Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 06.06.2003, OUFE 10818.	<i>Carlina oligocephala</i> Boiss. & Kotschy subsp. <i>oligocephala</i>	<i>CAMPANULACEAE</i>
E. Medit. Hcrp.	Balıkdamı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10831.	* <i>Asyneuma isauricum</i> Contandr., Quél & Pamukçuoğlu
<i>Carduus nutans</i> L. subsp. <i>nutans</i> sensu lato	Hcrp.	Göktepe village, around Düden, limestone rocky places, 840 m, 16.06.2002, OUFE 10840.
Balıkdamı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10819; Göktepe	<i>Xeranthemum annuum</i> L.	Endemic. E. Medit. Hcrp. LC
	Göktepe village, around Düden, limestone rocky places, 840 m, 24.06.2003, OUFE 10832.	CONVOLVULACEAE
		<i>Convolvulus lineatus</i> L.
		Göktepe village, around Düden, limestone rocky places, 840 m, 16.06.2002, OUFE

10841; Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10842.	<i>Onosma aucheranum</i> DC. Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10854.	Ir.-Tur. Th. <i>V. persica</i> Poiret Balıkdamlı village, fieldside, 800 m, 14.04.2002, OUFE 10865.
Ch.	E. Medit. Hcrp.	Th.
<i>C. galaticus</i> Rostan ex Choisy	<i>Anchusa leptophylla</i> Roem. & Schult. subsp. <i>leptophylla</i>	<i>V. hederifolia</i> L.
Göktepe village, around Düden, limestone rocky places, 840 m, 16.06.2002, OUFE 10843; Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10844.	Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 03.07.2002, OUFE 10855; Balıkdamlı village, fieldside, 800 m, 17.05.2003, OUFE 10856.	Göktepe village, around Düden, limestone rocky places, 840 m, 22.03.2002, OUFE 10866.
Endemic. Ir.-Tur. Crp. LC	Hcrp.	Th.
<i>C. betonicifolius</i> Mill. subsp. <i>betonicifolius</i>	<i>A. azurea</i> Mill. var. <i>azurea</i>	<i>V. anagallis-aquatica</i> L. subsp. <i>anagallis-aquatica</i>
Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10845; Göktepe village, around Düden, limestone rocky places, 840 m, 16.06.2002, OUFE 10846; Balıkdamlı bridge, roadside and fieldside, 780 m, 16.06.2002, OUFE 10847.	Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 06.06.2003, OUFE 10857.	Balıkdamlı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10867; Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10868.
Hcrp.	Hcrp.	Th.
CUSCUTACEAE	<i>Nonea caspica</i> (Willd.) G.Don	OROBANCHACEAE
<i>Cuscuta campestris</i> Yunck.	Balıkdamlı village, fieldside, 800 m, 17.05.2003, OUFE 10858.	<i>Orobanche anatolica</i> Boiss. & Reut. ex Reut.
Balıkdamlı village, fieldside, 800 m, 03.07.2002, on <i>Glacium</i> sp., OUFE 10848.	Ir.-Tur. Th.	Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, on <i>Salix</i> sp., OUFE 10869.
Vp.	SOLANACEAE	Vp.
BORAGINACEAE	<i>Datura stramonium</i> L.	GLOBULARIACEAE
<i>Myosotis sicula</i> Guss.	Balıkdamlı village, fieldside, 800 m, 03.07.2002, OUFE 10859.	<i>Globularia orientalis</i> L.
Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 25.06.2003, OUFE 10849.	Th.	Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10870; Balıkdamlı village, fieldside, 800 m, 03.07.2002, OUFE 10871.
Th.	SCROPHULARIACEAE	Ir.-Tur. Ch.
<i>Lithospermum purpurocaeruleum</i> L.	<i>Verbascum flavidum</i> (Boiss.) Freyn & Bornm.	LAMIACEAE (LABIATAE)
Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 25.06.2003, OUFE 10850.	Göktepe village, around Düden, limestone rocky places, 840 m, 24.06.2003, OUFE 10860.	<i>Ajuga chamaepitys</i> (L.) Schrb. subsp. <i>chia</i> (Schrb.) Arcang. var. <i>chia</i>
Euro-Sib. Hcrp.	Euro-Sib. Hcrp.	Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10872.
<i>Echium italicum</i> L.	<i>V. ancyritanum</i> Bornm.	Hcrp.
Balıkdamlı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10851; Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 06.06.2003, OUFE 10852.	Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 25.05.2002, OUFE 10861; Balıkdamlı village, fieldside, 800 m, 06.06.2003, OUFE 10862.	Teucrium scordium L. subsp. <i>scordium</i>
Medit. Hcrp.	Endemic. Ir.-Tur. Hcrp. LC	Balıkdamlı village, fieldside, 800 m, 25.04.2003, OUFE 10873.
<i>Moltkia aurea</i> Boiss.	<i>Linaria corifolia</i> Desf.	Euro-Sib. Hcrp.
Balıkdamlı village, fieldside, 800 m, 17.05.2003, OUFE 10853.	Kurtçeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 25.05.2002, OUFE 10863.	subsp. <i>scordiooides</i> (Schrb.) Maire & Petitmengin
Endemic. Ir.-Tur. Hcrp. LC	Endemic. Ir.-Tur. Hcrp. LC	Balıkdamlı village, fieldside, 800 m, 25.04.2003, OUFE 10874.

Euro-Sib. Hcrp.	Endemic. Ir.-Tur. Ch. VU	Ir.-Tur. Ch.
<i>Scutellaria orientalis</i> L. subsp. <i>pectinata</i> (Benth.) Edm.	<i>Mentha spicata</i> L. subsp. <i>spicata</i>	PLANTAGINACEAE
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10875.	Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10884.	<i>Plantago lanceolata</i> L.
Endemic. Ir.-Tur. Hcrp. LC	Hcrp.	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10893; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10894; Göktepe village, around Düden, limestone rocky places, 840 m, 24.06.2003, OUFE 10895.
<i>Phlomis armeniaca</i> Willd.	<i>Ziziphora tenuior</i> L.	
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10876.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10885.	
Endemic. Ir.-Tur. Hcrp. LC	Ir.-Tur. Th.	Hcrp.
<i>Lamium amplexicaule</i> L.	<i>Salvia wiedemannii</i> Boiss.	SANTALACEAE
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10877.	Balıkdami village, fieldside, 800 m, 14.04.2002, OUFE 10886.	* <i>thesium compressum</i> Boiss. & Heldr.
Euro-Sib. Th.	Endemic. Ir.-Tur. Ch. LC	Balıkdami village, fieldside, 800 m, 17.05.2003, OUFE 10896.
<i>Wiedemannia orientalis</i> Fisch. & C.A.Mey.	<i>S. viridis</i> L.	Ir.-Tur. Hcrp.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10878.	Göktepe village, around Düden, limestone rocky places, 840 m, 24.08.2003, OUFE 10887.	LORANTHACEAE
Endemic. Ir.-Tur. Th. LC	Medit. Th.	<i>Viscum album</i> L. subsp. <i>album</i>
<i>Marrubium trachyticum</i> Boiss.	<i>S. ceratophylla</i> L.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, on <i>Salix alba</i> , 810 m, 03.07.2002, OUFE 10897.
Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10879.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10888.	Vp.
Endemic. Ir.-Tur. Hcrp. LC	Ir.-Tur. Hcrp.	EUPHORBIACEAE
<i>Stachys cretica</i> L. subsp. <i>anatolica</i> Rech.f.	<i>S. frigida</i> Boiss.	<i>Euphorbia stricta</i> L.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10880.	Balıkdami village, fieldside, 800 m, 14.04.2002, OUFE 10889.	Balıkdami village, fieldside, 800 m, 14.04.2002, OUFE 10898.
Endemic. Ir.-Tur. Hcrp. LC	Ir.-Tur. Hcrp.	Euro-Sib. Th.
* <i>Nepeta racemosa</i> Lam.	PLUMBAGINACEAE	URTICACEAE
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10881.	<i>Plumbago europaea</i> L.	<i>Urtica dioica</i> L.
Ir.-Tur. Hcrp.	Balıkdami village, fieldside, 800 m, 25.04.2003, OUFE 10890.	Balıkdami village, fieldside, 800 m, 14.04.2002, OUFE 10899.
<i>Satureja thymbra</i> L.	Euro-Sib. Hcrp.	Euro-Sib. Hcrp.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10882.	<i>Acantholimon acerosum</i> (Willd.) Boiss. var. <i>acerosum</i>	SALICACEAE
E. Medit. Ch.	Göktepe village to Fettahoğlu plateau, limestone rocky places, 860 m, 19.07.2002, OUFE 10891; Göktepe village, around Düden, limestone rocky places, 840 m, 24.08.2003, OUFE 10888.	<i>Salix alba</i> L.
<i>Thymus leucostomus</i> Hausskn. & Velen var. <i>argillaceus</i> Jalas	Ir.-Tur. Ch.	Balıkdami village, fieldside, 800 m, 14.04.2002, OUFE 10900.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10883.	<i>A. uliginosum</i> (Willd. ex Schult.) Boiss. subsp. <i>lycaonicum</i> (Boiss. & Heldr.) Bokhari & Edm.	Euro-Sib. Msph.
	Göktepe village, around Düden, limestone rocky places, 840 m, 24.08.2003, OUFE 10892.	RUBIACEAE
		* <i>Asperula tenella</i> Hauffel ex Degen
		Balıkdami bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10795; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10796.
		Hcrp.
		<i>Galium verum</i> L. subsp. <i>verum</i>
		Balıkdami bridge, roadside and fieldside, 780 m, 06.06.2003, OUFE 10797; Kurtşeyh

village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10798.	OUFE 10909; Balıkdamı village, fieldside, 800 m, 03.07.2002, OUFE 10910.	* <i>Crocus ancyrensis</i> (Herb.) Maw. Göktepe village, around Düden, limestone rocky places, 840 m, 22.03.2002, OUFE 10921.
Euro-Sib. Crp.	Crp.	Endemic. Ir.-Tur. Crp. LC
G. tricornutum Dandy	Muscaria neglectum Guss.	ORCHIDACEAE
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10799; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10800.	Göktepe village, around Düden, limestone rocky places, 840 m, 22.03.2002, OUFE 10911; Göktepe village, around Düden, limestone rocky places, 840 m, 25.04.2003, OUFE 10912.	<i>Orchis mascula</i> (L.) L. subsp. <i>pinetorum</i> (Boiss. & Kotschy) G.Camus Balıkdamı village, fieldside, 800 m, 25.08.2003, OUFE 10922.
Medit. Th.	Crp.	E.Medit. Crp.
MONOCOTYLEDONEAE	* <i>Bellevalia clusiana</i> Griseb.	TYPHACEAE
BUTOMACEAE	Göktepe village, around Düden, limestone rocky places, 840 m, 22.03.2002, OUFE 10912; Göktepe village, around Düden, limestone rocky places, 840 m, 25.04.2003, OUFE 10913.	<i>Typha latifolia</i> L. Balıkdamı village, marshy places, 800 m, 25.08.2003, OUFE 10923.
Butomus umbellatus L.	Endemic. Ir.-Tur. Crp. LC	Crp.
Balıkdamı bridge, roadside and fieldside, 780 m, 16.06.2002, OUFE 10901.	* <i>Gagea peduncularis</i> (J. & C.Presl) Pascher	<i>T. angustifolia</i> L.
Euro-Sib. Crp.	Balıkdamı village, fieldside, 800 m, 14.04.2002, OUFE 10914.	Balıkdamı village, marshy places, 800 m, 25.08.2003, OUFE 10924.
ALISMATACEAE	Medit. Crp.	Crp.
Alisma gramineum Lej.	<i>G. villosa</i> (M.Bieb.) Duby var. <i>villosa</i>	JUNCACEAE
Balıkdamı village, marshy places, 800 m, 25.08.2003, OUFE 10902.	Göktepe village, around Düden, limestone rocky places, 840 m, 22.03.2002, OUFE 10915; Göktepe village, around Düden, limestone rocky places, 840 m, 25.04.2003, OUFE 10916.	<i>Juncus maritimus</i> Lam. Göktepe village, around Düden, marshy places, 840 m, 19.07.2002, OUFE 10925.
Crp.	Medit. Crp.	Crp.
LILIACEAE	<i>Merendera attica</i> (Spruner) Boiss. & Spruner	<i>J. gerardi</i> Loisel. subsp. <i>gerardi</i>
Allium paniculatum L. subsp. <i>paniculatum</i>	Göktepe village, around Düden, limestone rocky places, 840 m, 22.03.2002, OUFE 10917; Göktepe village, around Düden, limestone rocky places, 840 m, 25.04.2003, OUFE 10918.	Balıkdamı bridge, marshy places, 780 m, 03.07.2002, OUFE 10926; Kurtşeyh village, Fettahoğlu plateau, marshy places, 810 m, 03.07.2002, OUFE 10927.
Balıkdamı bridge, roadside and fieldside, 780 m, 03.07.2002, OUFE 10903; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10904; Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 06.06.2003, OUFE 10905.	E.Medit. Crp.	Euro-Sib. Crp.
Medit. Crp.	<i>Iridaceae</i>	CYPERACEAE
*A. ampeloprasum L.	* <i>Iris suaveolens</i> Boiss. & Reuter	<i>Cyperus longus</i> L.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10906.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 25.05.2002, OUFE 10919.	Kurtşeyh village, Fettahoğlu plateau, marshy places, 810 m, 03.07.2002, OUFE 10928.
Medit. Crp.	E.Medit. Crp.	Crp.
A. atroviolaceum Boiss.	<i>I. attica</i> Boiss. & Heldr.	POACEAE (GRAMINEAE)
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10907.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 25.08.2003, OUFE 10920.	<i>Aegilops cylindrica</i> Host
Crp.	E.Medit. Crp.	Balıkdamı village, roadside and fieldside, 800 m, 25.04.2003, OUFE 10929.
Ornithogalum orthophyllum Ten.		Ir.-Tur. Th.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10908; Göktepe village, around Düden, limestone rocky places, 840 m, 16.06.2002,		<i>Triticum baeoticum</i> Boiss. subsp. <i>thaoudar</i> (Reuter ex Hausskn.) Schiemann
		Balıkdamı village, roadside and fieldside, 800 m, 25.04.2003, OUFE 10930.

Ir.-Tur. Th.	Euro-Sib. Hcrp.	Th.
<i>Secale cereale</i> L. var. <i>ancestrale</i> (Zhuk.) Kit Tan	<i>Arrhenatherum elatius</i> (L.) P.Beauv. ex J. & C.Presl subsp. <i>elatius</i>	<i>Poa annua</i> L.
Balıkdami village, roadside and fieldside, 800 m, 25.04.2003, OUFE 10931.	Balıkdami village, roadside and fieldside, 800 m, 25.04.2003, OUFE 10942.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10953; Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10954.
Ir.-Tur. Th.	Euro-Sib. Hcrp.	Th.
* <i>Hordeum marinum</i> Huds. var. <i>marinum</i>	<i>Koeleria cristata</i> (L.) Pers.	<i>P. pratensis</i> L.
Balıkdami village, roadside and fieldside, 800 m, 25.04.2003, OUFE 10932.	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10943.	Göktepe village, around Düden, limestone rocky places, 840 m, 25.04.2003, OUFE 10955.
Th.	Hcrp.	Hcrp.
* <i>H. murinum</i> L. subsp. <i>murinum</i>	<i>Polypogon monspeliensis</i> (L.) Desf.	<i>P. bulbosa</i> L.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10933.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10944; Balıkdami bridge, marshy places, 780 m, 03.07.2002, OUFE 10945; Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10946.	Göktepe village, around Düden, limestone rocky places, 840 m, 25.04.2003, OUFE 10956.
Th.	Th.	Hcrp.
* <i>H. distichon</i> L.	<i>Alopecurus myosuroides</i> Huds. var. <i>myosuroides</i>	<i>Catabrosa aquatica</i> (L.) P.Beauv.
Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10934.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10947.	Göktepe village, around Düden, limestone rocky places, 840 m, 06.06.2003, OUFE 10957.
Th.	Euro-Sib. Th.	Hcrp.
* <i>Bromus lanceolatus</i> Roth.	<i>Phleum alpinum</i> L.	<i>Briza humilis</i> M.Bieb.
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10935; Balıkdami village, fieldside, 800 m, 03.07.2002, OUFE 10936; Balıkdami bridge, marshy places, 780 m, 03.07.2002, OUFE 10937.	Balıkdami village, fieldside, 800 m, 17.05.2003, OUFE 10948.	Balıkdami village, open places, 800 m, 25.04.2003, OUFE 10958.
Th.	Euro-Sib. Hcrp.	Th.
<i>B. sterilis</i> L.	<i>P. pratense</i> L.	* <i>Melica ciliata</i> L. subsp. <i>ciliata</i>
Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10938.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 16.06.2002, OUFE 10949.	Kurtşeyh village, Fettahoğlu plateau, roadside and fieldside, 810 m, 03.07.2002, OUFE 10959.
Th.	Euro-Sib. Hcrp.	Hcrp.
<i>B. cappadocicus</i> Boiss. & Bal. subsp. <i>cappadocicus</i>	<i>P. bertolonii</i> DC.	<i>Stipa arabica</i> Trin. & Rupr.
Göktepe village, around Düden, limestone rocky places, 840 m, 19.07.2002, OUFE 10939.	Balıkdami village, fieldside, 800 m, 17.05.2003, OUFE 10950.	Balıkdami village, roadside and fieldside, 800 m, 03.07.2002, OUFE 10960.
Hcrp.	Hcrp.	Ir.-Tur. Hcrp.
<i>Avena sativa</i> L.	* <i>Festuca pratensis</i> Huds.	<i>Phragmites australis</i> (Cav.) Trin. ex Steudel
Balıkdami village, roadside and fieldside, 800 m, 25.04.2003, OUFE 10940.	Balıkdami village, fieldside, 800 m, 17.05.2003, OUFE 10951.	Balıkdami village, marshy places, 800 m, 03.07.2002, OUFE 10961.
Th.	Lolium rigidum Gaudin var. <i>rigidum</i>	Euro-Sib. Hcrp.
<i>Helictotrichon compressum</i> (Heuffel) Henrard	Balıkdami bridge, marshy places, 780 m, 03.07.2002, OUFE 10952.	* <i>Cynodon dactylon</i> (L.) Pers. var. <i>dactylon</i>
Balıkdami village, roadside and fieldside, 800 m, 25.04.2003, OUFE 10941.	Hcrp.	Balıkdami village, open places, 800 m, 03.07.2002, OUFE 10962.