

## Flora of Bozburun Mountain and Its Environs (Antalya-Isparta-Burdur, Turkey)

Hüseyin FAKİR\*

Süleyman Demirel University, Faculty of Forestry, Forest Engineering Department, 32260, Isparta - TURKEY

Received: 01.04.2005

Accepted: 24.03.2006

**Abstract:** This paper describes a floristic study of Bozburun Mountain and its environs. The study was conducted between 1998 and 2002, during which time 2419 vascular plant samples were collected. After the identification of the specimens, the total flora was determined to consist of 645 taxa belonging to 341 genera and 86 families. The endemism rate of the 645 taxa was 16.1% ( $n = 104$  taxa). The phytogeographical spectrum of the species was as follows: Mediterranean 207 (32.1%), Irano-Turanian 51 (7.9%) and Euro-Siberian elements 33 (5.1%). Of the species we sampled, 311 (48.2%) were widespread and the phytogeographical regions of 10 (1.5%) were unknown.

The order of the 10 families and genera involving most of the taxa were as follows:

**Families:** Fabaceae: 77 (11.9%); Asteraceae: 71 (11%); Lamiaceae: 41 (6.4%); Caryophyllaceae: 41 (6.4%); Brassicaceae: 36 (5.6%); Apiaceae: 31 (4.8%); Poaceae: 24 (3.7%); Ranunculaceae: 22 (3.4%); Rosaceae: 22 (3.4%); Boraginaceae: 22 (3.4%).

**Genera:** Silene: 16 (2.5%); Trifolium: 15 (2.3%); Ranunculus: 10 (1.5%); Veronica: 9 (1.4%); Hypericum: 9 (1.4%); Verbascum: 8 (1.2%); Astragalus: 7 (1.1%); Lathyrus: 7 (1.1%); Sedum: 7 (1.1%); Medicago: 7 (1.1%).

**Key Words:** Flora, Bozburun Mountain, Vegetation, Antalya

### Bozburun Dağı ve Çevresinin Florası (Antalya-Isparta-Burdur, Turkey)

**Özet:** Bu çalışmada Bozburun Dağı ve yakın çevresinin florası araştırılmıştır. Araştırma alanında 1998-2002 yıllarında 2419 bitki örneği toplanmış, çalışmalar sonucunda 86 familyaya ve 341 cinsle ait 645 takson tespit edilmiştir. Alandaki endemizm oranı 104 takson için %16,1'dir. Türlerin fitocoğrafik bölgelere dağılımı ve oranları sırasıyla şöyledir: Akdeniz elementi 207 adet (% 32,1), Iran-Turan elementi 51 adet (% 7,9) ve Avrupa-Sibirya elementi 33 adet (% 5,1) şeklindedir. Teşhisini yapılan taksonların 311 adedi (% 48,2) geniş yayılışı ve 10 adedi (% 1,5) hangi fitocoğrafik bölge elementi olduğu bilinmemektedir.

Çalışma alanında en fazla taksona sahip olan familya ve cinsler şöyledir;

**Familyalar:** Fabaceae 77 (% 11,9), Asteraceae 71 (% 11), Lamiaceae 41 (% 6,4), Caryophyllaceae 41 (% 6,4), Brassicaceae 36 (% 5,6), Apiaceae 31 (% 4,8), Poaceae 24 (% 3,7), Ranunculaceae 22 (% 3,4), Rosaceae 22 (% 3,4) and Boraginaceae 22 (% 3,4).

**Cinsler:** Silene 16 (% 2,5), Trifolium 15 (% 2,3), Ranunculus 10 (% 1,5), Veronica 9 (% 1,4), Hypericum 9 (% 1,4), Verbascum 8 (% 1,2), Astragalus 7 (% 1,1), Lathyrus 7 (% 1,1), Sedum 7 (% 1,1) and Medicago 7 (% 1,1).

**Anahtar Sözcükler:** Flora, Bozburun Dağı, Vejetasyon, Antalya

### Introduction

The study area included Bozburun Mountain and its environs, which is located in the western part of Turkey's Mediterranean region, within the borders of Antalya, Isparta, and Burdur. The study area, which lies within

square C3 according to the grid square system given by Davis (1965-1988), is located within the Mediterranean phytogeographical zone. Altitude in the study area ranges from 50 to 2505 m.

\*E-mail: huseyinfakir@orman.sdu.edu.tr




Figure 1. Map of the study area.

Bozburun Mountain and its environs were selected as the research area because they have not been thoroughly studied and have some interesting characteristics, in terms of both flora and phytogeography. Prior to the present study, there had been no detailed study of the flora of this area. The first study of the research area was conducted by Davis and Ayaşlıgil (Ayaşlıgil, 1987).

The aim of the present study was to contribute to the completion of the total flora of the Mediterranean region and Bozburun Mountain.

The climate of the area was reviewed using data from the Meteorology Station in Antalya (DMİGM, 2000). The meteorological data were obtained for the years 1965 to 2000 and the mean annual precipitation in the area was 1052 mm. The most arid and hottest months were July and August, with a mean temperature of 28 °C. The annual mean temperature was 18.48 °C. The typical climate of the Mediterranean predominates, characterised by hot and dry summers, and rainy winters (Akman, 1990).

When the climatic data were used in Emberger's formula of rain and temperature factors, it was determined that the research area had a Mediterranean humid climate. It can be seen that heavy rain occurred in November, December, January, and February, while the dry period extended from the beginning June until the end of October (Akman, 1990).

The geological structure of the study area mostly contains rocks belonging to the Quaternary, Mesozoic, Tertiary, and Palaeozoic periods. The most abundant soil types in the area were red-brown Mediterranean soil, red Mediterranean soil, brown forest soil, and colluvial and alluvial soil (Atayeter, 2005).

Maquis, forest, rocky, and hydrophyte were the main vegetation types in the area. Maquis formations were found on the east and west banks of the Aksu stream and Bozburun Mountain. *Quercus coccifera* L., *Olea europaea* L. var. *sylvestris* (Miller) Lehr., *Ceratonia siliqua* L., *Arbutus andrachne* L., *Cotinus coggygria* Scop., *Pistacia terebinthus* L. subsp. *palaestina* (Boiss.) Engler, *Phillyrea latifolia* L., and *Juniperus oxycedrus* L. subsp. *oxycedrus* are the characteristic species of vegetation at altitudes of 160-960 m.

Forest vegetation is distributed between 180 and 1750 m. *Pinus brutia* Ten. var. *brutia* and *Pinus nigra* Arn. subsp. *pallasiana* (Lamb.) Holmboe are the dominant

species in this area. *Cedrus libani* A.Rich., *Juniperus excelsa* M.Bieb. subsp. *excelsa* and *Liquidambar orientalis* Miller are subdominant species widely distributed in the area.

Bozburun Mountain and its environs are covered by rocky vegetation, which have upper and lower limits of 560 and 2050 m. *Euphorbia kotschyna* Fenzl, *Astragalus paecilanthus* Boiss. & Heldr., *Marrubium globosum* Montbret & Aucher ex Bentham subsp. *globosum*, *Rosa pulverulenta* Bieb., *Veronica cuneifolia* D.Don. subsp. *cuneifolia*, *Dianthus zonatus* Fenzl var. *hypoclorus* (Boiss. & Heldr.) Reeve, *Verbascum glomeratum* Boiss., *Origanum minutiflorum* O.Schwarz & P.H.Davis, *Teucrium chamaedrys* L. subsp. *chamaedrys* and *Phlomis armeniaca* Willd. are the characteristic species of this type of vegetation and it includes a large number of local endemic species.

Hydrophytic vegetation is found in streamside and lakeside formations. These formations are distributed on the sandy, gravelly alluvial flat of the Aksu stream, as well as permanently wet and torrent or dry riverbeds. *Platanus orientalis* L., *Alnus orientalis* Decne. var. *orientalis*, *Liquidambar orientalis* Miller, *Erica manipuliflora* Salisb., *Vitex agnus-castus* L., *Nerium oleander* L., *Equisetum ramosissimum* Desf., *Carex muricata* L., *Juncus articulatus* L. and *Cynodon dactylon* (L.) Pers. var. *dactylon* are commonly found in these formations.

The "yayla peasantry" is still the dominant style of rural life within the study area. The combination of agriculture, animal grazing, and forestry that is practised here can be regarded as a land-use system that is ecologically well adapted to the existing natural conditions (Ayaşlıgil, 1987).

## Materials and Methods

In total, 2419 vascular plant taxa were collected and observed or photographed in the study area during fieldwork conducted between 1999 and 2002. The collected plant taxa were dried according to herbarium techniques, and numbered and recorded. The Flora of Turkey (Davis, 1965-1985; Davis et al., 1988; Güner et al., 2000) and other floras and references (Tutin et al., 1964-1980; Yaltırık, 1984) were used for the identification of the specimens. Some specimens were determined by Ayaşlıgil (İstanbul Univ., İstanbul) and

Özçelik (Süleyman Demirel Univ., Isparta). All of the plant specimens are kept at the herbarium of Süleyman Demirel University.

### The List of Plants

The plant taxa of Bozburun Mountain and its environs are listed in appendix 3. Taxonomic categories in main groups, such as families, genera, and species, are similarly arranged in evolutionary sequence. Author abbreviations follow Brummitt & Powell (1992).

For each taxon, information on habitat, locality, and geographical distribution within the study area are given in a condensed form; an explanatory sample follows:

*Origanum minutiflorum* O.Schwarz & P.H.Davis, C3 Antalya / CW1 / A / \* / VU / H.F. 2865. E.Medit. El.

C3 Antalya: Grid square (Davis, 1965-1988)

CW1: Types of habitat (Appendix 1)

A: Localities of collected plants (Appendix 2)

\*: Endemic to Turkey

VU: Vulnerable (Protection status, Ekim et al., 2000)

H.F.: The plant records from the author's field notebook.

Abbreviations used in the text and appendixes are as follows:

E.: East Euro-Sib.: Euro-Siberian

El.: Element Ir.-Tur.: Irano-Turanian

Medit.: Mediterranean Eux.: Euxine

?: Unknown protection status

### Discussion and Conclusion

In all, 645 vascular plant taxa were identified, which belong to 341 genera and 86 families. Thirteen of these taxa were nonflowering vascular plants (of *Pteridophyta*), 9 taxa belonged to *Gymnospermae*, while the remaining 623 were *Angiospermae*. Division of the plant taxa into large taxonomical groups is shown in Table 1.

The plant taxa categorisation according to phytogeographical region is as follows: Mediterranean elements 207 (32.1%), Irano-Turanian elements 51 (7.9%) and Euro-Siberian: elements 33 (5.1%); the remaining 321 (49.7%) taxa were multiregional or of unknown phytogeographical region (Table 2). The large number of Mediterranean elements can be explained by the fact that the entire study area lies within the Mediterranean phytogeographical region; therefore, the number of Irano-Turanian and Euro-Siberian elements were much smaller in comparison to the Mediterranean elements. The Euro-Siberian elements were located in marshy and humid habitats, the most suitable conditions for Euro-Siberian species. The Irano-Turanian elements identified in the study area are also species that are generally widespread throughout the Mediterranean phytogeographical region; in dry habitats, which are suitable for Irano-Turanian species (Göktürk & Sümbül, 1997).

Table 2. Distribution of plant taxa within phytogeographical regions.

	Number of taxa	Rates (%)
Mediterranean elements	207	32.1
Irano-Turanian elements	51	7.9
Euro-Siberian elements	33	5.1
Multiregional or of unknown phytogeographical region	321	49.7

Table 1. The division of taxa into large taxonomical groups.

	Number of Families	Number of Genera	Total number of taxa
<i>Pteridophyta</i>	8	10	13
<i>Spermatophyta</i>	79	332	632
<i>Gymnospermae</i>	3	6	9
<i>Angiospermae</i>	76	326	623
<i>Dicotyledones</i>	68	288	572
<i>Monocotyledones</i>	8	38	51

The proportion of species from more than one region or of unknown phytogeographical origin was 49.7%. This high percentage was due to the presence of a high number of cultivated plants, and for many of these species, inadequate information is available concerning their distribution.

The phytogenetic distribution data from the present study were compared to 9 other floristic studies and are presented in Table 3 (Peşmen, 1982; Dural et al., 1995; Kargioğlu & Ertuğrul, 1995; Özcelik & Öztürk, 1999; Düsen & Sümbül, 2001; Özcelik & Korkmaz, 2002; Deniz & Sümbül, 2004). This table includes the number of taxa and phytogeographical distribution of species. In all of the studies performed in the Mediterranean phytogeographical region, the number of Mediterranean elements is naturally higher than that of elements belonging to other regions. In the study conducted on Yandağ, Aksu, and Yıldız mountains, the presence of Mediterranean elements was low because the studied areas were far from the Mediterranean sea. When the numbers of Irano-Turanian elements found in these 9 studies were compared, the results of the studies on Sütçüler, Yandağ, and Davras mountains were similar to those of the present study. In the studies conducted on Yıldız Mountain, the number of reported Irano-Turanian elements was higher than those in the other 8 studies

since these areas are not as geographically close to the Irano-Turanian phytogeographical region as Yıldız Mountain is. When the number of Euro-Siberian elements found in these studies were compared, Olimpos-Beydağları constituted less than 1% due to the scarcity of marshy habitats in the area.

The level of multiregional species and those of unknown phytogeographical origin are higher in all the studies. Since Turkey serves as a bridge between southwest Asia and south-east Europe, and little information about the distribution of some species is available, the percentages of multiregional species and those of known phytogeographical origin in Turkey are generally high (Deniz & Sümbül, 2004).

When the number of taxa is taken into consideration, the family *Fabaceae* ranks first with 77 taxa (Table 3); this is because *Fabaceae* is the second largest family of the Turkish Flora and includes a large number of genera containing many taxa. Following *Fabaceae*, the family *Asteraceae* is the second largest family of the Turkish Flora, having many family members, the greatest ecological tolerance, and seeds that break up easily. *Fabaceae* and *Asteraceae* are the two most abundant families of the Turkish Flora in most floristic studies, which is due to the diversity of vegetation types, soil composition, climatic conditions, and topography.

Table 3. Phytogeographical distribution of species from compared studies (abbreviations are below the table)

	Studies performed								
	Boz.	Bey.	Elm.	Sak.	Yan.	Süt.	Aks.	Dav.	Yıl.
Total taxa	645	865	689	702	729	587	658	415	474
Mediterranean %	32.1	43	28.3	35.75	17.4	29.0	23.1	35.0	22.4
Irano-Turanian %	7.9	2.2	12.6	5.84	15.3	15.6	11.4	15.6	18.3
Euro-Siberian %	5.1	0.8	2.6	2.42	3.7	6.2	9.2	5.5	2.9
Multiregional or unknown %	49.7	54.2	56.4	55.55	63.3	48.3	43.6	35.6	56.1

#### Abbreviations:

Boz. Flora of Bozburun Mountain and its environs (Antalya / Turkey)

Bey. Flora of Olimpos-Beydağları Natural Park

Elm. Flora of Elmali Cedar Research Forest (Antalya / Turkey)

Sak. Flora of Sarısu-Saklikent (Antalya)

Yan. Contributions to the Flora of Yandağ (İsparta)

Süt. Contributions to the Flora of Sütçüler-İsparta

Aks. Contributions to the Flora of Aksu (İsparta)

Dav. Flora of Davras Mountain (İsparta)

Yıl. Flora of Yıldız Mountain (Akseki-Antalya)

Following Asteraceae are: Lamiaceae, which is represented by 41 taxa; Caryophyllaceae with 41 taxa; Brassicaceae with 36 taxa; and Apiaceae with 31. The 10 largest families according to the number of taxa are shown in Table 4.

Table 4. Taxa totals of the largest families.

Families	Genera	Taxa	Taxa %
<i>Fabaceae</i>	26	77	11.9
<i>Asteraceae</i>	40	71	11
<i>Lamiaceae</i>	22	41	6.4
<i>Caryophyllaceae</i>	24	41	6.4
<i>Brassicaceae</i>	25	36	5.6
<i>Apiaceae</i>	20	31	4.8
<i>Poaceae</i>	18	24	3.7
<i>Ranunculaceae</i>	9	22	3.4
<i>Rosaceae</i>	11	22	3.4
<i>Boraginaceae</i>	11	22	3.4
Other Families	135	236	36.6

The taxa belonging to the first 10 families form about 63% of the total taxa.

The genera with the largest number of taxa in the study area are shown in Table 5. In the present study, the genus *Silene* had the highest number of taxa. As the estimated number of taxa belonging to *Astragalus* in Turkey is 400, one would expect to find a higher number of taxa. This might be the result of the unsuitable ecological factors and habitat for taxa in the genus *Astragalus* within the study area. Most taxa in *Astragalus* are known as steppic plants of Irano-Turanian phytogeographical regions.

## References

- Akman Y (1990). *İklim ve Biyoiklim (Biyoiklim metodları ve Türkiye İklimleri)*, Ankara: Palme Yayınları.
- Atayeter Y (2005). *Aksu Çayı Havzası'nın Jeomofolojisi*, Isparta: Fakülteler Kitabevi.
- Ayaşlıgil Y (1987). Der Köprülü Kanyon Nationalpark-Seine Vegetation und ihre Beeinflussung durch den Menschen. Freising: *Landschaftsökologie Weihenstephan*. Heft 5, 307 pp., Tab. U. Karten, Zsfg. En, dt.
- Brummitt RK & Powell CE (eds.) (1992). *Authors of Plant Names*. Kew: Royal Botanic Gardens.
- Davis PH (ed.) (1965-1985). *Flora of Turkey and the Aegean Islands*. Vol. 1-9. Edinburgh: Edinburgh Univ. Press.
- Davis PH, Tan K & Mill, RR (eds.) (1988). *Flora of Turkey and the Aegean Islands*. Vol. 10. Edinburgh: Edinburgh Univ. Press.
- Deniz İG & Sümbül H (2004). Flora of the Elmalı Cedar Research Forest (Antalya/Turkey), *Turk J Bot* 28: 529-555.
- DMİGM (2000). *Ortalama Ekstrem ve Yağış Değerleri Bülteni*, Ankara: Devlet Meteoroloji İsl Gn Müd Yayıını.
- Dural HK, Küçüködük M & Ertuğrul K (1995). Yıldız Dağı (Akseki-Antalya) Florasına Katkılar. *Ot Sistematiğ Dergisi* 2(2): 7-66.
- Düsen OD & Sümbül H (2001). Sarı-Su Saklıkent (Antalya) Florası. *Ot Sistematiğ Botanik Dergisi* 8: 29-60.
- Ekim T (1990). *Türkiye'nin Biyolojili Zenginlikleri*, 69, 118. Ankara: Türkiye Çevre Sorunları Vakfı Yayıını.
- Ekim T, Koyuncu M, Vural M, Duman H, Aytaç Z & Adıgüzel N (2000). *Türkiye Bitkileri Kırmızı Kitabı*. Ankara: Türkiye Tabiatını Koruma Derneği-Van Yüzüncü Yıl Üniversitesi Yayınları.

Table 5. Taxa totals of the largest genera.

Genus	Number of Taxa	Genus	Number of Taxa
<i>Silene</i>	16	<i>Verbascum</i>	8
<i>Trifolium</i>	15	<i>Astragalus</i>	7
<i>Ranunculus</i>	10	<i>Lathyrus</i>	7
<i>Veronica</i>	9	<i>Sedum</i>	7
<i>Hypericum</i>	9	<i>Medicago</i>	7

The number of endemic taxa in the study area was 104 and the endemism rate was 16.1%. Of these taxa, 53 belong to the Mediterranean, while 22 taxa belong to the Irano-Turanian and 1 belongs to the Euro-Siberian phytogeographical regions. The number of multiregional endemic plants was 28. The proportion of endemism in the area (16.1%) was below the average for Turkey (33.5%) (Ekim, 1990), which might have been due to the edaphic, climatic, and topographic properties of the region.

## Acknowledgements

I thank Prof. Dr. Hasan ÖZÇELİK from the Faculty of Science & Letters at Süleyman Demirel University and Prof. Dr. Asuman EFE from the Faculty of Forestry at The University of İstanbul for the use their herbarium facilities for identifying plants for this study and their kind help in the identification of some plant specimens.

I am especially grateful to the Research Fund of Süleyman Demirel University for its financial support (Project No: SDÜAF: 272).

- Göktürk RS & Sümbül H (1997). Flora of Antalya City, *Turk J Bot* 21: 341-378.
- Güner A, Özhatay N, Ekim T & Başer KHC., (eds) (2000). *Flora of Turkey and the East Aegean Islands*, Vol. 11. Edinburgh: Edinburgh Univ. Press..
- Kargioğlu M & Ertuğrul K (1995). Yandağ (Isparta) Florasına Katkılar, *Ot Sistematisk Botanik Dergisi* 2: 19-46.
- Özçelik H & Korkmaz M (2002). Contributions to the Flora of Sütçüler-Isparta (Turkey), *Bio-Science Research Bulletin*, 21: 1-18.
- Özçelik H, Karaca S & Şan HM (2001). Davras Dağı (Isparta) Florası, *Eğirdir Semp. Kitapçığı*, Isparta: 665-680.
- Özçelik H & Öztürk Ş (1999). Contributions to the Flora of Aksu, (Isparta), *Bio-Science Research Bulletin*, 15: 125-140.
- Peşmen H (1982). Olimpos-Beydağları Milli Parkı Alanının Vejetasyon Tipleri ve Florası Üzerine Gözlemler, *TÜBİTAK VII, Bil. Kong: Mat. Fiz. ve Biy. Bil. Araşt. Gr. Tebl. Biy. Sek*: 727-736.
- Tutin GT, Heywood VH, Burges NA, Valentine DH, Walters SM & Webb DA, (eds) (1964-1980). *Flora Europaea*, Vols. 1-5, Cambridge: Cambridge Univ. Press.
- Yalınırık F (1984). *Türkiye'nin Meşelerinin Teşhis Klavuzu*, Orman Genel Müdürlüğü Yayıni, Ankara: Yenilik Basımevi.

## APPENDIX 1

Types of habitat

Q: Maquis, stands of *Pinus brutia* and *Liquidambar orientalis* of the Mediterranean altitudinal belt.

Qm: Maquis of *Olea europaea* and *Quercus coccifera* with deciduous trees or *Juniperus excelsa*.

Qm1: 180-460 m, maquis of *Olea europaea* and *Ceratonia siliqua*.

Qm2: 150-860 m, *Quercus coccifera*.

Qm3: 550-960 m, maquis of *Quercus coccifera* with *Juniperus excelsa*.

Qb: *Pinus brutia* stands with *Quercus coccifera*.

Qb1: 160-1100 m, *Pinus brutia* stands.

Qb2: 180-1240 m, *Pinus brutia* stands with *Quercus coccifera*.

Ql: *Liquidambar orientalis* stands.

Ql1: 180-520 m, *Liquidambar orientalis* stands.

QC: Coniferous woods of the montane-Mediterranean and oro-Mediterranean belt.

QCn: *Pinus nigra* stands with *Abies cilicica* and *Cedrus libani*.

QCn1: 1250-1360 m, *Pinus nigra* stands.

QCn2: 1300-1520 m, *Pinus nigra* stands with *Cedrus libani*.

QCn3: 1310-1450 m, *Pinus nigra* stands with *Abies cilicica*.

QCn4: 1350-1450 m, *Pinus nigra* stands with *Cedrus libani* and *Abies cilicica*.

QCn5: 1380-1420 m, *Pinus nigra* stands with *Cedrus libani*, *Abies cilicica* and *Pinus brutia*.

QCn6: 1250-1350 m, *Pinus nigra* stands with *Pinus brutia*.

QCn7: 1100-1310 m, *Pinus nigra* stands with *Juniperus excelsa*.

QCc: *Cedrus libani* stands with *Pinus nigra* and *Abies cilicica*.

QCc1: 1540-1750 m, *Cedrus libani* stands.

QCc2: 1480-1750 m, *Cedrus libani* stands with *Pinus nigra* and *Abies cilicica*.

QCj: *Juniperus excelsa* stands with *Cedrus libani*.

QCj1: 740-1460 m, *Juniperus excelsa* stands.

Qcj2: 1210-1490 m, *Juniperus excelsa* stands with *Cedrus libani*.

CM: Garigues and low and dwarf shrub communities.

CM1: 160-310 m, garigues with *Cistus creticus* and *Cistus salvifolius*.

T: Vegetation of river valleys.

T1: On sandy gravelly alluvial flat of the Aksu stream, permanently wet.

T2: Torrent or dry riverbeds.

TP: Vegetation of the snow-soaked patches and hygrophytic meadows.

TP1: 1100-1900 m, meadows on colluvial soils of poljes of the montane-Mediterranean belts.

S: Segetal flora of the Mediterranean and supra-Mediterranean vegetation belt.

S1: 100-440 m, Segetal flora of the Mediterranean altitudinal belt.

S2: 670-1200 m, Segetal flora of the supra-Mediterranean altitudinal belt.

CW: Vegetation of cliffs and walls.

CW1: 560-2050 m, conglomerate rock.

CW2: 560-2050 m, limestone rocks.

CR: Vegetation of the roadside slopes.

## APPENDIX 2

Localities of collected plants

- A: Bozburun mountain
- B1: Ovacık mountain
- B2: Asar mountain
- B3: Kocadağ mountain
- B4: Kevke mountain
- B5: Sarp mountain
- C1: Sweetgum (*Liquidambar orientalis* Mill.) Forest Nature Protection Area
- C2: Yazılı Kanyon Nature Park
- D: Surrounding Karacören I and II dam lakes
- E1: Akçalı hill
- E2: Aktümsek hill
- E3: Eriklibeli hill
- E4: Erenler hill
- F1: Aksu stream valley
- F2: Küçük Aksu stream valley
- G1: The vicinity of Çandır village
- G2: The vicinity of Kocaaliler village
- G3: The vicinity of Çobanisa village
- G4: The vicinity of Hacıaliler village
- G5: The vicinity of Kızılılı village
- G6: The vicinity of Kargı village
- G7: The vicinity of Sarımehmetyer village
- G8: The vicinity of Deliören village
- G9: The vicinity of Çamlık village
- G10: The vicinity of Hasdümen village
- H1: Roadsides of Isparta-Antalya highway
- H2: Roadsides of Bucak-Antalya highway
- I1: Kırgeçit brook
- I2: Kapız brook
- I3: Pamucak brook
- I4: Koca brook
- I5: Köynük brook
- I6: Kaş brook

## APPENDIX 3

### THE FLORISTIC LIST

<b>PTERIDOPHYTA</b>	<b>SPERMATOPHYTA</b>
<b>EQUISETACEAE</b>	<b>GYMNOSPERMAE</b>
<i>Equisetum hyemale</i> L., C3 Isparta: Sütçüler, T2, G3, H.F. 1138.	<i>Abies cilicica</i> (Ant. & Kotschy) Carr. subsp. <i>isaurica</i> Coode & Cullen., C3 Antalya: Isparta: Burdur, Qcn3-5, QCc2, A, B1, E1-4, G3,7,8, *, LR (lc), H.F. 898. E. Medit. El.
<i>E. romosissimum</i> Desf., C3 Isparta: Sütçüler, T1,2, D, H.F. 1625.	<i>Cedrus libani</i> A.Rich. var. <i>libani</i> , C3 Antalya: Isparta: Burdur, Qcn3-5, QCc2, A, B1, E1-4, G3,7,8, H.F. 897. Medit. El.
<i>E. arvense</i> L., C3 Isparta: Sütçüler, T2, G1, H.F. 1417.	<i>Pinus nigra</i> J.F.Arn. subsp. <i>nigra</i> var. <i>caramanica</i> (Loudon) Rehder, C3 Antalya: Isparta: Burdur, QCn1-7, QCc1,2, A, B1, E1-4, G2,3,7,8, H.F. 901.
<b>SINOPTERIDACEAE</b>	<i>P. brutia</i> Ten. var. <i>brutia</i> , C3 Antalya: Isparta: Burdur, Qb1,2, QCn5,6, A, B1-5, D, E1-4, F1,2, G1-10, H1,2, H.F. 2501. E. Medit. El.
<b>ADIANTACEAE</b>	<b>CUPRESSACEAE</b>
<i>Adiantum capillus-veneris</i> L., C3 Isparta: Sütçüler, QI1, C1, H.F. 1146.	<i>Cupressus sempervirens</i> L., C3 Isparta: Sütçüler, T2, D, H.F. 1677.
<b>HYPOLEPIDACEAE</b>	<i>Juniperus oxycedrus</i> L. subsp. <i>oxycedrus</i> , C3 Antalya: Isparta: Burdur, Qb1,2, QCn5,6, A, B1-5, D, E1-4, F1,2, G1-10, H1,2, H.F. 1807.
<i>Pteridium aquilinum</i> (L.) Kuhn, C3 Isparta: Sütçüler, QI1, C1, H.F. 1629.	<i>J. foetidissima</i> Willd., C3 Antalya: Gebiz, CW1, A, H.F. 2839.
<b>ASPLENIACEAE</b>	<i>J. excelsa</i> M.Bieb. subsp. <i>excelsa</i> , C3 Antalya: Isparta: Burdur, Qm3, QCn7, QCj1,2, A, B1, C2, E1-4, G1-10, H.F. 903.
<i>Asplenium ruta-muraria</i> L., C3 Antalya: Gebiz, CW1, A, H.F. 2815.	<b>EPHEDRACEAE</b>
<i>Ceterach officinarum</i> DC., C3 Antalya: Gebiz, CW1, B1, H.F. 2846.	<i>Ephedra major</i> Host, C3 Isparta: Sütçüler, CW2, C2, H.F. 2378.
<b>ATHYRIACEAE</b>	<b>ANGIOSPERMAE</b>
<i>Cystopteris fragilis</i> (L.) Bernh., C3 Antalya: Gebiz, CW1, A, H.F. 2829.	<b>MAGNOLIOPSIDA</b>
<b>ASPIDIACEAE</b>	<b>RANUNCULACEAE</b>
<i>Polystichum aculeatum</i> (L.) Roth, C3 Isparta: Sütçüler, QCc1, E1, H.F. 1113.	<i>Nigella arvensis</i> L. var. <i>glauca</i> Boiss., C3 Isparta: Sütçüler, T1, D, H.F. 1681.
<i>Dryopteris pallida</i> (Bory) Fomin, C3 Antalya: Gebiz, Qm2, Qb2, F2, H.F. 1814. Medit. El.	<i>Delphinium peregrinum</i> L., C3 Burdur: Bucak, Qb2, G2, H.F. 1941.
<b>POLYPODIACEAE</b>	<i>D.virgatum</i> Poiret, C3 Isparta: Sütçüler, QI1, C1, H.F. 1150.
<i>Polypodium cambricum</i> L. subsp. <i>cambricum</i> , C3 Burdur: Bucak, Qm2, Qb2, G9, H.F. 907.	<b>BERBERIDACEAE</b>
	<i>Berberis cretaegina</i> DC., C3 Antalya: Isparta, QCc1,2, A, E1-4, H.F. 3219. Ir.-Tur. El.

## PAPAVERACEAE

*Glauicum flavum* Crantz, C3 Isparta: Sütçüler, TP1, G3, H.F. 1403.

*G. leiocarpum* Boiss., C3 Isparta: Sütçüler, CW2, E1,2, H.F. 2941.

*Papaver apokrinomenon* Fedde, C3 Isparta: Sütçüler, CW2, E1, \*, LR (lc), H.F. 2957.

*P. rhoes* L., C3 Antalya: Gebiz, S1, F1,2, G1,9, H.F. 1477.

*P. argemone* L., C3 Antalya: Isparta, S2, G1,5,10, H.F. 893.

*Hypecoum procumbens* L., C3 Burdur: Bucak, Qb1,2, D, G9, H.F. 910. Medit. El.

*Fumaria microcarpa* Boiss., C3 Burdur: Bucak, S2, G2, H.F. 2287.

*F. parviflora* Lam., C3 Antalya: Gebiz, CW1, B1, H.F. 2861.

## BRASSICACEAE

*Sinapis arvensis* L., C3 Burdur: Bucak, S1, D, G9, H.F. 1658.

*Hirschfeldia incana* L., C3 Burdur: Bucak, S1, F2, G6, H.F. 2463.

*Diplotaxis tenuifolia* (L.) DC., C3 Burdur: Bucak, Qb1,2, G9, H.F. 1855.

*Calepina irregularis* (Asso) Thell., C3 Burdur: Bucak, Qb1, B2, D, H.F. 876, 2301.

*Conringia perfoliata* (C.A.Meg.) Burch, C3 Burdur: Bucak, Qm2, D, G9, H.F. 1174.

*Cardaria draba* (L.) Desv. subsp. *chalepensis* (L.) O.E.Schulz, C3 Isparta: Sütçüler, CR, C2, G1, H.F. 2309.

*Iberis attica* Jord., C3 Isparta: Sütçüler, CR, G1, H.F. 2304. E. Medit. El.

*Aethionema subulatum* (Boiss. & Heldr.) Boiss., C3 Isparta: Sütçüler, Qb1, D, \*, LR (cd), H.F. 2315.

*Thlaspi perfoliatum* L., C3 Isparta: Sütçüler, QCj1, E1,2,3, G1, H.F. 2370.

*T. ochroleucum* Boiss. & Heldr., C3 Isparta: Sütçüler, CR, G1, H.F. 900.

*Capsella bursa-pastoris* (L.) Medik., C3 Antalya: Gebiz, Qb2, CR, G2, H.F. 1482, 2295.

*Neslia apiculata* Fisch., C3 Isparta: Sütçüler, CW2, E1, G3, H.F. 2201.

*Fibigia eriocarpa* (DC.) Boiss., C3 Burdur: Bucak, Qb2, F1, H.F. 1868.

*Alyssum dasycarpum* Steph. ex Willd., C3 Antalya: Isparta: Burdur, Qm3, Qb1,2, G1,6,9, H1,2, CR, CW2, A, B3, G1, H.F.1712.

*A. huetii* Boiss., C3 Burdur: Bucak, Qb2, F1, \*, LR (lc), H.F. 1370. Ir.-Tur. El.

*A. minus* (L.) Rothm. var. *minus*, C3 Isparta: Sütçüler, QCn1, QCj1,2, E2, H.F. 948.

*A. strigosum* Banks & Sol. subsp. *strigosum*, C3 Antalya: Gebiz, CR, B3, H.F. 2483.

*A. hirsutum* Bieb., C3 Isparta: Sütçüler, CW2, G1, H.F. 818.

*A. argyrophyllum* Schott, C3 Antalya: Gebiz, CW1, A, F2, \*, LR (nt), H.F. 1466.

*A. murale* Waldst. & Kit. var. *murale*, C3 Isparta: Sütçüler, CW2, E1, G3, H.F. 932.

*Erophila verna* (L.) Chevall. subsp. *verna*, C3 Burdur: Bucak, Qb1,2, F1, H.F. 1375.

*Arabis androsacea* Fenzl, C3 Isparta: Sütçüler, Qb1,2, T1, D, \*, LR (cd), H.F. 1448.

*A. caucasica* Willd. subsp. *brevifolia* (DC.) Cullen, C3 Isparta: Sütçüler, CW2, D, G1, H.F. 2306. E. Medit. El.

*A. sagittata* (Bertol.) DC., C3 Isparta: Sütçüler, QCn4, E1,2, H.F. 825.

*A. verna* (L.) DC., C3 Antalya: Gebiz, Qm2,3, F2, H.F. 1471. Medit. El.

*Turritis laxa* (Sibth. & Sm.) Hayek, C3 Burdur: Bucak, Qcn1, G2, HF. 2854.

*Nasturtium officinale* R.Br., C3 Isparta: Sütçüler, T2, G4, H.F. 2409.

*Barbarea plantaginea* DC., C3 Isparta: Sütçüler, S2, C2, H.F. 1433.

*Cardamine graeca* L., C3 Isparta: Sütçüler, QCn1, G1, H.F. 1327.

*C. hirsuta* L., C3 Antalya: Gebiz, CW1, B1, H.F. 1319.

*Aubrieta canescens* (Boiss.) Bornm. subsp. *canascens*, C3 Burdur: Bucak, Qm2,3, F1, \*, LR (lc), H.F.1367.

*Matthiola montana* Boiss., C3 Isparta: Sütçüler, CW2, G1, \*, LR (nt), H.F. 2317.

*Malcolmia chia* (L.) DC., C3 Isparta: Sütçüler, QCn4, E1,2, H.F.2197. Ir.-Tur. El.

*Erysimum goniocaulon* Boiss., C3 Burdur: Bucak, S2, G2, H.F. 1959.

*E. kotschyanum* Gay, C3 Isparta: Sütçüler, S2, G2, \*, LR (lc), H.F. 2156.

*Sisymbrium officinale* L., C3 Antalya: Gebiz, S1, B3, H.F. 880.

*Camelina rumelica* Vel., C3 Isparta: Sütçüler, QCn1, G1, H.F. 1456.

## CISTACEAE

*Cistus creticus* L., C3 Antalya: Gebiz, CM1, Qb1, Qm2, A, B1-5, C1,2, F1,2, G1,5,6,9,10, H.F. 1035.

*C. salviifolius* L., C3 Antalya: Gebiz, CM1, Qb1, Qm2, A, B1-5, C1,2, F1,2, G1,5,6,9,10, H.F. 1045.

*Helianthemum nummularium* (L.) Miller subsp. *ovatum* (Viv.) Schinz & Thellung, C3 Isparta: Sütçüler, Qb1,2, D, H.F. 1670.

*Fumana arabica* (L.) Spach var. *arabica*, C3 Antalya: Isparta, Qm2, Qb1,2, F1,2, G1,5, H.F. 1474.

## VIOLACEAE

*Viola sieheana* Becker, C3 Antalya: Gebiz, QCj1,2, A, H.F. 1330.

*V. kitaibeliana* Roem. & Schult., C3 Isparta: Sütçüler, T2, D, H.F. 908.

*V. heldreichiana* Boiss., C3 Antalya: Gebiz, QCn4, A, H.F. 1322. E. Medit. El.

## POLYGALACEAE

*Polygala pruinosa* Boiss. subsp. *megaptera* Cullen, C3 Isparta: Sütçüler, CW2, E1, H.F. 2881.

*P. anatolica* Boiss. & Heldr., C3 Isparta: Sütçüler, Qb1, G1, H.F. 1635.

## CARYOPHYLLACEAE

*Arenaria deflexa* Dec. subsp. *microcephala* McNeil, C3 Burdur: Bucak, QCn1, G2, \*, LR (nt), H.F. 852. E. Medit. El.

*A. pamphylica* Boiss. & Heldr. subsp. *pamphylica* var. *pamphylica*, C3 Antalya: Gebiz, CW2, A, \*, VU, H.F. 1530. E. Medit. El.

*A. lebtoclados* (Rchb.) Guss., C3 Burdur: Bucak, Qb1, B4, H.F. 1530.

*Minuartia anatolica* (Boiss.) Woronow var. *polymorpha* McNeill, C3 Antalya: Gebiz, CW2, A, H.F. 1468.

*M. mesogitana* (Boiss.) Hand.-Mazz. subsp. *macrocarpa* McNeill, C3 Isparta: Sütçüler, CW1, C2, \*, EN, H.F. 1454. E. Medit. El.

*Cerastium glomeratum* Thuill., C3 Burdur: Bucak, S2, G9, H.F. 915.

*C. brachypetalum* Pers. subsp. *roeseri* (Boiss. & Heldr.) Nyman, C3 Antalya: Gebiz, Qb1, B3, C1, H.F. 2478, 940.

*Holosteum umbellatum* L. var. *umbellatum*, C3 Antalya: Isparta, CR, H1, H.F. 2478.

*Moenchia mantica* (L.) Bartl. subsp. *mantica*, C3 Burdur: Bucak, Qb1, CR, H2, H.F. 2102.

*Telephium imperati* L. subsp. *orientale* (Boiss.) Nyman, C3 Burdur: Bucak, Qb1, 2, G9, H.F. 1376.

*Dianthus zederbaueri* Vierh., C3 Isparta: Sütçüler, Qb1, C2, \*, LR (cd), H.F. 2311. Ir.-Tur. El.

*D. leucocephaeus* Sibth. & Sm. var. *leucocephaeus*, C3 Isparta: Sütçüler, CW2, C2, \*, LR (lc), H.F. 1830

*D. zonatus* Fenzl var. *hypoclorus* (Boiss. & Heldr.) Reeve, C3 Antalya: Gebiz, CW1, A, H.F. 1028.

*D. calocephalus* Boiss., C3 Isparta: Sütçüler, T1, D, H.F. 1679.

*Petrorhagia alpina* (Habl.) Ball & Heywood subsp. *olympica* (Boiss.) Ball & Heywood, C3 Isparta: Sütçüler, CW2, G1, H.F. 2923.

*Velezia rigida* L., C3 Isparta: Sütçüler, Qb1, D, H.F. 2760.

*V. pseudorigida* Hub.-Mor., C3 Isparta: Sütçüler, Qcn1, G1, \*, VU, H.F. 1616. E. Medit. El.

*Saponaria pumilio* Boiss., C3 Isparta: Sütçüler, CW2, E1, 2, H.F. 943.

*S. pamphylica* Boiss. & Heldr., C3 Burdur: Bucak, Qm2, G2, \*, LR (lc), H.F. 2275.

*S. mesogitana* Boiss., C3 Isparta: Sütçüler, CW2, G8, H.F. 2914. E. Medit. El.

*S. dalmasii* Bissieu, C3 Isparta: Sütçüler, QCn1, G1, D, \*, DD, H.F. 1124.

*S. kotschyi* Boiss., C3 Isparta: Sütçüler, Qb1, B2, \*, LR (lc), H.F. 1238.

*Bolanthus minuartioides* (Jaub. & Spach) Hub.-Mor., C3 Burdur: Bucak, Qb2, H2, \*, LR (lc), H.F. 1864.

*Vaccaria pyramidata* Medik. var. *grandiflora* (Fisch. ex DC.) Cullen, C3 Isparta: Sütçüler, S1, G1, 5, H.F. 1622.

*Silene italica* (L.) Pers., C3 Isparta: Sütçüler, QCn4, E1, 4, H.F. 1786.

*S. gigantea* L. var. *gigantea*, C3 Isparta: Sütçüler, CW2, G4, H.F. 3010. E. Medit. El.

*S. armena* Boiss. var. *armena*, C3 Isparta: Sütçüler, CW2, E1, 2, \*, LR (lc), H.F. 2888.

*S. haradjanii* Chowdh., C3 Isparta: Sütçüler, QCj2, D, E1, \*, DD, H.F. 1817. E. Medit. El.

*S. otites* (L.) Wibel, C3 Antalya: Isparta, Qb1, H1, H.F. 2782.

*S. spargulifolia* (Desf.) Bieb., C3 Isparta: Sütçüler, QCn1, E2, H.F. 2960. Ir.-Tur. El.

*S. supina* Bieb. subsp. *pruinosa* (Boiss.) Chowdhuri, C3 Antalya: Gebiz, CW1, A, H.F. 1497.

*S. odontopetala* Fenzl, C3 Antalya: Gebiz, CW1, A, H.F. 1500.

*S. vulgaris* (Moench) Garcke var. *vulgaris*, C3 Burdur: Bucak, Qb1, 2, D, G1, 5, 9, H.F. 1159.

*S. fabaria* (L.) Sibth. & Sm., C3 Isparta: Sütçüler, QCn1, 2, E1, H.F. 1098.

*S. tunicoides* Boiss., C3 Isparta: Sütçüler, Qb1, C2, \*, LR (nt), H.F. 1127. E. Medit. El.

*S. compacta* Fischer, C3 Isparta: Sütçüler, CW2, G7, H.F. 2412.

*S. alba* (Miller) Krause subsp. *divaricata* (Rchb.) Walters, C3 Isparta: Sütçüler, T2, G3, H.F. 2407.

*S. aegyptiaca* (L.) L.f. subsp. *aegyptiaca*, C3 Burdur: Bucak, Qb2, B4, H.F. 2784.

*S. dichotoma* Ehrh. var. *dichotoma*, C3 Antalya: Gebiz, CW1, A, H.F. 2513.

*S. discolor* Sibth. & Sm., C3 Antalya: Gebiz, CW1, A, H.F. 2520.

*Agrostemma githago* L., C3 Burdur: Bucak, Qb2, G9, H.F. 1693.

#### ILLECEBRACEAE

*Herniaria hirsuta* L., C3 Isparta: Sütçüler, T2, I1, H.F. 2758.

*H. incana* Lam., C3 Antalya: Gebiz, CR, F2, H.F. 2510.

*Paronychia argyroloba* Stapf, C3 Isparta: Sütçüler, CR, D, \*, LR (nt), H.F. 1672.

*P. chionaea* Boiss., C3 Antalya: Gebiz, CW1, A, \*, EN, H.F. 1786.

#### POLYGONACEAE

*Polygonum amphibium* L., C3 Isparta: Sütçüler, T1, I6, H.F. 1129.

*P. salicifolium* Brouss. ex Willd., C3 Isparta: Sütçüler, T2, H1, H.F. 1211.

*P. persicaria* L., C3 Isparta: Sütçüler, T2, I2, H.F. 3220.

*P. cognatum* Meisner, C3 Burdur: Bucak, CR, G2, H.F. 2995.

*P. bellardii* All., C3 Antalya: Gebiz, CR, G1, H.F. 2844.

*Rumex tmoleus* Boiss., C3 Isparta: Sütçüler, QCn7, G1, \*, VU, H.F. 3204.

*R. pulcher* L., C3 Antalya: Gebiz, S1, B3, H.F. 2492.

#### CHENOPodiaceae

*Chenopodium botrys* L., C3 Antalya: Gebiz, S1, F2, H.F. 2825.

*C. chenopodioides* (L.) Aellen, C3 Antalya: Isparta, T2, H1, H.F. 1215.

*C. murale* L., C3 Antalya: Gebiz, S1, F2, H.F. 3096.

*C. opulifolium* Schrad., C3 Antalya: Gebiz, S1, F2, H.F. 3093.

*C. album* L. subsp. *album*, C3 Antalya: Gebiz, S1, F2, H.F. 3093.

*Atriplex hastata* L., C3 Burdur: Bucak, T2, F1, H.F. 1208.

#### AMARANTHACEAE

*Amaranthus albus* L., C3 Antalya: Gebiz, S1, F2, H.F. 2870.

#### TAMARICACEAE

*Tamarix tetrandra* Pall. ex M.Bieb., C3 Antalya: Gebiz, T1, F1, H.F. 1673.

## HYPERICACEAE

*Hypericum ternatum* Poulter, C3 Antalya: Gebiz, CW1, A, \*, VU, H.F. 2547. E. Medit. El.

*H. scabrum* L., C3 Burdur: Bucak, Qb1, H2, H.F. 1865. Ir.-Tur. El.

*H. confertum* Choisy subsp. *confertum*, C3 Burdur: Bucak, Qb1, H2, H.F. 1700.

*H. confertum* Choisy subsp. *stenobotrys* (Boiss.) Holmboe, C3 Burdur: Bucak, Qb1, B4, H.F. 1548.

*H. perforatum* L., C3 Isparta: Sütçüler, T1, I6, H.F. 1125. Medit. El.

*H. motretii* Spach., C3 Isparta: Sütçüler, QCn1, E1, H.F. 2903.

*H. aviculariifolium* Jaub. & Spach subsp. *depilatum* (Freyn & Bornm.) Robson var. *depilatum*, C3 Isparta: Sütçüler, QCn1,3, E1, \*, LR (lc), H.F. 882, 2211. Ir.-Tur. El.

*H. perforatum* L., C3 Isparta: Sütçüler, QCn4, E2, H.F. 3197.

*H. trigetrifolium* Turra, C3 Antalya: Gebiz, S1, F2, H.F. 1080.

## MALVACEAE

*Malva sylvestris* L., C3 Isparta: Sütçüler, S2, D, H.F. 3201.

*M. neglecta* Wallr., C3 Isparta: Sütçüler, QCn1, G4, H.F. 1986.

*M. parviflora* L., C3 Isparta: Sütçüler, QCn1, G3, H.F. 2974.

*Alcea calvertii* (Boiss.) Boiss., C3 Burdur: Bucak, S2, G2, \*, LR (lc), H.F. 1964. Ir.-Tur. El.

*A. pallida* Waldst. & Kit., C3 Isparta: Sütçüler, Qm3, G1, H.F. 1646.

*Althaea cannabina* L., C3 Isparta: Sütçüler, QCn1, G1, H.F. 3182.

*A. hirsuta* L., C3 Isparta: Sütçüler, QCn1, G1, H.F. 3190.

## LINACEAE

*Linum pamphylicum* (Boiss.) Podp., C3 Isparta: Sütçüler, QI1, C1, \*, EN, H.F. 1663.

*L. nodiflorum* L., C3 Isparta: Sütçüler, T2, I6, H.F. 2321. Medit. El.

*L. strictum* L. var. *strictum*, C3 Antalya: Gebiz, T2, F2, H.F. 1990.

*L. virgultorum* Boiss. & Heldr., C3 Antalya: Isparta, T1, D, H.F. 937. Medit. El.

*L. bienne* Miller, C3 Burdur: Bucak, Qb2, B4, H.F. 1538. Medit. El.

## GERANIACEAE

*Geranium lucidum* L., C3 Burdur: Bucak, Qm2, H2, H.F. 923.

*G. purpureum* Vill., C3 Isparta: Sütçüler, Qm1, C2, H.F. 1440.

*G. rotundifolium* L., C3 Isparta: Sütçüler, QCc2, E1, H.F. 2419.

*G. columbinum* L., C3 Antalya: Gebiz, Qm2, F2, H.F. 1493.

*Erodium cicutarium* (L.) L'Herit., C3 Antalya: Gebiz, S1, B3, H.F. 2494.

*E. acaule* (L.) Becherer & Thell., C3 Isparta: Sütçüler, S2, G1, H.F. 2325. Medit. El.

*Pelargonium endlicherianum* Fenzl, C3 Isparta: Sütçüler, QCn1, E2, H.F. 1832.

## OXALIDACEAE

*Oxalis pes-caprae* L., C3 Antalya: Isparta, Qb1, D, H.F. 2001.

## ACERACEAE

*Acer hyrcanum* Fisch. & Mey. subsp. *sphaerocaryum* Yalt., C3 Isparta: Sütçüler, CW2, G3, \*, VU, H.F. 2421. E. Medit. El.

*A. monspessulanum* L. subsp. *monspessulanum*, C3 Antalya: Gebiz, CW1, B1, H.F. 2777.

## VITACEAE

*Ampelopsis orientale* (Lam.) Planchon, C3 Antalya: Gebiz, CW1, A, H.F. 2558.

## RHAMNACEAE

*Paliurus spina-christi* Miller, C3 Antalya: Burdur, T2, I3, H.F. 1853.

*Rhamnus oleoides* L. subsp. *graecus* (Boiss. & Reut.) Holmboe, C3 Antalya: Gebiz, Qm2, A, H.F. 2552. E. Medit. El.

## ANACARDIACEAE

*Cotinus coggygria* Scop., C3 Antalya: Gebiz, Qm2, Qb1,2, T1, A, F1, H.F. 1057.

*Rhus coriaria* L., C3 Isparta: Sütçüler, Qm1, C2, H.F. 1608.

*Pistacia terebinthus* L. subsp. *palaestina* (Boiss.) Engler, C3 Antalya: Gebiz, Qm2, Qb1,2, A, F1, C2, H.F. 1060. E. Medit. El.

## FABACEAE

*Ceratonia siliqua* L., C3 Antalya: Isparta, Qm1,2, T1, A, C1,2, D, F1, H.F. 2821. Medit. El.

*Cercis siliquastrum* L., C3 Isparta: Sütçüler, QI1, C1, H.F. 927.

*Anagyris foetida* L., C3 Antalya: Gebiz, CW1, A, H.F. 2303. Medit. El.

*Genista acanthoclada* DC., C3 Antalya: Gebiz, Qm2, F2, H.F. 2834. E. Medit. El.

*Spartium junceum* L., C3 Antalya: Gebiz, CR, H1, H.F. 1695. Medit. El.

*Lotononis genistoides* (Fenzl) Benth., C3 Burdur: Bucak, Qm2, H2, H.F. 2919. Ir.-Tur. El.

*Colutea melanocalyx* Boiss. & Heldr. subsp. *davisciana* (Brawicz) Chamb., C3 Isparta: Sütçüler, Qm2, G1, \*, LR (lc), H.F. 2319. E. Medit. El.

*Astragalus densifolius* Lam. subsp. *densifolius*, C3 Antalya: Gebiz, Qm2, A, \*, VU, H.F. 1394. Ir.-Tur. El.

*A. prusianus* Boiss., C3 Antalya: Gebiz, CM1, F2, \*, ?, H.F. 1490. Medit. El.

*A. cadmicus* Boiss., C3 Isparta: Sütçüler, QCj2, E2, \*, LR (lc), H.F. 1610.

*A. paecilanthes* Boiss. & Heldr., C3 Antalya: Gebiz, CW1, A, \*, ?, H.F. 1472.

*A. schizopterus* Boiss., C3 Burdur: Bucak, Qb2, B4, \*, ?, H.F. 2489. E. Medit. El.

*A. nitens* Boiss. & Heldr., C3 Isparta: Sütçüler, QCn1, G3, \*, ?, H.F. 2965. Ir.-Tur. El.

*A. angustifolius* Lam. subsp. *angustifolius* var. *angustifolius*, C3 Isparta: Sütçüler, QCn1, G3, H.F. 2966.

*Glycyrrhiza glabra* L. var. *glandulifera* (Waldst. & Kit.) Boiss., C3 Isparta: Sütçüler, E3, H.F. 2424.

*G. asymmetrica* Hub.-Mor., C3 Antalya: Gebiz, T2, F1, \*, VU, H.F. 2097. E. Medit. El.

*Cicer anatolicum* Alef., C3 Isparta: Sütçüler, QCn7, G1, H.F. 1095. Ir.-Tur. El.

*C. pinnatifidum* Jaub. & Spach, C3  
Isparta: Sütçüler, QCn1,2, G3, H.F. 3020.

*Vicia cracca* L. subsp. *stenophylla* Vel., C3  
Antalya: Isparta, QCj1, G1, H.F. 1118.

*V. peregrina* L., C3 Antalya: Isparta, S1,  
G1, H.F. 1660.

*V. cuspidata* Boiss., C3 Burdur: Bucak,  
Qb2, G2, H.F. 1880. E. Medit. El.

*V. sativa* L. subsp. *nigra* (L.) Ehrh. var.  
*nigra*, C3 Antalya: Gebiz, S1, F2, H.F. 2516.

*V. sativa* L. subsp. *sativa*, C3 Antalya:  
Gebiz, S1, B3, H.F. 2500.

*V. narbonensis* L. var. *narbonensis*, C3  
Burdur: Bucak, Qm2, H2, H.F. 1342.

*Lens ervoides* (Brign.) Grande, C3  
Isparta: Sütçüler, QCn4, E1,2, H.F. 1654. E.  
Medit. El.

*L. orientalis* (Boiss.) Hand.-Mazz., C3  
Antalya: Burdur, Qm1, Qb1, D, H.F. 1710.

*Lathyrus tukhtensis* Czecz., C3 Isparta:  
Sütçüler, S2, G1, \*, LR (lc), H.F. 889.

*L. spathulatus* Cel., C3 Antalya: Isparta,  
QCn7, A, E1, H.F. 1464. E. Medit. El.

*L. laxiflorus* (Desf.) O.Kuntze subsp.  
*laxiflorus*, C3 Antalya: Gebiz, QCc2, A, H.F.  
2570.

*L. saxatilis* (Vent.) Vis., C3 Isparta:  
Sütçüler, S2, G7, H.F. 1452. Medit. El.

*L. cicera* L., C3 Antalya: Gebiz, CW2, G5,  
H.F. 2793.

*L. sativus* L., C3 Antalya: Gebiz, S1, F1,2,  
H.F. 2580.

*L. aphaca* L. var. *pseudoaphaca*, C3  
Antalya: Isparta, F1, Q1, C1, H.F. 930. E.  
Medit. El.

*Pisum sativum* L. subsp. *elatius* (Bieb.)  
Aschers. & Graebn. var. *elatius*, C3 Isparta:  
Sütçüler, T2, G2, H.F. 1395. E. Medit. El.

*Ononis adenotricha* Boiss. var.  
*adenotricha*, C3 Antalya: Isparta, QCn4, A,  
E1, H.F. 2909. E. Medit. El.

*O. reclinata* L., C3 Antalya: Gebiz, QB1,  
F1, H.F. 2544. Medit. El.

*O. spinosa* L. subsp. *leiosperma* (Boiss.)  
Sirj., C3 Isparta: Sütçüler, T2, I2, H.F. 1995.

*Trifolium repens* L. var. *repens*, C3  
Isparta: Sütçüler, TP1, G3, H.F. 2416.

*T. speciosum* Willd., C3 Antalya: Gebiz,  
CW1, Qb2, A, H.F. 1504.

*T. boissieri* Guss. ex. Boiss., C3 Isparta:  
Sütçüler, TP1, G3, H.F. 2402. E. Medit. El.

*T. campestre* Schreb., C3 Isparta:  
Sütçüler, QB1,2, G1, H.F. 1438.

*T. spinosum* L., C3 Antalya: Isparta,  
QCn4, A, E2, H.F. 1465. Medit. El.

*T. physodes* Stev. ex. Biob. var. *physodes*,  
C3 Burdur: Bucak, Qb1,2, G2, H.F. 2707.  
Medit. El.

*T. pratense* L. var. *pratense*, C3 Antalya:  
Isparta, Qb1,2, B1, C2, H.F. 2488.

*T. caudatum* Boiss., C3 Antalya: Isparta,  
QCn1,4, A, E1,2, \*, LR (lc), H.F. 883.

*T. sylvaticum* Gerard. ex. Lois., C3  
Isparta: Sütçüler, QCn1, G3, H.F. 1410.

*T. scabrum* L., C3 Burdur: Bucak, Qm2,  
Qb2, H2, H.F. 919.

*T. lucanicum* Gasp., C3 Antalya: Isparta,  
QCn1, A, G3, H.F. 954. Medit. El.

*T. hirtum* All., C3 Antalya: Gebiz, CM1,  
Qm2, Qb1, F2, H.F. 1810. Medit. El.

*T. arvense* L. var. *arvense*, C3 Burdur:  
Bucak, Qb2, B4, H.F. 2497.

*T. echinatum* Bieb., C3 Antalya: Gebiz,  
CM1, G6, H.F. 1510. E. Medit. El.

*T. globosum* L., C3 Antalya: Gebiz, CM1,  
F2, H.F. 1506.

*Trigonella brachycarpa* (Fisch.) Moris, C3  
Isparta: Sütçüler, T1, D, H.F. 928. Ir.-Tur. El.

*T. spruneriana* Boiss. var. *spruneriana*,  
C3 Antalya: Gebiz, Qb1, B1, H.F. 1515. Ir.-  
Tur. El.

*T. monspeliaca* L., C3 Antalya: Gebiz,  
CM1, G6, H.F. 1479. Medit. El.

*T. spicata* Sibth. & Sm., C3 Antalya:  
Gebiz, T2, I1, H.F. 2574. E. Medit. El.

*Medicago orbicularis* (L.) Bart., C3  
Isparta: Sütçüler, Qb2, D, H.F. 1704.

*M. lupulina* L., C3 Antalya: Gebiz, TP1, A,  
H.F. 2539.

*M. sativa* L. subsp. *sativa*, C3 Burdur:  
Bucak, S2, G9, H.F. 920.

*M. falcata* L., C3 Isparta: Sütçüler, TP1,  
G3, H.F. 2428.

*M. coronata* (L.) Bart., C3 Antalya: Gebiz,  
CM1, Qm2, F2, H.F. 1480. Medit. El.

*M. minima* (L.) Bart. var. *minima*, C3  
Burdur: Bucak, S2, G9, H.F. 916.

*M. polymorpha* L. var. *polymorpha*, C3  
Antalya: Gebiz, CM1, F2, H.F. 2584.

*Lotus corniculatus* L. var. *tenuifolius*, C3  
Isparta: Sütçüler, TP1, G3, H.F. 2935.

*L. strictus* Fisch. & Mey., C3 Antalya:  
Isparta, CR, F2, G5, H.F. 3193.

*Hymenocarpus circinnatus* (L.) Savi., C3  
Antalya: Gebiz, CM1, G6, H.F. 2779. Medit.  
El.

*Coronilla emerus* L. subsp. *emeroides*  
(Boiss. & Sprun.) Uhrova, C3 Burdur: Bucak,  
T1, I3, H.F. 924.

*C. parviflora* Willd., C3 Antalya: Burdur,  
Qb2, F1, B4, H.F. 1527. E. Medit. El.

*C. grandiflora* Boiss., C3 Antalya: Isparta,  
QCn2, B1, G1, \*, LR (lc), H.F. 1449. E.  
Medit. El.

*C. varia* L. subsp. *varia*, C3 Isparta:  
Sütçüler, QCj2, G1, H.F. 1135.

*Ornithopus compressus* L., C3 Antalya:  
Gebiz, CM1, G6, H.F. 863. Medit. El.

*Scorpiurus muricatus* L. var. *subvillous*  
(L.) Fiori, C3 Antalya: Gebiz, CM1, F2, H.F.  
1487. Medit. El.

*Hedysarum pestalozzae* Boiss., C3  
Isparta: Sütçüler, T1,2, D, \*, LR (lc), H.F.  
1660. Ir.-Tur. El.

*Onobrychis caput-galli* (L.) Lam., C3  
Burdur: Bucak, Qb2, H2, H.F. 1867. Medit.  
El.

*O. gracilis* Beser, C3 Antalya: Gebiz,  
CM1, G6, H.F. 2498.

*O. lasiostachya* Boiss., C3 Isparta:  
Sütçüler, CW2, E4, H.F. 2969.

*Ebenus bourgaei* Boiss., C3 Antalya:  
Isparta, QCn1, F2, G1, \*, LR (lc), H.F. 2323.  
E. Medit. El.

#### ROSACEAE

*Prunus x domestica* L., C3 Antalya: Gebiz,  
CW1, A, H.F. 2566.

*Rubus sanctus* Schreber, C3 Antalya:  
Gebiz, T1, F2, H.F. 2836.

*R. discolor* Weihe & Nees., C3 Isparta:  
Sütçüler, T2, G3, H.F. 3015.

*Potentilla recta* L., C3 Antalya: Gebiz,  
CW1, A, H.F. 1780.

*P. kotschyana* Fenzl, C3 Antalya: Isparta,  
QCj2, QCn5, A, E1, H.F. 1992. E. Medit. El.

*P. humifisa* Willd., C3 Isparta: Sütçüler, CR, G3, H.F. 2004. Euro-Sib. El.

*P. geranioides* Willd., C3 Burdur: Bucak, QCn1, G2, H.F. 1902. Ir.-Tur. El.

*P. reptans* L., C3 Isparta: Sütçüler, CW2, G3, H.F. 2967.

*Agrimonia eupatoria* L., C3 Isparta: Sütçüler, QCn7, G1, H.F. 1140.

*Artemisia agrimonoides* (L.) DC., C3 Isparta: Sütçüler, QCn1, G3, H.F. 2991. Euro-Sib. El.

*Sanguisorba minor* Scop. subsp. *magnoli* (Spach) Brig., C3 Antalya: Isparta, QCn4, A, E1, H.F. 2418.

*S. minor* Scop. subsp. *muricata* (Spach) Brig., C3 Burdur: Bucak, Qb1, G9, H.F. 1707.

*Rosa arvensis* Huds., C3 Isparta: Sütçüler, QCn1, G3, H.F. 3028.

*R. pulvifera* Bieb., C3 Antalya: Gebiz, QCj2, A, H.F. 1801.

*R. canina* L., C3 Antalya: Gebiz, CW1, A, H.F. 1798.

*Mespilus germanica* L., C3 Isparta: Sütçüler, Qb1, C2, H.F. 2374.

*Crataegus orientalis* Pallas ex Bieb. var. *orientalis*, C3 Antalya: Isparta, CW2, A, G3, H.F. 3024.

*C. sinica* Boiss., C3 Antalya: Gebiz, CW1, A, H.F. 1501. Ir.-Tur. El.

*C. stevenii* Pojark., C3 Isparta: Sütçüler, T2, E1, H.F. 1997. E. Medit. El.

*C. monogyna* Jacq. subsp. *monogyna*, C3 Antalya: Gebiz, T2, F2, H.F. 1484.

*Sorbus umbellata* (Desf.) Fritsch var. *cretica* (Lindl.) Schneider, C3 Antalya: Gebiz, CW1, A, H.F. 2576.

*Pyrus amygdaliformis* Vill. var. *amygdaliformis*, C3 Antalya: Gebiz, CW1, QCc1, A, H.F. 1975. E. Medit. El.

#### MYRTACEAE

*Myrtus communis* L. subsp. *communis*, C3 Antalya: Isparta: Burdur, Qm2, Qb2, F1, 2, C1, 2, G1, 5-10, B1-5, A, H.F. 3098.

#### ONAGRACEAE

*Epilobium parviflorum* Schreber, C3 Burdur: Bucak, Qb1, G9, H.F. 1850.

*E. montanum* L., C3 Isparta: Sütçüler, Qb1, C2, H.F. 1120. Euro-Sib. El.

*E. lanceolatum* Seb. & Mauri, C3 Antalya: Gebiz, QCn4, A, H.F. 2862.

#### CUCURBITACEAE

*Eccremocarpus elaterium* (L.) A.Rich., C3 Burdur: Bucak, S2, G2, H.F. 1967. Medit. El.

#### CRASSULACEAE

*Umbilicus erectus* DC., C3 Isparta: Sütçüler, S2, G1, H.F. 1442.

*U. horizontalis* (Guss.) DC. var. *horizontalis*, C3 Antalya: Gebiz, CW1, A, H.F. 1492. E. Medit. El.

*Rosularia chrysanthia* (Boiss.) Tahkt., C3 Antalya: Gebiz, CW1, A, \*, LR (Ic), H.F. 2855. E. Medit. El.

*R. davisii* Muirhead, C3 Isparta: Sütçüler, CW2, G3, \*, LR (Ic), H.F. 3038. Ir.-Tur. El.

*Sedum sartorianum* Boiss. subsp. *sartorianum*, C3 Isparta: Sütçüler, CW2, G3, H.F. 3026.

*S. laconicum* Boiss. & Heldr., C3 Isparta: Sütçüler, T2, G3, H.F. 2971. E. Medit. El.

*S. album* L., C3 Antalya: Gebiz, CW1, A, H.F. 2535.

*S. magellense* Ten., C3 Antalya: Gebiz, CW1, A, H.F. 2541. Medit. El.

*S. tenellum* Bieb., C3 Isparta: Sütçüler, QCn1, E1, H.F. 2962.

*S. sempervivoides* Bieb., C3 Burdur: Bucak, T2, G2, H.F. 1892.

*S. hispanicum* L. var. *hispanicum*, C3 Isparta: Sütçüler, CW2, G1, H.F. 1601.

#### SAXIFRAGACEAE

*Saxifraga tridactylites* L., C3 Isparta: Sütçüler, QCn1, E3, H.F. 2948.

#### HAMAMELIDACEAE

*Liquidambar orientalis* Miller, C3 Antalya: Isparta, Q1, F2, C1, \*, VU, H.F. 1667. E. Medit. El.

#### APIACEAE

*Astrantia maxima* Pallas subsp. *haradjanii* (Grinck.) Rech., C3 Burdur: Bucak, QCn1, G2, \*, ?, H.F. 2734.

*Actinolema macrolema* Boiss., C3 Isparta: Sütçüler, CR, G1, H.F. 1613. Ir.-Tur. El.

*Eryngium thorifolium* Boiss., C3 Antalya: Isparta, CR, H1, \*, LR (Ic), H.F. 2475. E. Medit. El.

*E. falcatum* Delar., C3 Antalya: Isparta, Qb2, F1, G9, H.F. 1155. E. Medit. El.

*E. creticum* Lam., C3 Burdur: Bucak, CR, H2, H.F. 1861. E. Medit. El.

*E. campestre* L. var. *virens* Link, C3 Antalya: Gebiz, CR, F1, H.F. 3110.

*Lagoecia cuminoides* L., C3 Isparta: Sütçüler, QCj1, G1, H.F. 1627. Medit. El.

*Echinophora tournefortii* Jaub. & Spach, C3 Isparta: Sütçüler, QCn1, E1, G3, H.F. 2393. Ir.-Tur. El.

*Anthriscus kotschyana* Fenzl ex Boiss. & Bal., C3 Burdur: Bucak, Qm2, G2, H.F. 2270.

*Scandix pecten-veneris* L., C3 Antalya: Isparta, S1, A, G5, H.F. 1315.

*S. australis* L. subsp. *grandiflora* (L.) Thell., C3 Isparta: Sütçüler, CR, G1, H.F. 2367.

*S. turgida* (Boiss. & Bal.) Boiss., C3 Antalya: Isparta, CR, A, G1, H.F. 2336.

*Bunium microcarpum* (Boiss.) Freyn subsp. *microcarpum*, C3 Antalya: Gebiz, QCn2, A, H.F. 1499. E. Medit. El.

*Carum multiflorum* (Sm.) Boiss., C3 Antalya: Gebiz, CW1, A, H.F. 2807. E. Medit. El.

*Pimpinella peregrina* L., C3 Antalya: Gebiz, CW1, A, H.F. 2818.

*P. cappadocica* Boiss. & Bal. var. *cappadocica*, C3 Burdur: Bucak, Qm2, H2, \*, LR (Ic), H.F. 1847. Ir.-Tur. El.

*Lecokia cretica* (Lam.) DC., C3 Isparta: Sütçüler, T2, C2, H.F. 1836.

*Prangos meliocarpoides* Boiss. var. *meliocarpoides*, C3 Burdur: Bucak, Qm2, H2, \*, LR (Ic), H.F. 1872. Ir.-Tur. El.

*Bupleurum heldreichii* Boiss. & Bal., C3 Isparta: Sütçüler, CR, D, \*, LR (Ic), H.F. 1133. Ir.-Tur. El.

*B. flavum* Forssk., C3 Burdur: Bucak, Qb2, B4, H.F. 1690. E. Medit. El.

*B. falcatum* L. subsp. *polyphyllum* (Ledeb.) Wolff, C3 Isparta: Sütçüler, CW2, C2, H.F. 1843. Eux. El.

*B. falcatum* L. subsp. *persicum* (Boiss.) Koso-Pol., C3 Isparta: Sütçüler, CW2, C2, H.F. 1826.

*Falcaria vulgaris* Bernh., C3 Antalya: Isparta, Qb1, A, D, H.F. 1153.

*Ferula tingitana* L., C3 Burdur: Bucak, Qm2, G2, H.F. 2715. Medit. El.

*Tordylium aegaeum* Runem., C3 Antalya: Isparta, Qb2, H1, H.F. 921. E. Medit. El.

*Torilis nodosa* (L.) Gaertner, C3 Isparta: Sütçüler, Qb2, D, H.F. 1703.

*T. triradiata* Boiss. & Heldr., C3 Isparta: Sütçüler, Qm1, \*, LR (cd), H.F. 1633. E. Medit. El.

*T. arvensis* (Huds.) Link. subsp. *arvensis*, C3 Antalya: Gebiz, Qm2, F2, H.F. 2527.

*Orlaya daucoides* (L.) Greuter., C3 Antalya: Isparta, Qb2, F1, G5, H.F. 1488. Medit. El.

*Daucus guttatus* Sm., C3 Isparta: Sütçüler, CW2, B2, H.F. 1687.

*Artemisia squamata* L., C3 Antalya: Gebiz, CW1, A, H.F. 2507.

#### ARALIACEAE

*Hedera helix* L., C3 Antalya: Isparta, Q11, A, C1, H.F. 1728.

#### CAPRIFOLIACEAE

*Sambucus ebulus* L., C3 Isparta: Sütçüler, TP1, G3, H.F. 2980. Euro-Sib. El.

*Lonicera etrusca* Santi. var. *etrusca*, C3 Isparta: Sütçüler, QCn4, E1, H.F. 2437. Medit. El.

#### VALERIANACEAE

*Valeriana discordis* Sm., C3 Isparta: Sütçüler, QCn1, G1, H.F. 815.

*Centranthus calcitrapa* (L.) Dufr., C3 Isparta: Sütçüler, CW2, C2, H.F. 1435. Medit. El.

*Valerianella tuberculata* Boiss., C3 Isparta: Sütçüler, CW2, G4, H.F. 1407. Ir.-Tur. El.

*V. vesicaria* (L.) Moench, C3 Burdur: Bucak, T1, I4, H.F. 1976.

#### DIPSACACEAE

*Cephalaria aristata* C.Koch, C3 Isparta: Sütçüler, CR, D, H.F. 1148.

*Knautia integrifolia* (L.) Bert. var. *integrifolia*, C3 Burdur: Bucak, QCn1, G2, H.F. 2280. Medit. El.

*Scabiosa hololeca* Bornm., C3 Isparta: Sütçüler, QCn1,2,3, G3, \*, EN, H.F. 3001. Ir.-Tur. El.

*S. reuteriana* Boiss., C3 Antalya: Gebiz, CW1, A, \*, LR (lc), H.F. 2838. E. Medit. El.

*S. micrantha* Desf., C3 Antalya: Gebiz, Qb2, F2, H.F. 2770.

#### ASTERACEAE

*Ambrosia maritima* L., C3 Isparta: Sütçüler, CW2, G1, H.F. 830. Medit. El.

*Xanthium spinosum* L., C3 Isparta: Sütçüler, T2, D, H.F. 2640.

*X. strumarium* L. subsp. *strumarium*, C3 Antalya: Gebiz, S1, F1,2, H.F. 2609.

*Pulicaria dysenterica* (L.) Bernh., C3 Antalya: Isparta, Q11, F2, C1, H.F. 3050.

*Inula vulgaris* (Lam.) Trevison, C3 Burdur: Bucak, T2, I4, H.F. 1980. Euro-Sib. El.

*I. heterolepis* Boiss., C3 Antalya: Gebiz, CW1, A, H.F. 3105. E. Medit. El.

*I. anatolica* Boiss., C3 Antalya: Isparta, CW2, A, E3, \*, LR (lc), H.F. 3211.

*I. viscosa* (L.) Aiton, C3 Isparta: Sütçüler, Qb1, C2, H.F. 3177. Medit. El.

*Helichrysum pamphylicum* Davis & Kupicha, C3 Burdur: Bucak, T2, I3, \*, LR (lc), H.F. 1718. E. Medit. El.

*H. plicatum* DC. subsp. *polyphyllum* (Ledeb.) Davis & Kupicha, C3 Isparta: Sütçüler, Qb1, C2, H.F. 2654.

*Filago eriocephala* Guss., C3 Burdur: Bucak, Qb2, B4, H.F. 2496. E. Medit. El.

*Logfia arvensis* (L.) Holub, C3 Antalya: Gebiz, S1, F1,2, H.F. 1041.

*Conyza canadensis* (L.) Cronquist, C3 Isparta: Sütçüler, CW1, E3, H.F. 2894.

*Bellis perennis* L., C3 Isparta: Sütçüler, TP1, G3, H.F. 1397. Euro-Sib. El.

*Doronicum orientale* Hoffm., C3 Isparta: Sütçüler, QCn7, D, E2, H.F. 2469.

*Senecio paludosus* L., C3 Isparta: Sütçüler, CW2, C2, H.F. 3206. Euro-Sib. El.

*S. vulgaris* L., C3 Antalya: Isparta, Qb1, F1, C2, H.F. 1425.

*S. vernalis* Waldst. & Kit., C3 Isparta: Sütçüler, Qm2, H1, H.F. 839.

*Calendula officinalis* L., C3 Isparta: Sütçüler, S2, G7, H.F. 1461.

*Anthemis cretica* L. subsp. *leuconthemooides* (Boiss.) Griesson, C3 Burdur: Bucak, Qb2, G9, H.F. 858.

*A. chia* L., C3 Antalya: Gebiz, S1, F1,2, H.F. 1520. E. Medit. El.

*A. pseudocotula* Boiss., C3 Antalya: Gebiz, S1, F1,2, H.F. 1351.

*A. tinctoria* L. var. *tinctoria*, C3 Isparta: Sütçüler, QCn1,2, E1, G3, H.F. 2985.

*Achillea wilhelmsii* C.Koch, C3 Isparta: Sütçüler, Qb1, C2, H.F. 3179. Ir.-Tur. El.

*A. teretifolia* Willd., C3 Isparta: Sütçüler, QCn7, G3, \*, LR (lc), H.F. 3013. Ir.-Tur. El.

*A. grandifolia* Friv., C3 Isparta, QCn1, G4, H.F. 3044.

*A. kotschyii* Boiss. subsp. *canescens* Bässler, C3 Isparta: Sütçüler, QCn4, E1, \*, LR (lc), H.F. 2889. E. Medit. El.

*A. coarctata* Poir., C3 Isparta: Sütçüler, QCn1, G3, H.F. 1887.

*Tanacetum cilicum* (Boiss.) Grierson, C3 Antalya: Isparta: CW1, A, B5, H.F. 3185. E. Medit. El.

*T. aucheri* DC., C3 Isparta: Sütçüler, CR, G7, H.F. 2330.

*Artemisia campestris* L., C3 Burdur: Bucak, CR, G9, H.F. 1914.

*Onopordum boissieri* Willk., C3 Antalya: Isparta, CR, H1, \*, LR (nt), H.F. 1582. E. Medit. El.

*Cirsium vulgare* (Savi) Ten., C3 Burdur: Bucak, Qm2, G2, H.F. 1972.

*C. arvense* (L.) Scop. subsp. *vestitum* (Wimmer & Grab.) Petrak, C3 Isparta: Sütçüler, Qb1, D, H.F. 1164.

*Picnomon acarna* (L.) Cass., C3 Antalya: Gebiz, QCn4, A, H.F. 3124. Medit. El.

*Ptilostemon chamaepeuce* (L.) Less., C3 Antalya: Isparta, Qb1, A, C2, H.F. 1566. E. Medit. El.

*Carduus nutans* L., C3 Isparta: Sütçüler, QCn1, G1, H.F. 2918.

*C. rechingerianus* Kazmi, C3 Antalya: Gebiz, CW1, B1, \*, LR (lc), H.F. 2832. E. Medit. El.

*Centaurea virgata* Lam., C3 Isparta: Sütçüler, CW2, E4, H.F. 3032. Ir.-Tur. El.

*C. solstitialis* L. subsp. *solistitalis*, C3 Antalya: Isparta, Qm2, Qb1,2, A, D, H.F. 1144.

*C. solstitialis* L. subsp. *pyracantha* (Boiss.) Wagenitz, C3 Antalya: Gebiz, S1, F1,2, \*, LR (nt), H.F. 2578. E. Medit. El.

*C. iberica* Trev. ex Sprengel, C3 Antalya: Gebiz, Qb2, G10, H.F. 1516.

*C. urvillei* DC. subsp. *urvillei*, C3 Antalya: Isparta, QCc2, A, E3, H.F. 1983. E. Medit. El.

*C. antiochia* Boiss. var. *antiochia*, C3 Burdur: Bucak, TP1, G2, \*, LR (cd), H.F. 2263. E. Medit. El.

*Crupina vulgaris* Cass., C3 Isparta: Sütçüler, QCn1,2, E1, H.F. 2395.

*Carthamus lanatus* L., C3 Antalya: Isparta, CR, H1, H.F. 1721.

*Xeranthemum annuum* L., C3 Antalya, QCn1, F2, G4, H.F. 2898.

*Echinops ritro* L., C3 Antalya: Gebiz, CW1, A, H.F. 3116.

*E. viscosus* DC. subsp. *bithynicus* (Boiss.) Rech., C3 Isparta: Sütçüler, Qb1, D, H.F. 1856. Ir.-Tur. El.

*Scolymus hispanicus* L., C3 Antalya: Gebiz, CW1, A, H.F. 2531. Medit. El.

*Cichorium intybus* L., C3 Antalya: Isparta, T2, H1, H.F. 1675.

*Scorzonera cana* (C.A.Meyer) Hoffm., C3 Antalya: Isparta, S2, F1-2, H.F. 1413.

*S. elata* Boiss., C3 Antalya: Gebiz, Qb2, B2, H.F. 1524. E. Medit. El.

*Tragopogon longirostris* Bisch. ex Sch.Bip. var. *abbreviatus* Boiss., C3 Isparta: Sütçüler, CR, G1, H.F. 2360.

*Leontodon tuberosus* L., C3 Isparta: Sütçüler, QCn1, E4, H.F. 2906. Medit. El.

*L. asperimus* (Willd.) J.Ball, C3 Isparta: Sütçüler, Qb1,2, C2, H.F. 1032. Ir.-Tur. El.

*L. oxylepis* Boiss. & Heldr. var. *oxylepis*, C3 Antalya: Gebiz, CW1, A, H.F. 2597. E. Medit. El.

*Sonchus asper* (L.) Hill subsp. *glaucescens* (Jordan) Ball, C3 Antalya: Gebiz, S1, B3, H.F. 866.

*S. oleraceus* L., C3 Burdur: Bucak, Qm2, G9, H.F. 2163.

*Hieracium pannosum* Boiss., C3 Antalya: Gebiz, CW1, A, H.F. 2591. E. Medit. El.

*Pilosella piloselloides* (Vill.) Sojak subsp. *piloselloides*, C3 Isparta: Sütçüler, T2, C2, H.F. 2333.

*P. piloselloides* (Vill.) Sojak subsp. *megalomastix* (NP.) Sell & West, C3 Isparta: Sütçüler, QCn5, E1, H.F. 1560.

*Lactuca saligna* L., C3 Antalya: Isparta, Qb1, Qm2, A, C2, H.F. 3174.

*L. serriola* L., C3 Burdur: Bucak, Qb1, G6, H.F. 2471. Euro-Sib. El.

*Scariola viminea* (L.) F.W.Schmidt, C3 Isparta: Sütçüler, Qb1, G8, H.F. 2927.

*Lapsana communis* L. subsp. *intermedia* (Bieb.) Hayek, C3 Isparta: Sütçüler, Qb1,2, G4, H.F. 962.

*Taraxacum bithynicum* DC., C3 Burdur: Bucak, Qm2, G2, H.F. 1346.

*Chondrilla juncea* L. var. *juncea*, C3 Antalya: Gebiz, S2, F1,2, H.F. 2562.

*Crepis reuterana* Boiss. subsp. *reuterana*, C3 Antalya: Isparta, QCn2, A, G4, H.F. 2908. E. Medit. El.

*C. sancta* (L.) Babcock, C3 Isparta: Sütçüler, QCc2, E1, H.F. 2620.

*C. micrantha* Czer., C3 Antalya: Gebiz, Qb2, G3, H.F. 2468.

#### CAMPANULACEAE

*Campanula trachelium* L., C3 Isparta: Sütçüler, T2, D, H.F. 1858. Euro-Sib. El.

*C. involucrata* Aucher ex A.DC., C3 Antalya: Gebiz, QCc1,2, A, H.F. 1050. Ir.-Tur. El.

*C. argaea* Boiss. & Bal., C3 Antalya: Gebiz, CW1, A, \*, LR (lc), H.F. 2801. Ir.-Tur. El.

*C. peregrina* L., C3 Antalya: Gebiz, CR, D, H.F. 1730. E. Medit. El.

*Asyneuma rigidum* (Willd.) Grossh. subsp. *sibthorianum* (Roemer & Schultes) Damboldt, C3 Antalya: Gebiz, CW1, A, \*, LR (lc), H.F. 2842. E. Medit. El.

*Legousia falcata* (Ten.) Fritsch, C3 Antalya: Gebiz, Qm2, F1,2, H.F. 1048. Medit. El.

#### ERICACEAE

*Erica manipuliflora* Salisb., C3 Antalya: Isparta, T1,2, F1,2, I1,2,3, G5, H.F. 1054. E. Medit. El.

*Arbutus andrachne* L., C3 Antalya: Isparta: Burdur, Qb2, A, H.F. 3043.

#### PRIMULACEAE

*Cyclamen cilicium* Boiss. & Heldr. var. *cilicium*, C3 Isparta: Sütçüler, QCn7, E1, \*, LR (nt), H.F. 2390. E. Medit. El.

*Lysimachia atropurpurea* L., C3 Antalya: Gebiz, S2, F2, H.F. 1043. E. Medit. El.

*Anagallis arvensis* L. var. *arvensis*, C3 Antalya: Gebiz, S1, F1,2, H.F. 1309.

*A. foemina* Miller, C3 Isparta: Sütçüler, S2, G1, H.F. 833. Medit. El.

#### STYRACACEAE

*Styrax officinalis* L., C3 Antalya: Isparta, Qb1, T1, A, C2, H.F. 1415.

#### OLEACEAE

*Jasminum fruticans* L., C3 Antalya: Gebiz, CW1, A, H.F. 2804. Medit. El.

*Fontanesia phillyreoides* Labill. subsp. *philleyreoides*, C3 Burdur: Bucak, Qb2, G9, H.F. 2176. E. Medit. El.

*Fraxinus ornus* L. subsp. *cilicica* (Lingelsh.) Yalt., C3 Isparta: Sütçüler, T1, C2, \*, LR (lc), H.F. 891. E. Medit. El.

*Olea europaea* L. var. *sylvestris* (Miller) Lehr., C3 Antalya: Isparta: Burdur, Qm1, C2, F1,2, G1,5-10, H.F. 2615. Medit. El.

*Phillyrea latifolia* L., C3 Antalya: Isparta: Burdur, Qm2, Qb2, F1,2, G1,5-10, H.F. 2588. Medit. El.

#### APOCYNACEAE

*Nerium oleander* L., C3 Antalya: Isparta, T1, F1,2, G1,5-10, I1,6, H.F. 2122. Medit. El.

#### ASCLEPIADACEAE

*Cionura erecta* (L.) Griseb., C3 Antalya: Gebiz, CW1, A, H.F. 2523. E. Medit. El.

#### GENTIANACEAE

*Centaurium erythraea* Rafn. subsp. *erythraea*, C3 Burdur: Bucak, T2, I4, H.F. 1738. Euro-Sib. El.

#### CONVOLVULACEAE

*Convolvulus cantabrica* L., C3 Antalya: Isparta, Qb1, F1-2, G1, H.F. 2594.

*C. lineatus* L., C3 Isparta: Sütçüler, CW2, G1, H.F. 619.

*C. arvensis* L., C3 Antalya: Isparta, S2, F1-2, G1, H.F. 1651.

*Calystegia soldanella* (L.) R.Br., C3 Isparta: Sütçüler, Qb1, G1, H.F. 2834.

#### CUSCUTACEAE

*Cuscuta monogyna* Vahl. subsp. *esquamata* (Engelmann) Plitm., C3 Burdur: Bucak, Qm2, G2, H.F. 1897.

#### BORAGINACEAE

*Heliotropium haussknechtii* Bunge, C3 Isparta: Sütçüler, Qb1, D, \*, LR (lc), H.F. 1841. E. Medit. El.

*H. hirsutissimum* Grauer, C3 Antalya: Gebiz, S2, F1, H.F. 2687. E. Medit. El.

*Myosotis incrassata* Guss., C3 Isparta: Sütçüler, S2, G4, H.F. 980. E. Medit. El.

*M. litoralis* Steven ex Bieb., C3 Isparta: Sütçüler, Qb1, D, H.F. 2169. E. Medit. El.

*M. ramosissima* Rochel ex Schultes subsp. *ramosissima*, C3 Burdur: Bucak, Qm2, G9, H.F. 1358.

*M. refracta* Boiss. subsp. *refracta*, C3 Antalya: Gebiz, QCc2, A, H.F. 2231. E. Medit. El.

*M. arvensis* (L.) Hill subsp. *arvensis*, C3 Isparta: Sütçüler, QCn1, G3, H.F. 973. Euro-Sib. El.

*M. lithospermifolia* (Willd.) Hornem., C3 Isparta: Sütçüler, QCn1, G1, H.F. 967.

*M. laxa* Lehm. subsp. *caespitosa* (C.F.Schultz) Hyl. ex. Nordh., C3 Isparta: Sütçüler, CR, G8, H.F. 2400.

*Solenanthus stamineus* (Desf.) Wettst., C3 Isparta: Sütçüler, Qb1, D, H.F. 1348.

*Cynoglossum montanum* L., C3 Isparta: Sütçüler, QCc2, E1, H.F. 2432. Euro-Sib. El.

*Lithospermum officinale* L., C3 Isparta: Sütçüler, Qm2, H1, H.F. 2166. Euro-Sib. El.

*Buglossoides arvensis* (L.) Johnston, C3 Burdur: Bucak, S2, G2, H.F. 2255.

*Echium italicum* L., C3 Antalya: Isparta, CR, A, G3, H.F. 2883. Medit. El.

*Onosma oreodoxum* Boiss., C3 Burdur: Bucak, Qb2, H1, H.F. 1744. E. Medit. El.

*Symphytum orientale* L., C3 Isparta: Sütçüler, Qb2, C2, H.F. 2356. Euro-Sib. El.

*Anchusa leptophylla* Roemer & Schultes subsp. *incana* (Ledeb.) Chamb., C3 Isparta: Sütçüler, Qb1, G1, \*, LR (lc), H.F. 2350. Ir.-Tur. El.

*A. azurea* Miller var. *azurea*, C3 Antalya: Gebiz, S1, B3, H.F. 1536.

*A. limbata* Boiss. & Heldr., C3 Isparta: Sütçüler, TP1, G3, H.F. 2258. E. Medit. El.

*Alkanna incana* Boiss., C3 Isparta: Sütçüler, CW2, G8, \*, LR (cd), H.F. 2749. E. Medit. El.

*A. areolata* Boiss. var. *areolata*, C3 Burdur: Bucak, Qm2, H2, \*, EN, H.F. 1698. E. Medit. El.

*A. sieheana* Rech., C3 Isparta: Bucak, CR, G5, \*, LR (cd), H.F. 2219. E. Medit. El.

#### SOLANACEAE

*Solanum nigrum* L. subsp. *nigrum*, C3 Antalya: Burdur, T2, F1, I5, H.F. 1225.

*S. dulcamara* L., C3 Isparta: Sütçüler, QCn1, E1, H.F. 1107. Euro-Sib. El.

*Physalis alkekengi* L., C3 Isparta: Sütçüler, Qb1, C2, H.F. 3136.

*Datuara stramonium* L., C3 Burdur: Bucak, Qm2, G2, H.F. 2743.

#### SCROPHULARIACEAE

*Verbascum nudatum* Murb. var. *nudatum*, C3 Burdur: Bucak, Qb1, B4, \*, LR (nt), H.F. 873. E. Medit. El.

*V. oocarpum* Murb., C3 Isparta: Sütçüler, Qb1, G1, \*, VU, H.F. 2644. Ir.-Tur. El.

*V. elegantulum* Hub.-Mor., C3 Isparta: Sütçüler, T2, D, \*, DD, H.F. 2634. Ir.-Tur. El.

*V. olympicum* Boiss., C3 Burdur: Bucak, Qm2, G9, \*, LR (cd), H.F. 2147. Euro-Sib. El.

*V. glomeratum* Boiss., C3 Isparta: Sütçüler, QCn1, G3, H.F. 1999. Ir.-Tur. El.

*V. chrysochaete* Stapf, C3 Antalya: Gebiz, Qb2, A, \*, LR (nt), H.F. 2823. E. Medit. El.

*V. leptocladium* Boiss. & Heldr., C3 Burdur: Bucak, CR, G2, \*, EN, H.F. 1924. E. Medit. El.

*V. orgyale* Boiss. & Heldr., C3 Antalya: Gebiz, CW1, A, \*, LR (nt), H.F. 1021. E. Medit. El.

*Scrophularia cryptophila* Boiss. & Heldr., C3 Isparta: Sütçüler, CW1, A, \*, LR (lc), H.F. 2391. E. Medit. El.

*S. pinardii* Boiss., C3 Isparta: Sütçüler, CW1, D, H.F. 2473. E. Medit. El.

*Linaria kurdica* Boiss. & Hohen. subsp. *kurdica*, C3 Isparta: Sütçüler, Qb1, C2, H.F. 2667. Ir.-Tur. El.

*Kickxia commutata* (Bernh. ex Reichb.) Fritsch subsp. *graeca* (Bory & Chaub) R. Fernandes, C3 Antalya: Gebiz, S1, F1, G2, H.F. 1534. E. Medit. El.

*Digitalis cariensis* Boiss. ex Jaub. & Spach, C3 Antalya: Isparta, QCn4, A, G8, \*, LR (lc), H.F. 2890. E. Medit. El.

*Veronica syriaca* Roemer & Schultes, C3 Antalya: Gebiz, S1, F1, G2, H.F. 1312. E. Medit. El.

*V. biloba* Schreber, C3 Burdur: Bucak, Qm2, G9, H.F. 2149. Ir.-Tur. El.

*V. cymbalaria* Bodard, C3 Isparta: Sütçüler, QCc1, G8, H.F. 952. Medit. El.

*V. trichadema* Jordan & Fourc., C3 Antalya: Gebiz, CW1, A, H.F. 2677. Medit. El.

*V. triloba* (Opiz) Kerner, C3 Burdur: Bucak, CR, G2, H.F. 2285.

*V. caespitosa* Boiss. var. *caespitosa*, C3 Isparta: Sütçüler, Qb1, C2, \*, LR (lc), H.F. 1459. E. Medit. El.

*V. pectinata* L. subsp. *glandulosa* Riek ex M.A.Fisch., C3 Isparta: Sütçüler, Qb1, G1, H.F. 2183.

*V. cuneifolia* D.Don. subsp. *cuneifolia*, C3 Antalya: Gebiz, QCn4, G1, E1, \*, LR (lc), H.F. 2701.

*V. orientalis* Miller subsp. *nimrodi* (Richter ex Stapf) M.A.Fisch., C3 Isparta: Sütçüler, S2, G3, \*, LR (Ic), H.F. 981.

#### OROBANCHACEAE

*Orobanche mutelii* F.Schultz, C3 Isparta: Sütçüler, Qb1, D, H.F. 2152.

*O. fuliginosa* Reuter, C3 Isparta: Sütçüler, CW2, E3, H.F. 3005. Medit. El.

#### VERBENACEAE

*Verbena officinalis* L., C3 Burdur: Bucak, CR, G6, H.F. 2480.

*Vitex agnus-castus* L., C3 Antalya: Gebiz, T1,2, F1,2, 1,5,6,9,10, 11-6, H.F. 2849. Medit. El.

#### LAMIACEAE

*Ajuga chamaepitys* (L.) Schreber subsp. *chia* (Schreber) Arcangeli var. *chia*, C3 Antalya: Isparta, Qb1, A, C2, H.F. 1734.

*Teucrium chamaedrys* L. subsp. *chamaedrys*, C3 Antalya: Burdur, Qb2, A, H1, H.F. 1756. Euro-Sib. El.

*T. polium* L., C3 Antalya: Gebiz, Qm2, F2, H.F. 2797.

*Scutellaria albida* L. subsp. *albida*, C3 Isparta: Sütçüler, QCc2, E1,2, H.F. 1102. E. Medit. El.

*Phlomis lunariifolia* Sm., C3 Burdur: Bucak, Qb1, B4, H.F. 1158. E. Medit. El.

*P. grandiflora* H.S.Thompson var. *grandiflora*, C3 Antalya: Isparta, Qb1, A, C2, \*, ?, H.F. 1804. E. Medit. El.

*P. leucophracta* P.H.Davis & Hub.-Mor., C3 Isparta: Sütçüler, Qb2, B2, \*, LR (nt), H.F. 1141. E. Medit. El.

*P. armeniaca* Willd., C3 Antalya: Gebiz, CW1, A, \*, LR (Ic), H.F. 2857. Ir.-Tur. El.

*Lamium garganicum* L. subsp. *reniforme* (Montbret & Aucher ex Bentham) R.Mill, C3 Antalya: Gebiz, QCc2, A, H.F. 2554.

*L. maculatum* L. var. *maculatum*, C3 Isparta: Sütçüler, Qm2, H1, H.F. 1201. Euro-Sib. El.

*Marrubium globosum* Montbret & Aucher ex Bentham subsp. *globosum*, C3 Antalya: Isparta, CW2, A, E3, \*, LR (Ic), H.F. 2986. Ir.-Tur. El.

*Sideritis lanata* L., C3 Antalya: Isparta, T2, H1, H.F. 1220. E. Medit. El.

*S. curvifrons* Stapf, C3 Isparta: Sütçüler, Qb2, G5, H.F. 1637. E. Medit. El.

*S. montana* L. subsp. *montana*, C3 Antalya: Gebiz, CW1, A, H.F. 2533. Medit. El.

*S. condensata* Boiss. & Heldr. apud Bentham, C3 Isparta: Burdur, Qb2, G2-3, \*, LR (cd), H.F. 2266. E. Medit. El.

*S. libanotica* Labill. subsp. *linearis* (Bentham) Bornm., C3 Antalya: Isparta, Qb1, A, D, \*, LR (Ic), H.F. 1173.

*Stachys cretica* L. subsp. *vacillans* Rech., C3 Isparta: Sütçüler, QCc1,2, E1,2, H.F. 2342. E. Medit. El.

*S. lavandulifolia* Vahl var. *lavandulifolia*, C3 Antalya: Gebiz, CW1, A, H.F. 2550. Ir.-Tur. El.

*S. antalyensis* Y. Ayaşlıgil & P.H.Davis, C3 Isparta: Sütçüler, CW2, C2, \*, VU, H.F. 1423. E. Medit. El.

*Melissa officinalis* L. subsp. *altissima* (Sm.) Arcangeli, C3 Isparta: Sütçüler, Qm2, B2, H.F. 1752. E. Medit. El.

*Nepeta cadmea* Boiss., C3 Isparta: Sütçüler, QCc2, G8, \*, LR (Ic), H.F. 2398. E. Medit. El.

*N. caesarea* Boiss., C3 Isparta: Sütçüler, QCc1, E4, \*, LR (nt), H.F. 2434. E. Medit. El.

*Prunella vulgaris* L., C3 Isparta: Sütçüler, Qb1, G1, H.F. 1748. Euro-Sib. El.

*P. orientalis* Bornm., C3 Burdur: Bucak, Qm2, G2, H.F. 2738.

*Origanum minutiflorum* O.Schwarz & P.H.Davis, C3 Antalya: Gebiz, CW1, A, \*, VU, H.F. 2865. E. Medit. El.

*O. onites* L., C3 Isparta: Sütçüler, QCn1, G4, H.F. 2929. E. Medit. El.

*Satureja thymbra* L., C3 Isparta: Sütçüler, Qb1, C2, H.F. 2345. E. Medit. El.

*Calamintha nepeta* (L.) Savi. subsp. *nepeta*, C3 Antalya: Gebiz, CW1, A, H.F. 1024. E. Medit. El.

*Clinopodium vulgare* L. subsp. *arundinaceum* (Boiss.) Nyman, C3 Isparta: Sütçüler, T2, D, H.F. 1740.

*Micromeria myrtifolia* Boiss. & Hohen., C3 Burdur: Bucak, Qm2, G9, H.F. 1187. Medit. El.

*Thymus revolutus* Celak, C3 Antalya: Gebiz, CM1, G6, \*, VU, H.F. 2773. E. Medit. El.

*T. leucotrichus* Hal. var. *austroanatolicus* Jalas, C3 Antalya: Gebiz, CW1, A, H.F. 2803.

*T. longicaulis* C.Presl subsp. *chaubardii* var. *antalyanus* (Klokov) Jalas, C3 Antalya: Gebiz, CW1, A, \*, LR (nt), H.F. 2811

*Thymbra spicata* L. var. *spicata*, C3 Burdur: Bucak, T2, I4, H.F. 1760. E. Medit. El.

*Mentha pulegium* L., C3 Antalya: Isparta, T2, H1, H.F. 1234.

*Lycopus europaeus* L., C3 Isparta: Sütçüler, T2, H1, H.F. 1229. Euro-Sib. El.

*Ziziphora capitata* L., C3 Isparta: Sütçüler, QCc2, E1,2, H.F. 2661. Ir.-Tur. El.

*Salvia viridis* L., C3 Antalya: Isparta, Qb1, F1-2, C1, H.F. 1750. Medit. El.

*S. sclarea* L., C3 Isparta: Sütçüler, CR, G1, H.F. 1572.

*S. verticillata* L. subsp. *amasia* (Freyn & Bornm.) Bornm., C3 Burdur: Bucak, T2, I4, H.F. 2754. Ir.-Tur. El.

*S. tomentosa* Miller, C3 Antalya: Gebiz, QCn2, A, H.F. 1555. Medit. El.

#### PLANTAGINACEAE

*Plantago major* L. subsp. *major*, C3 Antalya: Gebiz, T1, F1, H.F. 2240.

*P. crassifolia* Forsskål, C3 Isparta: Sütçüler, QCn1, C2, H.F. 887. Medit. El.

*P. holosteum* Scop., C3 Isparta: Sütçüler, CR, G3, H.F. 1405. Medit. El.

*P. cretica* L., C3 Antalya: Gebiz, CM1, F1, H.F. 1508. E. Medit. El.

*P. scabra* Moench, C3 Isparta: Sütçüler, T2, I6, H.F. 2328.

#### THYMELAEACEAE

*Daphne sericea* Vahl, C3 Antalya: Isparta, CW2, A, E4, H.F. 2896. E. Medit. El.

*D. oleoides* Schreber subsp. *oleoides*, C3 Antalya: Gebiz, CW1, A, H.F. 2572.

*D. gnidioides* Jaub. & Spach, C3 Antalya: Gebiz, Qm2, G5, H.F. 1026. E. Medit. El.

**LAURACEAE**

*Laurus nobilis* L., C3 Antalya: Isparta, QI1, Qb1,2, F1, C1, H.F. 1768. Medit. El.

**SANTALACEAE**

*Thesium bergeri* Zucc., C3 Isparta: Sütçüler, QCn2, G8, H.F. 2405. E. Medit. El.

**LORANTHACEAE**

*Arceuthobium oxycedri* (DC.) Bieb., C3 Isparta: Sütçüler, QCn1, CW2, G4, H.F. 2911.

*Viscum album* L. subsp. *album*, C3 Antalya: Isparta, QCn3-5, QCc2, E1,4, G3,4,7,8, H.F. 1988.

**ARISTOLOCHIACEAE**

*Aristolochia clematitis* L., C3 Burdur: Bucak, S2, G2, H.F. 2273. Euro-Sib. El.

*A. maurorum* L., C3 Isparta: Sütçüler, CR, G5, H.F. 1513. Ir.-Tur. El.

**EUPHORBIACEAE**

*Andrachne telephiooides* L., C3 Isparta: Sütçüler, Qb1, C2, H.F. 3146.

*Chrozophora tinctoria* (L.) Rafin., C3 Isparta: Sütçüler, T1, D, H.F. 1754.

*Mercurialis annua* L., C3 Burdur: Bucak, Qm2, H2, H.F. 1383.

*Euphorbia chamaesyce* L., C3 Burdur: Bucak, T1, I5, H.F. 1764.

*E. falcata* L. subsp. *falcata* var. *falcata*, C3 Burdur: Bucak, Qb1, G6, H.F. 2485.

*E. hennariifolia* Willd. var. *hennariifolia*, C3 Isparta: Sütçüler, CR, H1, H.F. 905.

*E. rigida* Bieb., C3 Antalya: Gebiz, T2, F2, H.F. 2236. Medit. El.

*E. kotschyana* Fenzl, C3 Antalya: Gebiz, QCc2, A, H.F. 2827. E. Medit. El.

**URTICACEAE**

*Urtica dioica* L., C3 Isparta: Sütçüler, CR, G5, H.F. 2627. Euro-Sib. El.

**MORACEAE**

*Morus nigra* L., C3 Antalya: Isparta, S1, A, G1, H.F. 1052.

*Ficus carica* L. subsp. *carica*, C3 Isparta: Sütçüler, QI1, C1, H.F. 1765

**ULMACEAE**

*Celtis glabrata* Steven ex Planchon, C3 Isparta: Sütçüler, T1, C2, H.F. 1569.

**JUGLANDACEAE**

*Juglans regia* L., C3 Antalya: Isparta, CR, A, G4, H.F. 2920.

**PLATANACEAE**

*Platanus orientalis* L., C3 Antalya: Isparta, T1,2, F1-2, QI1, I1-6, H.F. 1715.

**FAGACEAE**

*Quercus infectoria* Oliver subsp. *boissieri* (Reuter) O. Schwarz, C3 Isparta: Sütçüler, Qb1, T1, C2, H.F. 1429.

*Q. cerris* L. var. *cerris*, C3 Antalya: Isparta, CW1, A, H.F. 2363. Medit. El.

*Q. coccifera* L., C3 Antalya: Isparta: Burdur, Qm2,3, A, B1-5, C2, F1,2, G1,4-10, H.F. 2388. Medit. El.

**BETULACEAE**

*Alnus orientalis* Decne. var. *orientalis*, C3 Isparta: Sütçüler, T1, C2, H.F. 2629. E. Medit. El.

**SALICACEAE**

*Salix alba* L., C3 Isparta: Sütçüler, QI1, C1, H.F. 1665.

*Populus nigra* L. subsp. *caudina* (Ten.) Bugala, C3 Antalya: Gebiz, T1,2, F1,2, H.F. 2457.

**RUBIACEAE**

*Sherardia arvensis* L., C3 Isparta: Sütçüler, TP1, G3, H.F. 1409. Medit. El.

*Crucianella latifolia* L., C3 Antalya: Gebiz, CM1, F1,2, H.F. 2876. Medit. El.

*Asperula arvensis* L., C3 Burdur: Bucak, S2, G2, H.F. 1909. Medit. El.

*A. setosa* Jaub. & Spach, C3 Isparta: Sütçüler, QCn1, E2, G1, H.F. 2372. Ir.-Tur. El.

*A. serotina* (Boiss. & Heldr.) Ehrend., C3 Antalya: Gebiz, CW1, A, \*, LR (nt), H.F. 2560. E. Medit. El.

*Galium rotundifolium* L., C3 Antalya: Gebiz, CR, G7, H.F. 1650. Euro-Sib. El.

*G. verum* L. subsp. *verum*, C3 Isparta: Sütçüler, T1,2, D, H.F. 1697. Euro-Sib. El.

*G. heldreichii* Hal., C3 Antalya: Gebiz, CW1, A, H.F. 1047. E. Medit. El.

*G. setaceum* Lam., C3 Burdur: Bucak, Qm2,3, H2, H.F. 2466.

*G. pepolidifolium* Boiss., C3 Isparta: Sütçüler, QCn4,5, E1, H.F. 945. E. Medit. El.

*Valantia hispida* L., C3 Antalya: Gebiz, T1,2, F1,2, H.F. 1522.

*Rubia rotundiflora* Banks & Sol., C3 Isparta: Sütçüler, QCn1, E2, H.F. 1444. E. Medit. El.

*R. tenuifolia* d'Urv. subsp. *doniettii* (Griseb.) Ehrend & Schönb. Tem., C3 Antalya: Gebiz, Qb2, F2, H.F. 2226. E. Medit. El.

*R. tinctorum* L., C3 Isparta: Sütçüler, CR, D, H.F. 1180. Ir.-Tur. El.

**ANGIOSPERMAE**

**LILIOPSIDA**

**ARACEAE**

*Arum dioscoridis* Sm. var. *dioscoridis*, C3 Burdur: Bucak, Qm2, H2, H.F. 1920. E. Medit. El.

*Dracunculus vulgaris* Schott, C3 Isparta: Sütçüler, T2, C2, H.F. 2358. E. Medit. El.

**LILIACEAE**

*Smilax excelsa* L., C3 Isparta: Sütçüler, QI1, C1, H.F. 1736. Eux. El.

*Ruscus aculeatus* L. var. *angustifolius* Boiss., C3 Isparta: Sütçüler, QI1, C1, H.F. 1656.

*Asparagus acutifolius* L., C3 Isparta: Sütçüler, QI1, C1, H.F. 1742. Medit. El.

*Convallaria majalis* L. var. *transcaucasica* (Utkin ex Grossh.) Knorr., C3 Isparta: Sütçüler, QCn1, G8, H.F. 2396. Eux. El.

*Allium paniculatum* L. subsp. *paniculatum*, C3 Isparta: Sütçüler, Qb1, D, H.F. 2141. Medit. El.

*A. junceum* Sm. subsp. *junceum*, C3 Isparta: Sütçüler, Qb1, B2, H.F. 2461. E. Medit. El.

*Ornithogalum orthophyllum* Ten., C3 Antalya: Gebiz, HQCn7, A, H.F. 2245.

*O. nivale* Boiss., C3 Antalya: Isparta, Qb1, A, C2, \*, LR (lc), H.F. 1411. E. Medit. El.

*Muscaria comosum* (L.) Miller, C3 Antalya: Gebiz, S1, F1,2, H.F. 1298. Medit. El.

*M. neglectum* Guss., C3 Burdur: Bucak, Qm2, G2, H.F. 848.

*Bellevalia tauri* Feinbrun, C3 Burdur: Bucak, Qm2, H2, \*, LR (lc), H.F. 855. E. Medit. El.

#### AMARYLLIDACEAE

*Pancratium maritimum* L., C3 Antalya: Gebiz, Qb1, F2, H.F. 2134. Medit. El.

#### IRIDACEAE

*Gladiolus anatolicus* L., C3 Isparta: Sütçüler, QI1, C1, \*, LR (lc), H.F. 1775. E. Medit. El.

#### ORCHIDACEAE

*Cephalanthera rubra* (L.) Rich., C3 Isparta: Sütçüler, QCn1, E1, H.F. 976.

*Epipactis helleborine* (L.) Crantz, C3 Isparta: Sütçüler, QCn1, G4, H.F. 2430.

*Orchis anatolica* Boiss., C3 Isparta: Sütçüler, Qb1, C2, H.F. 2339. Medit. El.

*Dactylorhiza saccifera* (Brongn.) Soo, C3 Burdur: Bucak, Qb1, G9, H.F. 2160. E. Medit. El.

#### JUNCACEAE

*Juncus maritimus* Lam., C3 Isparta: Sütçüler, T1, D, H.F. 1770.

*J. sphaerocarpus* Ness, C3 Isparta: Sütçüler, T1, D, H.F. 1762.

*J. capitatus* Weigel, C3 Isparta: Sütçüler, T2, I2, H.F. 2014.

*J. articulatus* L., C3 Antalya: Gebiz, T1, F2, H.F. 2223. Euro-Sib. El.

#### CYPERACEAE

*Cyperus rotundus* L., C3 Burdur: Bucak, T2, G6, H.F. 2449.

*Scirpoides holoschoenus* (L.) Sojak, C3 Isparta: Sütçüler, T1, D, H.F. 2453.

*Carex divisa* Stokes subsp. *divisa*, C3 Burdur: Bucak, T2, I4, H.F. 1685. Euro-Sib. El.

*C. muricata* L., C3 Burdur: Bucak, T1, I4, H.F. 1772. Euro-Sib. El.

#### POACEAE

*Brachypodium pinnatum* (L.) Beauv., C3 Isparta: Sütçüler, QCn2, G8, H.F. 2925. Euro-Sib. El.

*Trachynia distachya* (L.) Link, C3 Isparta: Sütçüler, Qb2, B2, H.F. 1691. Medit. El.

*Hordeum bulbosum* L., C3 Isparta: Sütçüler, CR, G1, H.F. 1726.

*Bromus danthoniae* Trin., C3 Isparta, T1, D, H.F. 1142.

*B. tectorum* L., C3 Antalya: Gebiz, QCc2, A, H.F. 2819.

*B. madritensis* L., C3 Burdur: Bucak, T1, I4, H.F. 1732.

*B. tomentellus* Boiss., C3 Antalya: Gebiz, CW1, A, H.F. 2790. Ir.-Tur. El.

*Alopecurus arundinaceus* Poiret, C3 Isparta: Sütçüler, CR, H1, H.F. 1860. Euro-Sib. El.

*A. vaginatus* (Willd.) Boiss., C3 Isparta: Sütçüler, Qb1, D, H.F. 1136.

*Festuca valesiaca* Schleicher ex Gaudin, C3 Isparta: Sütçüler, QCn7, E1,2, H.F. 2604.

*Lolium temulentum* L. var. *arvense* (With.) Liljebl., C3 Antalya: Gebiz, S1, F1,2, H.F. 1517.

*L. rigidum* Gaudin var. *rigidum*, C3 Burdur: Bucak, Qm2, H2, H.F. 1355.

*Psilurus incurvus* (Gouan) Schinz & Thell., C3 Isparta: Sütçüler, QCc2, E1, H.F. 1638.

*Poa annua* L., C3 Antalya: Gebiz, S1, B3, H.F. 2490.

*P. bulbosa* L., C3 Antalya: Gebiz, T1, I1, H.F. 1030.

*Dactylis glomerata* L. subsp. *hispanica* (Roth) Nyman, C3 Burdur: Bucak, Qb2, G2, H.F. 2298.

*Briza maxima* L., C3 Isparta: Sütçüler, Qb1, C2, H.F. 2365.

*Stipa bromoides* (L.) Dörfler, C3 Isparta: Sütçüler, QCc2, G8, H.F. 2414. Medit. El.

*Eragrostis minor* Host, C3 Antalya: Gebiz, S2, A, H.F. 2600.

*Cynodon dactylon* (L.) Pers. var. *dactylon*, C3 Antalya: Gebiz, T1, I1, H.F. 1027.

*Setaria viridis* (L.) Beauv., C3 Antalya: Gebiz, S1, F1,2, H.F. 1481.

*Sorghum halepense* (L.) Pers. var. *muticum* (Hackel) Grossh., C3 Isparta: Sütçüler, Qb1, D, H.F. 2451.

*Chrysopogon gryllus* (L.) Trin subsp. *gryllus*, C3 Antalya: Gebiz, CW1, A, H.F. 2586.

*Hyparrhenia hirta* (L.) Stapf, C3 Burdur: Bucak, T2, I4, H.F. 1778.