

A Study on The Microfungi of Sivas Province

Zeliha BAHÇECİOĞLU

İnönü University, Faculty of Sciences and Arts, Department of Biology, Malatya - TURKEY

Bayram YILDIZ

Balıkesir University, Faculty of Sciences and Arts, Department of Biology, Balıkesir - TURKEY

Received: 08.03.2004

Accepted: 09.09.2004

Abstract: In this article, the microfungi grown in Sivas province and their hosts are given. The research was carried out between 1996 and 1998. Approximately 2700 vascular plant specimens infected and non-infected with microfungi were collected from the area. At the end of the studies on the host specimens, 38 families, 171 genera and 315 taxa were established, and 44 host specimens are given at the generic level.

On the other hand, 199 microfungi species (201 taxa) found on the collected host specimens were established. These species belong to 49 genera and 14 families. More than half of the species (115 species) belong to *Basidiomycotina*. *Ascomycotina* and *Deuteromycotina* are represented 56 and 28 species, respectively. 72 species are new records for Turkey. Five microfungi are given at the generic level.

Key Words: Microfungi, Sivas province, new records

Sivas Yöresi Mikrofungusları Üzerinde Bir Araştırma

Özet: Bu makalede Sivas il sınırları içerisinde bulunan mikrofunguslar ve konukçuları verilmiştir. Araştırma 1996-1998 yılları arasında yapılmıştır. Vejetasyon peryodunda yürütülen arazi çalışmalarında, üzerinde mikrofungus bulunan ve bulunmayan 2700 kadar vasküler bitki örneği toplanmıştır. Bu örnekler üzerinde yapılan çalışmalar sonucunda 38 familya ve 171 genusa dahil tür, alt tür ve varyete düzeyinde 315 konukçu taksonu tespit edilmiştir. 44 konukçu örneği ise genus düzeyinde verilmiştir.

Diğer taraftan konukçu türler üzerinde 199 mikrofungus türünün (tür ve varyete düzeyinde 201 taxon) bulunduğu belirlenmiştir. Bu türlerden 115'i *Basidiomycotina*, 56'sı *Ascomycotina*, 28'i ise *Deuteromycotina*'ya dahildir. 72 tür Türkiye için yeni kayittır. 5 mikrofungus örneği genus düzeyinde verilmiştir.

Anahtar Sözcükler: Mikrofungus, Sivas ili, yeni kayıtlar.

Introduction

Microfungi growing on cultivated plants have been well studied in Turkey. However, studies on the microfungi growing on the natural plants of Turkey are rarer, although recently research has been carried out on such microfungi (Karaboz & Öner, 1982; Öner et al. 1984; Bahçecioğlu & İşiloğlu, 1995; Bahçecioğlu & Yıldız, 1996, 2000, 2001; Bahçecioğlu, 1997, 1998, 2001; İşiloğlu & Bahçecioğlu, 1997; Tamer et al., 1998; Bahçecioğlu & Gjaerum, 2003). A study was carried out by us on microfungi found on the flowering plants grown naturally in Sivas province in 1996-1998.

Floristically Sivas is one of the richest areas of Turkey (Davis, 1965-1985; Davis et al., 1988; Çelik & Yıldız; 1991; Civelek 1992; Yıldız 1996; Güner et al., 2000). The factors determining this are geographical location, soil type, and climate. Sivas is situated in the Irano-Turanian region, but the northern border of the province is close to the Euro-Siberian region and is a typical transitional belt between the 2 phytogeographical regions. For this reason, some species which are elements of the Euro-Siberian region like *Pinus sylvestris* L., *Fagus orientalis* Lipsky, *Populus tremula* L., *Carpinus betulus* L. and some deciduous *Quercus* species are common in the

north of the province (Civelek, 1992; Yıldız, 1996). The east of the province is on the Anatolian Diagonal, which is one of the main endemic centers of Turkey. According to the grid square system adopted by Davis in the Flora of Turkey, Sivas is located in the squares A6, A7, B6 and B7 (Figure 1).

Gypsaceous areas containing many endemic species are common in the center of the province. Around Kangal and Gürün districts marly hills have a special flora (Yıldız & Bahçecioğlu, 2001). The Mountains are found in the province as Yıldız, Köse, Bey, Gürlevik, Yılanlı and Tecer are relatively isolated and rich in vascular plants. Hygrophytic vegetation is restricted to Hafik and Tödürge lake shores and along Kızılırmak and Kelkit rivers (Çelik & Yıldız, 1991; Civelek, 1992; Yıldız, 1996). There are some brooks on Köse and Yıldız mountains. These wetlands have rich hygrophytic vegetation (Civelek, 1992; Yıldız, 1996).

Sivas thus possesses a rich flowering plant flora. It is known that richness of host species is an important factor in microfungi diversity (Walker, 1957; Braun, 1987;

Vanký, 1987). For this reason the province is rich in microfungi flora.

Materials and Methods

Research materials were collected during 1996-1998, between May and October in each year. During the field study, 2700 flowering plant specimens, infected and non-infected with microfungi, were collected from the study area. It is difficult to determine the infected host specimens due to the host plants being destroyed by the microfungi. For this reason, efforts were made to collect both microfungi infected and non-infected samples where possible. The specimens were prepared according to established herbarium techniques.

The Flora of Turkey (Davis, 1965-1985; Davis et al. 1988) was the main source used for the identification of the host specimens. Some doubtful identifications were checked using Flora Europaea (Tutin et al., 1964-1980), Flora of Iraq (Townsend & Guest, 1966-1978), Flora Iranica (Rechinger, 1967-1988) and some revisions (Tan & Yıldız, 1988; Yıldırımlı, 1988; İlarslan, 1996; Aytaç,




Figure 1. Geografic map of Sivas province

1997). Some related literature was also utilized for identifications (Seçmen & Leblebici, 1997; Baytop & Mathew, 1984) Due to material deficiency some specimens were not determined at the specific level. These samples are given at the generic level.

After the identification of host specimens, the microfungi found on them were studied. The microfungi were determined using the relevant literature (Lindau, 1901; Yaçevski, 1913, 1917; Grove, 1935, 1967; Vassilevski & Karakulin, 1937, 1950; Munk, 1957; Walker, 1957; Karel, 1958; Gauman, 1959; Wilson & Henderson, 1966; Seymour, 1967; Tomilin, 1979; Cummins & Hiratsuka, 1983; Elizabeth et al., 1984; Braun, 1987; Vanký, 1987, 1994; Vasilyeva, 1987; Wiese, 1987; Denchev, 1995; Farr et al. 1995). The taxa are listed in the Appendix. All taxa in the list are given in alphabetical order. Data in the list appears in the following order:

- i. The legitimate name (in bold) and the author of the microfungus species.
- ii. The legitimate name (in italic) and author of the host species.
- iii. Family of the host species in parentheses.
- iv. The location (1 or 2) of specimens collected from the area. The localities are described as much detail as possible. The grid squares used in The Flora of Turkey are given for each locality. The name of collector Z. Bahçecioğlu is abbreviated to ZB
- v. New records are marked with an asterisk.

The author abbreviations of vascular plants were checked using Brummit and Powell (1992) and the author abbreviations of fungi using Kirk and Ansell (1992).

Plants included in this list are deposited in the Herbarium of the Biology Department of İnönü University.

Results and Discussion

At the end of the studies on 2700 infected and non-infected host specimens collected from the study area, 38 families, 171 genera and 315 host species were established. Due to inadequate materials some host specimens were not determined at the specific level. In this respect, 44 host specimens are given at the generic

level in the Appendix. Some large host families in terms of species numbers are given in Table 1.

As seen from the Table 1, 5 families, namely *Asteraceae*, *Poaceae*, *Fabaceae*, *Rosaceae* and *Lamiaceae* contain 91 (53.21%) out of 171 genera and 191 (61.21%) out of 315 host species. According to these results parasitic fungi prefer the plants belonging to these families as hosts. Because the species belonging to these families are common, the spores of the microfungi are easily carried to these hosts by vectors.

Table 1. The host genera and species totals of the major families.

Families	Number of Genera	Spp. number	%
<i>Asteraceae</i>	35	85	27.98
<i>Poaceae</i>	18	36	11.42
<i>Fabaceae</i>	15	29	9.20
<i>Rosaceae</i>	12	23	7.30
<i>Lamiaceae</i>	11	18	5.71
<i>Apiaceae</i>	9	14	4.44
<i>Caryophyllaceae</i>	5	12	3.80
<i>Rubiaceae</i>	3	8	2.53
<i>Polygonaceae</i>	4	8	2.53
<i>Cyperaceae</i>	3	7	2.22
<i>Brassicaceae</i>	5	7	2.22
<i>Scrophulariaceae</i>	6	7	2.22
Other families (26)	45	61	19.36
TOTAL	171	315	100

In the second phase of the study, the microfungi species found on the hosts were named. At the end of this period, 14 families, 49 genera and 199 species belonging to 3 subdivisions, namely *Ascomycotina*, *Basidiomycotina* and *Deuteromycotina*, were established. Microfungi specimens belonging to 5 genera were collected in the study area, but due to insufficient literature, these genera were not determined at the specific level. With the addition of these, the total number of genera comes to 54. If each of these genera is regarded as a species, the number of species comes to 204. These genera are given at end of the Appendix. The genera and the species belonging to the subdivisions are given in Table 2. The numbers of genera that were not determined at the species level are given in parentheses.

The main reason for the substantial presence of species belonging to the subdivision *Basidiomycotina* is that this includes some of the genera, such as *Puccinia* and *Uromyces*, with many species and a wide world distribution.

Table 2. Genera and species numbers of the subdivisions.

Subdivisions	Number of genera	Number of species	(%)
<i>Basidiomycotina</i>	11	115	57.79
<i>Ascomycotina</i>	16 + (4)	56	28.14
<i>Deuteromycotina</i>	22 + (1)	28	14.07
TOTAL	49 + (5)	199	100

The species determined in the research area belong to 14 families. These families are listed in Table 3. The genera and the species numbers of these families are shown in the same table.

Table 3. Genera and species totals of the families found in the study area.

Families	Number of genera	Number of species	(%)
<i>Pucciniaceae (Basidiomycotina)</i>	6	103	51.75
<i>Erysiphaceae (Ascomycotina)</i>	7	34	17.08
<i>Sphaeropsidaceae (Deutormycotina)</i>	12	16	8.04
<i>Pleosporaceae (Ascomycotina)</i>	5	14	7.03
<i>Dematiaceae (Deutormycotina)</i>	7	8	4.02
<i>Mycosphaerellaceae (Ascomycotina)</i>	2	6	3.01
<i>Ustilaginaceae (Basidiomycotina)</i>	1	5	2.51
<i>Tilletiaceae (Basidiomycotina)</i>	2	3	1.5
<i>Melanconiaceae (Deutormycotina)</i>	2	2	1.01
<i>Moniliaceae (Deutormycotina)</i>	1	2	1.01
<i>Coleosporaceae (Basidiomycotina)</i>	1	2	1.01
<i>Melampsoraceae (Basidiomycotina)</i>	1	2	1.01
<i>Hypocreaceae (Ascomycotina)</i>	1	1	0.51
<i>Tryblidiaceae (Ascomycotina)</i>	1	1	0.51
TOTAL	49	199	100

The largest family is *Pucciniaceae*, which contains 103 species in the study area. In other words 51.75 % of microfungi established in Sivas province belong to *Pucciniaceae*.

As seen from Table 3, 4 families, namely *Pucciniaceae*, *Erysiphaceae*, *Sphaeropsidaceae* and *Pleosporaceae*, include 167 species. In other words, 83.91% of the microfungi flora of Sivas province belong to 4 families. The other 10 families contain 32 (16.09%) species.

According to species numbers, the largest genera in the research area are *Puccinia* Pers. (65 species), *Uromyces* (Link) Unger (27 species), and *Erysiphe* DC. (19 species). These 3 genera contain 111 (56%) species

Table 4. Species totals and percentages of the large genera in the study area.

Genera	Species totals	%
<i>Puccinia (Basidiomycotina)</i>	65	32.66
<i>Uromyces (Basidiomycotina)</i>	27	13.56
<i>Erysiphe (Ascomycotina)</i>	19	9.54
<i>Sphaerotheca (Ascomycotina)</i>	7	3.51
<i>Pleospora (Ascomycotina)</i>	6	3.01
<i>Phragmidium (Basidiomycotina)</i>	6	3.01
<i>Ustilago (Basidiomycotina)</i>	5	2.51
<i>Strickeria (Ascomycotina)</i>	4	2.01
<i>Didymella (Ascomycotina)</i>	3	1.50
<i>Mycosphaerella (Ascomycotina)</i>	3	1.50
TOTAL	143	71
Others (39)	56	39
TOTAL	199	100

(Table 4). These genera contain many species, and most of the species belonging to these genera are common in the world.

The genera which contain 143 species given in Table 4 constitute 71% of the microfungi flora of Sivas. The other 39 genera are represented by 1 or 2 species in the area.

More than a quarter of the microfungi species found in the area live on host species belonging to *Asteraceae*. As a whole, 154 (77%) microfungi species found in the area live on hosts belonging to 10 families (Table 5). From the point of view of species numbers, the families listed in Table 5 are rich in species and quite common, for which the vectors easily transport the fungi spores to them.

Plant resist the entry and spread of pathogens depending on the morphological and anatomical structure and biochemical potentialities of both the host and

Table 5. The numbers of microfungi species found on the host families.

Families of host species	Number of microfungi species	Families of host species	Number of microfungi species
<i>Asteraceae</i>	57	<i>Lamiaceae</i>	10
<i>Fabaceae</i>	25	<i>Apiaceae</i>	7
<i>Poaceae</i>	17	<i>Polygonaceae</i>	6
<i>Rosaceae</i>	17	<i>Brassicaceae</i>	6
<i>Caryophyllaceae</i>	13	<i>Rubiaceae</i>	4

pathogen (Manner, 1993). The nature of mechanical barriers to entry and spread have been considered by some mycologists. A thick cuticle may prevent the penetration of pathogens to the host tissue. It has been observed that a thick outer cell wall and cuticle are more resistant to entry (Manner, 1993).

The results obtained from this study supported the previous findings. Hair type, for example, prevents pathogen spores or germination tubes entering the epidermis and stomata. Hairiness is an important barrier to pathogens. Although *Brassicaceae*, *Boraginaceae* and *Scrophulariaceae* are common and contain many species, parasitic fungi were seldom found on them (Cummins & Hiratsuka, 1983; Manners 1993; Denchev, 1995). In the study area, many of the species belonging to these families, like *Alyssum* spp. (*Brassicaceae*), *Onosma* spp. (*Boraginaceae*), and *Verbascum* spp. (*Scrophulariaceae*) are densely hairy. The fungi spores probably do not germinate among the hairs or the germination tubes do not enter the host tissue passing the hairs.

From the point of view of host preference, some species are very tolerant. *Levelliula taurica* (Lev.) Arnaud was found on 28 and *Puccinia graminis* Pers on 24 host species (Table 6).

The fungi that can live on different host species are widespread. Moreover, the spread of fungi depends on the host community. *Cirsium arvense* (L.) Scop., for example, is very common and can be found in different habitats and fungi prefer it as a host.

Table 6. Some fungi and numbers of host species.

Microfungi species	Number of host species
<i>Levelliula taurica</i>	28
<i>Puccinia graminis</i>	24
<i>Erysiphe cichoracearum</i>	10
<i>P. calcitrapae</i>	7
<i>P. centaurea</i>	7
<i>P. achillea</i>	7
<i>Puccinia cyanii</i>	6
<i>P. persistens</i>	6
<i>Sphaeropthecae fusca</i>	6
<i>Puccinia caricicola</i>	5
<i>P. punctata</i>	5

Seventy-two species out of 199 determined from the study area are new records for Turkey. In other words, 38% of the microfungi species that determined from Sivas province were collected for the first time from Turkey. Some of these new records have been published previously (Bahçecioğlu & Yıldız, 2000; Bahçecioğlu, 2001; Bahçecioğlu & Gjaerum, 2003). These records show that more study on the micoflora of Turkey is needed. In addition, some new hosts were found for 12 microfungi species. New and previously known hosts of these species are given in Table 7.

As a result of this study carried out in Sivas province, 72 new records were established for Turkey. Some new hosts were also established for 12 species. For future studies on microfungi, 2700 specimens were added to the herbaria.

Table 7. The new and the known hosts of some microfungi species

Microfungi spp.	New hosts	Hosts known previously
<i>Mycosphaerella fusca</i>	<i>Aethionema</i>	<i>Gladiolus</i>
<i>Didymosphaeria mathiolae</i>	<i>Fibigia</i>	<i>Medicago</i>
<i>Pleospora gigaspora</i>	<i>Acantholimon</i>	<i>Delphinium, Galium, Neuroloma, Pulsatilla, Senecio</i>
<i>Pleospora scrophulariae</i>	<i>Centaurea</i>	<i>Aconitum, Artemisia, Iris, Parnassia, Cardaminopsis, Delphinium, Gypsophila, Pedicularis, Pulsatilla, Ranunculus, Saussurea, Saxifraga, Valeriana</i>
<i>Strickeria anceps</i>	<i>Thesium</i>	<i>Alnus</i>
<i>S. woronowiana</i>	<i>Achillea, Euphorbia Scrophularia,</i>	<i>Kalidium</i>
<i>Trematosphaeria circinans</i>	<i>Onobrychis</i>	<i>Medicago</i>
<i>Hendersonia grossularia</i>	<i>Acantholimon</i>	<i>Grossularia</i>
<i>Phoma oleraceae var. solidaginis</i>	<i>Chondrilla</i>	<i>Erysimum, Ajania, Solidago Syrenia, Scrophularia</i>
<i>Bispora antennata</i>	<i>Centaurea</i>	<i>Atriplex</i>
<i>Coniosporium epiphillum</i>	<i>Pilosella</i>	<i>Ipomoea</i>
<i>Heterosporium echinulatum</i>	<i>Eryngium</i>	<i>Cerastium, Silene, Dianthus, Acanthophyllum</i>

References

- Aytaç Z (1997). The revision of the Section *Dasyphillum* Bunge of the Genus *Astragalus* L. of Turkey. *Turk J Bot* 21: 31-57.
- Bahçecioğlu Z (1997). Contributions to Mycoflora of Turkey: Two New Records of Ustilaginales for Turkey. *Turk J Bot* 21: 379-380.
- Bahçecioğlu Z (1998). Three New Records of *Puccinia* for Turkey. *Pl. Dis. Res. India* 13(2): 215-217.
- Bahçecioğlu Z (2001). New records of *Pucciniaceae* for Turkey: *Plant. Dis. Res. India* 16(1): 17-22.
- Bahçecioğlu Z & Gjaerum HB (2003). New and Rare Rust Fungi (*Uredinales*) from Anatolia (Turkey): *Mycotaxon*, 85: 165-173.
- Bahçecioğlu Z & İsliloğlu M (1995). Parasitic Fungi of Malatya Province (East Anatolia), İzmir: IV th. Plant Life In Southwest And Central Asia symposium, I: 414-426.
- Bahçecioğlu Z & Yıldız B (1996). İnönü Üniversitesi Herbaryumunda Bulunan Vasküler Bitkiler Üzerinde Tespit Edilen Parazit Funguslar, İstanbul. XIII. Ulusal Biyoloji Kongresi, Botanik Seksyonu, 595-603.
- Bahçecioğlu Z & Yıldız B (2000). Powdery Mildews Fungi of Sivas Province (Turkey): ST-Petersburg: Mycology and Cryptogamic Botany in Russia., 291-294.
- Bahçecioğlu Z & Yıldız B (2001). Malatya Yöresi Tarla Yabancı Otlar Üzerinde Belirlenen Parazit Funguslar: *C.Ü. Fen Bil. Derg.* 22(1): 3-11.
- Baytop T & Mathew B (1984). *Bulbous Plants of Turkey*. London: B. T. Batsford Ltd.
- Braun U (1987). *A Monograph of the Erysiphales*. Berlin: Verlagshuchhandlung.
- Brummit RK & Pawell CE (1992). *Authors of Plant Names*. Kew: Royal Botanic Gardens.
- Civelek Ş (1992). Çamlıbel geçidi ve Yıldız Dağı (Sivas-Tokat) Florası, *Turk J Bot* 21-53.
- Çelik N & Yıldız B (1991). Tecer Dağları Florası I. *C.Ü. Fen Bil. Derg.* 14: 3-16.
- Cummins GB & Hiratsuka Y (1983): *Illustrated Genera of Rust Fungi*. Minnesota: the American Phytopathological Society.
- Davis PH (ed.) (1965-1985). *Flora of Turkey and the East Aegean Islands*, Vol. 1-9, Edinburgh: University Press.
- Davis PH, Mill RR & Tan Kit (eds.) (1988). *Flora of Turkey and the East Aegean Islands*, (supplement), Vol. 10, Edinburgh: University Press.
- Denchev CM (1995). Bulgarian Uredinales, *Mycotaxon* LV: 405-465.
- Elizabeth J, Mordue M & Ainsworth GC (1984). *Ustilaginales of the British Isles*. London: Commonwealth Mycological Institute.
- Farr D, Bills GF, Chamuris GP & Rossman AY (1995). *Fungi on plants and plant products in the United States*. Minnesota: The American Phytopathological Society.
- Gaumann E (1959). *Die Rostpilze mitteleuropas*. Bern: Buchdruckerei Büchler & Co..
- Güner A, Özhatay N, Ekim T & Başer KHC (eds.) (2000). *Flora of Turkey and the East Aegean Island* (supplement), Vol.11, Edinburg: University Press.
- Grove WB (1935). *British Stem and Leaf-Fungi*, Vol. I Cambridge, at the University Press.
- Grove WB (1967). *British Stem and Leaf Fungi*, Vol. II. Cambridge, at the University Press.
- İlarslan R (1996). Türkiye'nin *Delphinium* L. (*Ranunculaceae*) Cinsinin Revizyonu, *Turk J Bot* 20: 133-159.
- İşiloğlu M & Bahçecioğlu Z (1997). A New Record for the Fungus flora of Turkey, *Turk J Bot* 21: 67-68.
- Karel G (1958). *A Preliminary List of Plant Diseases in Turkey*. Ankara: Ayyıldız Matbaası.
- Karaboz İ & Öner M (1982). Parasitic Fungi from the Province of Manisa: *Mycopathologia*, Vol 79, 129-131.
- Kirk PM & Ansell AE (1992). *Authors of Fungal names*. Wallingford.
- Lindau G (1901). *Sammeln Parasitischer Pilze*. Berlin: Gebrüdr Borntraeger.
- Manner JG (1993). *Principles of Plant Pathology*. Cambridge: Univ. Press.
- Munk A (1957). *Danish Pyrenomyctetes*, Copenhagen: Ejnar Munksgaard.
- Öner M, Dizbay M, Uçar F & Karaboz İ (1984). Güneybatı Anadolu ve Konya İlîne ait Bazı Parazitik Funguslar: *Doğa Bilim Dergisi*, Seri A2, 8, 401-404
- Rechinger KH (ed.) (1967-1988). *Flora Iranica*, No. 1-220, Graz (Austria): Acad. Druk
- Seçmen Ö & Leblebici E (1997). *Türkiye Sulak Alan Bitkileri ve Bitki Örtüsü*. İzmir: Ege Üniv. Basımevi.
- Seymour AB (1967). *Host Index of the Fungi of North American*, NewYork: Verlag Von Cramer.
- Tan K & Yıldız B (1988). New *Asyneuma* (*Campanulaceae*) Taxa from Turkey, *Widenowia* 18: 67-74.
- Tamer AÜ, Şahin N & Uğurlu E (1998). Türkiye'de Belirlenen Pas Mantarları. Samsun: XIV. Ulusal Biyoloji Kongresi 7-10 Eylül, 1, 395-408.
- Townsend CC & Guest E (eds.) (1966-1988). *Flora of Iraq*. Vol. 2-8, Baghdad: Ministry of Agriculture.
- Tomilin BA (1979) *Opredelitel gribiv roda Mycosphaerella*. Leningrad: johans.
- Tutin TG & Heywood VH (1964-1980). *Flora Europaea*. Vol. 1-5, Cambridge, Univ.Press.
- Walker JC (1957). *Plant Pathology*. New York: MC Graw-Hill.

- Vanký K (1987). *Illustrated Genera of Smut Fungi*. Stuttgart: Gustau Fischer Verlag.
- Vanký K (1994). *European Smut Fungi*. New York: Gustav Fischer Verlag.
- Vasilyeva LN (1987). *Pirenomiseti Lokuloaskomiseti*. Leningrad: Dalnega Vastoka.
- Vassilevksi NI & Karakulin BP (1937). *Parazitniye Nesoverşenniye Gribi*, Leningrad.
- Vassilevksi NI & Karakulin BP (1950). *Parazitniye nesoverşenniye, Melanconiales*, Leningrad.
- Wiese MV (1987). *Wheat Diseases*, New York: Publications of the American Phytopath. Society 10-54.
- Wilson LM & Henderson DM (1966). *British Rust Fungi*, Cambridge: University press
- Yaçevski AA (1913). Opredelitel gribov C.1 Stretersburg.
- Yaçevski AA (1917). Opredelitel gribov C.2 Stretersburg.
- Yıldırımlı Ş (1988). Türkiye'nin Batı Yarısı ve Kuzeyindeki *Isatis L. (Cruciferae)* cinsinin Revizyonu, *Doğa, TU. Bot. Derg.* 12(3): 332-400.
- Yıldız B (1996). Floristical Characteristics of Köse Dağı (Sivas). *Turk J Bot* 20: 417-456.
- Yıldız B & Bahçecioğlu Z (2001) Gürün Yörensi (Sivas) Marnlı Alanlara Özgü Bitki Türleri ve Doğadaki Durumları. Bodrum: Ekoloji ve Çevre, 169-172. IV. Ulusal *Ekoloji ve Çevre Kongresi* 5-8 Ekim 2001.

APPENDIX

The list of microfungi species established from Sivas province. The sequences of families, genera and species in the following list fits in alphabetical order. The taxa above order are given according to Far et al.(1995).

Kingdom: FUNGI

Div.: EUMYCOTA

Subdiv.: ASCOMYCOTINA

Class.: DISCOMYCETES

Order: HELOTIALES

Fam.: HELOTIACEAE

*1. 1. *Heterosphaeria patella* (Tode) Grev.

Achillea schischkini Sosn. (Asteraceae)

B6 Sivas: Celalli, Aktaş village, Gürlevik mountain, south slopes, 1700 m. 8 vii 1984, N. Çelik 2859, B. Yıldız.

Class.: LOCULOASCOMYCETES

Order: DOTHIDEALES

Fam.: MYCOSPHAERELLACEAE

*2. *Didymella hellebori* (Chaillet.) Sacc.

Vincetoxicum fuscum (Hornem.) Rchb. f. subsp. *fuscum* (Asclepiadaceae)

B6 Sivas: Demiryazı village, Yedigöz, meadows, 1300 m. 26 vi 1985, N. Çelik 3143.

*3. *D. proximella* (P. Karst.) Sacc.

Aethionema sp. (Brassicaceae)

B6 Sivas: Gürün, steppe, 1300 m, 6 vi 1997, ZB 1683.

*4. *D. superflua* (Fuckel) Sacc.

Sterigmostemum incanum M. Bieb. (Brassicaceae)

B6 Sivas: Kayseri road, Taşlıdere, gypsum, 4 vii 1985, \$. Civelek 1980.

3. 5. *Mycosphaerella allicina* (Fr.) Vestergr.

Scorzonera eriophora DC. (Asteraceae)

B6 Sivas: north of Sivas, south slopes, steppe, 1300 m, 3 vi 1997, ZB 1543.

*6. *M. fusca* (Pass.) Tomilin.

Aethionema cordatum (Desf.) Boiss. (Brassicaceae)

B6 Sivas: around Hocabey village, deep soiled area, 1200 m, 18 v 1983, B. Yıldız 3528.

*7. *M. silenicola* Woron.

Silene swertiaefolia Boiss.
(Caryophyllaceae)

B6 Sivas: Gürün, Şugul valley, wet places in the valley, 1400 m, 6 vi 1997, ZB 1653.

Fam.: PLEOSPORACEAE

4. *8. *Clathrospora permunda* (Cooke.) Berl.

Artemisia austriaca Jacq. (Asteraceae)

B6 Sivas: Taşlıdere, south of Esenyurt, Şahinoğlu brook 1500 m, 21 ix 1984, \$. Civelek 1131.

5. *9. *Didymosphaeria dryadis* (Fuckel) Berl. & Voglino

Polygala anatolica Boiss. & Heldr.
(Polygalaceae)

B6 Sivas: Ulaş, above Ovacık village, Tercer mountain, 1700 m, 28 v 1985. B. Yıldız 4856.

*10. *D. matthiolae* (Fuckel) Berl. & Voglino

Fibigia clypeata (L.) Medik. (Brassicaceae)

B6 Sivas: Şerefiye, Armutçayı village, Abdiaga fountain, open forest, 1600 m, 25 vi 1985, B. Yıldız 5557.

6. 11. *Pleospora coloradensis* Ellis & Everh.

Centaurea virgata Lam. (Asteraceae)

B6 Sivas: 33 km from Gürün to Pınarbaşı, calcareous slopes, 1700 m, 19 vii 1998, ZB 2150.

*12. *P. gigaspora* P. Karst.

Acantholimon venustum Boiss. var. *venustum* (Plumbaginaceae)

B6 Sivas: Celalli, Gürlevik mountain, north slopes, 1700 m, 17 vii 1984, B. Yıldız 4545.

13. *P. herbarum* P. Karst.

Helichrysum plicatum DC. (Asteraceae)

B6 Sivas: 3 km west of Yıldızeli, steppe, 1300 m, 13 vii 1996, ZB 901, B. Yıldız.

Acroptilon repens (L.) DC. (Asteraceae)

A6 Sivas: 10 km from Suşehri to Değirmentaş, roadside, 1250 m, 14 viii 1996, ZB 1208.

Carlina sp. (Asteraceae)

B6 Sivas: between Gürün and Gökpınar, marly places 1500 m, 18 vii 1998, ZB 2013.

Linum tenuifolium L. (Linaceae)

B6 Sivas: C.U. Campus, 1300 m, steppe, 25 vi 1983, B. Yıldız 3721.

*14. *P. platyspora* Sacc.

Onobrychis cornuta (L.) Desv. (Fabaceae)

B6 Sivas: Celalli, Aktaş village, Gürlevik mountain, north faces, calcareous area, 2200 m, 17 vii 1984, B. Yıldız 4620, N. Çelik.

*15. *P. scrophulariae* (Desm.) Hoehn.

Thesium procumbens C.A.Mey.
(Santalaceae)

B6 Sivas: Celalli, Aktaş village, Gürlevik mountain, north slopes, 2200 m, 8 viii 1984, N. Çelik 2888, B. Yıldız.

Centaurea drabifolia Sm. subsp. *cappadicica* (DC.) Wagenitz (Asteraceae)

B6 Sivas: Celalli, Aktaş village, Gürlevik mountain, south slopes 2250-2400 m, 8 viii 1984, N. Çelik 2855, B. Yıldız.

Centaurea mucronifera DC. (Asteraceae)

B6 Sivas: 13 km west of İmrانlı, gypsaceous area, 1900 m, 14 viii 1996, ZB 1045, B. Yıldız.

Scrophularia libanotica Boiss. subsp. *libanotica* (Scrophulariaceae)

B6 Sivas: C.U. campus, steppe, 1200-1400 m, 7 v 1983, N. Çelik 2143, B. Yıldız.

*16. *P. vulgaris* Niessl

Acantholimon venustum Boiss.
(Plumbaginaceae)

B6 Sivas: Celalli, Aktaş village, Gürlevik mountain, north slopes, 1500-1700 m, 17 vii 1984, B. Yıldız 4545, N. Çelik.

Eryngium campestre L. (Apiaceae)

B6 Sivas: 3 km west of Yıldızeli, steppe, 1300 m, 13 vii 1996, ZB 897, B. Yıldız.

7. *17 *Strickeria anceps* (Sacc.) Cooke

Thesium procumbens C.A.Mey.
(Santalaceae)

- B6 Sivas: Tecer Da., Beşgözler, calcareous south slopes, 1700 m, 6 vi 1985, N. Çelik 3605.
- *18. *S. dura* (Fuckel) G.Winter
Helichrysum noeanum Boiss.
 (Asteraceae)
- B6 Sivas: 13 km from Sivas to Hafik, Seyfobelı, gypsum, 1400 m, 13 viii 1996, ZB 1130.
- *19. *S. obducens* (Fr.) G.Winter
Astragalus sp. (Fabaceae)
- B6 Sivas: C.U. campus, steppe, 1200-1550 m, steppe, 22 vii 1983, N. Çelik 2515, B. Yıldız.
- *20. *S. woronowiana* (Rehm) Bezuch.
Achillea gonocephala Boiss. & Bal.
 (Asteraceae)
- B6 Sivas: C.U. campus, steppe, 1300 m, 16 vi 1983, B.Yıldız 3772.
- Scrophularia libanotica* Boiss. var. *libanotica* (Scrophulariaceae)
- B6 Sivas: Demiryazı village, Yedigöz, mixed scrub, 1600 m, 17 vii 1985, B. Yıldız 6366.
- Euphorbia cheiradenia* Beiss. & Hohen. (Euphorbiaceae)
- B6 Sivas: Zara, 15 km from Bolucan to Sincan, Quercus scrub, 1700 m, 10 viii 1986, N. Çelik, 4661.
8. *21. *Trematosphaeria circinans* (Fuckel) G.Winter
Onobrychis argyrea Boiss subsp. *argyrea* (Fabaceae)
- B6 Sivas: Sincan, Allıkçay village, 1400 m, 12.vi 1995, N. Çelik 4948, B. Yıldız.
- Class: PLECTOMYCETES
- Order: ERYSIPHALES
- Fam.: ERYSIPHACEAE
9. 22. *Blumeria graminis* (DC.) Speer
Hordeum bulbosum L. (Poaceae)
- B6 Sivas: 40 km from Sivas to Yıldızeli, garden edge, 1300m, 13 viii 1996, ZB 1100.
- Elymus elongatus* (Host) Runemark subsp. *turcicus* (Mc.Güne) Melderis (Poaceae)
- B6 Sivas: 20 km from Gürün to Darende, steppe, 1300-1400 m, 1 x 1996, ZB 1370, B. Yıldız.
- Elymus hispidus* (Opiz) Melderis subsp. *hispidus* (Poaceae)
- B6 Sivas: Gürün, Şugul valley, rocky slopes, 1400 m, 2 x 1996, ZB 1430, B. Yıldız.
- Poa bulbosa* L. (Poaceae)
- B6 Sivas: 18 km from Kangal to Gürün, steppe, 1300 m, 3 vi 1997, ZB 1507, B. Yıldız.
10. 23. *Erysiphe aquilegiae* DC. var. *ranunculi* (Grev.) R.Y.Zheng & G.Q.Chen
Ranunculus sp. (Ranunculaceae)
- B6 Sivas: Ulaş, Tecer brook, streamside, 1350 m, 23 ix 1996, ZB 1343, B. Yıldız; B6 Sivas: Gürün, Şugul valley, wet places in the valley, 1400 m, 2 x 1996, ZB 1415, B. Yıldız.
- Delphinium dasystachyum* Boiss. & Bal. (Ranunculaceae)
- B6 Sivas: 15 km from Bolucan to Sincan, open forest, 1700 m, 10 viii 1986, N. Çelik 4626.
24. *E. aquilegiae* DC. var. *aquilegiae*
Caltha polypetala Hochst. ex Laurent (Ranunculaceae)
- B7 Sivas: Divriği, Höbek village, Tülü valley, streamside, 1300 m, 4 viii 1997, ZB 1839.
25. *E. betae* (Vanha) Weltzien
Beta vulgaris L. (Chenopodiaceae)
- B6 Sivas: Gürün, Gökpınar, calcareous rocks, north face, 1500 m, 18 vii 1998, ZB 2562.
- *26. *E. biocellata* Ehrenb.
Ajuga salicifolia (L.) Schreb. (Lamiaceae)
- A6 Sivas: 10 km from Suşehri to Degirmentaş, meadows, 1250 m, 14 viii 1996, ZB 1199.
- Teucrium chamaedrys* L. (Lamiaceae)
- B6 Sivas: 8 km west of Gürün, steppe, 1400 m, 3 viii 1997, ZB 1752, B. Yıldız.
- Nepeta nuda* L. (Lamiaceae)
- B6 Sivas: between Gürün and Kangal, west of Böğrüdelik village, calcareous rocks, 2000-2200 m, 4 viii 1997, ZB 1791, B. Yıldız.
- Thymus sylvestris* Boiss. (Lamiaceae)
- B6 Sivas: Gürün, Gökpınar, eroded south slopes, marly hills, 1500 m, 18 vii 1998, ZB 2043.
- *27. *E. buhrii* U.Braun
Silene discolor Sibth. & Sm. (Caryophyllaceae)
- B6 Sivas: Gürün, Gökpınar, calcareous rocks, 1400 m, 3 viii 1997, ZB 1713, B. Yıldız.
- *28. *E. caulincola* (Petr.) U.Braun
Astragalus sp. (Fabaceae)
- B6 Sivas: Taşlıdere, around Karayolları fountain, serpentine, 1400 m, 20 vii 1998, ZB 2313.
29. *E. cichoracearum* DC. var. *cichoracearum*
Anthemis kotschyana Boiss. (Asteraceae)
- A6 Sivas: Suşehri, around Ekinözü village, mixed scrub, 1100 m, 15 viii 1996, ZB 1221.
- Senecio pseudo-orientalis* Schischk. (Asteraceae)
- B6 Sivas: 13 km.west of İmrانlı, 1600 m, 12 vii 1996, ZB 832, B. Yıldız.
- Senecio vernalis* Waldst. & Kit. (Asteraceae)
- A6 Sivas: north of Karaçayır village, mixed forest, 1650 m, 21 vii 1998, ZB 2380, B.Yıldız.
- Cirsium arvense* (L.) Scop. (Asteraceae)
- B6 Sivas: Gürün, Gökpınar, wet places, 1500 m, 2 x 1996, ZB 1439.
- Centaurea virgata* Lam. (Asteraceae)
- B6 Sivas: Gürün, Şugul valley, rocky slopes, 1400 m, 2 x 1996, ZB 1435, B. Yıldız.
- Centaurea pergamacea* DC.(Asteraceae)
- B6 Sivas: Taşlıdere, Domuzlukıçı, 1200-1300 m, 12 vii 1986, ZB 2572.
- Sonchus asper* (L.) Hill (Asteraceae)
- A6 Sivas: 10 km from Suşehri to Degirmentaş, edge of field, 1250 m, 14 viii 1996, ZB 1321.
- Lactuca serriola* L. (Asteraceae)
- B6 Sivas: bank of Kızılırmak river, around Eğri bridge, 1300 m, 22 ix 1996, ZB 1274.
- Chondrilla juncea* L. (Asteraceae)
- B6 Sivas: 20 km from Gürün to Darende, 1300-1400 m, 1 x 1996, ZB 1375.

- Asperula xylarrbiza* Nabbelek (*Rubiaceae*)
B6 Sivas: 13 km from Sivas to Karaçayır, steep slopes, 1400 m, 5 viii 1997, ZB 1886.
30. *E. convolvuli* DC. var. *convolvuli*
Convolvulus arvensis L. (*Convolvulaceae*)
B6 Sivas: Ulaş, east of Tecer village, field edge, 1300 m, 10 ix 1998, ZB 2577.
31. *E. cruciferarum* Opiz ex L. Junell
Isatis tinctoria L. (*Brassicaceae*)
B6 Sivas: Gürün, around Suçatı village, 1500 m, 1 x 1996, ZB 1382.
- Descuriana sophia* (L.) Webb ex Prantl (*Brassicaceae*)
B6 Sivas: 33 km from Gürün to Pınarbaşı, south slopes, 1700 m, 19 vii 1998, ZB 2165.
- *32. *E. cynoglossi* (Wallr.) U.Braun
Cerinthe minor L. (*Boraginaceae*)
A6 Sivas: Suşehri, around Ekinözü village, fallow fields, 1100 m, 15 viii 1996, ZB 1216.
- Nonea* sp. (*Boraginaceae*)
B6 Sivas: between Gürün and Kangal, west of Bögrüdelik village, calcareous rocks, 2000 m, 5 vi 1997, ZB 1606, B. Yıldız.
33. *E. depressa* (Wallr.) Schltld.
Centaurea depressa M. Bieb. (*Asteraceae*)
B6 Sivas: C. U. Campus, steppe, 1300 m, 25 viii 1996, N. Çelik 2988.
- Arctium minus* (Hill) Bernh. (*Asteraceae*)
B6 Sivas: Gürün, Gökpınar, streamside, 1500 m, 18 viii 1998, ZB 2100.
34. *E. galeopsidis* DC.
Sideritis libanotica Labill. (*Lamiaceae*)
B6 Sivas: 33 km from Gürün to Pınarbaşı, calcareous area, 1600 m, 11 viii 1996, ZB 1006.
- Lamium garganicum* L. (*Lamiaceae*)
A6 Sivas: north of Karaçayır village, mixed forest, 1650 m, 21 vii 1998 ZB 2382.
35. *E. heraclei* DC.
Anthriscus nemorosa (M.Bieb.) Spreng. (*Apiaceae*)
B6 Sivas: between Gürün and Kangal, west of Bögrüdelik village, calcareous rocks, 1700-2000 m, 14 vii 1996, ZB 943, B. Yıldız.
- Heracleum* sp. (*Apiaceae*)
B6 Sivas: 40 km from Sivas to Yıldızeli, edge of orchard, 1300 m, 13 viii 1996, ZB 1095.
- *36. *E. limonii* L. Junell
Limonium gmelini (Willd.) Kuntze (*Plumbaginaceae*)
B6 Sivas: Bingöl village, halophytic vegetation, 1350 m, 22 ix 1996, ZB 1279, B. Yıldız.
37. *E. lycopsisidis* R.Y.Zheng & G.Q.Chen
Anchusa leptophyla Roem. & Schult. (*Boraginaceae*)
B6 Sivas: Kangal, Alacahan, 2 km east of Yeşildere, steppe, 1550 m, 10 vii 1996, ZB 735. B7 Sivas: Divriği, Höbek village, Tülü valley, steppe, 1300 m, 4 viii 1997, ZB 1835.
- Anchusa* sp. L. (*Boraginaceae*)
B6 Sivas: 5 km west of Gürün, orchard edge, 1400 m, 3 viii 1997, ZB 1758.
- *38. *E. majorii* S.Blumer var. *majorii*
Cirsium sp. (*Asteraceae*)
B6 Sivas: Taşlıdere, wet places in the valley, 1300-1350 m, 22 ix 1996, ZB 1300, B. Yıldız.
39. *E. pisi* DC. var. *pisi*
Lathyrus sp. (*Fabaceae*)
A6 Sivas: north of Karaçayır village, mixed forest, 1650 m, 21 vii 1998, ZB 2391, B. Yıldız.
40. *E. pisi* DC. var. *cruchetiana* (S.Blumer) U.Braun
Ononis spinosa L. (*Fabaceae*)
B6 Sivas: Kızıldağ pass, mountain meadows, 2100 m, 14 viii 1996, ZB 1041.
- Trifolium pratense* L. (*Fabaceae*)
A6 Sivas: 10 km from Suşehri to Degirmentaş, fallow fields, 1250 m, 14 viii 1996, ZB 1205.
- Trifolium ochroleucum* Huds. (*Fabaceae*)
A6 Sivas: 2 km north of Karaçayır, deciduous forest, 1500 m, 5 viii 1997, ZB 1910 b.
41. *E. polygoni* DC.
Polygonum sp. (*Polygonaceae*)
A6 Sivas: Suşehri, Kelkit valley, steppe, 700-800 m, 14 viii 1996, ZB 1171.
- Rumex patientia* L. (*Polygonaceae*)
B6 Sivas: Ulaş, east of Tecer village, edge of field, 1300 m, 10 ix 1998, ZB 2575; B6 Sivas: Yıldızeli, 2 km east of Karakaya village, steppe, 1300 m, 6 viii 1997, ZB 1947.
- Rumex tuberosus* L. (*Polygonaceae*)
B6 Sivas: Kangal, Gürün line crossing, 1300 m, 3 vi 1997, ZB 1508.
42. *E. sordida* L.Junell
Plantago major L. (*Plantaginaceae*)
A6 Sivas: 10 km from Suşehri to Degirmentaş, fallow field, 1250 m, 14 viii 1996, ZB 1206.
- *43. *E. viciae-urijugae* (Homma)
U.Braun
Lathyrus roseus Stev. (*Fabaceae*)
A6 Sivas: 2 km north of Karaçayır, deciduous forest, 1500 m, 5 viii 1997, ZB 1934.
11. 44. *Leveillula duriae* (Lev.) U.Braun
Phlomis tuberosa L. (*Lamiaceae*)
B6 Sivas: between Zara and İmrانlı, 13 km west of İmrانlı, 1600 m, 12 vii 1996, ZB 833.
- Phlomis sieheana* Rech. (*Lamiaceae*)
B6 Sivas: between Gürün and Kangal, west of Bögrüdelik village, calcareous area, 1700 m, 12 viii 1996, ZB 1047.
- Phlomis pungens* Willd. (*Lamiaceae*)
B6 Sivas: 65 km from Şarkışla to Pınarbaşı, edge of cultivated place, 1550 m, 19 vii 1998, ZB 2249; B7 Sivas: Divriği, around Yalnızsöyöt village, edge of cultivated place, 1300 m, 4 viii 1997, ZB 1822.
45. *L. taurica* (Lev.) G. Arnaud
Silene sp. (*Caryophyllaceae*)
B6 Sivas: between Gürün and Darende, marly places, 1100 m, 11 viii 1996, ZB 982.
- Gundelia tournefortii* L. (*Asteraceae*)
B6 Sivas: between Gürün and Darende, marly places, 1100 m, 11 viii 1996, ZB 977.
- Onopordum turcicum* Danin (*Asteraceae*)
B6 Sivas: Sivas, Gürün, Gökpınar, wet places, 1500 m, 2 x 1996, ZB 1447, B. Yıldız.
- Picris* sp. (*Asteraceae*)
B6 Sivas: 20 km from Gürün to Darende, 1300-1400 m, 1 x 1996, ZB 1366, B. Yıldız.

- Chondrilla juncea* L. (Asteraceae)
B6 Sivas: Gürün, around Suçatı village, 1500 m, 1 x 1996, ZB 1386, B. Yıldız.
- Echinops pungens* Trautv. (Asteraceae)
B6 Sivas: Gürün, Gökpınar, wet places, 1500 m, 2 x 1996, ZB 1448.
- Eryngium campestre* L. (Apiaceae)
B6 Sivas: 15 km from Ulaş to Yagdonduran pass, steppe, 1400 m, 14 vii 1996, ZB 924.
- Echinophora tenuifolia* L. (Apiaceae)
B6 Sivas: 20 km from Gürün to Darende, 1300-1400 m, 1 x 1996, ZB 1378.
- Scabiosa argentea* L. (Dipsacaceae)
B6 Sivas: 16 km from Kangal to Gürün, steppe, 1450 m, 12 viii 1996, ZB 1068.
- Verbascum* sp. (Scrophulariaceae)
B6 Sivas: 10 km from Kangal to Gürün, steppe, 1300 m, 3 vi 1997, ZB 1515.
- Verbascum cheiranthifolium* Boiss. (Scrophulariaceae)
B6 Sivas: between Gürün and Kangal, west of Bögürüdelik village, calcareous rocks, 2000-2200 m, 4 viii 1997, ZB 1794.
- Linaria* sp. (Scrophulariaceae)
B6 Sivas: 13 km from Sivas to Hafik, Seyfebeli, gypsum, 1400 m, 13 viii 1996, ZB 1117.
- Medicago x varia* Martyn (Fabaceae)
A6 Sivas: 10 km from Suşehri to Degirmentaş, fallow fields, 1250 m, 14 viii 1996, ZB 1211.
- Medicago falcata* L. (Fabaceae)
B6 Sivas: 8 km west of Gürün, marly places, 1500 m, 12 viii 1996, ZB 1013.
- Onobrychis cappadocica* Boiss. (Fabaceae)
B6 Sivas: 13 km from Sivas to Hafik, Seyfebeli, gypsum, 1400 m, 13 viii 1996, ZB 1128.
- Onobrychis argyrea* Boiss. (Fabaceae)
B6 Sivas: Between Gürün and Darende, 1100 m, 11 viii 1996, ZB 970, B. Yıldız.
- Onobrychis vicifolia* Scop. (Fabaceae)
A6 Sivas: 10 km from Suşehri to Degirmentaş, fallow fields, 1250 m, 14 viii 1996, ZB 1204.
- Hedysarum varium* Willd. (Fabaceae)
A6 Sivas: Suşehri, Kelkit valley, steppe, 700-800 m, 14 viii 1996, ZB 1178.
- Coronilla varia* L. (Fabaceae)
B6 Sivas: 13 km from Sivas to Hafik, Seyfebeli, gypsum, 1400 m, 13 viii 1996, ZB 1032.
- Vicia* sp. (Fabaceae)
A6 Sivas: Suşehri, Ekinözü village, edge of cultivated area, 1100 m, 15 viii 1996, ZB 1218.
- Andrachne telephiooides* L. (Euphorbiaceae)
A6 Sivas: Suşehri, Kelkit valley, steppe, 700-800 m, 14 viii 1996, ZB 1169.
- Helianthemum canum* (L.) Baumg. (Cistaceae)
A6 Sivas: 10 km north of Sivas, stony slopes, 1600 m, 21 vii 1998, ZB 2445, B. Yıldız.
- Helianthemum* sp. (Cistaceae)
B6 Sivas: 4-5 km west of Gürün, steppe, 1450 m, 12 viii 1996, ZB 1030.
- Glaucium acutideutatum* Hausskn. & Bornm. (Papaveraceae)
B7 Sivas: 13 km west of İmrani, deep soiled area, 1600 m, 12 vii 1996, ZB 833.
- Glaucium leiocarpum* Boiss. (Papaveraceae)
B6 Sivas: Zara, shore of Tödürge lake, 1300 m, 14 viii 1996, ZB 1186, B. Yıldız.
- Glaucium flavum* Crantz (Papaveraceae)
B6 Sivas: Taşlıdere, gypsaceous slopes, 1300-1350 m, 22 ix 1996, ZB 1323.
- Hyoscyamus* sp. (Solanaceae)
B6 Sivas: Taşlıdere, wet places in the valley, 1300-1350 m, 22 ix 1996, ZB 1315.
- Peganum harmala* L. (Zygophylaceae)
B6 Sivas: 3 km from Gürün to Gökpınar, steppe, 1300 m, 3 viii 1997, ZB 1744.
12. *46. *Microsphaera crispula* U.Braun
Astragalus odoratus Lam. (Fabaceae)
A6 Sivas: 10 km north of Sivas, meadows, 1600 m, 21 vii 1998, ZB 2435.
- Astragalus sprunieri* Boiss. (Fabaceae)
A6 Sivas: 3 km north of Karaçayır, mixed forest, 1600 m, 21 vii 1998, ZB 2486.
- Astragalus* sp. L. (Fabaceae)
B6 Sivas: Suşehri, east of Akıncılar village, south slopes, 1100 m, 12 vii 1996, ZB 860.
47. *M. euonymi* (DC.) Sacc.
Euonymus europaeus L. (Celastraceae)
A6 Sivas: 10 km north of Sivas, stony slopes, 1600 m, 21 vii 1998, ZB 2460.
- *48. *M. trifolii* (Grev.) U.Braun var. *trifolii*
Onobrychis sp. (Fabaceae)
A6 Sivas: 10 km from Suşehri to Degirmentaş, road side, 1250 m, 14 viii 1996, ZB 1202. *Trifolium pratense* L. (Fabaceae)
- B6** Sivas: 6 km west of Zara, edge of cultivated area, 1300 m, 12 vii 1996, ZB 819.
13. 49. *Phyllactinia guttata* (Wallr.) Lev.
Pyrus elaeagnifolia Pallas subsp. *elaeagnifolia* (Rosaceae)
B6 Sivas: Taşlıdere, Karayolları fountain, serpentine, 1350 m, 22 ix 1996, ZB 1319.
- Crataegus szovitsii* Pojark. (Rosaceae)
B6 Sivas: Gürün, Şugul valley, wet places in the valley, 1400 m, 2 x 1996, ZB 1397.
- Cerasus* sp. (Rosaceae)
B6 Sivas: Gürün, Şugul valley, wet places in the valley, 1400 m, 2 x 1996, ZB 1406.
14. *50. *Podosphaera tridactyla* (Wallr.) de Bary var. *tridactyla*
Cerasus incana (Pallas) Spach var. *incana* (Rosaceae)
B6 Sivas: Gürün, Gökpınar, wet places, 1500 m, 2 x 1996, ZB 1438.
15. 51. *Sphaerotheca aphanis* (Wallr.) U.Braun var. *aphanis*
Alchemilla lithophila Juz. (Rosaceae)
B7 Sivas: Divriği, Höbek village, Tülüce valley, streamside, 1300 m, 4 viii 1997, ZB 1840.
52. S. *dipsacacearum* (Tul. & C.Tul.) L.Junell
Cephalaria syriaca (L.) Schrad. (Dipsacaceae)

B7 Sivas: 13 km west of İmranlı, steppe, 1200 m, 14 viii 1996, ZB 1149.

Cephalaria speciosa Boiss. & Kotschy
(*Dipsacaceae*)

B6 Sivas: Ulaş, east of Tecer village, fallow fields, 1300 m, 10 ix 1998, ZB 2258.

Dipsacus laciniatus L. (*Dipsacaceae*)

B6 Sivas: Gürün, Gökpınar, wet places, 1500 m 2 x 1996, ZB 1449.

53. S. *euphorbiae* (Castagne)
E.S.Salman

Euphorbia sp. (*Euphorbiaceae*)

A6 Sivas: Suşehri, Kelkit valley, steppe, 700-800 m, 14 viii 1996, ZB 1172.

*54. S. *ferruginea* (Schltdl.) L.Junell

Sanguisorba minor Scop. (*Rosaceae*)

B6 Sivas: Gürün, Gökpınar, calcareous rocks, 1400 m, 3 viii 1997, ZB 1720.

55. S. *fusca* (Fr.) S.Blumer

Senecio vernalis Waldst. & Kit.
(*Asteraceae*)

B6 Sivas: 33 km from Gürün to Pınarbaşı, calcareous area, 1600 m, 11 viii 1996, ZB 1007.

Taraxacum sp. (*Asteraceae*)

B7 Sivas: İmranlı, Kızıldağ pass, 2100 m, alpine meadows, 14 viii 1996, ZB 1138.

Rhinanthus angustifolius C.C.Gmel.
(*Scrophulariaceae*)

A6 Sivas: 10 km from Suşehri to Degirmentaş village, fallow fields, 1250 m, 13 viii 1996, ZB 1200, B. Yıldız.

Hieracium lasiochaetum (Bornm. & Zahn)
Sell & West (*Asteraceae*)

A6 Sivas: 10 km from Suşehri to Degirmentaş, fallow fields, 1250 m, 4 viii 1996, ZB 1207.

Bidens tripartita L. (*Asteraceae*)

B6 Sivas: bank of Kızılırmak, around Eğri bridge, 1300 m, 22 ix 1996, ZB 1267.

Xanthium strumarium L. (*Asteraceae*)

B6 Sivas, edge of Kızılırmak, around Eğri bridge, 1300 m, 22 ix 1996, ZB 1271.

Pedicularis comosa L. (*Scrophulariaceae*)

B6 Sivas 10 km from Kangal to Alacahan, meadows, 1400 m, 4 viii 1997, ZB 1846.

56. S. *plantaginis* (Castagne) L. Junell

Plantago lanceolata L. (*Plantaginaceae*)

B6 Sivas: 13 km from Sivas to Hafik, Seyfebeli, gypsum, 1400 m, 13 viii 1996, ZB 1119.

B6 Sivas: Gürün, around Suçatı village, 1500 m, 1 x 1996, ZB 1390.

*57. S. *thalictri* L. Junell

Thalictrum minus L. (*Ranunculaceae*)

B6 Sivas: Taşlıdere, Karayolları fountain, streamside, 1300 m, 20 vii 1998, ZB 2276.

Class.: PYRENOMYCETES

Order: CLAVICIPITALES

Fam.: CLAVICIPITACEAE

16. 58. *Claviceps purpurea* (Fr.) Tul.

Secale montanum Guss. (*Poaceae*)

B6 Sivas: 33 km from Gürün to Pınarbaşı, calcareous slopes, 1700 m, 19 vii 1998, ZB 2161.

Carex hirta L. (*Cyperaceae*)

B6 Sivas: Ulaş, Tecer brook, streamside, 1350 m, 23 ix 1996, ZB 1336.

Bromus sp. (*Poaceae*)

B6 Sivas: 60 km from Sivas to Şarkışla, gypseous area, 20 vii 1998, ZB 2365.

Subdiv.: BASIDIOMYCOTINA

Class.: HETEROBASIDIOMYCETES

Order: UREDINALES

Fam.: COLEOSPORIACEAE

17. 59. *Coleosporium campanulae* (Pers.) Lev.

Campanula olympica Boiss.
(*Campanulaceae*)

A6 Sivas: 2 km north of Karaçayır, deciduous forest, 1500 m, 5 viii 1997, ZB 1929.

60. C. *tussilaginis* (Pers.) Kleb.

Tussilago farfara L. (*Asteraceae*)

B6 Sivas: Gürün, Gökpınar, wet places, 1500 m, 2 x 1996, ZB 1444.

Fam.: MELAMPSORACEAE

18. 61. *Melampsora salicis albae* Kleb.

Salix cinerea L. (*Salicaceae*)

B6 Sivas: bank of Kızılırmak, Eğri bridge, 1300 m, 22 ix 1996, ZB 1270.

Salix alba L. (*Salicaceae*)

B6 Sivas: Gürün, Gökpınar, streamside, 1400 m, 3 viii 1997, ZB 1724.

Populus nigra L. (*Salicaceae*)

B6 Sivas: Gürün, Şugul valley, wet places in the valley, 1400 m, 2 x 1996, ZB 1400.

62. M. *euphorbiae* (Schwein) Castagne

Euphorbia cardiophylla Boiss. & Heldr.
(*Euphorbiaceae*)

B6 Sivas: 15 km from Sivas to Karaçayır, Tavla brook, 1600 m, 4 vi 1997, ZB 1566.

Euphorbia virgata Waldst. & Kit. ex Willd.
(*Euphorbiaceae*)

B6 Sivas: Zara, around Tödürge lake, gypsum, 1300 m, 14 viii 1996, ZB 1182; B6 Sivas: Bingöl village, halophytic vegetation, 1350 m, 22 ix 1996, ZB 1295.

Euphorbia macroclada Boiss.
(*Euphorbiaceae*)

B6 Sivas: Zara, around Bolucan, 1500 m, 22 vii 1999, ZB 2507.

Fam.: PUCCINIACEAE

19. *63. *Aecidium otitis* Schltdl.

Silene italica (L.) Pers. (*Caryophyllaceae*)

A6 Sivas: north of Karaçayır village, mixed forest, 1650 m, 21 vii 1998, ZB 2402.

20. *64. *Gymnosporangium amelanchieris* E.Fisch. ex F.Kern

Amelanchier rotundifolia (Lam.) Dum.-Cours. (*Rosaceae*)

B6 Sivas: Taşlıdere, Karayolları fountain, 1300-1400 m, 20 vii 1998, ZB 2311.

65. G. *clavariiforme* (Jacq.) DC.

Crataegus sp. L. (*Rosaceae*)

A6 Sivas: 10 km north of Sivas, stony slopes, 1600 m, 21 vii 1998, ZB 2430.

66. G. *confusum* Plowr.

Crataegus monogyna Jacq. subsp. *monogyna* (*Rosaceae*)

A6 Sivas: 8. km from Suşehri to Tokat, orchard edge, 700-800 m, 13 vii 1996, ZB 875.

Crataegus sp. L. (*Rosaceae*)

- B6 Sivas: Gürün, Şugul valley, rocky south slopes, 1500 m, 18 vii 1998, ZB 2115.
- Crataegus tanacetifolia* (Lam.) Pers. (Rosaceae)
- B6 Sivas: 17 km from Pınarbaşı to Şarkışla, fallow fields, 1600 m, 19 vii 1998, ZB 2222.
- Crataegus pentagyna* Waldst. & Kit. ex Wild. (Rosaceae)
- B6 Sivas: Taşlıdere, serpentine, 1300-1400 m, 20 vii 1998, ZB 2327.
- Crataegus szwertsii* Pojark (Rosaceae)
- B6 Sivas: Zara, around Bolucan, Quercus scrub, 1500 m, 22 vii 1999, ZB 2517.
21. *67. *Phragmidium bulbosum* (Fr.) Schltl.
- Rubus sanctus* Schreb. (Rosaceae)
- A6 Sivas: Yıldızeli, Çamlıbel pass, Pinus forest, 1600-1700 m, 13 viii 1996, ZB 1077.
68. *Ph. mucronatum* (Pers.) Schltl.
- Rosa canina* L. (Rosaceae)
- A7 Sivas: 20 km from Akıncılar village to Suşehri, 2100 m, 14 viii 1996, ZB 1166.
- Rosa dumalis* Bechst. (Rosaceae)
- B6 Sivas: Gürün, Gökpınar, calcareous rocks, 1400 m, 3 viii 1997, ZB 1734.
- Rosa pimpinellifolia* L. (Rosaceae)
- B7 Sivas: İmranlı, around Saruhan village, 1900 m, 14 viii 1996, ZB 1157.
69. *Ph. potentillae* (Pers.) P.Karst.
- Potentilla recta* L. (Rosaceae)
- A6 Sivas: Yıldızeli, Çamlıbel pass, 1600-1700 m, 13 viii 1996, ZB 1086, B. Yıldız.
70. *Ph. rubi-saxatilis* Liro
- Rubus canescens* DC. var. *canescens* (Rosaceae)
- A6 Sivas: north of Karaçayır village, mixed forest, 1650 m, 21 vii 1998, ZB 2417.
71. *Ph. sanguisorbae* (DC.) Schröt.
- Sanguisorba minor* Scop. subsp. *minor* (Rosaceae)
- B7 Sivas: 13 km west. of İmranlı, gypsaceous area, 1900 m, 14 viii 1996, ZB 1143. ZB 1193.
72. *Ph. tuberculatum* Jul. Müll.
- Rosa dumalis* Bechst. (Rosaceae)
- A6 Sivas: 8 km from Suşehri to Tokat, garden edge, 700-800 m, 13 vii 1996, ZB 874.
- Rosa villosa* L. subsp. *villosa* (Rosaceae)
- B6 Sivas: west of Böğrüdelik village, rocky slopes, 1700-2000 m, 14 vii 1996, ZB 937.
- Rosa pulverulenta* M.Bieb. (Rosaceae)
- B6 Sivas: between Gürün and Kangal, west of Böğrüdelik village, calcareous rocks, 2000-2200 m, 4 viii 1997, ZB 1773.
22. *73. *Puccinia absinthii* DC.
- Artemisia austriaca* Jacq. (Asteraceae)
- B6 Sivas: Zara, around Tödürge lake, gypsum, 1300 m, 12 vii 1996, ZB 809.
- Artemisia absinthium* L. (Asteraceae)
- A6 Sivas: 8 km from Suşehri to Tokat, garden edge, 700-800 m, 13 vii 1996, ZB 781.
- Artemisia taurica* Willd. (Asteraceae)
- B6 Sivas: Bingöl village, salt mine, halophytic vegetation 1350 m, 22 ix 1996, ZB 1281.
- Tanasetum balsamita* L. (Asteraceae)
- A6 Sivas: Suşehri, Ekinözü village, fallow field, 1100 m, 15 viii 1996, ZB 1215.
74. *P. acarna* P.Syd. & Syd.
- Picnomon acarna* (L.) Cass. (Asteraceae)
- B6 Sivas: Bingöl village, salt mine, halophytic vegetation, 1350 m, 22 ix 1996, ZB 1290; B6 Sivas: Şugul valley, rocky slopes, 1400 m, 2 x 1996, ZB 1431.
75. *P. acetosae* (Schum.) Korn.
- Rumex tuberosus* L. (Polygonaceae)
- A/B6 Sivas: Yıldızeli, Çamlıbel pass, 1650 m, 11 vii 1996, ZB 786.
- Rumex acetosella* L. (Polygonaceae)
- A6 Sivas: Şerefiye, Karabayır pass, steppe, 1925 m, 15 viii 1996, ZB 1223.
76. *P. achilleae* Cooke
- Achillea sipkorensis* Hausskn. & Bornm. (Asteraceae)
- B6 Sivas: 16 km from Kangal to Gürün, marly, 1450 m, 10 vii 1996, ZB 751.
- Achillea phrygia* Boiss. & Bal. (Asteraceae)
- A6 Sivas: Yıldızeli, Çamlıbel pass, 1600-1700 m, 13 viii 1996, ZB 1087, B. Yıldız.
- Achillea millefolium* L. (Asteraceae)
- B6 Sivas: 10 km from Suşehri to Degirmentaş village, 1000 m, 12 vii 1996, ZB 869.
- Achillea cucullata* (Hausskn.) Bornm. (Asteraceae)
- B6 Sivas: between Gürün and Darende, marl, 1100 m, 11 viii 1996, ZB 966, B. Yıldız.
- Achillea wilhelmsii* C.Koch (Asteraceae)
- B6 Sivas: Bingöl village, banks of salt lake, 1350 m, 22 ix 1996, ZB 1280, B. Yıldız.
- Achillea sintenisii* Hub.-Mor. (Asteraceae)
- B6 Sivas: 22 km from Hafik to Zara, gypsum, 1300 m, 14 viii 1996, ZB 1195, B. Yıldız.
- Achillea teretifolia* Willd. (Asteraceae)
- B6 Sivas: Divriği, Höbek village, Tülü valley, steppe, 2 vi 1997, ZB 1470, B. Yıldız.
77. *P. annularis* (F.Strawss) G.Winter
- Teucrium polium* L. (Lamiaceae)
- A6 Sivas: Yıldızeli, Çamlıbel pass, 1600-1700 m, 13 viii 1996, ZB 1084, B. Yıldız.
78. *P. arenariae* (Schumach.) J.Schröt.
- Silene italica* (L.) Pers (Caryophyllaceae)
- A6 Sivas: 2 km north of Karaçayır, deciduous forest, 1500 m, 5 viii 1997, ZB 1933.
79. *P. asparagi* DC.
- Asparagus verticillatus* L. (Liliaceae)
- B6 Sivas: Gürün, Şugul valley, wet places in the valley, 1400 m, 2 x 1996, ZB 1404.
- Asparagus officinalis* L. (Liliaceae)
- B6 Sivas: Taşlıdere, gypsum hills, 1300-1400 m, 20 vii 1998, ZB 2285, B. Yıldız.
80. *P. asperulae-aparines* Picbauer
- Asperula pestalazzae* Boiss. (Rubiaceae)
- B6 Sivas: Yıldızeli, around Karakaya village, steppe, 1300 m, 6 viii 1997, ZB 1946.
- Asperula* sp. (Rubiaceae)
- B6 Sivas: between Gürün and Darende, steppe, 1100 m, 11 viii 1996, ZB 981, B. Yıldız.

81. *P. betonicae* (Alb. & Schwein.) DC.
Stachys iberica M.Bieb. (*Lamiaceae*)
A/B6 Sivas: Yıldızeli, Çamlıbel pass, 1550 m, 11 vii 1996, ZB 773, B. Yıldız.
- Stachys citrina* Boiss. & Heldr. (*Lamiaceae*)
B6 Sivas: Gürün, Gökpınar, calcareous rocks, 1400 m, 3 viii 1997, ZB 1711, B. Yıldız.
- *82. *P. bromina* Erikss.
Bromus japonicus Thunb. (*Poaceae*)
B7 Sivas: Suşehri, 18 km from Akıncılar to Refahiye, steppe 1100 m, 12 vii 1996, ZB 856.
- Bromus sterilis* L. (*Poaceae*)
B7 Sivas: Suşehri, 18 km from Akıncılar to Refahiye, steppe, 1100 m, 12 vii 1996, ZB 1506.
83. *P. bulbocastani* (Cumina) Fucckel
Bunium sp. (*Apiaceae*)
B6 Sivas: 16 km from Sivas to Karaçayır, cultivated area, 1500 m, 5 viii 1997, ZB 1904.
84. *P. bupleuri* (Opiz) Rudolphi
Buleurum croseum Fenzl (*Apiaceae*)
B6 Sivas: 6 km west of Zara, fallow fields, 1300 m, 12 vii 1996, ZB 825.
- Buleurum falcatum* L. (*Apiaceae*)
A6 Sivas: 10 km from Sivas to Karaçayır, steppe, 1300 m, 5 viii 1997, ZB 1876.
- Buleurum rotundifolium* L. (*Apiaceae*)
B6 Sivas: 16 km from Sivas to Karaçayır, cultivated area, 1500 m, 5 viii 1997, ZB 1894.
85. *P. calcitrapae* DC.
Centaurea solstitialis L. (*Asteraceae*)
B6 Sivas: Ulaş, spring of Tecer river, streamside, 1350 m, 23 ix 1996, ZB 1349, B. Yıldız.
- Centaurea kotschyi* (Boiss. & Heldr.) Hayek (*Asteraceae*)
B6 Sivas: 15 km from Ulaş to Yagdonduran pass, steppe, 1400 m, 14 vii 1996, ZB 929.
- Centaurea glastifolia* L. (*Asteraceae*)
B6 Sivas: 13 km from Sivas to Karaçayır, steep slopes, 1400 m, 5 viii 1997, ZB 1877.
- Centaurea virgata* Lam. (*Asteraceae*)
B6 Sivas: between Gürün and Kangal steppe, 1300 m, 4 viii 1997, ZB 1809, B. Yıldız.
- Echinops ritro* L. (*Asteraceae*)
B6 Sivas: Gürün, Gökpınar, calcareous rocks, north slopes, 1500 m, 18 vii 1998, ZB 2060.
- Echinops galaticus* Freyn (*Asteraceae*)
B7 Sivas: İmranlı, around Saruhan village, 1900 m, 14 viii 1996, ZB 1152, B. Yıldız.
- Echinops melitenensis* Hedge & Hub.-Mor. (*Asteraceae*)
B6 Sivas: Gürün, Gökpınar, calcareous area, 1400 m, 3 viii 1997, ZB 1726, B. Yıldız.
86. *P. carduorum* Jacky
Carduus nutans L. (*Asteraceae*)
B6 Sivas: Kangal, Alacahan, 2 km east of Yeşildere, steppe, 1550 m, 10 vii 1996, ZB 731.
- Carduus acanthoides* L. (*Asteraceae*)
B6 Sivas: 3 km west of Yıldızeli, steppe, 1300 m, 13 vii 1996, ZB 898; B6 Sivas: around Halep bridge, streamside, 1300 m, 23 ix 1996, ZB 1355.
- Carduus pycnocephalus* L. (*Asteraceae*)
B6 Sivas: around Paşabahçe, gypsum, 1300 m, 5 viii 1997, ZB 1854, B. Yıldız.
87. *P. caricicola* Fuckel
Carex hirta L. (*Cyperaceae*)
B6 Sivas: Ulaş, spring of Tecer river, streamside, 1350 m, 23 ix 1996, ZB 1336, B. Yıldız.
- Carex riparia* Curtis (*Cyperaceae*)
B6 Sivas: Gürün, Şugul valley, wet places, 1400 m, 2 x 1996, ZB 1396, B. Yıldız.
- Carex hordeistishos* Vill (*Cyperaceae*)
A6 Sivas: 10 km from Suşehri to Degirmentaş, pasture, 1250 m, 14 viii 1996, ZB 1197.
- Carex nigra* (L.) Reichard (*Cyperaceae*)
B6 Sivas: 10 km from Kangal to Alacahan, meadows, 1400 m, 4 viii 1997, ZB 1845a.
- Carex atrata* L. (*Cyperaceae*)
B6 Sivas: Gürün, Gökpınar, meadows, 1500 m, 18 viii 1998, ZB 2099, B. Yıldız.
88. *P. celakovakyana* Bub.
Cruciata taurica (Willd.) Ehrend. (*Rubiaceae*)
A/B6 Sivas: Yıldızeli, Çamlıbel pass, 1550 m, 11 vii 1996, ZB 766; B6 Sivas: 14 km from Zara to Bolucan, 1400 m, 22 vii 1998, ZB 2544, B. Yıldız.
- Cruciata laevipes* Opiz (*Rubiaceae*)
A6 Sivas: ŞerefİYE, Karabayır pass, steppe, 1925 m, 15 viii 1996, ZB 1226, B. Yıldız.
89. *P. centaurea* DC.
Centaurea sivasica Wagenitz (*Asteraceae*)
B6 Sivas: 16 km from Kangal to Gürün, steppe, 1450 m, 12 viii 1996, ZB 1072, B. Yıldız.
- Centaurea iberica* Trev. ex Spreng. (*Asteraceae*)
B6 Sivas: 6 km west of Zara, field edge, 1300 m, 12 vii 1996, ZB 824, B. Yıldız.
- Centaurea glastifolia* L. (*Asteraceae*)
A6 Sivas: Suşehri, around Ekinözü village, field edge, 1100 m, 15 viii 1996 ZB 1222.
- Centaurea virgata* Lam. (*Asteraceae*)
B6 Sivas: 20 km from Gürün to Darende, 1300-1400 m, 1 x 1996, ZB 1376, B. Yıldız.
- Centaurea aggregata* DC. (*Asteraceae*)
B6 Sivas: 13 km from Sivas to Hafik, Seyfəbeli, gypsum, 1400 m, 13 viii 1996, ZB 1113.
- Centaurea consanguinea* DC. (*Asteraceae*)
B6 Sivas: between Gürün and Darende, marl, 1100 m, 11 viii 1996, ZB 986, B. Yıldız.
- Centaurea polypodiifolia* Boiss. (*Asteraceae*)
B6 Sivas: Şarkışla, border of Sivas and Kayseri, steppe, 1750 m, 19 vii 1998, ZB 2200.
90. *P. chondrillina* Bubak
Chondrilla juncea L. (*Asteraceae*)
A6 Sivas: 16 km from Suşehri to Koyulhisar, steppe, 700 m, 13 vii 1996, ZB 885; B6 Sivas: Gürün, Gökpınar, calcareous area, 1400 m, 3 viii 1997, ZB 1731.

91. *P. cichorii* (DC.) Bellynck
Cichorium intybus L. (Asteraceae)
B6 Sivas: Kangal, Alacahan, 2 km east of Yeşildere, steppe, 1550 m, 10 vii 1996, ZB 728.
92. *P. cirsii* Lasch.
Cirsium arvense (L.) Scop. (Asteraceae)
B6 Sivas: 13 km from Sivas to Hafik, Seyfəbeli, gypsum, 1400 m, 12 vii 1996, ZB 797. *Cirsium lappacearum* (M.Bieb.) M.Bieb. (Asteraceae)
A6 Sivas: 2 km north of Karaçayır, deciduous forest, 1500 m, 5 viii 1997, ZB 1926; **B6** Sivas: Kangal road, around Halep bridge, streamside, 1300 m, 23 ix 1996, ZB 1359, B. Yıldız.
Cirsium vulgare (Savi) Ten. (Asteraceae)
B6 Sivas: Zara, shore of Tödürge lake, pasture, 1300 m, 14 viii 1996, ZB 1181, B. Yıldız. *Cirsium macrobotrys* (C. Koch) Boiss. (Asteraceae)
B6 Sivas: İmranlı, Kızıldağ pass, alpine meadows, 2100 m, 14 viii 1996, ZB 1142, B. Yıldız.
93. *P. cnici* G.Martin
Cirsium lappaceum (M.Bieb.) Fischer (Asteraceae)
B6 Sivas: between Gürün and Kangal, west of Bögrüdelik village, rocky slopes, 2000 m, 4 viii 1997, ZB 1769, B. Yıldız.
Cirsium pubigerum (Desf.) DC. (Asteraceae)
B6 Sivas: Gürün, Gökpınar, streamside, 1500 m, 18 viii 1998, ZB 2101, B. Yıldız.
94. *P. coronillae* Woron.
Coronilla orientalis Miller (Fabaceae)
A6 Sivas: Suşehri, east of Akıncılar village, south slopes, 1100 m, 12 vii 1996, ZB 862.
95. *P. crepidis* J. Schröt.
Crepis foetida L. (Asteraceae)
B6 Sivas: 16 km from Kangal to Gürün, marl, 1450 m, 10 vii 1996, ZB 750, B. Yıldız.
Crepis alpina L. (Asteraceae)
A7 Sivas: Suşehri, 18 km from Akıncılar to Refahiye, steppe 1100 m, 12 vii 1996, ZB 853.
96. *P. cyanii* Pass.
Centaurea polypodiifolia Boiss. (Asteraceae)
B6 Sivas: 13 km from Sivas to Hafik, Seyfəbeli, gypsum, 1400 m, jips 12 vii 1996, ZB 800.
Centaurea virgata Lam. (Asteraceae)
B6 Sivas: 3 km west of Yıldızeli, steppe-1300 m, 13 vii 1996, ZB 899, B. Yıldız.
Centaurea triumfetti All. (Asteraceae)
B7 Sivas: Divriği, Höbek village, Tülü valley, steppe, 2 vi 1997, ZB 1469, B. Yıldız.
Centaurea iberica Trev. ex Spreng. (Asteraceae)
B6 Sivas: Bingöl village, salt lake, halophytic vegetation, 1350 m, 22 ix 1996, ZB 1287.
Centaurea pichleri Boiss. (Asteraceae)
B6 Sivas: 15 km from Sivas to Karaçayır, Tayla valley, steppe, 1600 m, 4 vi 1997, ZB 1568.
Centaurea urvillei DC. (Asteraceae)
B6 Sivas: 15 km from Sivas to Karaçayır, Tayla valley, steppe, 1600 m, 4 vi 1997, ZB 1689.
97. *P. cynodontis* Lacroix ex Desm
Cynodon dactylon (L.) Pers. var. *vilosus* Regel (Poaceae)
B6 Sivas: 15 km from Ulaş to Yagdonduran pass, steppe, 1400 m, 14 vii 1996, ZB 924; **B6** Sivas: Bingöl village, salt lake, halophytic vegetation, 1300 m, 4 vi 1997, ZB 1589, B. Yıldız.
98. *P. cyperi* Arthur
Cyperus sp. (Cyperaceae)
B7 Sivas: Divriği, Höbek village, Tülü valley, streamside, 1300 m, 4 viii 1997, ZB 1837.
- *99. *P. dioicae* Magnus
Carex atrata L. (Cyperaceae)
B6 Sivas: Gürün, Gökpınar, meadows, 1500 m, 18 viii 1998, ZB 2096, B. Yıldız.
- *100. *P. divergens* Bubak
Carlina oligocephala Boiss. & Kotschy (Asteraceae)
B6 Sivas: Gürün, Gökpınar, calcareous rocks, north slopes, 1500 m, 18 vii 1998, ZB 2064.
101. *P. eryngii* DC.
Eryngium campestre L. (Apiaceae)
B6 Sivas: 15 km from Ulaş to Yagdonduran pass, steppe, 1400 m, 14 vii 1996, ZB 924.
102. *P. falcariae* (Pers.) Fuckel
Falcaria vulgaris Bernh. (Apiaceae)
B6 Sivas: 33 km from Gürün to Pınarbaşı, calcareous area, 1600 m, 11 viii 1996, ZB 1003.
103. *P. fuckelii* P.Syd.& Syd
Jurinea pontica Hausskn. & Freyn ex Hausskn. (Asteraceae)
B6 Sivas: 13 km from Sivas to Hafik, Seyfəbeli, gypsum, 1400 m, 13 viii 1996, ZB 1114.
104. *P. graminis* Pers.
Secale cereale L. var. *cereale* (Poaceae)
B6 Sivas: 16 km from Sivas to Karaçayır, field edge, 1500 m, 5 viii 1997, ZB 1892, B. Yıldız.
Secale montanum Guss. (Poaceae)
B6 Sivas: 16 km from Kangal to Gürün, marl, 1450 m, 10 vii 1996, ZB 748, B. Yıldız.
Secale cereale L. var. *voronovii* (Grossh.) Mayss. (Poaceae)
A6 Sivas: 10 km north of Sivas, screes, 1600 m, 21 vii 1998, ZB 2437, B. Yıldız.
- Elymus hispidus* (Opiz) Melderis ssp. *hispidus* (Poaceae)
B6 Sivas: 16 km from Kangal to Gürün, marl, 1450 m, 10 vii 1996, ZB 743, B. Yıldız.
Elymus elongatus (Host) Runemark subsp. *turcicus* (McGuire) Melderis (Poaceae)
B6 Sivas: around Paşabahçe, gypsum, 1300 m, 5 viii 1997, ZB 1851, B. Yıldız.
Elymus lazicus (Boiss.) Melderis subsp. *lazicus* (Poaceae)
B6 Sivas: between Gürün and Kangal, west of Bögrüdelik village, calcareous area, 1900-2000 m, 12 viii 1996, ZB 1051, B. Yıldız.
Elymus lazicus (Boiss.) Melderis subsp. *divaricatus* (Boiss. & Bal.) Melderis (Poaceae)
B6 Sivas: Gürün, Gökpınar, rocky slopes, 1500 m, 2 x 1996, ZB 1457, B. Yıldız.

Elymus nodosus (Nevski) Melderis subsp.
gypsiculus Melderis (*Poaceae*)

B6 Sivas: Taşlıdere, around Karayolları fountain, serpentine, 1400 m, 20 vii 1998, ZB 2305.

Elymus repens (L.) Gould subsp. *repens* (*Poaceae*)

B6 Sivas: Kangal road, around Halep Bridge, streamside, 1300 m, 23 ix 1996, ZB 1361.

Bromus lanceolatus Roth (*Poaceae*)

B6 Sivas: 16 km from Sivas to Karaçayır, fallow fields, 1500 m, 5 viii 1997, ZB 1906.

Poa longifolia Trin. (*Poaceae*)

B6 Sivas: Gürün, Şugul valley, 1400 m, 2 x 1996, ZB 1414.

Avena sativa L. (*Poaceae*)

B6 Sivas: 16 km from Sivas to Karaçayır, field edge, 1500 m, 5 viii 1997, ZB 1896.

Eremopoa persica (Trin.) Roshev. (*Poaceae*)

A6 Sivas: 10 km north of Sivas, stony slopes, 1600 m, 21 vii 1998, ZB 2433.

Aegilops speltoides Tausch (*Poaceae*)

B6 Sivas: 65 km from Şarkışla to Pınarbaşı, edge of cultivated area, 1550 m, 19 vii 1998, ZB 2261; B6 Sivas: Zara, around Bolucan, steppe, 1500 m, 22 vii 1999, ZB 2510.

Aegilops umbellulata Zhunk. (*Poaceae*)

A6 Sivas: Suşehri, Kelkit valley, steppe, 700-800 m, 14 viii 1996, ZB 1177.

Melica ciliata L. subsp. *ciliata* (*Poaceae*)

B6 Sivas: 3 km from Gürün to Suçatı village, marly slopes, 1400 m, 5 vi 1997, ZB 1648.

Alopecurus myosuroides Hudson var. *myosuroides* (*Poaceae*)

B6 Sivas: 16 km from Sivas to Karaçayır, field edge, 1500 m, 5 viii 1997, ZB 1892.

Alopecurus arundinaceus Poiret (*Poaceae*)

B6 Sivas: 40 km from Sivas to Şarkışla, field edge, 1400 m, 20 vii 1998, ZB 2334.

Calamagrostis pseudophragmites (Haller f.) Koeler (*Poaceae*)

B6 Sivas: Gürün, Gökpınar, 1500 m, 18 vii 1998, ZB 2068.

Hordeum distichon L. (*Poaceae*)

B6 Sivas: 65 km from Şarkışla to Pınarbaşı, 1550 m, 19 vii 1998, ZB 2254.

Dactylis glomerata L. (*Poaceae*)

B6 Sivas: Yıldızeli, around Karakaya village, steppe, 1300 m, 6 viii 1997, ZB 1941.

Triticum sp. (*Poaceae*)

B6 Sivas: 16 km from Sivas to Karaçayır, field edge, 1500 m, 5 viii 1997, ZB 1901.

Berberis vulgaris (*Berberidaceae*)

B6 Sivas: between Gürün and Kangal, west of Bögürdölik village, calcareous area, 2000-2200 m, 4 viii 1997, ZB 1782.

Berberis cratagina L. (*Berberidaceae*)

B6 Sivas: 16 km from Kangal to Gürün, steppe, 1450 m, 10 vii 1996, ZB 745.

105. *P. gundeliae* Cooke.

Gundelia tournefortii L. subsp. *tenuisecta* Willd. (*Asteraceae*)

B6 Sivas: 3 km west of Yıldızeli, steppe, 1300 m, 13 vii 1996, ZB 903; B6 Sivas: Gürün, Ziyaret pass, calcareous area, 2000-2200 m, 19 vii 1998, ZB 2195.

106. *P. hieracii* H.Mart. var. *hieracii*

Taraxacum serotinum (Waldst. & Kit.) Poiret (*Asteraceae*)

A6 Sivas: Suşehri, around Ekinözü village, fallow fields, 1100 m, 15 viii 1996, ZB 1217.

Taraxacum montanum (C.A.Mey.) DC. (*Asteraceae*)

A6 Sivas: Şerefiye, Karabayır pass, steppe, 1925 m, 15 viii 1996, ZB 1232.

Taraxacum syriacum Boiss. (*Asteraceae*)

B6 Sivas: Bingöl village, Halophytic vegetation, 1350 m, 22 ix 1996, ZB 1277.

Hieracium pannosum Boiss. (*Asteraceae*)

B6 Sivas: Gürün, Ziyaret pass, stony slopes, 2000-2200 m, 19 vii 1998, ZB 2179.

107. *P. hordei* G.H.Otth

Hordeum distichon L. (*Poaceae*)

B6 Sivas: Şarkışla, Hinzir Da, steppe, 1600 m, 19 vii 1998, ZB 2209.

108. *P. iridis* Wallr.

Iris sp. (*Iridaceae*)

A6 Sivas: north of Karaçayır village, mixed forest, 1650 m, 21 vii 1998, ZB 2394.

109. *P. lapsanae* Fuckel.

Lapsana communis L. var. *communis* (*Asteraceae*)

A6 Sivas: 10 km nofrth of Sivas, stony slopes, 1600 m, 21 vii 1998, ZB 2428; B7 Sivas: 13 km west of İmranlı, 1600 m, 12 vii 1996, ZB 834.

*110. *P. leontodontis* Jacky.

Leontodon crispus Vill. (*Asteraceae*)

B6 Sivas: 13 km from Sivas to Hafık, Seyfəbeli, gypsum, 1400 m, 13 viii 1996, ZB 1115.

Leontodon asperimus (Willd.) J.Ball (*Asteraceae*)

B6 Sivas: Gürün, around Suçatı village, steppe, 1500 m, 1 x 1996, ZB 1394.

111. *Puccinia libani* Magnus

Prangos pabularia Lindley (*Apiaceae*)

B6 Sivas: 13 km from Gürün to Pınarbaşı, calcareous area, 1700 m, 11 viii 1996, ZB 992.

112. *P. liliacearum* Duby

Ornithogalum sp. (*Liliaceae*)

B6 Sivas: 15 km from Sivas to Karaçayır, Tavla brook, Corylus scrub, 1500-1600 m, 4 vi 1997, ZB 1560.

113. *P. malvacearum* Bertero ex Mont.

Malva neglecta Wallr. (*Malvaceae*)

B6 Sivas: Gürün, Şugul valley, wet places in the valley, 1400 m, 6 vi 1997, ZB 1663.

114. *P. menthae* Pers.

Mentha spicata L. subsp. *spicata* (*Lamiaceae*)

A6 Sivas: 10 km from Suşehri to Degirmentaş village, streamside, 1250 m, 14 viii 1996, ZB 1207; B6 Sivas: Ulaş, spring of Tecer river, streamside, 1350 m, 23 ix 1996, ZB 1344.

115. *P. montana* Fuckel

Centaurea mucronifera DC. (*Asteraceae*)

B6 Sivas: between Gürün and Kangal, west of Bögürdölik village, rocky slopes, 1900-2000 m, 12 viii 1996, ZB 1045.

Centaurea carduiformis DC. (*Asteraceae*)

B7 Sivas: 13 km west of İmrانlı, gypsaceous area, 1900 m, 14 viii 1996, ZB1147.

Centaurea kotschyi (Boiss. & Heldr.) Hayek (Asteraceae)

B6 Sivas: 60 km from Sivas to Şarkışla, gypsum, 20 vii 1998, ZB 2345.

Centaurea rhizantha C.A.Mey. (Asteraceae)

B6 Sivas: Zara, around Bolucan, 1500 m, 22 vii 1999, ZB 2516.

*116. *P. mulgedii* (Westend.) P.Syd. & Syd.

Cicerbita mulgedioides (Sch.Bip. ex Vis. & Panc.) Beauvred (Asteraceae)

B6 Sivas: Şerefiye, Armutçayırlı village, Abdiaga fountain, 1500 m, 15 viii 1996, ZB 1244 a.

117. *P. nigrescens* Kirchn.

Salvia verticillata L. (Lamiaceae)

B6 Sivas: Ulaş, spring of Tecer river, streamside, 1350 m, 23 ix 1996, ZB 1350.

Salvia multicaulus Vahl (Lamiaceae)

B6 Sivas: Gürün, Şugul valley, calcareous slopes, 1400 m, 6 vi 1997, ZB 1651.

*118. *P. nishidana* Henn

Cirsium lappaceum (M.Bieb.) Fischer (Asteraceae)

B6 Sivas: Bingöl village, steppe, 1350 m, 22 ix 1996, ZB 1291, B. Yıldız.

119. *P. persistens* Plowr. subsp. *persistens*

Elymus repens (L.) Gould subsp. *repens* (Poaceae)

B6 Sivas: Ulaş, spring of Tecer brook, streamside, 1350 m, 23 ix 1996, ZB 1335.

Elymus longearistatus (Boiss.) Tzvelev (poaceae)

B6 Sivas: Between Gürün and Kangal, west of Böğrüdelik village, calcareous rocks, 2000 m, 5 vi 1997, ZB 1618.

Elymus elongatus (Host) Runemark subsp. *turcicus* (McGuire) Melderis (Poaceae)

B6 Sivas: 13 km south of Şarkışla, edge of cultivated area, 1550 m, 19 vii 1998, ZB 2272.

Elymus lazicus (Boiss.) Melderis subsp. *lazicus* (Poaceae)

B6 Sivas: 33 km from Gürün to Pınarbaşı, stony south slopes, 1700 m, 19 vii 1998, ZB 2157.

Elymus nodosus (Nevski) Melderis subsp. *gypsicolus* Melderis (Poaceae)

B6 Sivas: 65 km from Şarkışla to Pınarbaşı, fallow fields, 1550 m, 19 vii 1998, ZB 2266.

Agrostis stolonifera L. (Poaceae)

A6 Sivas: between Şerefiye and Karabayır pass, 6. km, steppe, 1750 m, 15 viii 1996, ZB 1234.

120. *P. phlomidis* Thum

Phlomis pungens Willd. (Lamiaceae)

B6 Sivas: 16 km from Sivas to Karaçayır, fallow fields, 1500 m, 5 viii 1997, ZB 1905.

121. *P. phragmitis* (Schumach) Körn.

Phragmites australis (Cav.) Trin. ex Steudel (Poaceae)

B6 Sivas: Ulaş, spring of Tecer brook, stream side, 1350 m, 23 ix 1996, ZB 1333.

*122. *P. picridis* Hazsl.

Picris hieracioides L. (Asteraceae)

A/B6 Sivas: Yıldızeli, Çamlıbel pass, 1650 m, 11 vii 1996, ZB 783, B. Yıldız.

Picris strigosa M.Bieb. (Asteraceae)

A/B6 Sivas: 2 km from Çamlıbel pass to Yıldızeli, 1550 m, 11 vii 1996, ZB 769. B6 Sivas: 4-5 km west of Gürün, steppe, 1450 m, 12 viii 1996, ZB 1029.

Picris hieracioides L. (Asteraceae)

B6 Sivas: Taşlıdere, serpentine, 1300-1400 m, 20 vii 1998, ZB 2303., B. Yıldız.

Picris pauciflora Willd. (Asteraceae)

B6 Sivas: 16 km from Sivas to Karaçayır, edge of fields, 1500 m, 5 viii 1997, ZB 1900.

123. *P. pimpinellae* (F.Strauss) Link

Pimpinella aurea DC. (Apiaceae)

B6 Sivas: Between Gürün and Kangal, west of Böğrüdelik village, calcareous rocks, 2000-2200 m, 4 viii 1997, ZB 1796.

Pimpinella tragium Vill. subsp. *lythophyta* (Schisck.) Tutin (Apiaceae)

B6 Sivas: Gürün, Gökpınar, calcareous rocks, north slopes, 1500 m, 18 vii 1998, ZB 2083. *Pimpinella corymbosa* Boiss. (Apiaceae)

B6 Sivas: 13 km from Sivas to Hafik, Seyfebeli, gypsum, 1400 m, 12 vii 1996, ZB 806.

Pimpinella olivierioides Boiss. & Hausskn. (Apiaceae)

B6 Sivas: 60 km from Sivas to Şarkışla, gypsum, 20 vii 1998, ZB 2367.

124. *P. poarum* E.Nielsen

Poa nemoralis L. (Poaceae)

B6 Sivas: West of Sivas, Zübeyde Hanım forest, gypsaceous area, 1300-1400 m, 13 viii 1996, ZB 1103.

125. *P. podospermi* DC.

Scorzonera cinerea Boiss. (Asteraceae)

A6 Sivas: Şerefiye, Karabayır pass, steppe, 1925 m, 15 viii 1996, ZB 1230, B. Yıldız.

126. *P. polygoni* Alb. & Schwein

Polygonum lapathifolium L. (Polygonaceae)

B6 Sivas: 33 km from Gürün to Pınarbaşı, wetlands, 1700 m, 19 vii 1998, ZB 2131.

127. *P. punctata* Link

Galium humifusum M.Bieb. (Rubiaceae)

A6 Sivas: 16 km from Suşehri to Koyulhisar, steppe, 700 m, 13 vii 1996, ZB 884.

Galium verum L. subsp. *verum* (Rubiaceae)

B7: Sivas: Divriği, Höbek village, Tülü valley, steppe, 1300 m, 4 viii 1997, ZB 1834.

Galium verum L. subsp. *glabrescens* Ehrend. (Rubiaceae)

B6 Sivas: 2 km from, Karakaya village to Yıldızeli, steppe, 1300 m, 6 viii 1997, ZB 1951.

Galium margaceum Ehrend. & Schonb.Tem. (Rubiaceae)

B7 Sivas: 13 km west of İmrانlı, deep soiled area, 1600 m, 12 vii 1996, ZB 831.

Galium psilophyllum Ehrend. & Schonb.Tem. (Rubiaceae)

B6 Sivas: west of Böğrüdelik village, calcareous rocks, 2000m, 14 vii 1996, ZB 935.

*128. *P. schemahensis* Uljan.

Blysmus copressus (L.) Panzer
(*Cyperaceae*)

B6 Sivas: 10 km from Kangal to Alacahan, meadows, 1400 m, 4 viii 1997, ZB 1845b.

129. *P. scorzonerae* (Schumach) Jacky.

Scorzonera mollis M.Bieb. subsp. *mollis*
(*Asteraceae*)

B7 Sivas: Divriği, Höbek village, Tülü valley, steppe, 2 vi 1997, ZB 1473.

Scorzonera eriophora DC. (*Asteraceae*)

B6 Sivas: 33 km from Gürün to Pınarbaşı, south slopes, 1700 m, 19 vii 1998, ZB 2160.

130. *P. silvatica* J. Schröt.

Senecio vernalis Waldst. & Kit.
(*Asteraceae*)

B6 Sivas: 17 km from Şarkışla to Pınarbaşı, fallow fields, 1600 m, 19 vii 1998, ZB 2224.

131. *P. stipae* Arthur

Salvia euphratica Montbret & Aucher ex Bentham (*Lamiaceae*)

A6 Sivas: 8 km from Suşehri to Tokat, orchard edge, 700-800 m, 13 vii 1996, ZB 881.

Salvia cryptantha Montbret & Aucher ex Bentham (*Lamiaceae*)

B6 Sivas: between Gürün and Darende, marl, 1100 m, 11 viii 1996, ZB 967.

Salvia multicaulis Vahl (*Lamiaceae*)

B6 Sivas: 15 km from Ulaş to Yagdonduran pass, steppe, 1400 m, 14 vii 1996, ZB 928.

Salvia cadmica Boiss. (*Lamiaceae*)

B7 Sivas: Divriği, 1 km east of Davutoğlu village, steppe 1400-1500 m, 2 vi 1997, ZB 1496.

132. *P. striiformis* Westend var. *dactylidis* Manners.

Dactylis glomerata L. (*Poaceae*)

A6 Sivas: 10 km north of Sivas, stony slopes, 1600 m, 21 vii 1998, ZB 2443.

133. *P. tanaci* DC.

Tanacetum argenteum L. subsp. *argenteum* (*Asteraceae*)

B6 Sivas: between Gürün and Kangal, west of Böğrüdelik village, calcareous rocks, 2000 m, 14 vii 1996, ZB 941.

Tanacetum densum (Lab.) Sch.Bip
(*Asteraceae*)

B6 Sivas: between Gürün and Kangal, west of Böğrüdelik village, calcareous rocks, 2000 m, 14 vii 1996, ZB 934.

Tanacetum vulgare L. (*Asteraceae*)

A6 Sivas: 2 km north of Karaçayır, deciduous forest, 1500 m, 5 viii 1997, ZB 1922.

134. *P. taraxaci* (Rebent) Plowr.

Taraxacum bessarabicum (Hornem.) Hand.Mazz. (*Asteraceae*)

A6 Sivas: Yıldızeli, Çamlıbel pass, alpine steppe, 1600-1700 m, 13 viii 1996, ZB 1090.

Taraxacum montanum (C.A.May.) DC.
(*Asteraceae*)

B6 Sivas: Gürün, Gökpınar, steppe, 1500 m, 18 viii 1998, ZB 2089.

135. *P. thesii* (Desv.) Chaillet

Thesium stellerooides Jaub. & Spach
(*Santalaceae*)

B6 Sivas: west of Sivas, Zübeyde Hanım forest, gypsum, 1400 m, 13 viii 1996, ZB 1102.

Thesium procumbens C.A.Mey.
(*Santalaceae*)

B6 Sivas: 8 km west of Gürün, marl, 1500 m, 12 viii 1996, ZB 1019; A6 Sivas: Suşehri, Kelkit valley, steppe, 700-800 m, 14 viii 1996, ZB 1170.

Thesium tauricolum Boiss. & Hausskn.
(*Santalaceae*)

B6 Sivas: Divriği, around Yalnızsöğüt village, 1300 m, 4 viii 1997, ZB 1823.

136. *P. tragopogi* (Pers.) G.Winter

Tragopogon aureus Boiss. (*Asteraceae*)

B6 Sivas: 13 km west of İmranlı, deep soiled area, 1600 m, 12 vii 1996, ZB 837.

137. *P. ziziphorae* P.Syd. & Syd.

Ziziphora clinopodioides Lam.
(*Lamiaceae*)

B6 Sivas: 13 km west of İmranlı, steppe, 1600 m, 12 vii 1996, ZB 829.

23. 138. *Trachyspora intrusa* (Grev.) Arthur.

Alchemilla holocyla Rothm. (*Rosaceae*)

A/B6 Sivas: 2 km from Çamlıbel pass to Yıldızeli, 1550 m, 11 vii 1996, ZB 778.

24. *139. *Uromyces aelropodis-repentis* Natrass

Aelropus littoralis (Gouan) Parl.
(*Poaceae*)

B6 Sivas: Bingöl village, halophytic vegetation, 1350 m, 22 ix 1996.

140. *U. anthyllidis* (Grev.) J.Schröz

Dorycnium graecum (L.) Ser. (*Fabaceae*)

By Sivas: 10 km east of İmranlı, steppe, 1700 m, 12 vii 1996, ZB 840.

Lotus corniculatus L. (*Fabaceae*)

A6 Sivas: Suşehri, around Ekinözü village, mixed scrub, 1100 m, 15 viii 1996, ZB 1212.

Anthyllis vulneraria L. (*Fabaceae*)

A6 Sivas: north of Karaçayır village, mixed forest, 1650 m, 21 vii 1998, ZB 2410.

141. *U. behenis* (DC.) Unger

Silene vulgaris (Moench) Garcke
(*Caryophyllaceae*)

A6 Sivas: 6 km from ŞerefİYE to Karabayır pass, steppe, 1750 m, 15 viii 1996, ZB 1240.

Silene italica (L.) Pers (*Caryophyllaceae*)

A6 Sivas: north of Karaçayır, deciduous forest, 1500 m, 5 viii 1997, ZB 1933.

*142. *U. cytisi* J. Schröt.

Genista aucheri Boiss. (*Fabaceae*)

A6 Sivas: Suşehri, 18 km from Akıncılar to Refahiye, steppe 1100 m, 12 vii 1996, ZB 857.

143. *U. dianthi* (Pers.) Niessl

Dianthus strictus Banks & Sol.
(*Caryophyllaceae*)

B6 Sivas: Gürün, Şugul valley, stony slopes, 1400 m, 2 x 1996, ZB 1432.

Dianthus orientalis Adams
(*Caryophyllaceae*)

B6 Sivas: around Paşabahçe, gypsum, 1300 m, 5 viii 1997, ZB 1856.

Dianthus floribundus Boiss.
(*Caryophyllaceae*)

A6 Sivas: 3 km north of Karaçayır, mixed forest, 1600 m, 21 vii 1998, ZB 2466.

144. *U. fabae* (Pers.) de Bary

Vicia cracca L. (*Fabaceae*)

B6 Sivas: 65 km from Şarkışla to Pınarbaşı, 1550 m, 19 vii 1998, ZB 2259.

*145. *U. fischeri-eduardi* Magnus

Vicia cracca L. (*Fabaceae*)

B6 Sivas: 5 km east of Yıldızeli, steppe, 1300-1400 m, 11 vii 1996, ZB 761.

*146. *U. galegicola* Woron.

Galega officinalis L. (*Fabaceae*)

A6 Sivas: Suşehri, 20 km from Akıncılar to Refahiye, 2100 m, 14 viii 1996, ZB 1160.

147. *U. geranii* (DC.) G.H.Otth & Wartm.

Geranium rotundifolium L. (*Geraniaceae*)

B6 Sivas: 10 km north of Sivas, meadows, 4 vi 1997, ZB 1554.

148. *U. glycyrrhizae* (Rabenh.) Magnus

Glycyrrhiza echinata L. (*Fabaceae*)

B6 Sivas: Gürün, around Bahçeçi village, garden edge, 1100 m, 14 vii 1996, ZB 919.

149. *U. gypsophila* Cooke

Gypsophila perfoliata L.
(*Caryophyllaceae*)

B6 Sivas: Zara, shore of Tödürge lake, steppe, 1300 m, 14 viii 1996, ZB 1188.

Vaccaria pyramidata Medik.
(*Caryophyllaceae*)

B6 Sivas: 60 km from Sivas to Şarkışla, gypsum, 20 vii 1998, ZB 2207.

*150. *U. hedsyari-obscuri* (DC.) Carestina & Picc.

Hedysarum pestalozzae Boiss. (*Fabaceae*)

B6 Sivas: Taşlıdere, gypsaceous hills, 1350 m, 22 ix 1996, ZB 1328.

Hedysarum varium Willd. (*Fabaceae*)

B6 Sivas: Taşlıdere, serpentine, 1300-1400 m, 20 vii 1998, ZB 2301.

151. *U. limonii* (DC.) Lev.

Limonium gmelini (Willd.) Kuntze
(*Plumbaginaceae*)

A6 Sivas: Suşehri, Tokat road 8 km, garden edge, 700-800 m, 13 vii 1996, ZB 877.

Limonium sp. (*Plumbaginaceae*)

B6 Sivas: Bingöl village, salt marshes, 1300 m, 4 vi 1997, ZB 1582.

152. *U. muscari* Lev.

Hyacinthus orientalis L. (*Liliaceae*)

B7 Sivas: Divriği, Höbek village, Tülü valley, steppe, 2 vi 1997, ZB 1467.

Muscari sp. (*Liliaceae*)

B6 Sivas: between Gürün and Kangal, west of Bögürdelen village, calcareous area, 2000 m, 5 vi 1997, ZB 1601.

153. *U. onobrychidis* (Desm.) Lev.

Onobrychis cappadocica Boiss. (*Fabaceae*)

B6 Sivas: 13 km from Sivas to Hafik, Seyfəbeli, gypsum, 1400 m, 13 viii 1996, ZB 1128.

Onobrychis radiata (Desf.) M.Bieb.
(*Fabaceae*)

B6 Sivas: 14 km from Zara to Bolucan, 1400 m, 22 vii 1998, ZB 2539.

154. *U. ononidis* Pass.

Ononis spinosa L. (*Fabaceae*)

B7 Sivas: 10 km east of İmrانlı, steppe, 1700 m, 12 vii 1996, ZB 841.

155. *U. polygoni* (Pers.) Fuckel

Polygonum bellardii All. (*Polygonaceae*)

B6 Sivas: 18 km from Gürün to Kangal, steppe, 1500 m, 4 viii 1997, ZB 1763.

Polygonum arenastrum Bor.
(*Polygonaceae*)

A6 Sivas: Şerefiye, Karabayır pass, 1925 m, 15 viii 1996, ZB 1225

156. *U. pisi* (DC.) G.H.Otth

Euphorbia virgata Waldst. & Kit. ex Willd.
(*Euphorbiaceae*)

B6 Sivas: Kangal, Alacahan, 2 km east of Yeşildere, steppe, 1550 m, 10 vii 1996, ZB 733.

157. *U. rumicis* (Schumach.) G. Winter

Rumex sp. (*Polygonaceae*)

A6 Sivas: 10 km north of Sivas, stony slopes, 1600 m, 21 vii 1998, ZB 2423.

158. *U. salsolae* Reichardt.

Noaea mucronata (Forssk.) Aschers. & Schweinf. subsp. *mucronata*
(*Chenopodiaceae*)

B6 Sivas: Yıldızeli, 2 km east of Karakaya village, steppe, 1300 m, 6 viii 1997, ZB 1944.

*159. *U. scleranthi* Rostr.

Minuartia meyeri (Boiss.) Bornm.
(*Caryophyllaceae*)

B6 Sivas: between Gürün and Gökpınar, marl, 1500 m, 18 vii 1998, ZB 2018.

Minuartia hamata (Hausskn.) Mattf.
(*Caryophyllaceae*)

B6 Sivas: between Gürün and Gökpınar, marl, 1500 m, 18 vii 1998, ZB 2020

160. *U. striatus* S. Schröt.

Medicago falcata L. (*Fabaceae*)

A6 Sivas: Suşehri, 20 km from Akıncılar to Refahiye, 2100 m, 14 viii 1996, ZB 1162;

B6 Sivas: 16 km from Sivas to Karaçayır, fallow fields, 1500 m, 5 viii 1997, ZB 1908.

Medicago x varia Martyn (*Fabaceae*)

B6 Sivas: 13 km from Sivas to Hafik, Seyfəbeli, gypsum, 1400 m, 13 viii 1996, ZB 1120.

161. *U. trifolii* (DC.) Lev.

Trifolium alpestre L. (*Fabaceae*)

A/B6 Sivas: 2 km from Çamlıbel pass to Yıldızeli, 1550 m, 11 vii 1996, ZB 771.

Trifolium pratense L. (*Fabaceae*)

A6 Sivas: 10 km from Suşehri to Degirmentaş, meadows, 1250 m, 14 viii 1996, ZB 1205.

Trifolium pannonicum Jacq. subsp. *elongata* (Willd.) Zoh. (*Fabaceae*)

A6 Sivas: 2 km north of Karaçayır, deciduous forest, 1500 m, 5 viii 1997, ZB 1910.

162. *U. tinctoricola* Magnus.

Euphorbia virgata Waldst. & Kit. ex Willd.
(*Euphorbiaceae*)

A6 Sivas: Suşehri, Tokat road, 8 km, garden edge, 700-800 m, 13 vii 1996, ZB 878; B6 Sivas: 8 km west of Gürün, marl, 1500 m, 14 vii 1996, ZB 909.

Euphorbia cardiophylla Boiss. & Heldr.
(*Euphorbiaceae*)

B7 Sivas: Divriği, Höbek village, Tülü valley, meadows, 2 vi 1997, ZB 1480.

163. *U. trigonellae* Pass.

- Trigonella monantha* C.A.Mey.
(*Fabaceae*)
B6 Sivas: 13 km south of Şarkışla, fallow fields, 1550 m, 19 vii 1998, ZB 2269.
- *164. *U. verruculosus* J. Schröt.
Silene alba (Miller) Krause
(*Caryophyllaceae*)
B6 Sivas: 3 km west of Yıldızeli, steppe, 1300 m, 13 vii 1996, ZB 890.
- Silene italica* (L.) Pers (*Caryophyllaceae*)
A6 Sivas: north of Karaçayır village, mixed forest, 1650 m, 21 vii 1998, ZB 2416.
- *165. *U. viciae-craccae* Const.
Vicia cracca L. (*Fabaceae*)
B6 Sivas: 10 km east of İmranlı, steppe, 1700 m, 12 vii 1996, ZB 839.
- Order: USTILAGINALES
Fam.: TILLATIACEAE
25. *166. *Melanotaenium ari* (Cooke) Magnus
Arum euxinum R.Mill (*Araceae*)
B6 Sivas: between Gürün and Kangal, west of Boğrüdelik village, rocky slopes, 2000 m, 5 vi 1997, ZB 1610.
26. 167. *Tilletia controversa* J.G.Kühn
Triticum sp. (*Poaceae*)
B6 Sivas: between Gürün and Gökpınar, marl, 1500 m, 18 vii 1998, ZB 2007.
168. *T. laevia* J.Kuhn
Triticum sp. (*Poaceae*)
B6 Sivas: Suşehri, 18 km Akıncılar to Refahiye, steppe, 1100 m, 12 vii 1996, ZB 855.
- Fam.: USTILAGINACEAE
27. 169. *Ustilago avenae* (Pers.) Rostr.
Avena sativa L. (*Poaceae*)
B6 Sivas: around Paşabahçe, gypsum, 1300 m, 5 viii 1997, ZB 1860.
170. *U. hypodytes* (Schltdl) Fr.
Bromus tomentellus Boiss. (*Poaceae*)
B6 Sivas: 3 km from Gürün to Suçtu village, marly hills, 1400 m, 5 vi 1997, ZB 1647.
171. *U. striiformis* (Westend) Niessl
Bromus danthoniae Trin. (*Poaceae*)
B6 Sivas: between Gürün and Darende, steppe, 1100 m, 11 viii 1996, ZB 969.
172. *U. tritici* C.Bauhin
Triticum vulgare Vill. (*Poaceae*)
B6 Sivas: 10 km from Suşehri to Degirmentaş village, fields, 1000 m, 12 vii 1996, ZB 867.
- Stipa ehrenbergiana* Trin. & Rupr. (*Poaceae*)
B6 Sivas: 3 km from Gürün to Suçtu village, marly hills, 1400 m, 5 vi 1997, ZB 1650.
- Stipa pulcherrima* C.Koch (*Poaceae*)
B6 Sivas: 16 km from Kangal to Gürün, steppe, 1450 m, 12 viii 1996, ZB 1059.
- *173. *U. williamsii* (Griffiths) Lavrov
Stipa ehrenbergiana Trin. & Rupr. (*Poaceae*)
B6 Sivas: 3 km from Gürün to Suçtu village, marly hills, 1400 m, 5 vi 1997, ZB 1650.
- Stipa pulcherrima* C.Koch (*Poaceae*)
B6 Sivas: 16 km from Kangal to Gürün, steppe, 1450 m, 12 viii 1996, ZB 1059.
- Subdiv.: DEUTEROMYCOTINA
Class.: COELOMYCETES
Order:MELANCONIALES
Fam.: MELANCONIACEAE
28. 174. *Entemosporium maculatum* Lev.
Cotoneaster nummularia Fisch. & Mey. (*Rosaceae*)
B6 Sivas: Taşlıdere, Karayolları fountain, serpentine, 1300-1400 m, 20 vii 1998, ZB 2288.
29. *175. *Marssonina delastrei* (Lacroix) Magnus
Silene vulgaris (Moench) Garcke (*Caryophyllaceae*)
B7 Sivas: 13 km west of İmranlı, deep soiled area, 1600 m, 12 vii 1996, ZB 830.
- Silene swertiifolia* Boiss. (*Caryophyllaceae*)
B6 Sivas: Gürün, Şugul valley, wet places, 1400 m, 6 vi 1997, ZB 1653.
- Order: SPHAEROPSIDALES
Fam.: SPHAEROPSIDACEAE
30. *176. *Ascochyta lini* Rostr.
Linum bienne Miller (*Linaceae*)
A/ B6 Sivas: Yıldızeli, Çamlıbel pass, 1700 m, 6 vi 1993, N. Çelik 2316.
31. *177. *Camarosporium vetustum* Ellis & Everh.
Centaurea sp. (*Asteraceae*)
B6 Sivas: Taşlıdere, Karayolları fountain, serpentine, 1300 m, 3 vi 1997, ZB 1538.
32. *178. *Coniothyrium korovinii* Golovin
Lycium anatomicum A.Baytop & R.Mill (*Solanaceae*)
B6 Sivas: C.U. Campus, steppe, 1200 m, 26 vii 1983, B. Yıldız 3938.
- *179. *C. olivaceum* Bonord
Helychirism plicatum DC. (*Asteraceae*)
B6 Sivas: Gürün, Ziyaret pass, calcareous area, 2000-2200 m, 19 vii 1998, ZB 2173.
33. *180. *Diplodia herbarum* (Corda) Lev.
Helychirism plicatum DC. (*Asteraceae*)
B6 Sivas: Gürün, Ziyaret pass, calcareous area, 2000-2200 m, 19 vii 1998, ZB 2173.
34. *181. *Hendersonia grossulariae* Oudem.
Acantholimon venustum Boiss. (*Plumbaginaceae*)
B6 Sivas: Celallı, Aktaş village, Gürlevik mountain, north slopes, 1500-1700 m. 17 vii 1984, B. Yıldız 4545.
35. *182. *Phoma astragalicola* Hollos
Astragalus sp. (*Fabaceae*)
B6 Sivas: C.U. campus, 1300-1550 m, steppe, 22 vii 1983, N. Çelik 2515.
- *183. *P. oleraceae* Sacc. var. *solidaginis*
Chondrilla juncea L. (*Asteraceae*)
B7 Sivas: Divriği, Höbek village, Tülü valley, meadows, 2 vi 1997, ZB 1491.
36. *184. *Phyllosticta punctiformis* Sacc.
Silene italica (L.) Pers (*Caryophyllaceae*)
A6 Sivas: north of Karaçayır village, mixed forest, 1650 m, 21 vii 1998, ZB 2402.

- *185. *Ph. serratulae* Kalymb.
Serratula sp. (Asteraceae)
- B6 Sivas: Kangal, 2 km west of Çetinkaya, steppe, 1400 m, 4 viii 1997, ZB 1821.
37. 186. *Polystigmina rubra* (Desm.) Sacc.
Prunus divaricata Ledeb. (Rosaceae)
- B7 Sivas: İmranlı, around Saruhan village, 1900 m, 14 viii 1996, ZB 1155.
- Prunus domestica* L. (Rosaceae)
- B6 Sivas: Zara, around Bolucan, steppe, 1500 m, 22 vii 1999, ZB 2514.
38. *187. *Rhabdospora pleosporoides* (Sacc.) Sacc.
Picris sp. (Asteraceae)
- B6 Sivas: 8 km west of Gürün, marly hills, 6 vi 1997, ZB 1698.
39. *188. *Selenophoma centaurea* Pisareva & Philimonova
Centaurea sp. (Asteraceae)
- B6 Sivas: Taşlıdere, 1300 m, 3 vi 1997, ZB 1538.
40. *189. *Septoria alliicola* Baumler
Allium scordoprasum (L.) Stearn subsp. *rotundum* (L.) Stearn (Liliaceae)
- B6 Sivas: Celalli, Aktaş village, above Çağlayan, scree, 1700 m, 7 viii 1983, N. Çelik 2742.
190. *S. digitalidis* Pass.
Digitalis ferruginea L. subsp. *ferruginea* (Scrophulariaceae)
- B6 Sivas: Ulaş, Şakiragılı village, Quercus scrub, 1700-1800 m, 10 x 1986, N. Çelik 4763.
41. 191. *Tuberculina persicina* (Oitmar) Sacc.
Cirsium arvense (L.) Scop. (Asteraceae)
- B6 Sivas: between Sivas and Gürün, Sakaltutan, steppe, 1800 m, 5 vi 1997, ZB 1621.
- Class: HYPHOMYCETES
Order: HYPHOMYCETALES
Fam.: MONILIACEAE
42. *192. *Ramularia alaterni* Thum.
- Rhamnus catharticus* L. (Rhamnaceae)
- A6 Sivas: Yıldız mountain, around Yusufoglan village, 1650 m, 16 vii 1988, Ş. Civelek
193. *R. brunnea* Peck.
Tussilago farfara L. (Asteraceae)
- B6 Sivas: Ulaş, spring of Tecer brook, water edge, 1350 m, 23 ix 1996, ZB 1338.
- Fam.: DEMATIACEAE
43. 194. *Bispora antennata* (Pers.) E. W. Mason
- Centaurea drabifolia* Sm. subsp. *cappadonica* (DC.) Wagenitz (Asteraceae)
- B6 Sivas: Celalli, Aktaş, Gürlevik Mountain, south slopes, 2300 m, 8 viii 1984, N. Çelik 2855.
44. 195. *Cladosporium herbarum* (Pers.) Link: S.F. Gray
Picris sp. (Asteraceae)
- B6 Sivas: 8 km west of Gürün, marly hills, 6 vi 1997, ZB 1698.
- Gagea* sp. (Liliaceae)
- B6 Sivas: 18 km from Sivas to Karaçayır, fallow fields 1700 m, 4 vi 1997, ZB 1571.
- Sonchus asper* (L.) Hill (Asteraceae)
- A6 Sivas: 10 km from Suşehri to Degirmentaş, fallow fields, 1250 m, 14 viii 1996, ZB 1213.
- Gypsophila* sp. (Caryophyllaceae)
- B6 Sivas: 24 km from Sivas to Ulaş, gypsum, 1300 m, 3 vi 1997, ZB 1527
- Aethionema cordatum* (Desf.) Boiss. (Brassicaceae)
- B6 Sivas: Hocabey village, Domuzlukçi, 1200 m, 18 v 1983, B. Yıldız 3528.
- *196. *C. macrocarpum* Preuss.
Onopordum turicum Danin (Asteraceae)
- B6 Sivas: Gürün, Gökpınar, wet places, 1500 m, 2 x 1996, ZB 1447.
45. *197. *Coniosporium epiphillum* Sacc.
Pilosella piloselloides (Vill.) Sojak (Asteraceae)
- B6 Sivas: 33 km from Gürün to Pınarbaşı, calcareous slopes, 1600 m, 11 viii 1996, ZB 998
46. *198. *Coniothecium phyllophilum* Desm.
Atrapaxis billardieri Jaub. & Spach var. *billardieri* (Polygonaceae)
- B6 Sivas: Karasar village, Tecer Da., south slopes, 1800-2000 m, 20 viii 1985, B. Yıldız 6448.
47. *199. *Fusicladium orbiculatum* (Desm.) Thum.
- Sorbus torminalis* (L.) Crantz (Rosaceae)
- B6 Sivas: Taşlıdere, Domuzlukçi, mixed scrub, 1300 m, 12 vii 1984, B. Yıldız 4353.
48. 200. *Heterosporium echinulatum* (Berk.) Cooke
- Eryngium campestre* L. (Apiaceae)
- B6 Sivas: Bingöl village, steppe, 1350 m, 22 ix 1996, ZB 1292.
49. *201. *Hormiscium antiguum* Sacc.
- Polygala anatolica* Boiss. & Heldr. (Polygalaceae)
- B6 Sivas: C.U. campus, 1300-1400 m, steppe, 8 vi 1983, B. Yıldız 3681.
- Subdiv.: ASCOMYCOTINA
Class.: DISCOMYCETES
Order: HELOTIALES
Fam.: DERMEACEAE
50. *Mollisia* (Fr.) P.Karsz.
Picris strigosa M.Bieb. (Asteraceae)
- A6/B6 Sivas: Yıldızeli: Çamlıbel pass, 1300-1400 m, 11 vii 1996, ZB 774, B. Yıldız.
- Class.: LOCULOASCOMYCETES
Order: DOTHIDEALES
Fam.: DOTHIDEACEAE
51. *Guignardia* Viala & Ravaz
Aethionema armenum Boiss. (Brassicaceae)
- B6 Sivas: Tecer Mountain Beşgözler, 1700-1900 6 vi 1995, N. Çelik 3606, B. Yıldız.
- Fam.: MELANOMMATACEAE
52. *Melanomma* Nitschke ex Fuckel
Linum bienne Miller (Linaceae)

A6/B6 Sivas: Yıldızeli, Çamlıbel pass,
1700 m, 6 vi 1993, N. Çelik, 2326 B. Yıldız.

Order: PLEOSPORALES

Fam.: PLEOSPORACEAE

53. *Leptophaeria* Ces. & DeNat.

Aethionema armenum Boiss.
(Brassicaceae)

B6 Sivas: Tecer Mountain Beşgözler,
1700-1900, 6 vi 1995, N. Çelik 3606, B.
Yıldız.

Subdiv.: DEOTEROMYCOTINA

Class.: COELOMYCETES

Order: SPHAEROPSIDALES

Fam.: SPHAEROPSIDACEAE

54. *Microdiploidia* Allesch.

Achillea sp (Asteraceae)

B6 Sivas: 18 km from Gürün to Kangal,
steppe, 1500 m. 4 viii 1994, ZB 1765.