

Flora of Mount Musa (Hatay-Turkey)

Atabay DÜZENLİ, Halil ÇAKAN

Çukurova University, Faculty of Arts and Sciences, Department of Biology, 01330, Balcalı-Adana - TURKEY

Received: 06.04.1999

Accepted: 19.01.2001

Abstract: The field studies have been carried out to determine the flora of Mount Musa between 1994-1996. Nearly, 1000 plant specimens were collected. After identification of these specimens, total flora has been determinated as 522 taxa at specific and subspecific ranks belonging to 287 genera and 87 families. The largest three families are *Fabaceae* (67 species), *Asteraceae* (55 species) and *Lamiaceae* (45 species). The largest genus is *Trifolium* L. (14 species) and the second is *Vicia* L. (11 species). Mount Musa is take part in the Mediterranean phytogeographical region. The phytogeographical spectrums of species are as follows: Mediterranean elements, 213 species (40.8 %); Euro-Siberian elements, 43 species (8.2 %); and Irano-Turanian elements, 19 species (3.6 %). The flora of Mount Musa has nearly 52 (9.3 %) endemic plant taxa. *Carthamus tenuis* (Boiss. & Bl.) Bornm. subsp. *gracillimus* (Rech. fil.) Hanelt (*Asteraceae/Compositae*) has been recorded first time from Turkey. The doubtful existences of *Echinops bicolor* Nàb. (*Asteraceae/Compositae*) in Turkey has been confirmed by the collection of its specimen from Mount Musa.

Key Words: Mount Musa, Hatay, Flora, East Mediterranean, Turkey

Musa Dağı'nın Florası (Hatay-Türkiye)

Özet: Musa Dağı'nın florasını saptamak amacıyla 1994-1996 yılları arasında arazi çalışmaları yürütülmüştür. Bu çalışmalar esnasında yaklaşık 1000 bitki örneği toplanmıştır. Bu örneklerin teşhis edilmesiyle, 87 familyaya ait 287 cins, tür ve türaltı düzeyde 522 takson tespit edilmiştir. Araştırma alanında en fazla türe sahip ilk üç familya sırasıyla *Fabaceae* (67 tür), *Asteraceae* (55 tür) ve *Lamiaceae* (45 tür)'dır. En büyük cins *Trifolium* L. (14 tür), ikincisi ise *Vicia* L. (11 tür)'dır. Musa Dağı, Akdeniz fitocoğrafik bölgesinde yer almaktadır. Türlerin fitocoğrafik bölgelere göre dağılımı sırasıyla: Akdeniz elemanları, 213 tür (% 40.8); Avrupa-Sibirya elemanları, 43 tür (% 8.2) ve İran-Turan elemanları, 19 tür (% 3.6) şeklidindedir. Musa Dağı'nın florasında 52 endemik tür (% 9.3) yer almaktadır. *Carthamus tenuis* (Boiss. & Bl.) Bornm. subsp. *gracillimus* (Rech. fil.) Hanelt (*Asteraceae/Compositae*), Türkiye'den ilk defa kayıt edilmiştir. *Echinops bicolor* Nàb. (*Asteraceae/Compositae*) türünün Türkiye Florasındaki varlığı, bu türe ait örneğin Musa Dağı'ndan toplanması ile kesinlik kazanmıştır.

Anahtar Sözcükler: Musa Dağı, Hatay, Flora, Doğu Akdeniz, Türkiye

Introduction

Mount Musa is take place in the southern part of the Amanous Mountains that is situated in Mediterranean Phytogeographical region. The Amanous Mountains is remarkable for its endemic species. A number of Euxinian or Medio-European species also occur here as well as in northern Anatolia, such as *Taxus baccata* L., *Carpinus orientalis* Miller, *Fagus orientalis* Lipsky, *Fragaria vesca* L., *Buxus sempervirens* L., *Staphylea pinnata* L. Although, the Amanous mountain system and adjacent areas have

been took attention of many botanists because of occupies a special place with its florohistoric past in the flora of the East Mediterranean province, there are a few detailed studies on its vegetation and flora. The first detailed research on the flora and vegetation of Amanous Mountains had been done by Akman (1973) and second floristic study was conducted around Erzin district by Türkmen and Düzenli (1998). Both of these studies carried out mostly in the centre and north part of Amanous Mountains, but there has been no detailed study

on the flora and vegetation of mount Musa. However, many botanists have visited Amanous Mountains (Post, 1932-1933; Davis, 1965-1985; Davis et al., 1988; Zohary, 1973). Mount Musa was chosen for the reasons given above and the aim of this research is to contribute to complete total flora of whole mountains system of Amanous.

Mount Musa is situated in Hatay province. It is surrounded by Mediterranean Sea from west, district of Samandağ from south, the Plain of Asi River from east and the main range of Amanous Mountains from north. The altitude increases gradually from sea level to the top point (1250 m) in the southwest direction. It is sharply rising at the northeast direction from 300 m to the top. Thus, the main crest of the Mount Musa runs from northeast to southwest till the sea level (Fig. 1).

The geological structure of the research area essentially contains magmatic and sedimentary with a few metamorphic rocks. The majority of the magmatic rocks are ophiolitic, in age of upper cretease, with the remainder of effusive origin. The sediments of the lower altitude and plain are in the age of the lower Paleozoic and Quaternary (Yılmaz et al., 1984).

Research area has a typical Mediterranean climate. The annual average of precipitation is 1124 mm in Hatay and 937 mm in Samandağ according to the data obtained from Hatay and Samandağ meteorology stations. Snowfall rarely occurs between December and March. The annual average of temperature is 18.1 °C in Hatay and 18.8 °C in Samandağ. Rainy and humid climate is more effective especially in the deep valleys at the north, but, less rainy and drought conditions are common at the




Figure 1. Topographical map of Mount Musa.

south slopes. The seasonal precipitation regime for a year is as follows; winter (W), spring (S), autumn (A) and summer (S')-(WSAS'). As shown on the ombrometric diagrams an arid period was observed between June and September (Fig. 2).

The main types of vegetation in Mount Musa are composed by macchie and Forest. Macchie occurs at shallow soil on the calcareous main rock from sea level to 600 meters at the south and east slopes. It includes a lot of common tall shrubs such as *Pistacia terebinthus* L. subsp. *palaestina* (Boiss.) Engler, *Laurus nobilis* L., *Styrax officinalis* L., *Arbutus andrachne* L., *Myrtus communis* L. subsp. *communis* and *Cercis siliquastrum* L. subsp. *siliquastrum*. Some low shrub members like *Daphne sericea* Vahl, *Micromeria myrtifolia* Boiss. & Hohen., *Calamintha betulifolia* Boiss. & Bal., *Euphorbia macrostegia* Boiss., *Phlomis longifolia* Boiss. & Bl. var. *longifolia* and *Hypericum pallens* Banks & Sol. are frequently associated with this community.

The deciduous forests in Mount Mousa have been formed by *Carpinus orientalis*, *Buxus sempervirens*, *Ostrya carpinifolia* Scop., *Quercus cerris* L. var. *cerris* and

Fagus orientalis. They mostly common in the deep Valleys and shady places as pure or mixed forests at the northern slopes. The evergreen forests consist of *Pinus brutia* Ten. and *Pinus nigra* Arn. subsp. *pallasiana* (Lamb.) Holmboe.

Materials and Methods

The flora of Mount Musa was thoroughly and extensively surveyed between 1994-1996. Field notes on individual species and vegetation were made in various field tours. Plant materials collected during the field survey were mainly identified according to the *Flora of Turkey and The East Aegean Islands* (Davis, 1965-1985, Davis et al., 1988) and other flora books of neighboring countries such as Syria (Post, 1932) and Iraq (Guest & Townsend, 1968-1974).

The plant taxa of Mount Musa listed in the appendix. Ferns listed before the citation of spermatophytes. Gymnosperms are similarly given before angiosperms in the group of spermatophytes and dicots are listed before monocots within the group of angiosperms. But, other taxonomic categories in these main groups such as




Figure 2. Climatic diagrams of Samandağ and Antakya.

families, genera and species are arranged in the alphabetical sequence. All taxa at the level of specific and subspecific ranks in the list are represented in the following order:

- i- The legitimate names and the authors of the species, subspecies and varieties
- ii- The locality, habitat, collection date and collector number of the specimens are given under each legitimate name of taxa.
- iii- The endemism and phytogeographical status of taxa are stated.

The abbreviations used in the text and appendix are as follows: Euro-Sib. - Euro-Siberian element; E.Medit.el.- East Mediterranean element; Medit.el.- Mediterranean element; Ir.-Tur. el. -Irano-Turanian element; HÇ.- Halil Çakan

All the herbarium specimens are kept in the Herbarium of Biology Department (ADA), Faculty of Art and science, Çukurova University, Adana.

Results and Discussion

More than 1000 plant specimens have been collected between the years of 1994-1996. After identification of these specimens, total flora of Mount Musa determinated as 522 taxa at the specific and subspecific rank that are belong to 287 genera and 87 families.

The largest ten families are shown in table 2. The first largest family is *Fabaceae* with 67 species (12.8 %). The second one is *Asteraceae* with 55 species (10.5 %) and it is the largest family in the Flora of Turkey (Davis 1988). *Lamiaceae* with 45 species (8.6 %) and *Poaceae* with 42 species (8.0%) follow them, they take the same order in the Total Flora of Turkey. Others in ten largest families are *Rubiaceae* with 21 species (4.0 %), *Scrophulariaceae* with 21 species (4.0 %), *Caryophyllaceae* with 17 species (3.2 %), *Liliaceae* with 16 species (3.0 %), *Brassicaceae* 15 species (3.0 %) and *Apiaceae* with 14 species (2.6 %). These largest ten families include more than half of species (60 %) in flora. The first four largest families are in the same order in Mount Musa and other studies (Table 2). Other six families show little differences because of dissimilarities in local habitats (Table 1).

The largest five genera are *Trifolium* (14 species), *Vicia* (11 species), *Hypericum* L. (9 species), *Lathyrus* L. (9 species) and *Galium* L. (8 species) in the study area.

Table 1. The largest ten families in Mount Musa and other studies in the region.

Families	Mount Musa (Present study) %	Erzin-Döryol (Türkmen-1998) %	Amanus Mountains (Akman-1973) %
<i>Fabaceae (Leguminosae)</i>	12.8	12.2	14.3
<i>Asteraceae (Compositae)</i>	10.5	10.7	8.3
<i>Lamiaceae (Labiatae)</i>	8.6	6.0	8.3
<i>Poaceae (Gramineae)</i>	8.0	7.0	5.5
<i>Rubiaceae</i>	4.0	2.3	3.1
<i>Scrophulariaceae</i>	4.0	3.3	2.6
<i>Caryophyllaceae</i>	3.2	3.2	3.0
<i>Liliaceae</i>	3.0	4.6	4.0
<i>Brassicaceae(Cruciferae)</i>	3.0	4.8	5.0
<i>Apiaceae(Umbelliferae)</i>	2.6	3.2	4.0

Table 2. Percentage of phytogeographical elements and endemism in Mount Musa and adjacent regions.

Floristic Region	Mount Musa (Present study) %	Amanus Mountains (Akman-1973) %	Döryol-Erzin (Türkmen-1998) %
Mediterranean elements	40.8	65.0	29.9
Euro-Siberian elements	8.2	7.0	10.3
Irano-Turanian elements	3.6	2.5	5.8
Others	47.3	25.5	54.0
Endemic	9.9	3.0	7.5

But, *Astragalus* is represented only with one species, even it is one of the largest genera in the flora of Turkey. The reason of this, Mount Musa is under effect a humid and rainy local climate, in addition, it hasn't a subalpin or alpin zone.

The entire research area is located in the East Mediterranean Region. Therefore, Mediterranean elements (40.8 %) have the highest percentage in the flora. On the other hand, Euro-Siberian elements have a higher percentage (8.2 %) than Irano-Turanian elements (3.6 %), because of local the humid climatic condition at the northern slopes of Mount Musa. However, nearly 247 taxa (47.3 %) are widespread to more than one phytogeographical region. The percentage of

phytogeographical elements in Mount musa are very similar to the results of other studies (Akman, 1973; Türkmen and Düzenli, 1998) that were carried out on Amanous Mountains (table 1).

The rate of endemism in the research area is very low (9.9 %), when compare with endemism ratio in the total Flora of Turkey (30 %). Only 52 species are endemic to Turkey (Table 1). However, most of them are rare and local endemics. Some of them are just known only from type collections such as *Scorzonera lasiocarpa* Chamberlain, *Myosotis ramosissima* Rochel ex Schultes subsp. *uncata* (Boiss. & Bal.) Grav., *Phlomis amanica* Vierh., *Salvia tigrina* Hedge & Hub.-Mor. and *Stachys petrocosmos* Rech. fil. Other endemics are known from few collections such as *Chamaecytisus cassius* (Boiss.) Rothm., *Anthemis halophila* Boiss. & Bal., *Pimpinella isaurica* Matthews, *Verbascum tauri* Boiss. & Kotschy, *Verbascum pinetorum* (Boiss.) O.Kuntze, *Verbascum discolor* Murb., *Verbascum amanum* Boiss. and *Paracaryum shepardii* Post.&Beauverd (Davis, 1965-1985, Davis et al., 1988).

Carthamus tenuis subsp. *gracillimus* is a new record for Turkey. But, the description of this species was not given in this text because of its description stated in The Flora of Turkey, according to records from the Aegean islands (Davis, 1965-1988).

References

- Akman Y (1973). Contribution A L'Etude De La Flore Les Montagnes De L'Amanus (I, II, III). *Communications De La Faculte Des Sciences De L'Universite D'Ankara*, Serie C, 1-164
- Davis P H (1965-1985). *Flora of Turkey and the East Aegean Islands*. Vol. 1-9. Edinburgh: Edingurg University Press.
- Davis P H, Hedge I C (1975). The Flora of Turkey, Past, Present and Future. *Candollea*, 30: 331-352.
- Davis P H, Mill R R, Tan K (1988). *Flora of Turkey and the East Aegean Islands* (Supplement). Vol. 10. Edinburgh: Edingurg University Press.
- Güner A, Vural M, Duman H, Dönmez A, Şağban H (1996). The Flora of the Köyceğiz-Dalyan Specially Protected Area (Muğla-Turkey). *Turk J Bot* 20: 329-371.
- Guest E, Townsend C C (1966-1985). *Flora of Iraq*. Vol. 1-9. Baghdad: Ministry of Agriculture and Agrarian Press.
- Post G E (1932-1933). *Flora of Syria, Palestine and Sinai. From Taurus to Ras Muhammad and From Mediterranean Sea to The Syrian Desert* (2 nd. ed., revised by J.E.Dinsmore). Vol. 1-2. Beirut: American Press.
- Türkmen N, Düzenli A (1998). The Flora of Dörtyol and Erzin District of Hatay Province in Turkey. *Turk J Bot* 22: 121-141.
- Yılmaz Y, Demirkol D, Gürpinar O, Yalçın N, Yetiş C, Yiğitbaş E, Günay Y, Santas B (1984). *Amanos Dağları'nın Jeolojisi*. İstanbul: İstanbul Üniversitesi Mühendislik Fakültesi Yayınevi.
- Zohary M (1973). *Geobotanical Foundations of the Middle East*. Vol. 1-2. Stuttgart: Gustav Fisher Press.

The existence of *Echinops bicolor* in the Flora of Turkey was doubtful and it is closely related to *E. phaeocephalus* Hand.-Mazz. (Davis, 1965-1988). Both species are known only from single gatherings around Siirt Vilayet (located in the square of C8). Therefore, a specimen which is collected from Mount Musa may be referable to *E. bicolor*. The description of *E. bicolor* had been stated below the relevant species name according to the specimen from Mount Musa (see appendix).

The forest of *Fagus orientalis* and *Pinus nigra* subsp *pallasiana* have been found between 600-350 m at the nort slopes and deep valleys of Mount Musa. This observation is not usual for East Mediterranean Reagion, because of their occurring limits in Mediterranean Region are known between 900-2000 m. This result shows that the local humid climate and shady deep valleys could give favourable conditions to the high mountain forest members till near to sea level in the Mediterranean Region..

Acknowledgement

The financial support for this research provided by TÜBITAK is gratefully acknowledge (TBAG-1279)

Appendix

PTERIDOPHYTA

ADIANTACEAE

Adiantum capillus-veneris L.

C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, in rock crevices, 470 m, 12 vii 1994, HÇ 206.

ASPIDIACEAE

Dryopteris pallida (Bory) Fomin

C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, under *Pinus brutia* plantation, 350-450 m, 21 ii 1995, HÇ 381.

Medit. element.

ASPLENIACEAE

Asplenium onopteris L.

C5 Antakya: Mount Musa, around Sıkkozluk, under macchie vegetation, 350-450 m, 21 ii 1995, HÇ 385.

Medit. element.

A. trichomanes L.

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in rock crevices, 470 m, 20 vii 1994, HÇ 210.

Ceterach officinarum DC.

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, under macchie vegetation, 510 m, 20 vii 1994, HÇ 212.

Phyllitis scolopendrium (L.) Newman

C5 Antakya: Mount Musa, around Göksivri, shady places, 1100-1200 m, 21 vii 1994, HÇ 280.

HYPOLÉPIDACEAE

Pteridium aquilinum (L.) Kuhn

C5 Antakya: Mount Musa, Büyükbaba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 984

POLYPODIACEAE

Polypodium australe Féé

C5 Antakya: Mount Musa, Göksivri Tepesi, under *Carpinus orientalis* forest, 1100-1250 m, 21 vii 1994, HÇ 276.

SINOPTERIDACEAE

Cheilanthes marantae (L.) Domin

C5 Antakya: Mount Musa, around Karanlık Dere, in macchie vegetation, 510m, 22 ii 1995, HÇ 407.

SPERMATOPHYTA

GYMNOSPERMÆ

CUPRESSACEAE

Cupressus sempervirens L.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, Çamlıbel Kayası, in macchie vegetation, 150-200 m, 27 iv 1995, HÇ 731.

Juniperus oxycedrus L. subsp. *oxycedrus*

C5 Antakya: Mount Musa, Teknepinarı Village, around Matranın Yeri, in macchie vegetation, 500-550, 26 iv 1995, HÇ 658.

PINACEAE

Pinus brutia Ten.

C5 Antakya: Mount Musa, Büyükbaba Village, Kabak Tepe, mixed with *Quercus cerris*, 600 m, 11 vii 1996, HÇ 1457.

P. nigra Arn. subsp. *pallasiana* (Lamb.) Holmboe

C5 Antakya: Mount Musa, Çamliyayla Village, around Fakigelen, in *Carpinus orientalis* forest, 450 m, 01 vi 1995, HÇ 951.

TAXACEAE

Taxus baccata L.

C5 Antakya: Mount Musa, İncebel, around Soğukoluk, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*. 1000 m, 21 vii 1994, HÇ 263.

ANGIOSPERMÆ

DICOTYLEDONES

ACERACEAE

Acer monspessulanum L. subsp. *microphyllum* (Boiss.) Bornm.

C5 Antakya: Mount Musa, Kızılca, under mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 01 vii 1995, HÇ 1197.

AMARANTHACEAE

Amaranthus albus L.

C5 Antakya: Mount Musa, around Göksivri Tepesi, under mixed scrub of *Carpinus orientalis* and *Laurus nobilis*, 1000 m, 21 vii 1994, HÇ 259.

ANACARDIACEAE

Cotinus coggyria Scop.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, Çamlıbel Kayası, in macchie vegetation, 150-200 m, 27 iv 1995, HÇ 730.

Pistacia lentiscus L.

C5 Antakya: Mount Musa, south slopes, near to Çevlik harbour, in low macchie vegetation, 150 m, 21 vii 1994, HÇ 288.

Medit. element.

P. terebinthus L. subsp. *palaestina* (Boiss.) Engl.

C5 Antakya: Mount Musa, Teknepinarı Village, around Karapınar, open places of *Pinus brutia* forest, HÇ 202.

E. Medit. element.

Rhus coriaria L.

C5 Antakya: Mount Musa, around Incebel, in *Carpinus orientalis* forest, 700 m, 29 viii 1994 HÇ 307.

APIACEAE (UMBELLIFERAE)

Ainsworthia trachycarpa Boiss.

C5 Antakya: Mount Musa, Büyükbaba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 970.

E. Medit. element.

Anthriscus lamprocarpa Boiss.

C5 Antakya: Mount Musa, around Kızılca, under *Ostrya carpinifolia* forest, 900 m, 31 v 1995, HÇ 876.

E. Medit. element.

A. sylvestris (L.) Hoffm.

C5 Antakya: Mount Musa, Teknepinarı Village, around Kible Kayası, open places in *Carpinus orientalis* forest, 900 m, 26 iv 1995, HÇ 682.

Bupleurum pauciradiatum Fenzl

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie vegetation, 500 m, 08 x 1994, HÇ 346.

Endemic, Medit. element.

Cnidium silaifolium (Jacq.) Simonkai subsp. *orientale* (Boiss.) Tutin

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie vegetation, 520m, 20 vii 1994, HÇ 215.

- Eryngium glomeratum** Lam.
- C5 Antakya: Mount Musa, Tataralan Yazlağı, around Çemili Tepe, stony places, 1030 m, 28 vii 1995, HÇ 1267.
- Orlaya daucoides** (L.) Greuter
- C5 Antakya: Mount Musa, Teknepinari Village, around Sikkoluk, in macchie vegetation, 550 m, 25 iv 1995, HÇ 615.
- Medit. element.
- Pimpinella corymbosa** Boiss.
- C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 977.
- Ir.-Tur. element.
- P. isaurica** Matthews
- C5 Antakya: Mount Musa, around Göksivri Tepesi, open places in scrub of *Laurocerasus officinalis*, 1000-1100 m, 21 vii 1994, HÇ 1210.
- Endemic, E. Medit. element. It is known only from two records (C4 Konya: Ermenek at Meydan Kebeni çeşmesi, 1400m, dry vertical and overhanging cliffs, 13 viii 1949, Davis 16148 and C5 İçel; nr. Gözne, N.W. of Mersin, 1200-1300m, Eig & Zohary 12821). It is allied to *P. tragium* Vill. subsp. *polyclada* (Boiss. & Heldr.) Tutin. It can be distinguished easily from *P. tragium* subsp. *polyclada* with petals densely hairy its whole dorsal surface.
- P. kotschyana** Boiss.
- C5 Antakya: Mount Musa, Göksivri Tepesi, rocky cliffs, 1100-1250 m, 21 vii 1994, HÇ 278.
- Ir.-Tur. element.
- Sanicula europaea** L.
- C5 Antakya: Mount Musa, around Yangın Kulesi, in shady rock crevices, 1100 m, 31 v 1995, HÇ 891.
- Euro-Sib.el.
- Torilis arvensis** (Huds.) Link subsp. *elongata* (Hoffmanns. & Link) Cannon
- C5 Antakya: Mount Musa, Teknepinari Village, around Çatak Boğazı, in macchie vegetation, 500-600m, 30 v 1995, HÇ 768.
- Medit. element.
- T. arvensis** (Huds.) Link subsp. *purpurea* (Ten.) Hayek
- C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 979.
- E. Medit. element. It had been recorded second time for the Flora of Turkey by this research. The first record had been done from C2 Muğla: Köyceğiz, as a new record for the Flora of Turkey (Güner et al., 1996). Collections from Mount Musa shows intermediate between *A. melanolepis* and *A. palaestina*. But, our specimens are probably belong to *A. melanolepis* according to descriptions in the Flora of Turkey (Davis, 1965-1988) with having some characters such as divaricately branched above, paleae all equally and cuspidate to truncate.
- T. nodosa** (L.) Gaertner
- C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, Çamlıbel Kayası, in macchie, 100, 27 iv 1995, HÇ 702.
- APOCYNACEAE**
- Nerium oleander** L.
- C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 980.
- Medit. element.
- AQUIFOLIACEAE**
- Ilex colchica** Poj.
- C5 Antakya: Mount Musa, between Göksivri Tepesi and Yangın Kulesi, in scrub of *Laurus nobilis*, 1150 m, 21 vii 1994, HÇ 279.
- Euro-Sib. element.
- ARALIACEAE**
- Hedera helix** L.
- C5 Antakya: Mount Musa, Between Göksivri Tepesi and Harita Tepesi, on rocks and cliffs, 1100 m, 21 iii 1995, HÇ 452.
- ASTERACEAE (COMPOSITAE)**
- Anthemis coelopoda** Boiss. var. *bourgaei* Boiss.
- C5 Antakya: Mount Musa, between Göksivri Tepesi and Yangın Kulesi, roadsides, 1100 m, 21 vii 1994, HÇ 282.
- A. coelopoda** Boiss. var. *longiloba* Grierson
- C5 Antakya: Mount Musa, around Göksivri Tepesi, on rocky and gravelly area, 1250 m, 31 v 1995, HÇ 905.
- A. halophila** Boiss. & Balansa
- C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 975.
- Endemic, E. Medit. element.
- A. melanolepis** Boiss.
- C5 Antakya: Mount Musa, Teknepinari Village, around Deli Kadir Tepesi, in macchie vegetation, 650-700 m, 30 v 1995, HÇ 800.
- E. Medit. element. It had been recorded second time for the Flora of Turkey by this research. The first record had been done from C2 Muğla: Köyceğiz, as a new record for the Flora of Turkey (Güner et al., 1996). Collections from Mount Musa shows intermediate between *A. melanolepis* and *A. palaestina*. But, our specimens are probably belong to *A. melanolepis* according to descriptions in the Flora of Turkey (Davis, 1965-1988) with having some characters such as divaricately branched above, paleae all equally and cuspidate to truncate.
- A. tinctoria** L. var. *discoidea* (All.) DC.
- C5 Antakya: Mount Musa, Teknepinari Village, around Deli Kadir Tepesi, in macchie vegetation, 650m, 30 v 1995, HÇ 823.
- Arctium minus** (Hill.) Bernh. subsp. *pubens* (Babington) Arènes
- C5 Antakya: Mount Musa, around Yangın kulesi, roadsides, 1100-1250 m, 21 vii 1994, HÇ 272.
- Euro-Sib. element.
- Artemisia arborescens** L.
- C5 Antakya: Mount Musa, Kapisuyu Village, roadsides, 120 m, 03 vii 1995, HÇ 1246.
- Medit. element.
- Calendula arvensis** L.
- C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, on field banks, 300 m, 22 iii 1995, HÇ 475.
- Carduus nutans** L. subsp. *nutans*
- C5 Antakya: C5 Antakya: Mount Musa, Teknepinari Village, around Çatak Boğazı, in macchie vegetation, 500-600m, 30 v 1995, HÇ 799.
- C. pycnocephalus** L. subsp. *breviphyllarius* P.H.Davis
- C5 Antakya: Mount Musa, Tombulun Yazlağı, open places in scrub of *Carpinus orientalis*, 900-950 m, 31 v 1995, HÇ 915.
- Ir.-Tur. element.
- C. pycnocephalus** L. subsp. *pycnocephalus*
- C5 Antakya: Mount Musa, Teknepinari Village, around Deli Kadir Tepesi, in macchie vegetation, 650-700 m, 30 v 1995, HÇ 801.
- E. Medit. element.

- Carpesium cernuum L.**
- C5 Antakya: Mount Musa, around Incebel, in *Carpinus orientalis* forest, 720 m, 29 viii 1994, HÇ 341.
- Carthamus tenuis** (Boiss. & Balansa) Bornm. subsp. *gracillimus* (Rech.f.) Hanelt
- C5 Antakya: Mount Musa, Tataralan Yazlağı, around Çemili tepe, in scrub of *Buxus sempervirens*, HÇ 1268.
- This species has two subspecies (subsp. *tenuis* and subsp. *gracillimus*) in the Flora of Turkey (Davis, 1965-1985). *C. tenuis* subsp. *tenuis* is known in Turkey only from one record (C5 İçel: 36 km E. of Silifke, 100 m, Sorger 71-27-1). Other subsp. (*C. tenuis* subsp. *gracillimus*) is known only from the type (Rhodos, in saxosis calc. a promont. Vodi meridiem versus, 24 vi 1935, Rechinger). Subsp. *gracillimus* differs from subsp. *tenuis* with its longer (3-3.5 cm) and patent to reflexed outer phyllaries. Collections from Mount Musa mostly close to subsp. *gracillimus* with their long (2.5-4 cm) and patent to slightly reflexed outer phyllaries.
- Centaurea antiochia** Boiss. var. *antiochia*
- C5 Antakya: Mount Musa, Teknepinarı Village, around Matranın Yeri, under *Pinus brutia* forest, 500-550 m, 26 iv 1995, HÇ 987.
- E. Medit. element.
- C. cheirolopha** (Fenzl) Wagenitz
- C5 Antakya: Mount Musa, around Tavuk Gediği, open *Quercus cerris* forest, 600-700 m, 01 vi 1995, HÇ 921.
- E. Medit. element.
- C. urvillei** DC. subsp. *armata* Wagenitz
- C5 Antakya: Mount Musa, Göksivri Tepesi, rocky slopes, 1250 m, 31 v 1995, HÇ 899.
- E. Medit. element.
- Cirsium vulgare** (Savi) Ten.
- C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, open places in *Pinus brutia* forest, 400 m, 27 vii 1995, HÇ 1255.
- Conyza bonariensis** (L.) Cronquist
- C5 Antakya: Mount Musa, Çamliyayla Village, around Zobbe Çayı, 300-350 m, 01 vi 1995, HÇ 963.
- Crepis frigida** (Boiss. & Balansa) Babcock
- C5 Antakya: Mount Musa, Çamliyayla Village, around Zobbe Çayı, under *Pinus brutia* forest, stream banks, 350 m, 02.11.1995, HÇ 1298.
- Ir.-Tur. element.
- C. palaestina** (Boiss.) Bornm.
- C5 Antakya: Mount Musa, Tombulun Yazlağı, on rocky clefts, 650 m, 31 v 1995, HÇ 912.
- Euro-Sib. element.
- C. reuterana** Boiss. subsp. *reuterana*
- C5 Antakya: Mount Musa, Salindırma Kayası, under *Carpinus orientalis* forest, 1100-1230 m, 02 vii 1995, HÇ 1219.
- E. Medit. element.
- C. sancta** (L.) Babcock
- C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, on rocky cliffs, 450 m, 25 iv 1995, HÇ 593.
- C. zacintha** (L.) Babcock
- C5 Antakya: Mount Musa, Teknepinarı Village, around Armut Tepe, in macchie vegetation, 500 m, 31 v 1995, HÇ 861.
- Medit. element.
- Doronicum orientale** Hoffm.
- C5 Antakya: Mount Musa, between İncebel and Kirazlı Gedik, under *Pinus brutia* forest, 700 m, 21 iii 1995, HÇ 439.
- Echinops bicolor** Nàbèlek
- C5 Antakya: Mount Musa, around Sıkkozluk, in macchie vegetation, 500 m, in macchie vegetation, HÇ 350.
- Stem up to 35-40 cm, simple, leafy, unbranched, conspicuously 5 ridged, lanate without glandular hairs on the ridges, but densely glandular hairy between ridges. Basal leaves lanceolate in outline, pinnatifid with 4-5 pairs of triangular-lanceolate lobes, green above with sparsely glandular hairy, below densely lanate, only glandular hairs on the prominent nervation; spines less, slender 4-8 mm. Cauline leaves auriculate to semi-amplexicaule, above glandular hairy, below lanate without glandular hairs. Heads 4-5 cm
- with short leafless peduncles, 1-1.5 cm. Capitulum 20-24 mm, 4-5 mm broad in flower; brush shorter equal c.6-7mm, gradually expanding to outer small phyllaries. Phyllaries 20-21, glabrous, pectinate-ciliate; outer 7-8 mm, widening at apex to triangular-spathulate; inner c. 5 connate to about more than 1/2 their length. Corolla dark blue. Achenes immature?
- According to the Flora of Turkey and the East Aegean Islands (3), it is doubtful whether the specimen of *E. bicolor* was collected from Turkey. It is closely related to *E. phaeocephalus* and these two taxa are possibly conspecific (3). But, the specimen from Mount Musa probably belongs to *E. bicolor* because of its glandular stem. The taxonomic status of these species is still uncertain, because they known only from a few gatherings.
- E. microcephalus** C.Sm.
- C5 Antakya: Mount Musa, Tataralan Yazlağı, in scrub, 700-800 m, 20 vii 1994, HÇ 248.
- Medit. element.
- E. orientalis** Trautv.
- C5 Antakya: Mount Musa, Tataralan Yazlağı, around Çemili Tepe, in scrub of *Buxus sempervirens*, 1030 m, 28 vii 1995, HÇ 1269.
- Ir.-Tur. element.
- Filago pyramidata** L.
- C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie vegetation, 500 m, 30 v 1995, H.848.
- Hedypnois cretica** (L.) Dum.-Cours.
- C5 Antakya: Mount Musa, Samandağ district, around Çevlik, in macchie vegetation, 200 m, 27 iv 1995, HÇ 717.
- Medit. element.
- Inula viscosa** (L.) Aiton
- C5 Antakya: Mount Musa, Eriklikuyu Village, around Çoban Kayası, in disturbed macchie, 500-600 m, 08 x 1994, HÇ 356.
- Medit. element.
- I. vulgaris** (Lam.) Trevisan
- C5 Antakya: Mount Musa, around İncebel, in *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 312.
- Euro-Sib. element.

- Lapsana communis* L. subsp. *pisidica* (Boiss. & Heldr.) Rech.fil.
- C5 Antakya: Mount Musa, Teknepınarı village, around Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 854.
E. Medit. element.
- Leontodon oxylepis* Boiss. & Heldr. var. *oxylepis*
- C5 Antakya: Mount Musa, around Göksivri Tepesi, in rock crevices, 1200 m, 31 v 1995, HÇ 897.
E. Medit. element.
- Leucanthemum myconis* (L.) Giraud
- C5 Antakya: Mount Musa, Kapışuyu Village, in macchie vegetation, 300 m, 02 vii 1995, HÇ 1289.
Medit. element.
- Phagnalon graecum* Boiss.
- C5 Antakya: Mount Musa, Samandağ district, around Çevlik, in macchie vegetation, 0-50 m, 27 iv 1995, HÇ 700.
Medit. element.
- Picnonon acarna* (L.) Cass.
- C5 Antakya: Mount Musa, Tataralan Yazlağı, in macchie vegetation, 500 m, 20 vii 1994, HÇ 251.
Medit. element.
- Picris hieracioides* L.
- C5 Antakya: Mount Musa, Çamlıayla Village, around Karanlık Dere, open places in *Pinus brutia* forest, 400 m, 27 vii 1995, HÇ 1256.
Euro-Sib. element.
- Pilosella echiooides* (Lumn.) C.H. & F.W.Schultz subsp. *procera* (Fries) Sell & West
- C5 Antakya: Mount Musa, Teknepınarı Village, around Armut Tepe, in scrub vegetation, 650 m, 31 v 1995, HÇ 852.
P. piloselloides (Vill.) Soják subsp. *megalomastix* (N.P.) Sell & West
- C5 Antakya: Mount Musa, Teknepınarı Village, around Çatak Boğazı, under scrub of *Carpinus orientalis*, 700 m, 30 v 1995, HÇ 843.
- Ptilostemon chamaepeuce* (L.) Less.
- C5 Antakya: Mount Musa, Çamlıayla Village, around Zobbe Çayı, under *Pinus*
- brutia* forest, 300-350 m, 01 vi 1995, HÇ 953.
E. Medit. element.
- P. diacantha* (lab.) Greuter subsp. *turcicus* Greuter
- C5 Antakya: Mount Musa, around Yanık Karma, under *Pinus brutia* forest, 400 m, 01 vi 1995, HÇ 988.
E. Medit. element.
- Rhagadiolus stellatus* (L.) Gaertner var. *edulis* (Gaertner) DC.
- C5 Antakya: Mount Musa, Teknepınarı Village, Karapınar Valley, in macchie vegetation, 500 m, 25 iv 1995, HÇ 573.
- Scorzonera cana* (C.A.Mey.) Hoffm. var. *radicosa* (Boiss.) Chamberlain
- C5 Antakya: Mount Musa, Tataralan Yazlağı, around Sultan Tepe, in *Carpinus orientalis* forest, 800-900 m, 25 iv 1995, HÇ 627.
- S. lasiocarpa* Chamberlain
- C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, open places in *Pinus brutia* forest, 290 m, 22 iii 1995, HÇ 487.
Endemic. E. Medit. element.
- Senecio vernalis* Waldst. & Kit.
- C5 Antakya: Mount Musa, around Çamlıayla Village, in deserted agricultural lands, 300 m, 21 ii 1995, HÇ 392.
- Silybum marianum* (L.) Gaertner
- C5 Antakya: Mount Musa, around Ambar, open places in scrub of *Carpinus orientalis*, 900 m, 31 v 1995, HÇ 913.
Medit. element.
- Solidago virgaurea* L. subsp. *virgaurea*
- C5 Antakya: Mount Musa, around İncebel, under *Carpinus orientalis* forest, 840 m, 29 viii 1994, HÇ 329.
- Sonchus asper* (L.) Hill subsp. *glaucescens* (Jordan) Ball
- C5 Antakya: Mount Musa, around Kible Kayası, open places in *Pinus brutia*, 400 m, 21 iii 1995, HÇ 462.
- S. oleraceus* L.
- C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 985.
- Staehelina lobelii* DC.
- C5 Antakya: Mount Musa, Tavuk Gediği, on rocky cliffs, 750 m, 01 vi 1995, HÇ 922.
E. Medit. element.
- Steptorhamphus tuberosus* (Jacq.) Grossh.
- C5 Antakya: Mount Musa, Çamlıayla Village, around Zobbe Çayı, in *Pinus brutia* plantation, 350 m, 01 vi 1995, HÇ 953.
- Tanacetum cilicum* (Boiss.) Grierson
- C5 Antakya: Mount Musa, Teknepınarı Village, around Çatak Boğazı, in macchie vegetation, 500-600m, 30 v 1995, HÇ 792.
E. Medit. element.
- Tragopogon longirostris* Bisch. ex Sch.Bip. var. *longirostris*
- C5 Antakya: Mount Musa, Tataralan Yazlağı, around Armut Tepe, in macchie vegetation, 500 m, 31 v 1995, HÇ 863.
- Tussilago farfara* L.
- C5 Antakya: Mount Musa, Çamlıayla Village, around Bağırsak Dere, under *Pinus nigra* subsp. *pallasiana*, forest, 600 m, 19 iv 1996, HÇ 1335.
Euro-Sib. element.
- Urospermum picroides* (L.) F.W.Schmidt
- C5 Antakya: Mount Musa, Teknepınarı Village, around Ekinkuyu, in rock crevices, 500 m, 25 iv 1995, HÇ 613.
Medit. element.
- BETULACEAE**
- Alnus glutinosa* (L.) Gaertner subsp. *antitaurica* Yalt.
- C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, streamsides, 400m, 27 vii 1995, HÇ 1252.
Endemic. E. Medit. element.
- A. orientalis* Decne. var. *orientalis*
- C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 982.
E. Medit. element.
- A. orientalis* Decne. var. *pubescens* Dippel
- C5 Antakya: Mount Musa, Çanakkale Komu, streamsides, 100-200 m, 01 vi 1995, HÇ 951.

- Endemic. E. Medit. element.
- BORAGINACEAE**
- Anchusa azurea* Mill. var. *azurea*,
C5 Antakya: Mount Musa, Samandağ
district, around Çevlik, in macchie vegetation,
0-50 m, 27.04.1995, HÇ 692.
- A. strigosa* Labill.
C5 Antakya: Mount Musa, Teknepinarı
Village, around Çatak Boğazı, in macchie
vegetation, 500-600m, 30 v 1995, HÇ 798.
- Brunnera orientalis* (Schenk) Johnston
C5 Antakya: Mount Musa, Göksivri
Tepesi, under mixed forest of *Quercus cerris*
and *Carpinus orientalis*, 1000-1250 m, 21 vii
1994, HÇ 260.
- E. Medit. element.
- Cynoglossum columnae* Ten.
C5 Antakya: Mount Musa, between
Kızılca and Kible Kayası, open places in *Ostrya*
carpinifolia forest, 900, m, 31 v 1995, HÇ
871.
- E. Medit. element.
- C. officinale* L.
C5 Antakya: Mount Musa, Teknepinarı
Village, around Çifte Kuyular, in scrub of
Laurus nobilis, 700 m, 25 iv 1995, HÇ 644.
- Euro-Sib. element.
- Myosotis ramosissima* Rochel ex
Schultes subsp. *uncata* (Boiss. & Balansa)
Grau
C5 Antakya: Mount Musa, Teknepinarı
Village, around Ekinkuyu, in scrub of
Carpinus orientalis and *Quercus coccifera*.
550 m, 25 iv 1995, HÇ 606.
- Endemic. E. Medit. element.
- Nonea obtusifolia* (Willd.) DC.
C5 Antakya: Mount Musa, Tataralan
Yazlağı, in scrub of *Carpinus orientalis*, 700
m, 25 iv 1995, HÇ 631.
- E. Medit. element.
- Onosma cassium* Boiss.
C5 Antakya: Mount Musa, Samandağ
district, Çevlik, around Şahlan Kaya, in
macchie vegetation, 23 ii 1995, HÇ 416.
- E. Medit. element.
- Paracaryum shepardii* Post & Beauverd
C5 Antakya: Mount Musa, Göksivri
Tepesi, on the top area, on rocks, 1250 m,
31 v 1995, HÇ 903.
- Endemic. E. Medit. element.
- Rochelia disperma* (L.f.) K.Koch var.
disperma
C5 Antakya: Mount Musa, Çamliyayla
Village, on the border of fields, 320 m, 21 ii
1995, HÇ 399.
- Symphtym aintabicum* Hub.-Mor. &
Wickens
C5 Antakya: Mount Musa, Çamliyayla
Village, around Zobbe Çayı, open places of
Pinus brutia plantation, 450 m, 21 ii 1995,
HÇ 386.
- Endemic. E. Medit. element.
- S. brachycalyx* Boiss.
C5 Antakya: Mount Musa, around Sulu
Mağara, under *Quercus cerris* forest, 500 m,
22 ii 1995, HÇ 403.
- E. Medit. element.
- S. orientale* L.
C5 Antakya: Mount Musa, between
İncebel and Kirazlı Gedik, under *Carpinus*
orientalis forest, 700 m, 21 iii 1995, HÇ
448.
- Euro-Sib. element.
- BRASSICACEAE (CRUCIFERAE)**
- Alyssum strigosum* Banks & Sol. subsp.
strigosum
C5 Antakya: Mount Musa, Teknepinarı
Village, around Armut Tepe, in scrub of
Laurus nobilis, 30 v 1995, HÇ 857.
- Arabis caucasica* Willd. subsp. *brevifolia*
(DC.) Cullen
C5 Antakya: Mount Musa, around
Göksivri Tepesi, in rock crevices, 1050 m, 26
iv 1995, HÇ 665.
- E. Medit. element.
- Capsella bursa-pastoris* (L.) Medik.
C5 Antakya: Mount Musa, Çamliyayla
Village, Zobbe Çayı, open places in *Pinus*
brutia forest, 330 m, 21 iii 1995, HÇ 459.
- Cosmopolitan.
- C. rubella* Reut.
C5 Antakya: Mount Musa, Çamliyayla
Village, in deserted fields, 320 m, 21 ii 1995,
HÇ, 395.
- E. Medit. element.
- Cardamine hirsuta* L.
C5 Antakya: Mount Musa, Sulu Mağara,
around Karanlık Dere, open places in *Pinus*
brutia forest, 300 m, 22 iii 1995, HÇ 473.
- Cosmopolitan.
- C. tenera* Gmel.
C5 Antakya: Mount Musa, Çamliyayla
Village, Zobbe Çayı, open places in *Pinus*
brutia plantation, 450 m, 21 ii 1995, HÇ
387.
- Euro-Sib. element.
- Erysimum goniocaulon* Boiss.
C5 Antakya: Mount Musa, Teknepinarı
Village, Deli Kadir Tepesi, in macchie
vegetation, 650 m, 30 v 1995, HÇ 821.
- Fibigia clypeata* (L.) Medik.
C5 Antakya: Mount Musa, Teknepinarı
Village, Karapınar Valley, in macchie
vegetation, 470 m, 20 vii 1994, HÇ 209.
- Isatis pinnatiloba* P.H.Davis
C5 Antakya: Mount Musa, Karanlık Dere,
under *Pinus brutia* forest, 510 m, 23 ii 1995,
HÇ 411.
- Endemic. E. Medit. element.
- Matthiola sinuata* (L.) R.Br.
C5 Antakya: Mount Musa, Kızılca, under
mixed forest of *Carpinus orientalis* and *Ostrya*
carpinifolia, 1070 m, 01 vii 1995, HÇ 1200.
- Nasturtium officinale* R.Br.
C5 Antakya: Mount Musa, Teknepinarı
Village, around Fakigelen, streamsides, 450
m, 19 iv 1996, HÇ 1324a.
- Raphanus raphanistrum* L.
C5 Antakya: Mount Musa, Teknepinarı
Village, around Çatak Boğazı, in macchie
vegetation, 480 m, 25 iv 1995, HÇ 646.
- Ricotia sinuata* Boiss. & Heldr.
C5 Antakya: Mount Musa, Samandağ
district, Çevlik, near to Şahlan Kaya, in
macchie vegetation, 20 m, 23 ii 1995, HÇ
413.
- Endemic.

- Thlaspi annuum** K.Koch
C5 Antakya: Mount Musa, Kiraz Gediği, in *Carpinus orientalis* forest, 900 m, 21 iii 1995, HÇ 445.
- T. violascens** Boiss.
C5 Antakya: Mount Musa, Tataralan Yazlağı, open places in scrub of *Carpinus orientalis*, 750 m, 25 iv 1995, HÇ 628.
Endemic. E. Medit. element.
- Turritis laxa** (Sibth. & C.Sm.) Hayek
C5 Antakya: Mount Musa, around Tavuk Gediği, under *Pinus brutia* forest, 510 m, 22 iii 1995, HÇ 470.
- BUXACEAE**
Buxus sempervirens L.
C5 Antakya: Mount Musa, around Göksivri Tepesi, as mixed scrub with *Carpinus orientalis*, 1100 m, 21 vii 1994, HÇ 258.
Euro-Sib. element.
- CAMPANULACEAE**
Asyneuma virgatum (Labill.) Bornm. subsp. *cichoriiforme* (Boiss.) Damboldt
C5 Antakya: Mount Musa, between Göksivri Tepesi and Kızılca, open places in scrub of *Laurocerasus officinalis*, 1050 m, 01 vii 1995, HÇ 1208.
Endemic. Medit. element.
- A. virgatum** (Labill.) Bornm. subsp. *virgatum*
C5 Antakya: Mount Musa, around Göksivri Tepesi, under scrub of *Staphylla pinnata*, 1160 m, 21 vii 1994, HÇ 277.
- Campanula buseri** Damboldt
C5 Antakya: Mount Musa, between Göksivri Tepesi and Yangın Kulesi, in rock crevices, 1120 m, 21 vii 1994, HÇ 274.
E. Medit. element.
- C. peregrina** L.
C5 Antakya: Mount Musa, Teknepinarı Köyü, Karapınar Valley, in macchie vegetation, 470 m, 20 vii 1994, HÇ 203.
E. Medit. element.
- C. rapunculus** L. var. *rapunculus*
C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 811.
- C. retrorsa** Labill.
C5 Antakya: Mount Musa, Tataralan Yazlağı, in scrub of *Laurus nobilis*, 700 m, HÇ 246.
- Legousia falcata** (Ten.) Fritsch
C5 Antakya: Mount Musa, Samandağ district, Çevlik harbour, in macchie vegetation, 150 m, 27 iv 1995, HÇ 713.
Medit. element.
- Michauxia campanuloides** L'Hèrit. ex Aiton
C5 Antakya: Mount Musa, Kapışuyu Village, around Kabaklı, roadsides, 250 m, 03 vii 1995, HÇ 1244.
E. Medit. element.
- CAPRIFOLIACEAE**
Lonicera caucasica Pallas subsp. *orientalis* (Lam.) Chamb. & Long
C5 Antakya: Mount Musa, Göksivri Tepesi, open places in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 21 vii 1994, HÇ 254.
Endemic. E. Medit. element.
- L. etrusca** Santi var. *hispidula* Boiss.
C5 Antakya: Mount Musa, around Kızılca, stony places, 1070 m, 01 vii 1995, HÇ 1202.
E. Medit. element.
- Sambucus ebulus** L.
C5 Antakya: Mount Musa, around Kızılca, open places in scrub of *Carpinus orientalis*, 1050 m, 21 vii 1994, HÇ 252.
Euro-Sib. element.
- CARYOPHYLLACEAE**
Agrostemma githago L.
C5 Antakya: Mount Musa, around Kızılca, under *Quercus cerris* forest, 1000 m, 31 v 1995, HÇ 882.
Arenaria cassia Boiss.
C5 Antakya: Mount Musa, around Kızılca, stony places, 1070 m, 01 vii 1995, HÇ 1209.
A. deflexa Dec. subsp. *deflexa*
C5 Antakya: Mount Musa, Göksivri Tepesi, shady edge of rocks, 1100 m, 31 v 1995, HÇ 893.
E. Medit. element.
- Cerastium brachypetalum** Pers. subsp. *roeseri* (Boiss. & Heldr.) Nyman
C5 Antakya: Mount Musa, Göksivri Tepesi, rocky places, 1250 m, 26 iv 1995, HÇ 677.
- C. glomeratum** Thuill.
C5 Antakya: Mount Musa, Çamlıayla Village, around Zindandere, in *Pinus brutia* plantation, 350-450 m, 21 iii 1995, HÇ 454, cozopolitan.
- Dianthus polycladus** Boiss.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie vegetation, 520 m, 20 vii 1994, HÇ 216.
E. Medit. element.
- D. strictus** Banks & Sol. var. *axilliflorus* (Fenzl) Reeve
C5 Antakya: Mount Musa, around Incebel, in *Carpinus orientalis* forest, 820 m, 29 viii 1994, HÇ 332.
- D. strictus** Banks & Sol. var. *subnervis* (Boiss.) Reeve
C5 Antakya: Mount Musa, Kamişlık Yurdu, under *Pinus brutia* forest, 300 m, 22 iii 1995, HÇ 935.
- Minuartia hybrida** (Vill.) Schischk. subsp. *turcica* Mc Neill
C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, open places in *Pinus brutia* forest, 290 m, 22 iii 1995, HÇ 495.
- M. mesogitana** (Boiss.) Hand.-Mazz. subsp. *mesogitana*
C5 Antakya: Mount Musa, Salındırma Kayası, stony places, 1100-1230 m, 31 v 1995, HÇ 886.
E. Medit. element.
- Petrorhagia syriaca** (Boiss.) Mouterde & Greuter
C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Dere, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 956.
- Silene aegyptiaca** (L.) L. fil. subsp. *aegyptiaca*
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie vegetation, 500 m, 25 iv 1995, HÇ 565.
- S. confertiflora** Chowdh.
C5 Antakya: Mount Musa, around Incebel, roadsides in *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 330.

- S. italicica** (L.) Pers.
C5 Antakya: Mount Musa, İkizköprü Village, around Büyükdüz Tepesi, under *Pinus brutia* forest, 550 m, 26 iv 1995, HÇ 654.
- S. vulgaris** (Moench) Garcke var. *macrocarpa* (Turrill) Coode & Cullen
C5 Antakya: Mount Musa, Teknepinari Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 825.
- Stellaria media** (L.) Vill. subsp. *media*
C5 Antakya: Mount Musa, Büyükbaba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 21 ii 1995, HÇ 397.
- S. media** (L.) Vill. subsp. *postii* Holmboe
C5 Antakya: Mount Musa, Teknepinari Village, around Ekinkuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 612.
- CELASTRACEAE**
Euonymus europaeus L.
C5 Antakya: Mount Musa, Kızılca, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 31 v 1995, HÇ 881.
- E. latifolius** (L.) Mill. subsp. *latifolius*
C5 Antakya: Mount Musa, Kızılca, stony places, 1050 m, 01 vii 1995, HÇ 1193.
- Euro-Sib. element.
- CHENOPODIACEAE**
Salsola kali L.
C5 Antakya: Mount Musa, Kapışuyu Village, in macchie vegetation, 300 m, 02 vii 1995, HÇ 1246a.
- CISTACEAE**
Cistus creticus L.
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie vegetation, 0-200 m, 27 iv 1995, HÇ 729.
- Medit. element.
- C. salviifolius** L.
C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, open places in *Pinus brutia* forest, 290 m, 22 iii 1995, HÇ 484.
- Fumana arabica** (L.) Spach var. *arabica*
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel
- Kayısi, in macchie vegetation, 200 m, 27 iv 1995, HÇ 686
- F. thymifolia** (L.) Verlot var. *viridis* (Ten.) Boiss.
C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, open places in *Pinus brutia* forest, 290 m, 22 iii 1995, HÇ 489.
- Medit. element.
- Helianthemum kotschyanum** Boiss.
C5 Antakya: Mount Musa, Teknepinari Village, Mağara Dere Valley, in overgrazed and cleared macchie, 450-500 m, 30 v 1995, HÇ 838.
- Ir.-Tur. element.
- H. nummularium** (L.) Mill. subsp. *tomentosum* (Scop.) Schinz & Thell.
C5 Antakya: Mount Musa, Teknepinari Village, Karapınar Valley, in macchie vegetation, 500 m, 25 iv 1995, HÇ 567.
- CONVOLVULACEAE**
Calystegia silvatica (Kit.) Griseb.
C5 Antakya: Mount Musa, Büleyik Komu, around Çolağın Tepesi, in scrub of *Carpinus orientalis*, 500-750 m, 31 v 1995, HÇ 858.
- Convolvulus arvensis** L.
C5 Antakya: Mount Musa, Tataralan yazlağı, around Kisik, open places in *Carpinus orientalis* forest, 990 m, 02 vii 1995, HÇ 1239, cozmopolitan.
- CORNACEAE**
Cornus sanguinea L. subsp. *cilicica* (Wangerin) D.F.Chamb.
C5 Antakya: Mount Musa, Kızılca, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 31 v 1995, HÇ 877.
- E. Medit. element.
- CORYLACEAE**
Carpinus orientalis Mill.
C5 Antakya: Mount Musa, Teknepinari Village, Hamiliin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 229.
- Ostrya carpinifolia** Scop.
C5 Antakya: Mount Musa, Kızılca, under mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 01 vii 1995, HÇ 1203.
- Medit. element.
- CRASSULACEAE**
Rosularia libanotica (Lab.) Muirhead
C5 Antakya: Mount Musa, Teknepinari Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 819.
- Sedum album** L.
C5 Antakya: Mount Musa, Göksivri Tepesi, gravelly places, 1150 m, 31 v 1995, HÇ 900.
- S. annuum** L.
C5 Antakya: Mount Musa, Büyükbaba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 964.
- Euro-Sib. element.
- S. sediforme** (Jacq.) Pau
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie vegetation, 0-200 m, 27 iv 1995, HÇ 724.
- Medit. element.
- CUSCUTACEAE**
Cuscuta palaestina Boiss. subsp. *balansae* (Yuncker) Plitm.
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, on *Hypericum russoi*, 150-200 m, 27 iv 1995, HÇ 728.
- DIPSACACEAE**
Scabiosa columbaria L. subsp. *columbaria* var. *intermedia* (Post) Matthews
C5 Antakya: Mount Musa, Teknepinari Village, Karapınar Valley, in macchie vegetation, 520 m, 20 vii 1994, HÇ 220.
- S. reuteriana** Boiss.
C5 Antakya: Mount Musa, Teknepinari Village, around Çatak Boğazı, in macchie vegetation, 500-600m, 30 v 1995, HÇ 796.
- Endemic. E. Medit. element.
- ERICACEAE**
Arbutus andrachne L.
C5 Antakya: Mount Musa, around Incebel, in *Carpinus orientalis* forest, 680 m, 29 viii 1994, HÇ 336.
- Erica manipuliflora** Salisb.
C5 Antakya: Mount Musa, Kapışuyu Village, in macchie vegetation, 300 m, 02 vii 1995, HÇ 1292.

- EUPHORBIACEAE**
- Andrachne telephiooides L.**
- C5 Antakya: Mount Musa, Teknepinarı Village, around Deli Kadir Tepesi, in macchie vegetation, 650-700 m, 30 v 1995, HÇ 806.
- Euphorbia cassia Boiss.**
- C5 Antakya: Mount Musa, Büyükkoba Village, Kabak Tepe, in mixed forest of *Pinus nigra* subsp. *pallasiana* and *Fagus orientalis*, 640 m, 27 vii 1995, HÇ 1261.
- E. Medit. element.
- E. herniariifolia Willd. var. *glaberrima* Hal.**
- C5 Antakya: Mount Musa, Göksivri Tepesi, around Harita Tepesi, in the rock crevices, 1200 m, 31 v 1995, HÇ 892.
- E. macrostegia Boiss.**
- C5 Antakya: Mount Musa, around Tavuk Gediği, under *Pinus brutia* forest, 300-510 m, 22 ii 1995, HÇ 406.
- E. rigida M.Bieb.**
- C5 Antakya: Mount Musa, Ambar Deresi, roadsides and in low macchie, 30 m, 23 ii 1995, HÇ 419.
- Medit. element.
- Mercurialis ovata Streb. & Hoppe**
- C5 Antakya: Mount Musa, Kiraz Gediği, under *Carpinus orientalis* forest, 900 m, 21 iii 1995, HÇ 446.
- Euro-Sib. element.
- FABACEAE (LEGUMINOSAE)**
- Anthyllis tetraphylla L.**
- C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie vegetation, 520 m, 25 iv 1995, HÇ 583.
- Medit. element.
- Astragalus schizopterus Boiss.**
- C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie vegetation, 50 m, 27 iv 1995, HÇ 690.
- Endemic. E. Medit. element.
- Cercis siliquastrum L. subsp. *siliquastrum***
- C5 Antakya: Mount Musa, İkizkörü Village, around Büyükdüz Tepesi, under *Pinus brutia* forest, 550 m, 26 iv 1995, HÇ 650.
- Chamaecytisus cassius (Boiss.) Rothm.**
- C5 Antakya: Mount Musa, İkizkörü Village, around Büyükdüz Tepesi, under *Pinus brutia* forest, 550 m, 26 iv 1995, HÇ 652.
- Endemic. E. Medit. element.
- C. drepanolobus (Boiss.) Rothm.**
- C5 Antakya: Mount Musa, around Tavuk Gediği, open places in *Quercus cerris* forest, 600 m, 01 vi 1995, HÇ 923, endemic.
- E. Medit. element.
- Colutea cilicica Boiss. & Balansa**
- C5 Antakya: Mount Musa, İkizkörü Village, around Büyükdüz Tepesi, under *Pinus brutia* forest, 550 m, 26 iv 1995, HÇ 656.
- Coronilla cretica L.**
- C5 Antakya: Mount Musa, Salindırma Kayası, under *Carpinus orientalis* forest, 1100-1230 m, 02 vii 1995, HÇ 1225.
- E. Medit. element.
- C. emerus L. subsp. *emeroides* (Boiss. & Sprung) Uhrova**
- C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, in *Pinus brutia* plantation, 350-450 m, 21 iii 1995, HÇ 460.
- C. varia L. subsp. *libanotica* Bornm.**
- C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, overgrazed and cleared macchie, 450-500 m, 30 v 1995, HÇ 834.
- E. Medit. element.
- Cytopsis dorycniiifolia Jaub. & Spach subsp. *dorycniiifolia***
- C5 Antakya: Mount Musa, Ambar Deresi, roadside and in low macchie, 10 m, 23 ii 1995, HÇ 418.
- Dorycnium pentaphyllum Scop. subsp. *haussknechtii* (Boiss.) Gams**
- C5 Antakya: Mount Musa, Aydin Yurdu, under *Pinus brutia* forest, 400 m, 01 vi 1995, HÇ 946.
- Endemic. Ir.-Tur. element.
- D. rectum (L.) Ser.**
- C5 Antakya: Mount Musa, Eriklikuyu Village, Çoban Kayası, in disturbed macchie, 520 m, 19 vii 1996, HÇ 1492.
- Medit. element.
- Genista carinalis Gris.**
- C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie vegetation, 140 m, 27 iv 1995, HÇ 704.
- G. lydia Boiss. var. *antiochia* (Boiss.) P.Gibbs**
- C5 Antakya: Mount Musa, Büyükkoba Village, around Kesmeli Tepe, in *Pinus nigra* subsp. *pallasiana* forest, 450 m, 01 vi 1995, HÇ 1326.
- E. Medit. element.
- Glycyrrhiza flavesrens Boiss.**
- C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, open places in *Pinus brutia* forest, 290 m, 22 iii 1995, HÇ 491.
- Endemic. E. Medit. element.
- Gonocytisus pterocladius (Boiss.) Spach**
- C5 Antakya: Mount Musa, Eriklikuyu Village, Çoban Kayası, in disturbed macchie, 520 m, 08 x 1994, HÇ 361.
- E. Medit. element.
- Hammatolobium lotoides Fenzl**
- C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, open places in *Pinus brutia* forest, 290 m, 22 iii 1995, HÇ 494.
- E. Medit. element.
- Hymenocarpus circinnatus (L.) Savi**
- C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 831.
- Medit. element.
- Lathyrus annuus L.**
- C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie vegetation, 520 m, 25 iv 1995, HÇ 595.
- Medit. element.
- L. aphaca L. var. *biflorus* Post**
- C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, in deserted fields, 300 m, 22 iii 1995, HÇ 483.
- L. aphaca L. var. *modestus* P.H.Davis**
- C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie vegetation, 500-600m, 30 v 1995, HÇ 778.
- E. Medit. element.

- L. blepharicarpus** Boiss.
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie vegetation, 150-200 m, 27 iv 1995, HÇ 719.
- E. Medit. element.
- L. czeczottianus** Bässler
C5 Antakya: Mount Musa, İkizköprü Village, around Büyükdüz Tepesi, under *Pinus brutia* forest, 550 m, 26 iv 1995, HÇ 657.
- Endemic.
- L. laxiflorus** (Desf.) O.Kuntze subsp. *angustifolius* (Post ex Dinsm.) P.H.Davis
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie vegetation, 500-600m, 30 v 1995, HÇ 790.
- Endemic. E. Medit. element.
- L. nissolia** L.
C5 Antakya: Mount Musa, Tataralan Yazlağı, around Sultan Tepe, in *Carpinus orientalis* forest, 800-900 m, 25 iv 1995, HÇ 633.
- L. sphaericus** Retz.
C5 Antakya: Mount Musa, Tataralan Yazlağı, around Sultan Tepe, in *Carpinus orientalis* forest, 800-900 m, 25 iv 1995, HÇ 632.
- L. variabilis** (Boiss. & Kotschy) Maly
C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, open places in *Pinus brutia* forest, 290 m, 22 iii 1995, HÇ 486.
- E. Medit. element.
- Lens ervoides** (Brign.) Grande
C5 Antakya: Mount Musa, Teknepinarı Village, Ekinkeuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 620.
- Medit. element.
- Lotus cytisoides** L.
C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Valley, overgrazed and cleared macchie, 450-500 m, 25 iv 1995, HÇ 622.
- Medit. element.
- L. halophilus** Boiss. & Sprun. var. *halophilus*
- C5** Antakya: Mount Musa, Büyükbaba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 981.
- Medicago lupulina** L.
C5 Antakya: Mount Musa, around Incebel, in *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 322.
- M. minima** (L.) Bart. var. *minima*
C5 Antakya: Mount Musa, Teknepinarı Village, Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 780.
- M. polymorpha** L. var. *vulgaris* (Benth.) Shinners
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 120 m, 27 iv 1995, HÇ 696.
- M. praecox** DC.
C5 Antakya: Mount Musa, Teknepinarı Village, Ekinkeuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 621.
- Medit. element.
- M. sativa** L. subsp. *sativa*
C5 Antakya: Mount Musa, Teknepinarı Village, Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ.
- Ononis adenotricha** Boiss. var. *stenophylla* Boiss.
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, Çamlıbel Kayası, in macchie, 150 m, 27 iv 1995, HÇ 706.
- E. Medit. element.
- O. natrix** L. subsp. *natrix*
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 520 m, 20 vii 1994, HÇ 218.
- Medit. element.
- O. pusilla** L.
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, Çamlıbel Kayası, in macchie, 140 m, 27 iv 1995, HÇ 705.
- Medit. element.
- Pisum sativum** L. subsp. *elatius* (M.Bieb.) Aschers. & Graebn. var. *elatius*
C5 Antakya: Mount Musa, Tataralan Yazlağı, around Armut Tepe, in macchie, 500 m, 31 v 1995, HÇ 864.
- Medit. element.
- Psoralea bituminosa** L.
C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 820.
- Medit. element.
- Scorpiurus muricatus** L. var. *vilosus* (L.) Fiori
C5 Antakya: Mount Musa, Büleyik Komu, around Çolağın Tepesi, in macchie, 750 m, 31 v 1995, HÇ 862.
- Medit. element.
- Spartium junceum** L.
C5 Antakya: Mount Musa, Tataralan Yazlağı, in macchie, 650 m, 31 v 1995, HÇ 916.
- Medit. element.
- Trifolium arvense** L. var. *arvense*
C5 Antakya: Mount Musa, Büyükbaba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 976.
- T. bocconei** Savi
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 784.
- Medit. element.
- T. campestre** Schreb.
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, Çamlıbel Kayası, in macchie, 150-200 m, 27 iv 1995, HÇ 723.
- T. caucasicum** Tausch.
C5 Antakya: Mount Musa, Büyükbaba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 967.
- T. davisi** Hossain
C5 Antakya: Mount Musa, Kiraz Gediği, in *Carpinus orientalis* forest, 900 m, 26 iv 1995, HÇ 661.
- Endemic. E. Medit. element.
- T. lappaceum** L.
C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, overgrazed and cleared macchie, 450-500 m, 30 v 1995, HÇ 840.
- Medit. element.

- T. latinum** Seb.
C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 983.
- Medit. element.
- T. physodes** Stev. ex M.Bieb. var. *psilocalyx* Boiss.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 520 m, 25 iv 1995, HÇ 574.
- E. Medit. element.
- T. purpureum** Lois. var. *laxiusculum* (Boiss. & Balansa) Hossain
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, Çamlıbel Kayası, in macchie, 50 m, 27 iv 1995, HÇ 695.
- E. Medit. element.
- T. purpureum** Lois. var. *purpureum*
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 765.
- T. repens** L. var. *repens*
C5 Antakya: Mount Musa, Çamlıayla Village, Zindan Dere, in *Pinus brutia* plantation, 350-450 m, 21 iii 1995, HÇ 34, HÇ 457.
- T. scabrum** L.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 759.
- T. scutatum** Boiss.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 520 m, 25 iv 1995, HÇ 592.
- E. Medit. element.
- T. stellatum** L. var. *stellatum*
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in destroyed macchie vegetation, 500 m, 25 iv 1995, HÇ 568.
- Vicia canescens** Lab. subsp. *canescens*
C5 Antakya: Mount Musa, Kara Komu, around Kandak Dere, under *Pinus brutia* forest, 100-200 m, 01 vi 1995, HÇ 941.
- V. cassia** Boiss.
C5 Antakya: Mount Musa, around Kısık, under *Carpinus orientalis* forest, 990 m, 02 vii 1995, HÇ 1235.
- E. Medit. element.**
- V. cracca** L. subsp. *cracca*
C5 Antakya: Mount Musa, İkizköprü Village, under *Pinus brutia* forest, 350-400 m, 18 iv 1996, HÇ 1323.
- V. cracca** L. subsp. *stenophylla* Vel.
C5 Antakya: Mount Musa, around Tavuk Gediği, under *Pinus brutia* forest, 510 m, 22 iii 1995, HÇ 471.
- V. cracca** L. subsp. *tenuifolia* (Roth) Gaudin
Antakya: Mount Musa, around Incebel, open places in *Carpinus orientalis* forest, 600 m, 22 iii 1995, HÇ 467.
- V. galilaea** Plitm. & Zoh.
C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 832.
- V. grandiflora** Scop. var. *grandiflora*
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 520 m, 25 iv 1995, HÇ 580.
- Euro-Sib. element.
- V. hybrida** L.
C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinke, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 605.
- V. laxiflora** Brot.
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 150-200 m, 27 iv 1995, HÇ 720.
- Medit. element.
- V. sativa** L. subsp. *nigra* (L.) Ehrh. var. *nigra*
C5 Antakya: Mount Musa, Tataralan Yazlağı, around Sultan Tepe, in *Carpinus orientalis* forest, 800-900 m, 25 iv 1995, HÇ 629.
- V. truncatula** Fischer ex M.Bieb.
C5 Antakya: Mount Musa, Sulu Mağara, around Karanlık Dere, open places in *Pinus brutia* forest, 300 m, 22 iii 1995, HÇ 474.
- Euro-Sib. element.
- FAGACEAE**
- Fagus orientalis** Lipsky
C5 Antakya: Mount Musa, Büyükkoba Village, around Kesmeli Tepe, in *Pinus nigra* subsp. *pallasiana* forest, 550 m, 01 vi 1995, HÇ 1331.
- Euro-Sib. element.
- Quercus cerris** L. var. *austriaca* (Willd.) Loudon
C5 Antakya: Mount Musa, around Incebel, in *Carpinus orientalis* forest, 700 m, 29 viii 1994, HÇ 338.
- Medit. element.
- Q. cerris** L. var. *cerris*
C5 Antakya: Mount Musa, Aydin Yurdu, in *Pinus brutia* forest, 400 m, 01 vi 1995, HÇ 944.
- Medit. element.
- Q. coccifera** L.
C5 Antakya: Mount Musa, Teknepinarı Village, Hamilin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 228.
- Medit. element.
- Q. infectoria** Olivier subsp. *boissieri* (Reuter) O.Schwarz
C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinke, in scrub of *Ostrya carpinifolia*, 550 m, 21 iii 1996, HÇ 1307.
- Q. petraea** (Mattuschka) Liebl. subsp. *pinnatifolia* (K.Koch) Menitsky
C5 Antakya: Mount Musa, Eriklikuyu Village, Çoban Kayası, in disturbed macchie, 500-600 m, 08 x 1994, HÇ 358.
- Endemic.
- GENTIANACEAE**
- Centaurium erythraea** Rafn subsp. *turcicum* (Velen.) Melderis
C5 Antakya: Mount Musa, Aydin Yurdu, under *Pinus brutia* forest, 400 m, 01 vi 1995, HÇ 947.
- GERANIACEAE**
- Erodium cicutarium** (L.) L'Hérit. subsp. *cicutarium*
C5 Antakya: Mount Musa, between Tavuk Gediği and Kamışlık, in deserted fields, 300 m, 22 iii 1995, HÇ 481a.

- E. malacoides** (L.) L'Hérit.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 500 m, 25 iv 1995, HÇ 571.
- Geranium columbinum** L.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 520 m, 25 iv 1995, HÇ 579.
- G. lucidum** L.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 520 m, 25 iv 1995, HÇ 578.
- G. molle** L. subsp. *molle*
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in destroyed macchie vegetation, 500 m, 25 iv 1995, HÇ 569.
- G. purpureum** Vill.
C5 Antakya: Mount Musa, Kirazlı Gedik, under *Carpinus orientalis* forest, 900 m, 26 iv 1995, HÇ 663.
- G. pusillum** Burm.
C5 Antakya: Mount Musa, Kamışlık Yurdu, under *Pinus brutia* forest, 300 m, 22 iii 1995, HÇ 482.
- G. robertianum** L.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, shade places in macchie vegetation, 520 m, 25 iv 1995, HÇ 577.
- GUTTIFERAE**
Hypericum cardiophyllum Boiss.
C5 Antakya: Mount Musa, Göksivri Tepesi, on cliffs and steep slopes, 1250 m, 21 vii 1994, HÇ 285.
- H. hircinum** L.
C5 Antakya: Mount Musa, Kapisuyu Village, around Kabaklı, roadsides, 300 m, 02 vii 1995, HÇ 1245.
- Medit. element.
- H. lanuginosum** Lam. var. *lanuginosum*
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 520 m, 20 vii 1994, HÇ 217.
- E. Medit. element.
- H. montbretii** Spach
C5 Antakya: Mount Musa, around Incebel, open places in *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 324.
- H. pallens** Banks & Sol.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, on rocks, 500-600m, 30 v 1995, HÇ 766.
- E. Medit. element.
- H. perforatum** L.
C5 Antakya: Mount Musa, Teknepinarı Village, Hamiliin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 240.
- H. russeggeri** (Fenzl) R.Keller
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Hava Gediği, stony places in macchie vegetation, 250 m, 21 vii 1994, HÇ 290.
- E. Medit. element.
- H. thymifolium** Banks & Sol.
C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 27 vii 1995, HÇ 1251.
- E. Medit. element.
- H. triquetrifolium** Turra
C5 Antakya: Mount Musa, Kapisuyu Village, in macchie, 300 m, 02 vii 1995, HÇ 1243.
- ILLECEBRACEAE**
- Scleranthus annuus** L. subsp. *polycarpus* (L.) Thell.
C5 Antakya: Mount Musa, Göksivri Tepesi, gravelly places, 1150 m, 31 v 1995, HÇ 902.
- LAMIACEAE (LABIATAE)**
- Ajuga orientalis** L.
C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, in *Pinus brutia* plantation, 350-450 m, 21 ii 1995, HÇ 378.
- Calamintha betulifolia** Boiss. & Balansa
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in rock crevices, 520 m, 25 iv 1995, HÇ 576.
- E. Medit. element.
- Clinopodium vulgare** L. subsp. *arundinum* (Boiss.) Nyman
C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 27 vii 1995, HÇ 1248.
- C. vulgare** L. subsp. *vulgare*
C5 Antakya: Mount Musa, around Incebel, in *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 316.
- Euro-Sib. element.
- Lamium garganicum** L. subsp. *reniforme* (Montbret & Aucher ex Benth.) R.R.Mill
C5 Antakya: Mount Musa, Göksivri Tepesi, shady places under *Carpinus orientalis* forest, 1250 m, 26 iv 1995, HÇ 22, Ç.673.
- L. moschatum** Mill. var. *micranthum* Boiss.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 774.
- E. Medit. element.
- L. purpureum** L. var. *aznavourii* Gand. ex Aznav.
C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 21 ii 1995, HÇ 396, endemic, Eu-Sib.el.
- L. truncatum** Boiss.
C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinkuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 600.
- E. Medit. element.
- Lavandula stoechas** L. subsp. *stoechas*
C5 Antakya: Mount Musa, İkizköprü Village, under *Pinus brutia* forest, 350-400 m, 26 iv 1995, HÇ 649.
- Medit. element.
- Melissa officinalis** L. subsp. *inodora* (Bornm.) Bornm.
C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 450m, 27 vii 1995, HÇ 1257.
- E. Medit. element.
- Mentha longifolia** (L.) Hudson subsp. *typhoides* (Briq.) Harley var. *typhoides*
C5 Antakya: Mount Musa, Soğukoluk, around small spring and wet places, 1000 m, 21 vii 1994, HÇ 256.
- M. pulegium** L.
C5 Antakya: Mount Musa, Büleyik Komu, open and wet places in *Pinus brutia* forest, 650 m, 27 vii 1995, HÇ 1264.

- Micromeria fruticosa** (L.) Druce subsp. *brachycalyx* P.H.Davis
C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, in macchie, 520 m, 20 vii 1994, HÇ 208, E.Medit.el
- M. myrtifolia** Boiss. & Hohen.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 530 m, 20 vii 1994, HÇ 224.
- E. Medit. element.
- M. nervosa** (Desf.) Benth.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, under scrub of *Carpinus orientalis*, 700 m, 30 v 1995, HÇ 846.
- Medit. element.
- Nepeta caesarea** Boiss.
C5 Antakya: Mount Musa, east slopes, Tataralan Yazlağı, in scrub of *Laurus nobilis*, 700 m, HÇ 250.
- Endemic. E. Medit. element.
- N. flavidia** Hub.-Mor.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 772.
- E. Medit. element.
- Origanum bargyli** Mouterde
C5 Antakya: Mount Musa, Teknepinarı Village, Hamilin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 233.
- E. Medit. element.
- O. laevigatum** Boiss.
C5 Antakya: Mount Musa, Kapisuyu Village, in macchie, 300 m, 02 vii 1995, HÇ 1290.
- E. Medit. element.
- O. onites** L.
C5 Antakya: Mount Musa, Karagöl Yurdu, open places in mixed scrub of *Carpinus orientalis* and *Quercus coccifera*, 900 m, 02 vii 1995, HÇ 1240.
- E. Medit. element.
- O. syriacum** L. var. *bevanii* (Holmes) Ietswaart
C5 Antakya: Mount Musa, Teknepinarı Village, Hamilin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 241.
- E. Medit. element.
- O. vulgare** L. subsp. *gracile* (K.Koch) Ietswaart
C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinkuyu, in macchie, 560 m, 28 vii 1995, HÇ 1265.
- Ir.-Tur. element.
- O. vulgare** L. subsp. *hirtum* (Link) Ietswaart
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 500 m, 08 x 1994, HÇ 343.
- E. Medit. element.
- Phlomis amanica** Vierh.
C5 Antakya: Mount Musa, around Tavuk Gediği, open places in *Quercus cerris* forest, 620 m, 01 vi 1995, HÇ 924.
- Endemic. E. Medit. element.
- P. longifolia** Boiss. & Balansa var. *longifolia*
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 0-200 m, 27 iv 1995, HÇ 726.
- Prunella vulgaris** L.
C5 Antakya: Mount Musa, Büyükkoba Village, Kabak Tepe, in mixed forest of *Pinus nigra* subsp. *pallasiana* and *Fagus orientalis*, 640 m, 11 vii 1996, HÇ 1444.
- Euro-Sib. element.
- Salvia glutinosa** L.
C5 Antakya: Mount Musa, Büyükkoba Village, Kabak Tepe, in mixed forest of *Pinus nigra* subsp. *pallasiana* and *Fagus orientalis*, 640 m, 11 vii 1996, HÇ 1452.
- Euro-Sib. element.
- S. recognita** Fisch. & C.A.Mey.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 500 m, 20 vii 1994, HÇ 211.
- Endemic. Ir.-Tur. element.
- S. sclarea** L.
C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, on field banks, 300 m, 22 iii 1995, HÇ 477.
- S. tigrina** Hedge & Hub.-Mor.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 797.
- Endemic. E. Medit. element.
- S. petrocosmos** Rech.f.
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Hava Gediği, on rocks, 250 m, 21 vii 1994, HÇ 289.
- Endemic. E. Medit. element.
- S. pinetorum** Boiss. & Balansa
C5 Antakya: Mount Musa, İncebel, around Soğukoluk, in mixed forest of
- Endemic. E. Medit. element.
- S. verticillata** L. subsp. *amasiaca* (Freyn & Bornm.) Bornm.
C5 Antakya: Mount Musa, Teknepinarı Village, around Deli Kadir Tepesi, in macchie, 650-700 m, 30 v 1995, HÇ 804.
- Ir.-Tur. element.
- Scutellaria diffusa** Benth.
C5 Antakya: Mount Musa, Kızılca, under mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 01 vii 1995, HÇ 1199.
- E. Medit. element.
- S. glaphyrostachys** Rech.f.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 530 m, 20 vii 1994, HÇ 225.
- Endemic. E. Medit. element.
- Sideritis perfoliata** L.
C5 Antakya: Mount Musa, around İncebel, under *Carpinus orientalis* forest, 850 m, 29 viii 1994, HÇ 331.
- E. Medit. element.
- Stachys alpina** L. subsp. *macrophylla* (Albov) Bhattacharjee
C5 Antakya: Mount Musa, Teknepinarı Village, around Deli Kadir Tepesi, in macchie, 650-700 m, 30 v 1995, HÇ 810.
- Euro-Sib. element.
- S. cretica** L. subsp. *mersiniae* (Boiss.) Rech.f.
C5 Antakya: Mount Musa, Büyükkoba Village, Kabak Tepe, in mixed forest of *Pinus nigra* subsp. *pallasiana* and *Fagus orientalis*, 640 m, 11 vii 1996, HÇ 1449.
- Endemic. E. Medit. element.
- S. diversifolia** Boiss.
C5 Antakya: Mount Musa, Büyükkoba Village, Kabak Tepe, in mixed forest of *Pinus nigra* subsp. *pallasiana* and *Fagus orientalis*, 640 m, 27 vii 1995, HÇ 1258.
- E. Medit. element.
- S. petrocosmos** Rech.f.
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Hava Gediği, on rocks, 250 m, 21 vii 1994, HÇ 289.
- Endemic. E. Medit. element.
- S. pinetorum** Boiss. & Balansa
C5 Antakya: Mount Musa, İncebel, around Soğukoluk, in mixed forest of

Carpinus orientalis and *Ostrya carpinifolia*.
1000 m, 21 vii 1994, HÇ 262.

E. Medit. element.

S. pumila Banks & Sol.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, stony places, 50 m, 27 iv 1995, HÇ 694.

Endemic. E. Medit. element.

S. rupestris Montbret & Aucher ex Bentham

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in rock crevices, 520 m, 25 iv 1995, HÇ 584.

Endemic. E. Medit. element.

Teucrium chamaedrys L. subsp. *tauricum* Rech.f.

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 530 m, 20 vii 1994, HÇ 226.

Endemic. E. Medit. element.

T. lamiifolium d'Urv. subsp. *stachyophyllum* (P.H.Davis) Hedge & Ekim

C5 Antakya: Mount Musa, Teknepinarı Village, around Deli Kadir Tepesi, in macchie, 650-700 m, 30 v 1995, HÇ 803.

E. Medit. element.

T. montbretii Bentham subsp. *montbretii*

C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in rock crevices, 650 m, 18 vii 1996, HÇ 1490.

E. Medit. element.

T. polium L.

C5 Antakya: Mount Musa, east slopes, Tataralan Yazlağı, in scrub of *Laurus nobilis*, 700 m, HÇ 249.

LAURACEAE

Laurus nobilis L.

C5 Antakya: Mount Musa, Teknepinarı Village, Hamilin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 243.

LINACEAE

Linum bienne Mill.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 0-200 m, 27 iv 1995, HÇ 721.

Medit. element.

LYTHRACEAE

Lythrum junceum Banks & Sol.

C5 Antakya: Mount Musa, Aydin Yurdu, wet places in *Pinus brutia* forest, 400 m, 01 vi 1995, HÇ 950.

Medit. element.

MALVACEAE

Alcea apterocarpa (Fenzl) Boiss.

C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 814.

Endemic. Ir.-Tur. element.

Althaea cannabina L.

C5 Antakya: Mount Musa, Teknepinarı Village, Hamilin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 235.

Malva neglecta Wallr.

C5 Antakya: Mount Musa, Salındırma Kayası, rocky places, 1100-1230 m, 31 v 1995, HÇ 885.

M. nicaeensis All.

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 520 m, 25 iv 1995, HÇ 596.

MORACEAE

Ficus carica L. subsp. *rupestris* (Hauskn.) Browicz

C5 Antakya: Mount Musa, Yazlak Yurdu, rocky cliff, 600-850 m, 31 v 1995, HÇ 907.

MYRTACEAE

Myrtus communis L. subsp. *communis*

C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, in macchie, 490 m, 20 vii 1994, HÇ 201.

OLEACEAE

Fraxinus ornus L. subsp. *cilicica* (Lingelsh.) Yalt.

C5 Antakya: Mount Musa, İkizköprü Village, around Büyükdüz Tepesi, under *Pinus brutia* forest, 550 m, 26 iv 1995, HÇ 651.

Endemic. E. Medit. element.

Phillyrea latifolia L.

C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, in *Pinus brutia* plantation, 350-450 m, 21 iii 1995, HÇ 463.

Medit. element.

ONAGRACEAE

Epilobium gemmascens C.A.Mey.

C5 Antakya: Mount Musa, Kible Kayası, open places in *Carpinus orientalis* forest, 900 m, 01 vii 1995, HÇ 1217.

OROBANCHACEAE

Orobanche minor C.Sm.

C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 833.

O. ramosa L.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 140 m, 27 iv 1995, HÇ 703.

O. schultzii Mutel

C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 817.

Medit. element.

OXALIDACEAE

Oxalis corniculata L.

C5 Antakya: Mount Musa, around Incebel, open places in *Carpinus orientalis* forest, 820 m, 29 viii 1994, HÇ 335, cozmopolit.

PAEONIACEAE

Paeonia daurica Andrews

C5 Antakya: Mount Musa, Tataralan Yazlağı, around Sultan Tepe, in *Carpinus orientalis* forest, 830 m, 25 iv 1995, HÇ 636.

P. kesrouanensis Thiéb.

C5 Antakya: Mount Musa, Kible Kayası, under *Carpinus orientalis* forest, 1070 m, 26 iv 1995, HÇ 681.

E. Medit. element.

P. mascula (L.) Mill. subsp. *mascula*

C5 Antakya: Mount Musa, Kızılca, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 31 v 1995, HÇ 880.

PAPAVERACEAE

Papaver syriacum Boiss. & Blanche

C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 741

- PHYTOLACCACEAE**
- Phytolacca pruinosa* Fenzl
C5 Antakya: Mount Musa, around Yangın Kulesi, roadsides, 1100-1250 m, 21 vii 1994, HÇ 271.
E. Medit. element.
- PLANTAGINACEAE**
- Plantago afra* L. C5 Antakya: Mount Musa, Samandağ district, around Çevlik, in macchie, 20 m, 27.04.1995, HÇ 689.
E. Medit. element.
- P. lagopus* L.
C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 20 m, 27 iv 1995, HÇ 693.
Medit. element.
- P. major* L. subsp. *intermedia* (Gilib.) Lange
C5 Antakya: Mount Musa, around İncebel, open places in *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 319.
- PLATANACEAE**
- Platanus orientalis* L.
C5 Antakya: Mount Musa, Kara Komu, around Kandak Dere, streamsides, 100 m, 01 vi 1995, Ç.943.
- PLUMBAGINACEAE**
- Plumbago europaea* L.
C5 Antakya: Mount Musa, Eriklikuyu Village, Çoban Kayası, in disturbed macchie, 500-600 m, 08 x 1994, HÇ 349.
Euro-Sib. element.
- POLYGALACEAE**
- Polygala comosa* Schkuhr
C5 Antakya: Mount Musa, Çanakkale Komu, under *Pinus brutia* forest, 280 m, 22 ii 1995, HÇ 409.
- P. supina* Schreb.
C5 Antakya: Mount Musa, Tataralan Yazlağı, around Sultan Tepe, in *Carpinus orientalis* forest, 800-900 m, 25 iv 1995, HÇ 635
- POLYGONACEAE**
- Polygonum aviculare* L.
C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus*
- brutia* forest, 300-500m, 01 vi 1995, HÇ 959, cozmopolit.
- P. convolvulus* L.
C5 Antakya: Mount Musa, İncebel, around Soğukoluk, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1000 m, 21 vii 1994, HÇ 255.
- P. dumetorum* L.
C5 Antakya: Mount Musa, Eriklikuyu Village, Çoban Kayası, in disturbed macchie, 520 m, 08 x 1994, HÇ 363.
- Rumex pulcher* L.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 775.
- PRIMULACEAE**
- Anagallis arvensis* L. var. *arvensis*
C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, on field banks, 300 m, 22 iii 1995, HÇ 476.
- A. arvensis* L. var. *caerulea* (L.) Gouan
C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinkuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 619.
- Cyclamen coum* Mill. var. *coum*
C5 Antakya: Mount Musa, Çamlıyayla Village, around Zindan Dere, in *Pinus brutia* plantation, 350-450 m, 21 ii 1995, HÇ 380.
- Primula vulgaris* Hudson subsp. *sibthorpii* (Hoffmanns.) W.W.Sm. & Forrest
C5 Antakya: Mount Musa, Çamlıyayla Village, around Zindan Dere, in *Pinus brutia* plantation, 350-450 m, 21 ii 1995, HÇ 390, Eu-Sib.el.
- RANUNCULACEAE**
- Clematis vitalba* L.
C5 Antakya: Mount Musa, around İncebel, in *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 320.
- Ranunculus chius* DC.
C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinkuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 604.
- R. ficaria* L. subsp. *calthifolius* (Rchb.) Arc.
C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus*
- brutia* forest, 300-500m, 21 ii 1995 33, HÇ 391.
- R. millefolius* Banks & Sol. subsp. *millefolius*
C5 Antakya: Mount Musa, Tataralan Yazlağı, around Sultan Tepe, in *Carpinus orientalis* forest, 800-900 m, 25 iv 1995, HÇ 630.
- R. muricatus* L.
C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, deserted fields, 300 m, 22 iii 1995, HÇ 479b.
- R. neapolitanus* Ten.
C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 818.
- R. paludosus* Poir.
C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinkuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 614.
- Thalictrum orientale* Boiss.
C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinkuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 622.
- E. Medit. element.
- RESEDACEAE**
- Reseda lutea* L. var. *lutea*
C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 953.
- RHAMNACEAE**
- Rhamnus oleoides* L.
C5 Antakya: Mount Musa, Yoğunoluk Village, between Tekerek Yazı and Oturak Tepe, in distributed macchie, 400-450m, 08 x 1994, HÇ 370.
- It is cited in The Flora of Turkey as a polymorphic species (Davis, 1965-1988). It is divided as two subspecies (subsp. *graecus* and subsp. *oleoides*). Subsp. *oleoides* can be distinguished from subsp. *graecus* with coriaceous, evergreen, drying yellowish green, with dark reticulate venation below and usually glabrous leaves. But, the specimens from our research area is intermediate between R. *oleoides* subsp. *oleoides* and R. *oleoides* subsp. *graecus*; our specimens from

Mount Mousa have remotely serrulate leaves, hairy only on the pedicels, other part totally glabrous, deciduous, drying yellowish green, apex emarginate or rounded. So, these specimens from Mount Musa hadn't been considered as subspecific rank.

R. punctatus Boiss. var. *angustifolius* Post

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 120 m, 27 iv 1995, HÇ 691.

E. Medit. element.

ROSACEAE

Agrimonia eupatoria L.

C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, in rock crevices, 470 m, 20 vii 1994, HÇ 205.

Crataegus monogyna Jacq. subsp. *monogyna*

C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in scrub of *Carpinus orientalis*, 700 m, 30 v 1995, HÇ 850.

C. pseudoheterophylla Pojark.

C5 Antakya: Mount Musa, Kamışlık Yurdu, under *Pinus brutia* forest, 310 m, 22 iii 1995, HÇ 934.

Ir.-Tur. element.

Fragaria vesca L.

C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, under *Pinus brutia* plantation, 350-450 m, 21 ii 1995, HÇ 377.

Geum urbanum L.

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in shady places, 500 m, 25 iv 1994, HÇ 566.

Euro-Sib. element.

Laurocerasus officinalis Roem.

C5 Antakya: Mount Musa, Göksivri Tepesi, shady edges of rocks, 1250 m, 26 iv 1995, HÇ 674.

Potentilla recta L.

C5 Antakya: Mount Musa, Teknepinarı Village, Çatak Boğazı, under scrub of *Carpinus orientalis*, 700 m, 30 v 1995, HÇ 845.

Rosa dumalis Bechst. subsp. *boissieri* (Crépin) Ö.Nilsson var. *boissieri*

C5 Antakya: Mount Musa, around Kızılca, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 01 vii 1995, HÇ 1206.

Rubus canescens DC. var. *glabratus* (Godron) P.H.Davis & Meikle

C5 Antakya: Mount Musa, İncebel, around Soğukoluk, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*. 1000 m, 21 vii 1994, HÇ 264.

R. discolor Weihe & Nees

C5 Antakya: Mount Musa, Kamışlık Yurdu, open places in *Pinus brutia* forest, 310 m, 01 vi 1995, HÇ 930.

Sanguisorba minor Scop. subsp. *magnoliae* (Spach) Briq.

C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 794.

Sorbus torminalis (L.) Crantz var. *pinnatifida* Boiss.

C5 Antakya: Mount Musa, Kiraz Gediği, in *Carpinus orientalis* forest, 900 m, 26 iv 1995, HÇ 662.

Euro-Sib. element.

RUBIACEAE

Asperula cymulosa (Post) Post

C5 Antakya: Mount Musa, Tombulun Yazlağı, in tall scrub of *Carpinus orientalis*, 900-950 m, 31 v 1995, HÇ 914.

Endemic. E. Medit. element.

A. stricta Boiss. subsp. *latibracteata* (Boiss.) Ehrend.

C5 Antakya: Mount Musa, Teknepinarı Village, Hamilin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 231, endemic, Ir.-Tur.

A. stricta Boiss. subsp. *monticola* Ehrend.

C5 Antakya: Mount Musa, Yazlak Yurdu, rocky cliff, 600-850 m, 31 v 1995, HÇ 908.

Endemic. E. Medit. element.

A. stricta Boiss. subsp. *stricta*

C5 Antakya: Mount Musa, Salındırma Kayası, under *Carpinus orientalis* forest, 1100-1230 m, 02 vii 1995, HÇ 1223.

E. Medit. element.

Crucianella imbricata Boiss.

C5 Antakya: Mount Musa, Teknepinarı Village, Mağaradere Valley, in macchie, 520 m, 20 vii 1994, HÇ 207.

E. Medit. element.

C. latifolia L.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 0-200 m, 27 iv 1995, HÇ 688.

Medit. element.

Cruciata taurica (Pallas ex Willd.) Ehrend.

C5 Antakya: Mount Musa, Tataralan Yazlağı, around Armut Tepe, in macchie, 500 m, 31 v 1995, HÇ 870.

Ir.-Tur. element.

Galium album Mill. subsp. *arami* Ehrend. & Schönb-Tem.

C5 Antakya: Mount Musa, Kızılca, under mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 01 vii 1995, HÇ 1196.

Endemic. E. Medit. element.

G. aparine L.

C5 Antakya: Mount Musa, Tataralan Yazlağı, around Armut Tepe, in macchie, 500 m, 31 v 1995, HÇ 865.

G. canum Req. ex DC. subsp. *antalyense* Ehrend.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in rock crevices, 20 m, 27 iv 1995, HÇ 697.

Endemic. E. Medit. element.

G. cassium Boiss.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 150 m, 27 iv 1995, HÇ 708.

E. Medit. element.

G. heldreichii Hal.

C5 Antakya: Mount Musa, Teknepinarı Village, around Deli Kadir Tepesi, in macchie, 650-700 m, 30 v 1995, HÇ 808.

E. Medit. element.

G. murale (L.) All.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel

Kayası, in macchie, 150 m, 27 iv 1995, HÇ 709.

Medit. element.

G. verum L. subsp. *glabrescens* Ehrend.

C5 Antakya: Mount Musa, Eriklikuyu Village, Çoban Kayası, in disturbed macchie, 500-600 m, 08 x 1994, HÇ 352.

G. verum L. subsp. *verum*

C5 Antakya: Mount Musa, Kamışlık Yurdu, under *Pinus brutia* forest, 310 m, 22 iii 1995, HÇ 937.

Euro-Sib. element.

Putoria calabrica (L.f.) DC.

C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 978.

Medit. element.

Rubia rotundifolia Banks & Sol.

C5 Antakya: Mount Musa, Tataralan Yazlağı, around Armut Tepe, in macchie, 500 m, 31 v 1995, HÇ 867.

E. Medit. element.

R. tenuifolia d'Urv. subsp. *brachypoda* (Boiss.) Ehrend. & Schönb.-Tem.

C5 Antakya: Mount Musa, between Tavuk Gediği and Kamışlık, open places in *Pinus brutia* forest, 290 m, 22 iii 1995, HÇ 493.

Medit. element.

R. tenuifolia d'Urv. subsp. *tenuifolia*

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 500 m, 08 x 1994, HÇ 345.

E. Medit. element.

Sherardia arvensis L.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 160 m, 27 iv 1995, HÇ 711.

Medit. element.

Valantia hispida L.

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 120 m, 27 iv 1995, HÇ 687.

Medit. element.

SANTALACEAE

Osyris alba L.

C5 Antakya: Mount Musa, Eriklikuyu Village, Çoban Kayası, in disturbed macchie, 520 m, 08 x 1994, HÇ 360.

Medit. element.

Thesium humile Vahl

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 150-200 m, 27 iv 1995, HÇ 727.

Medit. element.

T. procumbens C.A.Mey.

C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 973.

SAXIFRAGACEAE

Saxifraga hederacea L. var. *libanotica* (Bornm.) Matthews

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in rock crevices, 520 m, 25 iv 1995, HÇ 585.

S. tridactylites L.

C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinke, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 601.

SCROPHULARIACEAE

Anarrhinum orientale Benth.

C5 Antakya: Mount Musa, around Tavuk Gediği, on rocky slopes, 610 m, 01 vi 1995, HÇ 925.

Ir.-Tur. element.

Digitalis ferruginea L. subsp. *ferruginea*

C5 Antakya: Mount Musa, around Incebel, under *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 325.

Euro-Sib. element.

Lesquerella syriaca Boiss. & Reut.

C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu deresi, open places in *Pinus brutia* forest, 450m, 27 vii 1995, HÇ 1253.

E. Medit. element.

Scrophularia cryptophila Boiss. & Heldr.

C5 Antakya: Mount Musa, around Incebel, in *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 315.

Endemic. E. Medit. element.

S. libanotica Boiss. subsp. *libanotica* var. *australis* R. Mill

C5 Antakya: Mount Musa, Salindırma Kayası, steep cliffs, 1100-1230 m, 31 v 1995, HÇ 888.

Endemic. Ir.-Tur. element.

S. lucida L.

C5 Antakya: Mount Musa, Ambar Deresi, roadsides, 5-10 m, 23 ii 1995, HÇ 415.

Medit. element.

S. scopolii (Hoppe ex) Pers. var. *nusairiensis* (Post) Lall

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, on rocky slopes, 500 m, 25 iv 1995, HÇ 572.

E. Medit. element.

S. scopolii (Hoppe ex) Pers. var. *scopolii*

C5 Antakya: Mount Musa, Göksivri Tepesi, on cliffs and steep slopes, 1250 m, 26 iv 1995, HÇ 669.

Verbascum amanum Boiss.

C5 Antakya: Mount Musa, between Kızılca and Kible Kayası, open places in *Ostrya carpinifolia* forest, 900, m, 31 v 1995, HÇ 874.

Endemic. E. Medit. element.

V. caesareum Boiss.

C5 Antakya: Mount Musa, Ambar Deresi, roadsides, 10 m, 23 ii 1995, HÇ 410.

E. Medit. element.

V. discolor Murb.

C5 Antakya: Mount Musa, between Kızılca and Kible Kayası, open places in *Ostrya carpinifolia* forest, 900, m, 31 v 1995, HÇ 875.

Endemic. E. Medit. element.

V. pinetorum (Boiss.) O.Kuntze

C5 Antakya: Mount Musa, Kara Komu, around Kandak Dere, under *Pinus brutia* forest. 100-200 m, 01 vi 1995, HÇ 938.

Endemic. E. Medit. element.

V. sinuatum L. var. *adenosepalum*
Murb.

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 530 m, 20 vii 1994, HÇ 221.

E. Medit. element.

V. sinuatum L. var. *sinuatum*

C5 Antakya: Mount Musa, Göksivri Tepesi, on cliffs and steep slopes, 1250 m, 21 vii 1994, HÇ 287.

Medit. element.

V. tauri Boiss. & Kotschy

C5 Antakya: Mount Musa, Salindırma Kayası, under *Carpinus orientalis* forest, 1100-1230 m, 02 vii 1995, HÇ 1218.

Endemic. E. Medit. element.

Veronica ceratocarpa C.A.Mey.

C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, deserted fields, 300 m, 22 iii 1995, HÇ 478.

Euro-Sib. element.

V. cymbalaria Bodard

C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 21 ii 1995, HÇ 398.

Medit. element.

V. hederifolia L.

C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 21 ii 1995, HÇ 394.

Cosmopolitan.

V. leiocarpa Boiss.

C5 Antakya: Mount Musa, Teknepinarı Village, Hamiliin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 230.

E. Medit. element.

V. macrostachya Vahl subsp. *macrostachya*

C5 Antakya: Mount Musa, Samandağ district, near to Çevlik, around Çamlıbel Kayası, in macchie, 160 m, 27 iv 1995, HÇ 712.

E. Medit. element.

Wulfenia orientalis Boiss.

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, on rocks, 520 m, 25 iv 1995, HÇ 589.

E. Medit. element.

SOLANACEAE

Atropa belladonna L.

C5 Antakya: Mount Musa, İncebel, around Soğukoluk, roadsides, 1000 m, 21 vii 1994, HÇ 261.

Euro-Sib. element.

Physalis alkekengi L. C5 Antakya: Mount Musa, around İncebel, in *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 306.

Solanum alatum Moench

C5 Antakya: Mount Musa, around İncebel, open places in *Carpinus orientalis* forest, 720 m, 29 viii 1994, HÇ 327.

STAPHYLEACEAE

Staphylea pinnata L.

C5 Antakya: Mount Musa, Göksivri Tepesi, on cliffs and steep slopes, 1250 m, 21 vii 1994.664.

STYRACACEAE

Styrax officinalis L.

C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, in macchie, 470 m, 20 vii 1994, HÇ 199.

THYMELAEACEAE

Daphne sericea Vahl

C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, open places in *Pinus brutia* plantation, 350-450 m, 21 ii 1995, HÇ 384.

ULMACEAE

Ulmus glabra Hudson

C5 Antakya: Mount Musa, Kiraz Gediği, in *Carpinus orientalis* forest, 900 m, 26 iv 1995, HÇ 660, Eu.Sib.el.

U. minor Mill. subsp. *canescens* (Melville) Browicz & Zielinski

C5 Antakya: Mount Musa, İncebel, around Soğukoluk, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1000 m, 21 vii 1994, HÇ 267.

E. Medit. element.

URTICACEAE

Parietaria cretica L.

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in rock crevices, 520 m, 25 iv 1995, HÇ 582.

Medit. element.

P. Iusitanica L.

C5 Antakya: Mount Musa, Yoğunoluk Village, between Tekerek Yazı and Oturak Tepe, in rock crevices, 400-450m, 08 x 1994, HÇ 369.

Medit. element.

Urtica urens L.

C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, shady places in macchie vegetation, 520 m, 25 iv 1995, HÇ 575.

VALERIANACEAE

Centranthus longiflorus Stev. subsp. *longiflorus*

C5 Antakya: Mount Musa, Kızılca, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 31 v 1995, HÇ 879.

Ir.-Tur. element.

Valeriana alliariifolia Adams

C5 Antakya: Mount Musa, Göksivri Tepesi, shady edges of rocks, 1150 m, 31 v 1995, HÇ 896.

Valerianella carinata Lois.

C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinkuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 598.

VERBENACEAE

Phyla canescens (Kunth) Greene

C5 Antakya: Mount Musa, Teknepinarı Village, around Mağara Dere Valley, in macchie, 470-600 m, 12 vii 1996, HÇ 1462.

VIOLACEAE

Viola alba Besser subsp. *dehnhardtii* (Ten.) W.Becker

C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, in *Pinus brutia* plantation, 350-450 m, 21 ii 1995, HÇ 379.

V. cilicica Contandr. & Quézel

C5 Antakya: Mount Musa, Büyükkoba Village, around Kesmeli Tepe, under *Pinus*

nigara subsp. *pallasiana* forest, 450 m, 01 vi 1995, HÇ 1327.

Endemic. E. Medit. element.

V. isaurica Contandr. & Quézel

C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, under *Pinus brutia* plantation, 350-450 m, 21 ii 1995, HÇ 376.

Endemic. E. Medit. element.

V. odorata L.

C5 Antakya: Mount Musa, Büleyik Komu, around Bakacak Dere, under *Pinus brutia* forest, 400-450 m, 21 iii 1996, HÇ 1304.

V. suavis M.Bieb.

C5 Antakya: Mount Musa, around Tavukgediği, under *Pinus brutia* forest, 300-510 m, 22 ii 1995, HÇ 408.

VITACEAE

Ampelopsis orientale (Lam.) Planchon

C5 Antakya: Mount Musa, İncebel, around Soğukoluk, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*. 1000 m, 21 vii 1994, HÇ 253.

MONOCOTYLEDONES

AMARYLLIDACEAE

Galanthus fosteri Baker

C5 Antakya: Mount Musa, around İncebel, under *Carpinus orientalis* forest, 600 m, 22 ii 1995, HÇ 400.

E. Medit. element.

CYPERACEAE

Carex digitata L.

C5 Antakya: Mount Musa, Göksivri Tepesi, shady places under scrub, 1250 m, 26 iv 1995, HÇ 672.

Euro-Sib. element.

C. divulsa Stokes subsp. *coriogyne* (Nelmes) Ö.Nilsson

C5 Antakya: Mount Musa, Göksivri Tepesi, under scrub, 1250 m, 26 iv 1995, HÇ 671.

Endemic. E. Medit. element.

C. divulsa Stokes subsp. *leersii* (Kneucker) W.Koch

C5 Antakya: Mount Musa, Büleyik Komu, around Çolağın Tepesi, in scrub of *Carpinus orientalis*, 500-750 m, 31 v 1995, HÇ 860.

Euro-Sib. element.

C. flacca Schreber subsp. *serrulata* (Biv.) Greuter

C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, in *Pinus brutia* plantation, 350-450 m, 21 iii 1995, HÇ 461.

C. pendula Hudson

C5 Antakya: Mount Musa, İkizköprü Village, streamsides in *Pinus brutia* forest, 350-400 m, 18 iv 1996, HÇ 1322.

Euro-Sib. element.

DIOSCOREACEAE

Tamus communis L. subsp. *communis*

C5 Antakya: Mount Musa, Teknepinarı Village, Hamilin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 245.

IRIDACEAE

Gladiolus italicus Mill.

C5 Antakya: Mount Musa, Kara Komu, around Kandak Dere, under *Pinus brutia* forest. 100-200 m, 01 vi 1995, HÇ 939.

JUNCACEAE

Juncus inflexus L.

C5 Antakya: Mount Musa, Büyükbaba Village, Soğuksu Deresi, streamsides, 340m, 27 vii 1995, HÇ 1254.

Luzula forsteri (C.Sm.) DC.

C5 Antakya: Mount Musa, Kiraz Gediği, in *Carpinus orientalis* forest, 900 m, 21 iii 1995, HÇ 447.

Euro-Sib. element.

LILIACEAE

Allium chloranthum Boiss.

C5 Antakya: Mount Musa, between Kızılca and Kible Kayası, open places in *Ostrya carpinifolia* forest, 900 m, 31 v 1995, HÇ 873.

E. Medit. element.

A. paniculatum L. subsp. *fuscum* (Waldst. & Kit.) Arc.

C5 Antakya: Mount Musa, Yoğunoluk Village, between Tekerek Yazi and Oturak Tepe, in low macchie, 400-450m, 08 x 1994, HÇ 367.

E. Medit. element.

A. paniculatum L. subsp. *paniculatum*

C5 Antakya: Mount Musa, Kızılca, under mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 01 vii 1995, HÇ 1205.

Medit. element.

Asparagus acutifolius L.

C5 Antakya: Mount Musa, Teknepinarı Village, Hamiliin Tepe, open scrub, 700-800 m, 20 vii 1994, HÇ 238.

Medit. element.

Colchicum cilicicum (Boiss.) Dammer

C5 Antakya: Mount Musa, Kiraz Gediği, under *Carpinus orientalis* forest, 900 m, 26 iv 1995, HÇ 659.

E. Medit. element.

C. troodii Kotschy

C5 Antakya: Mount Musa, Çamliyayla Village, around Zindan Dere, in *Pinus brutia* plantation, 350-450 m, 02 xi 1995, HÇ 1295.

E. Medit. element.

Danaë racemosa (L.) Moench

C5 Antakya: Mount Musa, Göksivri Tepesi, shady edges of rocks, 1250 m, 26 iv 1995, HÇ 676.

Fritillaria alfredae Post subsp. *platyptera* (Samuelsson) Rix

Antakya: Mount Musa, around İncebel, in *Carpinus orientalis* forest, 600 m, 22 iii 1995, HÇ 466.

E. Medit. element.

Muscari comosum (L.) Mill.

C5 Antakya: Mount Musa, Salındırma Kayası, under *Carpinus orientalis* forest, 1100-1230 m, 02 vii 1995, HÇ 1229.

Medit. element.

M. tenuiflorum Taush

C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, overgrazed and cleared macchie, 450-500 m, 30 v 1995, HÇ 842.

Ornithogalum narbonense L.

C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 816.

Medit. element.

- O. oligophyllum E.D.Clarke
C5 Antakya: Mount Musa, Kible Kayası, open places in *Carpinus orientalis* forest, 900-1070 m, 26 iv 1995, HÇ 680.
- O. umbellatum L.
C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, overgrazed and cleared macchie, 450-500 m, 18 iv 1996, HÇ 1318.
- Ruscus aculeatus L. var. angustifolius Boiss.
C5 Antakya: Mount Musa, Tataralan Yazlağı, in macchie, 650 m, 31 v 1995, HÇ 919.
- Smilax aspera L.
C5 Antakya: Mount Musa, Kızılca, in mixed forest of *Carpinus orientalis* and *Ostrya carpinifolia*, 1070 m, 31 v 1995, HÇ 878.
- S. excelsa L.
C5 Antakya: Mount Musa, south slopes, around Kısık, under *Carpinus orientalis* forest, 990 m, 02 vii 1995, HÇ 1238.
- ORCHIDACEAE**
- Anacamptis pyramidalis (L.) Rich.
C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, overgrazed and cleared macchie, 450-500 m, 18 iv 1996, HÇ 837.
- Cephalanthera longifolia (L.) Fritsch
C5 Antakya: Mount Musa, İkizköprü Village, around Büyükdüz Tepesi, under *Pinus brutia* forest, 400-550 m, 26 iv 1995, HÇ 653.
- Euro-Sib. element.
- Dactylorhiza romana (Seb.) Soó subsp. romana
C5 Antakya: Mount Musa, around Tavuk Gediği, under *Pinus brutia* forest, 300-510 m, 22 iii 1995, HÇ 468.
- Medit. element.
- Limodorum abortivum (L.) Swartz
C5 Antakya: Mount Musa, between Tavuk Gediği and Kamişlık, open places in *Pinus brutia* forest, 290 m, 22 iii 1995, HÇ 485.
- Orchis anatolica Boiss.
C5 Antakya: Mount Musa, Tataralan Yazlağı, around Sultan Tepe, in *Carpinus orientalis* forest, 800-900 m, 25 iv 1995, HÇ 625.
- O. morio L. subsp. *syriaca* Camus et al.
C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, under *Pinus brutia* forest, 450-500 m, 18 iv 1996, HÇ 1319
- O. simia Lam.
C5 Antakya: Mount Musa, Teknepinarı Village, between Çifte Kuyular and Tattepe, rocky areas, macchie, 500-600m, 25 iv 1995, HÇ 641.
- Medit. element.
- O. tridentata Scop.
C5 Antakya: Mount Musa, Teknepinarı Village, between Çifte Kuyular and Tattepe, in macchie, 500-600m, 25 iv 1995, HÇ 642.
- Medit. element.
- POACEAE (GRAMINEAE)**
- Avena barbata Pott ex Link subsp. barbata
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 757.
- Medit. element.
- A. byzantina K.Koch
C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 829.
- A. sterilis L. subsp. *sterilis*
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 793.
- Brachypodium pinnatum (L.) P.Beauv.
C5 Antakya: Mount Musa, Büyükbaba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 974.
- Euro-Sib. element.
- B. sylvaticum (Hudson) P.Beauv.
C5 Antakya: Mount Musa, Tombulun Yazlağı, in tall scrub of *Carpinus orientalis*, 900-950 m, 31 v 1995, HÇ 911.
- Euro-Sib. element.
- Bromus alopecuros Poir. subsp. *alopecuros*
C5 Antakya: Mount Musa, Teknepinarı Village, around Armut Tepe, in scrub vegetation, 650 m, 31 v 1995, HÇ 851.
- Medit. element.
- B. fasciculatus C.Presl
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 783.
- E. Medit. element.
- B. lanceolatus Roth
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 758.
- B. ramosus Hudson
C5 Antakya: Mount Musa, Büyükbaba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 968.
- B. rigidus Roth
C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinkuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 607.
- B. sterilis L.
C5 Antakya: Mount Musa, Salındırma Kayası, stony places, 1100-1230 m, 31 v 1995, HÇ 884.
- Catapodium rigidum (L.) C.E.Hubb. ex Dony subsp. *rigidum* var. *rigidum*
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 764.
- Cleistogenes serotina (L.) Keng subsp. *serotina*
C5 Antakya: Mount Musa, Çamliyaya Village, around Zindan Dere, in *Pinus brutia* plantation, 350-450 m, 02 xi 1995, HÇ 1296
- Cynosurus echinatus L.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 779.
- Medit. element.
- Dactylis glomerata L. subsp. *glomerata*
C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 812.
- Euro-Sib. element.
- Elymus repens (L.) Gould subsp. *repens*
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 782.

- Eremopoa attalica** H.Scholz
C5 Antakya: Mount Musa, Teknepinarı Village, Deli Kadir Tepesi, in macchie vegetation, 650 m, 30 v 1995, HÇ 827.
Endemic. E. Medit. element.
- E. capillaris** R.R.Mill
C5 Antakya: Mount Musa, Büyükkoba Village, Soğuksu Deresi, open places in *Pinus brutia* forest, 300-500m, 01 vi 1995, HÇ 957.
E. Medit. element.
- Festuca drymeja** Mertens & K.Koch
C5 Antakya: Mount Musa, around Kisık, under *Carpinus orientalis* forest, 990 m, 02 vii 1995, HÇ 1231.
Euro-Sib. element.
- Gastridum phleoides** (Nees & Meyen) C.E.Hubb.
C5 Antakya: Mount Musa, Büyükkoba Village, around Kesmeli Tepe, in *Pinus nigra* subsp. *pallasiana* forest, 450 m, 01 vi 1995, HÇ 952.
Medit. element.
- Hordeum bulbosum** L.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 786.
H. murinum L. subsp. *glaucum* (Steudel) Tzvelev
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 762.
H. murinum L. subsp. *leporinum* (Link) Arc. var. *leporinum*
C5 Antakya: Mount Musa, Salındırma Kayası, steep cliffs, 1100-1230 m, 31 v 1995, HÇ 883.
Hyparrhenia hirta (L.) Stapf
C5 Antakya: Mount Musa, Kamışlık Yurdu, open places in *Pinus brutia* forest, 310 m, 01 vi 1995, HÇ 932.
Lolium perenne L.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 761.
- Euro-Sib. element.**
- L. temulentum** L. var. *temulentum*
C5 Antakya: Mount Musa, Teknepinarı Village, Mağara Dere Valley, overgrazed and cleared macchie, 450-500 m, 30 v 1995, HÇ 836.
- Melica ciliata** L. subsp. *ciliata*
C5 Antakya: Mount Musa, Yazlak Yurdu, rocky cliffs, 600-850 m, 31 v 1995, HÇ 909.
- M. eligulata** Boiss.
C5 Antakya: Mount Musa, around Tavuk Gediği, under *Pinus brutia* forest, 410 m, 22 iii 1995, HÇ 472.
E. Medit. element.
- M. uniflora** Retz.
C5 Antakya: Mount Musa, Büyükkoba Village, around Kesmeli Tepe, in *Pinus nigra* subsp. *pallasiana* forest, 450 m, 01 vi 1995 i HÇ 1329.
Euro-Sib. element.
- Milium pedicellare** (Bornm.) Roshev. ex Melderis
C5 Antakya: Mount Musa, Tataralan Yazlağı, around Sultan Tepe, in *Carpinus orientalis* forest, 800-900 m, 25 iv 1995, HÇ 624.
Ir.-Tur. element.
- M. vernale** M.Bieb. subsp. *montianum* (Parl.) Jah. & Maire
C5 Antakya: Mount Musa, Göksivri Tepesi, on cliffs and steep slopes, 1250 m, 26 iv 1995, HÇ 668.
Medit. element.
- Pennisetum orientale** Rich.
C5 Antakya: Mount Musa, Ambar Deresi, roadsides, 20 m, 23 ii 1995, HÇ 417.
Ir.-Tur. element.
- Piptatherum miliaceum** (L.) Cosson subsp. *thomasii* (Duby) Freitag
C5 Antakya: Mount Musa, Kamışlık Yurdu, under *Pinus brutia* forest, 300 m, 22 iii 1995, HÇ 928.
- P. virescens** (Trin.) Boiss.
C5 Antakya: Mount Musa, around Kisık, under *Carpinus orientalis* forest, 990 m, 02 vii 1995, HÇ 1232.
- Poa bulbosa** L.
C5 Antakya: Mount Musa, Teknepinarı Village, Karapınar Valley, in macchie, 500 m, 25 iv 1995, HÇ 570.
- P. pratensis** L.
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 787.
- P. timeolontis** Heldr. ex Boiss.
C5 Antakya: Mount Musa, Teknepinarı Village, around Ekinkuyu, in scrub of *Carpinus orientalis* and *Quercus coccifera*, 550 m, 25 iv 1995, HÇ 609.
E. Medit. element.
- Psilurus incurvus** (Gouan) Schinz & Thell.
C5 Antakya: Mount Musa, Büleyik Komu, around Çolağın Tepesi, in scrub of *Carpinus orientalis*, 500-750 m, 31 v 1995, HÇ 855.
- Sesleria alba** C.Sm.
C5 Antakya: Mount Musa, around Incebel, in *Carpinus orientalis* forest, 600-900 m, 29 viii 1994, HÇ 310.
- Setaria viridis** (L.) P.Beauv.
C5 Antakya: Mount Musa, around Incebel, under *Carpinus orientalis* forest, 820 m, 29 viii 1994, HÇ 333.
- Stipa bromoides** (L.) Dörfler
C5 Antakya: Mount Musa, Teknepinarı Village, around Çatak Boğazı, in macchie, 500-600m, 30 v 1995, HÇ 771.
Medit. element.
- Themeda triandra** Forsskal
C5 Antakya: Mount Musa, Kamışlık Yurdu, open places in *Pinus brutia* forest, 300 m, 22 iii 1995, HÇ 933.