

The Flora of Dörtyol and Erzin Districts of Hatay Province in Turkey

Necattin TÜRKMEN, Atabay DÜZENLİ

Çukurova University, Faculty of Science and Arts, Department of Biology, Adana-TURKEY

Received: 26.06.1996

Accepted: 20.06.1997

Abstract: The plants listed in this study were collected in the districts of Dörtyol and Erzin (Hatay) between 1989 and 1992. The study area, situated at the middle of Amanos Mountains, has a climate typical of its topographic structure and geographical position in the Mediterranean region. During floristic studies, 629 vascular plant taxa, belonging to 328 genera and 98 families were determined. The distribution of these taxa according to phytogeographic regions are as follows: 29.9% Mediterranean, 10.3% Euro-Siberian, 5.8% Irano-Turanian and 54.0% cosmopolitan and unknown. The number of endemic taxa are 47 (15 of them is local endemic) and the endemism rate is 7.5%.

Key Words: Flora, Amanos Mountains, Phytogeographical Region.

Dörtyol - Erzin (Hatay) Florası

Özet: Bu Çalışmada verilen bitkiler 1989-1992 yılları arasında Dörtyol-Erzin (Hatay)'den toplanmıştır. Toros sıradağlarının güneye doğru bir uzantısı olan Amanos dağlarının orta bölümünde yer alan araştırma alanı coğrafik konumu ve topografik yapısından kaynaklanan tipik bir iklime sahiptir. Çalışmalar sonucu bölgede 98 familya ve 328 cinsle ait 629 vasküler bitki taksonu belirlenmiştir. Bu taksonların fitocoğrafik bölgelere dağılımları şöyledir: Akdeniz %29.9, Avrupa-Sibirya %10.3, Iran Turan %5.8, Çok bölgeli ve bilinmeyenler %54.0'dır. Endemiklerin toplam sayısı 47 (15'i yörensel) olup endemizm oranı %7.5'dir.

Anahtar Sözcükler: Flora, Amanos Dağları, Fitocoğrafik Bölge.

Introduction

The study area (the districts of Dörtyol and Erzin in Hatay) which comprises 86 256 ha. lies on the western slopes of the Amanos Mountains. This area is bordered by the Mediterranean Sea to the west, the district of Osmaniye (Adana) to the north, the district of Hassa (Hatay) to the east and the district of İskenderun (Hatay) to the south. The study area, one of the water retaining basins in Turkey, is known as "Dörtyol Deliçay Basin" (1). The research area falls within C6 of the grid system adopted by Davis (2) (Fig. 1).

The altitude of the area increases from 2240 m from west to east. The altitude of Mıgrı Tepe is 2240 m., which is the highest point in the area. The Erzin, Özerli, Deliçay and Payas streams, which originate in the research area, flow to İskenderun Gulf (1).




Fig. 1. Location of the Study Area.

The slopes of the area generally face the west and southwest. The topographic structure is very steep and broken.

The geological structure of the area is formed from Mesozoic and Cretaceous limestones, Upper Cretaceous ultra-basic rocks (Gabro and Serpentine) and Tertiary marls. The plains in the area consist of Quaternary alluvial materials (3).

Common soil formations distinguished in the area are as follows: Brown *Calcarousless* soils, Brown Forest soils, Terrarosa soils, Reddish - Brown Mediterranean soils, Colluvial soils and mixed land types (3).

The study area has a Mediterranean climate, the main characteristics of which are drought and both summers and rainy and temperature winters. The annual precipitation varies from 1019 to 1500 mm., depending on the altitude and type of hills. The seasonal precipitation regime during the year is as follows: Winter, Spring, Autumn, and Summer. This is a typical first variant of the East Mediterranean climate. Snowfall rarely occurs except on the higher ground above 1000 m from the beginning of December until the end of March. In the study area, the annual mean temperature is 19.1 °C. The maximum mean temperature (M) is 32.2°C, August. The minimum mean temperature (m) is 6.8 °C, in January. The ombrothermic diagram of the study area was prepared according to climate data (4) obtained from Dörtyol Meteorological Station (Fig. 2).

According to Emberger, the precipitation-temperature coefficient ($Q_2 = 137$, $m = 6.8$) indicates a Mediterranean climate with humid and hot weather.

The study area lies within the Mediterranean phytogeographical region. Three main vegetation types can be distinguished in the study area:




Figure 2. Ombrothermic Diagram of Dörtyol.

1. Macchie vegetation, from 50 to 600 m., consists of evergreen shrubs. Common species include *Quercus coccifera* L. (Fagaceae), *Erica manipuliflora* Salibs. (Ericaceae), *Rhamnus punctatus* Boiss. var. *angustifolius* Post (Rhamnaceae), *Pistacia terebinthus* L. subsp. *palaestina* (Boiss) Engler (Anacardiaceae), *Cotinus coggyrea* Scop. (Anacardiaceae), *Phillyrea latifolia* L. subsp. *orientalis* Sebst. (Oleaceae), *Myrtus communis* L. subsp. *communis* (Myrtaceae), *Arbutus andrachne* L. (Ericaceae), *Styrax officinalis* L. (Styracaceae), *Calicotome villosa* (Poir.) Link (Leguminosae) and *Cistus creticus* L. (Cistaceae).

2. Forest vegetation, from 350 to 1900 m., occupies different zones depending on local climate conditions, altitude and position. Tekkoz and Kengerlidüz in this belt have designated "Special Protected Areas" by the Turkish Ministry of Forestry. The common tree species in this belt are as follows: *Fagus orientalis* Lipsky. (Fagaceae), *Pinus brutia* Ten. (Pinaceae), *Quercus cerris* L. var. *cerris* (Fagaceae), *Pinus nigra* Arnold. subsp. *pallasiana* (Lamb.) Holmb. (Pinaceae), *Carpinus orientalis* Miller (Corylaceae), *Cedrus libani* A. Rich. (Pinaceae) and *Abies cilicica* (Anto. et Kotschy), Carr. (Pinaceae).

3. Steppe vegetation is mostly found just above the timberline at 1900 m. The dominant species of this plant belt are as follows: *Acantholimon libanoticum* Boiss. (Plumbaginaceae), *Marrubium globosum* Mont. et Auch. ex Benth. subsp. *globosum* (Labiatae), *Astragalus macrourus* Fisch. et Mey. (Leguminosae), *Ferula elaeochytris* Korovin (Umbelliferae), *Rosa pulverulenta* Bieb. (Rosaceae), *Cerasus prostrata* (Lab.) Ser. var. *prostrata* (Rosaceae), *Cotoneaster nummularia* Fisch. et Mey. (Rosaceae), *Vincetoxicum tmoleum* Boiss. (Asclepiadaceae), *Asperula stricta* Boiss. subsp. *monticola* Ehrend. (Rubiaceae), *Thymus kotschyanus* Boiss. & Hohen var. *glabrescens* Boiss. (Labiatae), *Verbascum amanum* Boiss. (Scrophulariaceae), *Asphodelina damascena* (Boiss.) Baker subsp. *damascena* (Liliaceae), *Echinops ritro* L. (Compositae) and *Eremurus spectabilis* Bieb. (Liliaceae).

The study area has not been subjected to detailed floristic study before but has been studied phytosociologically as part of the Amanos Mountains in 1967 by Akman (3).

Materials and Methods

The materials of this investigation were comprised 629 plant specimens collected in Dörtyol and Erzin (Hatay Province) in the Amanos Mountains during a

study of postfire regeneration in *Pinus brutia* forest ecosystems by Türkmen. All the plant specimens were identified according to the Flora of Turkey (2,5). All the herbarium specimens are kept at the Herbarium at the Science and Arts Faculty of Çukurova University (ADA). The list of plant taxa follows the sequence of families, genera and species adopted in Flora of Turkey (2). The flora is listed in the appendix. After the name of every species in the list, the geographical location (the area lies entirely within "C6 Hatay", which is been omitted from the citation), habitat, collection date, phytogeographical region and collection number are stated. An asterisk (*) in front of a plant name indicates a new record for the C6 grid square.

The abbreviations used are as follows: Med. = Mediterranean element, Euro-Sib. = Euro-Siberian element, Ir. - Tur. = Irano - Turanian element, Comsm. = Cosmopolitan and End. = Endemic species.

Discussion and Conclusion

During the floristic studies of the districts of Dörtyol and Erzin in the province of Hatay, carried out between 1989 and 1992, a total of 629 vascular plant taxa belonging to 328 genera and 98 families were recorded. The distribution of plant taxa according to phytogeographical regions is as follows: Mediterranean, 188 (29.9%); Euro-Siberian, 65 (10.3 %); Irano-Turanian, 37 (5.8%); Cosmopolitan and unknown, 340 (54.0%). The number of total endemic taxa is 47 and nearly one out of three of these (15 taxa) is peculiar to the study area (Amanos Mountains). Most of the phytogeographical elements are naturally of Mediterranean origin as a result of the area being situated in the Mediterranean region. The fact that the ratio of Euro-Siberian elements is rather high, these taxa having migrated south by means of the Anatolian Diagonal in the Ice Age of the Pleistocene Age, reveals the humid climatic conditions in study area (6).

The comparison of the distribution of phytogeographical elements in the study area and neighbouring regions is as follows:

Floristic Region	Present Study	Akman (1973)	Düzenli (1990)	Türkmen (1989)
Mediterranean	29.9	65.0	42.6	36.4
Euro-Siberian	10.3	7.0	1.6	2.6
Irano-Turanian	5.8	2.5	2.2	3.1
Cosmopolitan and Unknown	54.0	25.5	54.4	56.9
Endemic	7.5	3.0	2.2	4.8

Our results are similar to those of Akman (3), among others (7,8). Both studies were carried out in similar climatic, edaphic and orographic conditions. The fact that the proportion of Mediterranean elements in Akman's study is greater than in ours can be attributed to his acceptance than most of the plant species he collected were adapted to the Mediterranean climate. Although the study areas of Türkmen (7) and Düzenli (8) are within the Mediterranean region, the proportion of Euro-Siberian elements in their studies shows great deviation compared to ours due to different climatic and orographic conditions.

On the northern slopes of Mığır Mountain *Fagus orientalis* formations, which are widespread especially in the Euro-Siberian floristic region of Turkey, constitute a large community on the intrusive bedrock at 1 600 to 1900 m. From a phytosociological perspective, this is a very interesting Euro-Siberian exclave in the area . The presence of *Fagus orientalis* in the study area may be due to local microlima in the study area, the existence of many small streams, the İskenderun Gulf, the orographic precipitation and foggy days, which make the humidity rather higher than in other Mediterranean regions.

The families representing the highest number of species are *Leguminosae*, 77 (12.2%); *Compositae*, 67 (10.7%); *Gramineae*, 44 (7.0%); *Labiatae*, 38 (6.0%); *Cruciferae*, 30 (4.8%); *Liliaceae*, 29 (4.6%); *Rosaceae*, 25 (4.0%); *Scrophulariaceae*, 21 (3.3%); *Umbelliferae*, 20 (3.2) and *Caryophyllaceae*, 20 (3.2%).

The genera with the highest number of species are *Trifolium* L. 13, *Astragalus* L. 8, *Vicia* L. 8, *Verbascum* L. 7, *Silene* L. 7, *Euphorbia* L. 7, *Thlaspi* L. 7, *Alyssum* L. 6, *Galium* L. 6 and *Hypericum* L.

After careful studies of the relevant papers on this district (9, 10, 11), a total of 42 (6.7%) can be stated as being new records for the C6 square (12).

Silene flavescens Waldst. & Kit. (*Caryophyllaceae*), has been reported Banat (Jugoslavia), and is distributed in the Balkans, Bulgaria, Romania and Hungary but has only been recorded on Lesvos Island in Flora of Turkey (2). With this study, it is now confirmed within mainland Turkey.

References

1. Dörtyol Deliçay Havzası Etüdü ve Avam Projesi. Orman Bakanlığı Orm. Gen. Müd., AGM Makro Plan Çalışmaları-495 (1981).
2. Davis, P.H.,ed., Flora of Turkey and The East Aegean Islands. vol. 1-9, Edinburgh Univ. Press, Edinburgh (1965-1985).
3. Akman, Y., Contribution A L'Etude De La Flore Les Montagnes De L'Amanus (I.II.III). Communications De La Faculte Des Sciences De L'Universite D'Ankara, Serie C, 1-164 (1973).
4. Ekstrem Sıcaklık ve Yağış Değerleri. Meteoroloji Bülteni, Meteor. Gen. Müd. Yayıni, Ankara 1984).
5. Davis, P.H., Mill, R.R., Tan, K., (eds.), Flora of Turkey and East Aegean Islands. 10. (Supplement), University Press Edinburgh (1988).
6. Davis, P.H., Harper, P.C., Hedge, I.C., Distribution Patterns in Anatolia with Particular Reference to Endemizm. Plant Life SW Asia, 15-27, Edinburgh (1971).
7. Türkmen, N., Düzenli, A., Çukurova Üniversitesi Kampus Alanının Doğal Bitkileri, Hayat Formları ve Habitatları. Y. Lisans Tezi, Ç.Ü.Fen Bil. Enst., Fen ve Müh. Bil. Dergisi, 3, 151-163 (1989).
8. Düzenli, A., Türkmen, N., Çakan, H., Çukurova Bölgesindeki Maki Vejetasyonunun Floristik Özellikleri. X. Ulusal Biyoloji Kongresi, Erzurum, 18-20 Temmuz 1990, Botanik Bildirileri Kitabı, 2, 243-255 (1990).
9. Donner, J., Distribution Maps to P.H.Davis, Flora of Turkey, 1-10. Linzer Biol. Beitr. 22/2, 381-515 (1990).
10. Duman, H., Vural, M., C6 Karesi İçin Yeni Floristik Kayıtlar. Doga-Tr. J. of Botany, 15, 201-213 (1991).
11. Yıldız, B., C6 Karesi İçin Yeni Kayıtlar. Cumhuriyet Üniv., Fen-Edb. Fak. Fen Bil. Derg. 2, Sivas (1984).
12. Türkmen, N., Düzenli, A., New Floristic Records for Square C6 (Hatay). Ot Sist. Botanik Derg., 2, 1, 111-116 (1995).

APPENDIX

THE PLANT LIST

PTERIDOPHYTA	ATHYRIACEAE	Cedrus libani A.Rich.
EQUISETACEAE	Athyrium filix-foemina (L.) Roth.	Dörtyol, around Karagöz, mixed forest, 1650 m, 31.5.1990, Med., Türkmen 432.
* <i>Equisetum palustre</i> L.	Dörtyol, around Topaktaş roadside, 1550 m, 28.9.1990, Türkmen 424.	Pinus nigra Arnold. subsp. <i>pallasiana</i> (Lamb.) Holmboe
Dörtyol, around Çökek, streamside, 550 m, 8.5.1992, Türkmen 428.	ASPIDIACEAE	Erzin, around Kengerlidüz, mixed forest, 1700 m, 11.9.1989, Türkmen 434.
ADIANTACEAE	Polystichum setiferum (Forssk.) Woynar.	P. brutia Ten.
<i>Adiantum capillus-veneris</i> L.	Dörtyol, around Kapulu, roadside, 1080 m, 29.5.1991, Türkmen 419.	Erzin, east of Başlamlı Village, P. brutia forest, 650 m, 5.4.1990, Türkmen 433.
Dörtyol, around Çökek, Rillside, 650 m, 8.5.1990, Türkmen 416.	Dryopteris filix-mas (L.) Schott.	TAXACEAE
HYPOLEPIDACEAE	Erzin, top slopes of Keldağ, rocky areas, 2100 m, 27.8.1991, Türkmen 417.	Taxus baccata L.
<i>Pteridium aquilinum</i> (L.) Kuhn	D. pallida (Bory) Fomin.	Dörtyol, around Karagöz, degraded forest, 1700 m, 29.5.1991, Türkmen 435.
Dörtyol, around Topaktaş Q.cerris forest, 1070 m, 26.6.1989, Türkmen 425.	Erzin, top slopes of Keldağ, rocky areas, 2100 m, 27.8.1991, Med. Türkmen 418.	CUPRESSACEAE
ASPLENIACEAE	POLYPODIACEAE	<i>Juniperus oxycedrus</i> L. subsp. <i>oxycedrus</i>
<i>Asplenium trichomanes</i> L.	Polypodium vulgare L. subsp. <i>vulgare</i>	Erzin, top slopes of Keldağ, stony areas, 2100 m, 28.6.1990, Türkmen 429.
Dörtyol, between Mismiş and Gürük, roadside, 1350 m, 4.6.1990, Türkmen 421.	Dörtyol, around Tekkoz, mixed forest, Hillside, 800 m, 24.4.1989, Türkmen 427.	EPHEDRACEAE
<i>A. adiantum-nigrum</i> L.	P. australe Féé.	<i>Ephedra campylopoda</i> C.A.Meyer
Erzin, east of Başlamlı Village, Rillside, 800 m, 27.12.1990, Türkmen 420.	Erzin, east of Başlamlı Village, Hillside, 800 m, 27.12.1990, Türkmen 426.	Dörtyol, streamside, 20 m, 27.9.1990, Türkmen 430.
Ceterach officinarum DC.	SPERMATOPHYTA	ANGIOSPERMAE
Dörtyol, streamside, 650 m, 8.5.1990, Türkmen 422.	GYMNOSPERMAE	DICOTYLEDONES
<i>Phyllitis sclopenendrium</i> (L.) Newm.	PINACEAE	RANUNCULACEAE
Dörtyol, around Ciğersiz spring, mixed forest, wet areas, 1050 m, 27.12.1991, Türkmen 423.	<i>Abies cilicica</i> (Ant.& Kotschy) Carr. subsp. <i>cilicica</i>	<i>Clematis vitalba</i> L.
Dörtyol, around Akelma, F. orientalis forest, 1550 m, 31.5.1990, Med., Türkmen 431.	Dörtyol, around Akelma, F. orientalis forest, 1550 m, 31.5.1990, Med., Türkmen 431.	Erzin, around İçme, streamside, 300 m, 31.8.1990, Türkmen 825.

- C. flammula L.**
Between Dörtyol and Erzin, degraded macchie, 150 m, 3.6.1990, Med., Türkmen 824.
- Adonis annua L.**
Between Dörtyol and Erzin, onion field, 150 m, 3.6.1990, Türkmen 823.
- Ranunculus cuneatus Boiss.**
Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Türkmen 827.
- R. chius DC.**
Dörtyol, around Çökek, streamside, 850 m, 8.5.1990, Türkmen 826.
- Thalictrum orientale Boiss.**
Dörtyol, between Mışmiş and Gürük, mixed forest roadside, 1200 m, 4.6.1990, Med., Türkmen 828.
- PAEONIACEAE**
Paeonia mascula (L.) Miller subsp. mascula
Dörtyol, around Kırıkelma, F.orientalis forest, 1500 m, 30.5.1991, Türkmen 793.
- 141PAPAVERACEAE**
Papaver rhoeas L.
Erzin, east of Başlamlı Village, macchie, 450 m, 4.5.1990, Türkmen 796.
- P. syriacum Boiss. & Blanche**
Erzin, east of Başlamlı Village, P. brutia forest roadside, 500 m, 30.5.1990, Türkmen 797.
- Hypecoum procumbens L.**
Erzin, around İçme, degraded macchie, 300 m, 2.4.1992, Med., Türkmen 795.
- Corydalis rutifolia (Sibth. & Sm.) DC. subsp. erdelii (Zucc.) Cullen & Davis**
Dörtyol, top slopes of Miğir, stony areas, 1800-2100 m, 4.6.1992, Türkmen 794.
- CRUCIFERAE (BRASSICACEAE)**
Raphanus raphanistrum L.
Dörtyol, garden border, 70 m, 7.5.1990, Türkmen 603.
- Cardaria draba (L.) Desv. subsp. draba**
Dörtyol, around Karagöz, steppe, 1660m, 31.5.1990, Türkmen 596.
- Isatis candolleana Boiss.**
Dörtyol, around Kirmenkaya, Q.cerris forest, 1720m, 31.5.1990, Ir.-Tur., End., Türkmen 601.
- Iberis taurica DC.**
Dörtyol, around Kirmenkaya, roadside, 1720 m, 31.5.1990, Türkmen 600.
- *I. spruneri Jord.**
Erzin, around İçme, degraded macchie, 300 m, 2.4.1990, Med., Türkmen 599.
- Aethionema capitatum Boiss. & Ball.**
Erzin, top slopes of Keldağ, stony areas, 2000 m, 28.6.1990, End., Türkmen 585.
- Thlaspi kotschyanum Boiss. & Hohen.**
Dörtyol, around Karamezla, F. orientalis forest, 1750 m, 30.5.1991, Türkmen 609.
- T. violascens Boiss.**
Erzin, around İçme, macchie, 400 m, 28.5.1991, End., Türkmen 612.
- T. annuum Koch**
Erzin, east of Başlamlı Village, P. brutia forest roadside, 700 m, 28.3.1991, Türkmen 606.
- T. densiflorum Boiss. et Kotschy**
Dörtyol, around Karamezla, F. orientalis forest, 1750 m, 30.5.1991, End., Türkmen 607.
- *T. praecox Wulf**
Dörtyol, between Mışmiş and Gürük, clearing of F.orientalis forest, 1350 m, 4.6.1990, Euro-Sib., Türkmen 611.
- T. elegans Boiss.**
Erzin, around Tekkoz, mixed forest roadside, 900 m, 31.5.1991, Med., End., Türkmen 608.
- T. oxyceras (Boiss.) Hedge**
Erzin, around Tekkoz, mixed forest roadside, 950 m, 31.5.1991, Türkmen 610.
- Capsella bursa-pastoris (L.) Medik.**
Erzin, around Karaoluk, clearing of F. orientalis forest, 1300 m, 26.6.1989, Türkmen 595.
- Neslia apiculata Fisch.**
Erzin, around Karaoluk, clearing of F. orientalis forest, 1300 m, 26.6.1989, Türkmen 602.
- Ricotia sinuata Boiss. & Heldr.**
Dörtyol, around Çökek, P. brutia forest, 1720m, 31.5.1990, Ir.-Tur., End., Türkmen 603.
- Alyssum desertorum Stapf. var. prostratum Dudley**
Erzin, top slopes of Keldağ, stony areas, 2000 m, 28.6.1990, Türkmen 588.
- A. strigosum Banks & Sol. subsp. strigosum**
Erzin, around İçme, macchie, 300 m, 2.4.1990, Türkmen 591.
- A. condensatum Boiss. & Hauss. subsp. flexibile (Nyar) Dudley**
Erzin, top slopes of Keldağ, 1700-2100 m, 28.6.1990, End., Türkmen 587.
- A. murale Waldst. & Kit. var. hadrijanii (Rech.) Dudley**
Dörtyol, streamside, 30 m, 2.8.1990, End., Türkmen 589.
- A. cassum Boiss.**
Erzin, around Kengerlidüz, steppe, 1650-2000 m, 28.6.1990, Med., Türkmen 586.
- A. samariferum Boiss. & Hsusskn.**
Erzin, top slopes of Keldağ, stony areas, 1800-2100 m, 27.8.1991, Türkmen 590.
- Arabis turrita L.**
Between Dörtyol and Erzin, clearing of F. orientalis forest, 1350 m, 4.6.1990, Türkmen 594.
- A. caucasica Willd. subsp. caucasica**
Erzin, around Tekkoz, mixed forest roadside, 900 m, 31.5.1991, Türkmen 593.
- A. caucasica Willd. subsp. brevifolia (DC.) Cullen**
Erzin, top slopes of Keldağ, stony areas, 2100 m, 28.6.1990, Med., Türkmen 592.
- Turritis glabra L.**
Dörtyol, between Mışmiş and Gürük, F. orientalis forest, 1350 m, 4.6.1990, Türkmen 613.
- T. laxa (Sibth. & Sm.) Hayek**
Dörtyol, top slopes of Miğir, stony areas, 2100 m, 4.6.1990, Türkmen 614.
- Erysimum goniocaulon Boiss.**
Dörtyol, around Karagöz, mixed forest, 1700 m, 29.5.1991, Türkmen 598.

- E. alpestre** Kotschy ex Boiss.
Dörtyol, top slopes of Miğır, stony areas, 2000 m, 4.6.1990, Ir.-Tur., End., Türkmen 597.
- Sisymbrium altissimum** L.
Between Dörtyol and Erzin, wheat field, 100 m, 3.6.1990, Türkmen 605.
- CAPPARACEAE**
Capparis spinosa L. var. **spinosa**
Between Dörtyol and Çökek, roadside, 250 m, 8.5.1990, Türkmen 471.
- CISTACEAE**
Cistus creticus L.
Erzin, east of Başlamlı Village, macchie, 450 m, 3.5.1990, Med., Türkmen 498.
- C. salviifolius** L.
Dörtyol, around Çardak, roadside, 1400 m, 31.5.1990, Türkmen 499.
- Helianthemum nummularium** (L.) Miller subsp. **tomentosum** (Scop.) Schinz et Thellung
Dörtyol, around Tekkoz, mixed forest, 1000 m, 31.5.1991, Türkmen 503.
- H. ledifolium** (L.) Miller var. **microcarpum** Willk.
Dörtyol, around Karamezla, clearing of F. orientalis forest, 1760 m, 28.8.1991, Türkmen 502.
- Fumana arabica** (L.) Spach var. **arabica**
Erzin, east of Başlamlı Village, macchie, 500 m, 30.5.1990, Türkmen 501.
- F. thymifolia** (L.) Variot var. **thymifolia**
Between Dörtyol and Erzin, degraded macchie, 100 m, 3.6.1990, Med., Türkmen 500.
- VIOLACEAE**
Viola alba Besser subsp. **dehnardtii** (Ten.) Becker
Erzin, east of Başlamlı Village, P. brutia forest, rillsides, 800 m, 5.4.1990, Türkmen 939.
- V. shieana** Becker
Dörtyol, around Tekkoz, P. nigra forest, 1000 m, 31.5.1991, Türkmen 940.
- POLYGALACEAE**
Polygala supina Schreb.
- Erzin, around Tekkoz, mixed forest roadside, 900 m, 31.5.1991, Türkmen 807.
- P. comosa** Schkur
Erzin, around Tekkoz, roadside, 900 m, 31.5.1991, Türkmen 806.
- PORTULACACEAE**
Portulaca oleracea L.
Dörtyol, dry stream bed, 30 m, 2.8.1990, Türkmen 817.
- CARYOPHYLLACEAE**
Arenaria leptoclados (Reichb.) Gauss.
Dörtyol, around Topaktaş roadside, 1400 m, 28.9.1990, Türkmen 475.
- Minuartia tchihatchewii** (Boiss.) Hand.-Mazz.
Dörtyol, top slopes of Miğır, stony areas, 2140 m, 28.8.1991, End., Türkmen 483.
- M. mesogitana** (Boiss.) Hand.-Mazz. subsp. **mesogitana**
Erzin, east of Başlamlı Village, macchie, 500 m, 5.4.1990, Med., Türkmen 482.
- M. hybrida** (Vill.) Schischk. subsp. **hybrida**
Erzin, top slopes of Keldağ, stony areas, 1700-2100 m, 28.6.1990, Türkmen 481.
- Moehringia trinervia** (L.) Clairv.
Dörtyol, around Karamezla, F. orientalis forest, 1550 m, 30.5.1991, Türkmen 484.
- Cerastium saccardoanum** Dirat
Dörtyol, top slopes of Miğır, stony areas, 2100 m, 4.6.1990, Ir.-Tur., Türkmen 477.
- C. glomeratum** Thuill.
Erzin, east of Başlamlı Village, macchie, 500m, 5.4.1990, Cosm., Türkmen 476.
- Telephium imperati** L. subsp. **orientale** (Boiss.) Nyman
Erzin, top slopes of Keldağ, stony areas, 2100 m, 27.8.1991, Türkmen 493.
- Dianthus polycladus** Boiss.
Erzin, top slopes of Keldağ, stony areas, 2000 m, 27.8.1991, Med., Türkmen 479.
- D. orientalis** Adams
Dörtyol, top slopes of Miğır, stony ar-
- eas, 2100 m, 28.9.1990, Türkmen 478.
- Petrorhagia velutina** (Guss.) Ball & Heyward
Dörtyol, around Gücük, clearing of P. nigra forest, 1400 m, 4.6.1990, Türkmen 485.
- Gypsophila libanotica** Boiss.
Erzin, top slopes of Keldağ, stony areas, 2100 m, 27.8.1991, Med., Türkmen 480.
- Vaccaria pyramidata** var. **grandiflora** (Fisch. ex DC.) Cullen
Dörtyol, roadsides, 70 m, 7.5.1990, Türkmen 494.
- Silene italica** (L.) Pers.
Dörtyol, around Akelma, Q. cerris forest, 1550 m, 31.5.1990, Türkmen 490.
- S. confertiflora** Chowdh.
Erzin, east of Başlamlı Village, P. brutia forest roadside, 800 m, 31.8.1991, Türkmen 488.
- S. odontopetala** Fenzl
Dörtyol, top slopes of Miğır, stony areas, 2140 m, 28.8.1991, Türkmen 491.
- S. vulgaris** (Moench) Garcke var. **vulgaris**
Dörtyol, around Tekkoz, mixed forest, 1000 m, 31.5.1991, Türkmen 492.
- ***S. flavesens** Waldst. & Kit.
Dörtyol, around Karamezla, clearing of F. orientalis forest, 1750 m, 30.5.1991, Türkmen 489. (It is first record from Anatolia).
- S. compacta** Fischer
Dörtyol, around Tohtak, Q. cerris forest roadside, 1450 m, 3.7.1990, Türkmen 487.
- S. aegyptiaca** (L.) L.fil. subsp. **aegyptiaca**
Dörtyol, top slopes of Miğır, stony areas, 2100 m, 4.6.1990, Türkmen 486.
- ILLECEBRACEAE**
Herniaria hirsuta L.
Dörtyol, top slopes of Miğır, stony areas, 1750-2150 m, 28.9.1990, Türkmen 656.
- Paronychia argentea** Lam var. **scariosissima** Post
Erzin, around İçme, degraded macchie, 300 m, 2.4.1990, Med., Türkmen 657.

- Scleranthus annuus L. subsp. annuus**
Dörtyol, around Karamezla, F. orientalis forest, 1750 m, 30.5.1991, Türkmen 658.
- POLYGONACEAE**
- ***Polygonum persicaria L.**
Dörtyol, dry stream bed, 20 m, 27.9.1990, Türkmen 810.
- P. aviculare L.**
Erzin, east of Başlamlış Village, P. brutia forest roadside, 700 m, 25.7.1991, Cosm., Türkmen 808.
- P. polycnemoides Saub. & Spach**
Dörtyol, top slopes of Miğır, stony areas, 2100 m, 4.6.1990, Ir.-Tur., Türkmen 811.
- P. convolvulus L.**
Erzin, east of Başlamlış Village, P. brutia forest, Hillside, 700 m, 25.7.1991, Türkmen 809.
- Rumex acetosella L.**
Dörtyol, around Kirmenkaya, Q. cerris forest, 1720 m, 31.5.1990, Cosm., Türkmen 812.
- R. angustifolius Campd. subsp. angustifolius**
Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Ir.-Tur., Türkmen 813.
- R. conglomeratus Murray**
Erzin, around Karaoluk, clearing of F. orientalis forest, 1300 m, 26.6.1989, Türkmen 815.
- R. chalepensis Miller**
Dörtyol, around Çökek, rillsides, 850 m, 8.5.1992, Türkmen 814.
- R. pulcher L.**
Erzin, east of Başlamlış Village, degraded macchie, 450 m, 30.5.1990, Türkmen 816.
- CHENOPodiACEAE**
- Chenopodium foliosum (Moench.) Aschers.**
Dörtyol, dry stream bed, 20 m, 29.11.1990, Türkmen 497.
- ***Ch. album L. subsp. album var. album**
Erzin, east of Başlamlış Village, roadsides, 350 m, 22.8.1991, Türkmen 496.
- AMARANTHACEAE**
- ***Amaranthus chlorostachys Willd.**
Dörtyol, dry stream bed, 20 m, 29.11.1990, Türkmen 438.
- A. lividus L.**
Erzin, around İçme, field borders 400 m, 31.8.1990, Türkmen 438.
- A. blitoides S. Wats.**
Dörtyol, dry stream bed, 30 m, 2.8.1990, Türkmen 437.
- PHYLLOLACCACEAE**
- Phytolacca pruniosa Fenzl**
Dörtyol, around Karamezla, F. orientalis forest roadside, 1760 m, 28.8.1991, Med., Türkmen 798.
- TAMARICACEAE**
- Tamarix smyriensis Bunge**
Dörtyol, streamsides, 30 m, 2.8.1990, Türkmen 907.
- GUTTIFERAE (HYPERICACEAE)**
- Hypericum elongatum Ledeb. subsp. microcalycinum (Boiss. & Heldr.) Robson**
Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Ir.-Tur., Türkmen 651.
- H. confertum Choisy subsp. stenobottys (Boiss.) Holmb.**
Erzin, top slopes of Keldağ, stony areas, 1700-2100 m, 28.6.1990, Türkmen 650.
- H. thymifolium Banks. et Sol.**
Erzin, east of Başlamlış Village, macchie, 600 m, 22.8.1991, Med., Türkmen 655.
- H. montbretii Spach**
Erzin, east of Başlamlış village, P. brutia forest, 750 m, 27.6.1991, Türkmen 652.
- H. origanifolium Willd.**
Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Türkmen 653.
- H. perforatum L.**
Dörtyol, around Domuzdamlı, roadside, 1250 m, 28.8.1991, Türkmen 654.
- MALVACEAE**
- Malva neglecta Waldr.**
Dörtyol, around Ufacık, roadside, 1540 m, 31.5.1990, Türkmen 780.
- Alcea apterocarpa (Fenzl.) Boiss.**
- Dörtyol, around Topaktaş rocky areas, 1650 m, 28.6.1990, Ir.-Tur., End., Türkmen 778.
- Althaea cannabina L.**
Dörtyol, around Kozludere, degraded forest, 350 m, 3.7.1990, Türkmen 779.
- TILIACEAE**
- Tilia argentea Desf.**
Dörtyol, around Pekmezci, mixed forest, 1060 m, 30.5.1991, Euro-Sib., Türkmen 910.
- LINACEAE**
- Linum aroanium Boiss. & Orph.**
Erzin, around Tekkoz, mixed forest, 900 m, 31.5.1991, Türkmen 775.
- L. bienne Miller**
Erzin, top slopes of Keldağ, stony areas, 1850 m, 27.8.1991, Med., Türkmen 776.
- GERANIACEAE**
- Geranium purpureum Vill.**
Dörtyol, around Çökek, streamside, 650 m, 8.5.1990, Türkmen 648.
- G. robertianum L.**
Dörtyol, around Karamezla, F. orientalis forest 1750 m, 30.5.1991, Türkmen 649.
- G. molle L. subsp. molle**
Erzin, garden edges, 250 m, 2.4.1990, Türkmen 647.
- G. columbinum L.**
Dörtyol, around Çökek, streamside, 650 m, 8.5.1990, Türkmen 645.
- G. libanoticum Schenck**
Dörtyol, around Gücük, F. orientalis forest, 1650 m, 4.6.1990, Türkmen 646.
- Erodium acaule (L.) Becherer & Thell.**
Erzin, around İçme, roadside, 300 m, 27.2.1991, Med., Türkmen 644.
- OXALIDACEAE**
- Oxalis corniculata L.**
Erzin, east of Kızlarçayı Village, roadside, 700 m, 22.8.1991, Cosm., Türkmen 792.
- ZYGOPHYLLACEAE**
- Tribulus terrestris L.**
Dörtyol, around BOTAŞ, roadside, 70 m, 3.7.1990, Türkmen 942.

ACERACEAE

Acer platanoides L.

Erzin, around Kengerlidüz, mixed forest, 1750 m, 28.6.1990, Euro-Sib., Türkmen 436.

STAPHYLACEAE

Staphylea pinnata L.

Dörtyol, around Tekkoz, mixed forest, 1000 m, 30.5.1991, Türkmen 905.

VITACEAE

Vitis sylvestris Gmelin

Erzin, around İçme, streamside, 350 m, 30.5.1991, Türkmen 941.

RHAMNACEAE

Paliurus spina-christi Miller

Erzin, around İçme, streamside, 300 m, 26.9.1990, Türkmen 829.

Rhamnus libanoticus Boiss.

Dörtyol, top slopes of Miğır, rocky areas, 2150 m, 28.8.1991, Türkmen 831.

Rh. alaternus L.

Erzin, around İçme, streamside, 350 m, 28.5.1991, Med., Türkmen 830.

Rh. punctatus Boiss. var. *angustifolius* Post

Erzin, around İçme, degraded macchie, 400 m, 26.9.1991, Med., Türkmen 832.

AQUIFOLIACEAE

Ilex colchica Poj.

Dörtyol, around Tekkoz, mixed forest, 1000 m, 31.5.1991, Euro-Sib., Türkmen 445.

ANACARDIACEAE

Rhus coriaria L.

Erzin, around Kengerlidüz, clearing of mixed forest, 1700 m, 28.6.1990, Türkmen 442.

Cotinus coggyria Scop.

Erzin, east of Başlamlı Village, macchie, 550 m, 30.5.1990, Türkmen 440.

Pistacia terebinthus L. subsp. *palaestina* (Boiss.) Engler

Erzin, east of Başlamlı Village, macchie, 550 m, 28.6.1990, Türkmen 441.

CELASTRACEAE

Euonymus latifolius (L.) Mill. subsp. *latifolius*

Dörtyol, around Tekkoz, mixed forest, 1000 m, 31.5.1991, Euro-Sib., Türkmen 495.

LEGUMINOSAE (FABACEAE)

Ceratonia siliqua L.

Erzin, east of Başlamlı Village, macchie, 330 m, 27.2.1991, Med., Türkmen 708.

Cercis siliquastrum L. subsp. *hebecarpa* (Bonnm.) Yalt.

Erzin, east of Kızlarçayı Village, P. brutia forest, 650 m, 17.4.1989, Türkmen 709.

Prosopis farcta (Banks & Sol.) Macbride

Between Dörtyol and Erzin, field margin 150 m, 3.6.1990, Türkmen 746.

Sophora jaubertii Spach

Dörtyol, around Kapulu, clearing of mixed forest, 1050 m, 20.7.1990, Euro-Sib., Türkmen 749.

Chamaecytisus hirsutus (L.) Link

Erzin, east of Başlamlı Village, P. brutia forest, 550 m, 30.5.1990, Türkmen 711.

C. drepanolobus (Boiss.) Rothm.

Erzin, east of Başlamlı Village, P. brutia forest, 650 m, 30.5.1990, Med., End., Türkmen 710.

Gonocytisus angulatus (L.) Spach

Erzin, east of Başlamlı Village, macchie, 450 m, 27.6.1990, Med., Türkmen 722.

Genista lydia Boiss. var. *lydia*

Dörtyol, around İçkoz, P. nigra forest, 1550 m, 29.5.1991, Türkmen 721.

G. lydia Boiss. var. *antiochia* (Boiss.) P. Gibbs.

Erzin, east of Başlamlı Village, macchie, 500 m, 5.4.1990, Med., Türkmen 720.

G. anatolica Boiss.

Erzin, east of Başlamlı Village, macchie, 400 m, 27.6.1990, Med., Türkmen 719.

Spartium junceum L.

Erzin, east of Başlamlı Village, macchie, 500 m, 28.6.1990, Med., Türkmen 750.

Calicotome villosa (Poiret) Link

Between Dörtyol and Erzin, macchie, 100 m, 2.4.1992, Med., Türkmen 1044.

Lupinus angustifolius L. subsp. *angustifolius*

Dörtyol, garden border, 35 m, 5.4.1990, Türkmen 733.

Colutea cilicica Boiss. et Bal.

Erzin, around Kengerlidüz, mixed forest, 1600 m, 11.9.1989, Türkmen 712.

Astragalus hamosus L.

Dörtyol, roadsides, 70 m, 7.5.1990, Türkmen 704.

A. macrourus Fisch. & Mey.

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Ir.-Tur., Türkmen 705.

A. depressus L.

Dörtyol, top slopes of Miğır, stony areas, 1950 m, 4.6.1992, Türkmen 702.

**A. glycyphyllos* L. subsp. *glycyphylloides* (DC.) Matws.

Dörtyol, around Akelma, P. nigra forest, 1550 m, 31.5.1990, Ir.-Tur., Türkmen 703.

A. russelii Banks & Sol.

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Ir.-Tur., Türkmen 706.

A. antiochicus Post

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Med., End., Türkmen 700.

A. schizopterus Boiss.

Dörtyol, around Kirmenkaya, Q. cerris forest, 1720 m, 31.5.1990, Med., End., Türkmen 707.

A. campylosema Boiss. subsp. *campylosema*

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Ir.-Tur., End., Türkmen 701.

Psoralea bituminosa L.

Dörtyol, around Tekkoz, mixed forest roadside, 950 m, 31.5.1991, Med., Türkmen 747.

Vicia crocea (Desf.) B. Fedtsch.

Dörtyol, around Gücük, F. orientalis forests, 1350-1850 m, 4.6.1990, Euro-Sib., Türkmen 769.

V. cracca L. subsp. *cracca*

Erzin, east of Başlamlı Village, macchie, 550 m, 20.5.1990, Euro-Sib., Türkmen 768.

- **V. canescens* Lab. subsp. *canescens*
Dörtyol, around Tekkoz, mixed forest, 1000 m, 31.5.1991, End., Türkmen 767.
- **V. villosa* Roth subsp. *eriocarpa* (Hausskn.) P.W.Ball
Erzin, east of Başlamlı Village, P. brutia forest roadside, 650 m, 5.6.1990, Türkmen 774.
- V. lunata* (Boiss. & Bal.) Boiss. var. *grandiflora* Plitm.
Dörtyol, around Çardak, roadsides, 1400 m, 31.5.1990, Türkmen 772.
- V. hybrida* L.
Between Dörtyol and Erzin, wheat field, 100 m, 3.6.1990, Türkmen 771.
- V. grandiflora* Scop. var. *grandiflora*
Dörtyol, around Çardak, roadsides, 1400 m, 31.5.1990, Med., Türkmen 770.
- V. sativa* L. subsp. *sativa*
Between Dörtyol and Erzin, wheat field, 100 m, 31.5.1990, Cosm., Türkmen 773.
- Lens ervoides* (Brign.) Grande
Erzin, east of Başlamlı Village, macchie, 450 m, 5.4.1990, Med., Türkmen 729.
- Lathyrus niger* (L.) Bernh. subsp. *niger*
Dörtyol, around Tekkoz, mixed forest, 1000 m, 31.5.1990, Euro-Sib., Türkmen 727.
- L. spathulatus* Cel.
Erzin, east of Başlamlı Village, macchie, 500 m, 5.4.1990, Med., Türkmen 728.
- L. laxiflorus* (Desf.) Kuntze subsp. *angustifolius* (Post ex Dinsm.) Davis
Dörtyol, around Topaktaş F. orientalis forest, 1500 m, 30.5.1990, Med., End., Türkmen 726.
- L. annuus* L.
Dörtyol, roadsides, 70 m, 7.5.1992, Med., Türkmen 724.
- L. aphaca* L. var. *modestus* P.H.Davis
Between Dörtyol and Çökek, macchie, 450 m, 8.5.1992 Med., Türkmen 725.
- Ononis reclinata* L.
Between Dörtyol and Erzin, degraded macchie, 100 m, 3.6.1990, Med., Türkmen 744.
- O. spinosa* L. subsp. *leiosperma* (Boiss.) Sirj.
Dörtyol, around Kozludere, clearing of P. brutia forest, 450 m, 26.6.1989, Türkmen 745.
- O. phyllocephala* Boiss.
Erzin, east of Başlamlı Village, degraded macchie, 550 m, 30.5.1990, Med., Türkmen 743.
- Trifolium campestre* Schreb.
Erzin, around Karaoluk, clearing of F. orientalis forest, 1300 m, Türkmen 754.
- T. fragiferum* L. var. *pulchellum* Lange
Erzin, top slopes of Keldağ, stony areas, 2000 m, 3.7.1990, Türkmen 756.
- T. physoides* Stev. ex Bieb. var. *physoides*
Dörtyol, around Çardak, roadsides, 1400 m, 31.5.1990, Med., Türkmen 760.
- T. physoides* Stev. ex Bieb. var. *psilocalyx* Boiss.
Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Med., Türkmen 761.
- T. resupinatum* L. var. *microcephalum* Zoh.
Dörtyol, around Kirikelma, clearing of F. orientalis forest, 1500 m, 30.5.1991, Türkmen 763.
- T. tormentosum* L.
Dörtyol, around Topaktaş Q. cerris forest, 1070 m, 26.6.1989, Türkmen 764.
- T. davisi* Hossain
Dörtyol, around Çökek, P. brutia forest roadside, Med., End., Türkmen 755.
- T. lucanicum* Gasp.
Erzin, around Karaoluk, clearing of F. orientalis, 1300 m, 26.6.1989, Med., Türkmen 759.
- T. hirtum* All.
Erzin, around Tekkoz, mixed forest roadside, 850 m, 31.5.1991, Med., Türkmen 757.
- T. lappaceum* L.
Erzin, east of Başlamlı Village, macchie, 550 m, 31.5.1990, Med., Türkmen 758.
- T. arvense* L. var. *arvense*
Erzin, east of Başlamlı Village, macchie, 550 m, 30.5.1990, Türkmen 753.
- T. angustifolium* L. var. *angustifolium*
Erzin, east of Başlamlı Village, macchie, 550 m, 30.5.1990, Türkmen 752.
- T. purpureum* Boiss. var. *pamphylicum* (Boiss. & Heldr.) Zoh.
Dörtyol, around Çökek, streamside, 650 m, 8.5.1990, Med., Türkmen 762.
- Melilotus indica* (L.) All.
Between Dörtyol and Erzin, roadside, 100 m, 3.6.1990, Türkmen 740.
- M. elegans* Salzm.
Dörtyol, around Çökek, streamside, 650 m, 8.5.1990, Med., Türkmen 739.
- **Trigonella spruneriiana* Boiss. var. *sibthorpii* (Boiss.) Hub.- Mor.
Erzin, east of Başlamlı Village, macchie, 500 m, 5.4.1990, Med., Türkmen 765.
- T. kotschy* Fenzl
Between Dörtyol and Erzin, macchie, 100 m, 3.6.1990, Ir.-Tur., Türkmen 766.
- Medicago lupulina* L.
Erzin, east of Başlamlı Village, P. brutia forest, 700 m, 27.6.1991, Türkmen 735.
- M. coronata* (L.) Bart.
Between Dörtyol and Çökek, macchie, 450 m, 8.5.1990, Med., Türkmen 734.
- M. minima* (L.) Bart. var. *minima*
Dörtyol, around Çökek, macchie, 450 m, 8.5.1990, Türkmen 736.
- M. polymorpha* L. var. *vulgaris* (Benth.) Shinners
Between Dörtyol and Erzin, roadside, 100 m, 3.6.1990, Türkmen 737.
- M. rigidula* (L.) All. var. *rigidula*
Between Dörtyol and Erzin, macchie, 100 m, 3.6.1990, Türkmen 736.
- Cytisopsis dorycniiifolia* Jaub. & Spach. subsp. *dorycniiifolia*
Erzin, top slopes of Keldağ, stony areas, 2000 m, 27.6.1990, Türkmen 713.
- Dorycnium hirsutum* (L.) Ser.
Erzin, east of Kızlarçayı Village, P. brutia forest, 600 m, 5.6.1990, Med., Türkmen 717.
- D. graecum* (L.) Ser.
Erzin, east of Başlamlı Village, P. brutia forest, 700 m, 30.5.1990, Euro-Sib., Türkmen 716.

D. pentaphyllum Scop. subsp. *hauss-knechtii* (Boiss.) Gams

Erzin, east of Kızlarçayı Village, macchie, 550 m, 28.5.1991, Türkmen 718.

Lotus peregrinus L. var. *peregrinus*

Between Dörtyol and Erzin, macchie, 130 m, 3.6.1990, Türkmen 732.

L. angustissimus L.

Between Dörtyol and Çökek, macchie, 350 m, 8.5.1990, Türkmen 730.

L. corniculatus L. var. *corniculatus*

Dörtyol, around Karagöz, steppe, 1480 m, 3.7.1990, Türkmen 731.

Tetragonolobus purpureus Moench

Erzin east of Başlamlı Village, macchie, 500 m, 5.4.1990, Med., Türkmen 751.

Hymenocarpus circinnatus (L.) Savi

Erzin, around İçme, macchie, 500 m, 5.4.1990, Med., Türkmen 723.

Coronilla emerus L. subsp. *emerus* (Boiss. & Sprun.) Uhrova

Erzin, east of Kızlarçayı Village, macchie, 500 m, 5.4.1990, Türkmen 714.

C. parviflora Willd.

Between Dörtyol and Erzin, macchie, 150 m, Med., Türkmen 715.

Scorpiurus muricatus L. var. *subvillosus* (L.) Fiori

Between Dörtyol and Erzin, macchie, 150 m, 3.6.1990, Med., Türkmen 748.

Onobrychis caput-galli (L.) Lam.

Between Dörtyol and Erzin, macchie, 100 m, 3.6.1990, Med., Türkmen 741.

O. gracilis Besser

Between Dörtyol and Erzin, roadside, 100 m, 3.6.1990, Türkmen 742.

Alhagi mannifera Desv.

Dörtyol, around BOTAŞ, roadside, 70 m, 5.8.1990, Türkmen 699.

ROASCEAE

Prunus spinosa L. subsp. *dasyphylla* (Schur) Domin

Dörtyol, around Tekkoz, mixed forest, 950 m, 2.5.1990, Euro-Sib., Türkmen 840.

P. divaricata Ledeb. subsp. *divaricata*

Dörtyol, around Tekkoz, mixed forest, 950 m, 2.5.1990, Türkmen 847.

Cerasus prostrata (Lab.) Ser. var. *prostrata*

Erzin, top slopes of Keldağ, 2100 m, 28.6.1990, Türkmen 833.

Rubus sanctus Schreber

Erzin, around İçme, streamside, 350 m, 30.5.1990, Türkmen 854.

R. canescens DC. var. *glabratus* (Godron) Davis et Meikle

Erzin, around Akoluk, Q. cerris forest, 1250 m, 27.8.1991, Euro-Sib., Türkmen 853.

Potentilla calycina Boiss. and Bal.

Dörtyol, around Ufaçık, Q. cerris forest roadside, 1530 m, 31.5.1990, Med., End., Türkmen 843.

P. kotschyana Fenzl

Dörtyol, around Karamezla, Q. cerris forest, 1750 m, 30.6.1991, Med., Türkmen 844.

**P. aucheriana* Th. Wolf

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Ir.-Tur., Türkmen 842.

P. speciosa Willd. var. *discolor* Hal.

Dörtyol, east of Rabat Village, F. orientalis forest, 1430 m, 4.6.1990, Türkmen 846.

P. micrantha Remond ex DC.

Dörtyol, east of Rabat Village, mixed forest roadside, 1400 m, 4.6.1990, Türkmen 845.

Geum urbanum L.

Dörtyol, around Kirikelma, clearing of F. orientalis forest, 1440 m, 3.7.1990, Euro-Sib., Türkmen 840.

Sanguisorba minor Scop. subsp. *mucrata* (Spach) Briq.

Erzin, around Karaoluk, clearing of F. orientalis forest, 1300 m, 26.6.1989, Türkmen 855.

Rosa pulverulenta Bieb.

Erzin, top slopes of Keldağ, stony areas, 2000 m, 26.6.1990, Türkmen 852.

R. canina L.

Dörtyol, around Kapulu, roadside, 1080 m, 29.5.1991, Türkmen 851.

Cotoneaster nummularia Fisch. & Mey.

Erzin, top slopes of Keldağ, rocky areas, 2100 m, 28.6.1990, Türkmen 834.

Fragaria vesca L.

Dörtyol, around Topaktaş roadside, 1220 m, 28.8.1991, Türkmen 839.

Pyracantha coccinea Roemer

Dörtyol, around Tekkoz, mixed forest, 1000 m, 31.5.1991, Türkmen 849.

Crataegus orientalis Pallas ex Bieb. var. *orientalis*

Dörtyol, around Kirikelema, F. orientalis forest, 1650 m, 28.9.1990, Türkmen 838.

**C. atrosanguinea* Pojark.

Dörtyol, around Domuzdami, mixed forest, 1250 m, 28.8.1991, Ir.-Tur., Türkmen 835.

C. monogyna Jacq. subsp. *monogyna*

Erzin, east of Başlamlı Village, macchie, 500 m, 30.5.1990, Türkmen 837.

C. monogyna Jacq. subsp. *azarella* (Gris.) France

Erzin, top slopes of Keldağ, stony areas, 2100 m, 27.8.1991, Türkmen 836.

Sorbus umbellata (Desf.) Fritsch var. *cretica* (Lindl.) Schn.

Erzin, around Kengerlidüz, mixed forest, 1750 m, 11.6.1989, Türkmen 857.

S. torminalis (L.) Crantz. var. *torminalis*

Erzin, east of Başlamlı Village, P. brutia forest, 800 m, 30.5.1990, Euro-Sib., Türkmen 856.

Malus sylvestris Miller subsp. *orientalis* (A.Uglitz.) Browicz var. *orientalis*

Dörtyol, around Kirikelma, F. orientalis forest, 1500 m, 30.5.1991, Türkmen 841.

Pyrus syriaca Boiss. var. *syriaca*

Between Dörtyol and Erzin, field border, 150 m, 5.6.1990, Türkmen 850.

MYRTACEAE

Myrtus communis L. subsp. *communis*

Erzin, around İçme, macchie, 450 m, 27.6.1990, Türkmen 782.

PUNICACEAE

Punica granatum L.

Erzin, around İçme, streamside, 350 m, 28.5.1991, Türkmen 821.

ONAGRACEAE

Epilobium montanum L.

Erzin, top slopes of Keldağ, stony areas, 2000 m, 27.8.1991, Euro-Sib., Türkmen 787.

CRASSULACEAE

Rosularia libanotica (Lab.) Muirhead

Erzin, top slopes of Keldağ, rocky areas, 2100 m, 27.8.1991, Med., Türkmen 579.

Sedum album L.

Dörtyol, top slopes of Miğır, rocky areas, 2100 m, 31.5.1990, Türkmen 580.

S. caespitosum (Cav.) DC.

Erzin, top slopes of Keldağ, rocky areas, 2100 m, 3.7.1990, Med., Türkmen 581.

S. hispanicum L. var. *hispanicum*

Dörtyol, around Akelma, clearing of Q. cerris forest, 1530 m, 31.5.1990, Türkmen 582.

S. pallidum Bieb. var. *pallidum*

Dörtyol, around Tekkoz, mixed forest, 900 m, 31.5.1991, Türkmen 583.

S. rubens L.

Erzin, top slopes of Keldağ, rocky areas, 2000 m, 28.6.1990, Med., Türkmen 584.

UMBELLIFERAE (APIACEAE)

Sanicula europaea L.

Dörtyol, east of Rabat Village, F. orientalis forest, 1350 m, 4.6.1990, Euro-Sib., Türkmen 927.

**Eryngium giganteum* Bieb.

Erzin, top slopes of Keldağ, stony areas, 1950 m, 3.7.1990, Türkmen 920.

E. falcatum Delar

Erzin, east of Başlamlı Village, P. brutia forest, 800 m, 27.6.1990, Med., Türkmen 919.

E. creticum Lam.

Dörtyol, roadside, 70 m, 25.7.1991, Med., Türkmen 918.

Bunium ferulaceum Sm.

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Med., Türkmen 914.

Smyrnium connatum Boiss. & Kotschy

Dörtyol, around Çardak, steppe, 1400 m, 31.5.1991, Med., Türkmen 928.

Lecokia cretica (Lam.) DC.

Erzin, around Karaoluk, F. orientalis forest, 1300 m, 26.6.1989, Türkmen 926.

Bupleurum intermedium Poiret

Between Dörtyol and Erzin, onion field, 150 m, 3.6.1990, Türkmen 915.

Ammi majus L.

Dörtyol, around BOTAŞ, roadside, 70 m, 3.7.1990, Med., Türkmen 913.

Cnidium silaifolium (Jacq.) Simonkai subsp. *orientalis* (Boiss.) Tutin

Dörtyol, top slopes of Miğır, stony areas, 2140 m, 28.8.1991, Türkmen 916.

Ferula elaeochytris Korovin

Erzin, top slopes of Keldağ, stony areas, 1800-2000 m, 28.6.1990, Med., Türkmen 921.

Ferulago cassia Boiss.

Erzin, east of Başlamlı Village, P. brutia forest, 800 m, 27.6.1991, Med., Türkmen 922.

F. trachycarpa Boiss.

Erzin, top slopes of Keldağ, stony areas, 1850 m, 28.6.1990, Med., Türkmen 923.

Ainsworthia trachycarpa Boiss.

Dörtyol, around Tekkoz, mixed forest, 900 m, 31.5.1991, Med., Türkmen 912.

Laser trilobium (L.) Borkh.

Dörtyol, around Tekkoz, mixed forest, 1000 m, 31.5.1991, Türkmen 924.

Laserpitium glaucum Post

Dörtyol, around Kirikelma, clearing of P. nigra forest, 1540 m, 3.7.1992, Med., Türkmen 925.

Torilis arvensis (Huds.) Link subsp. *arvensis*

Erzin, east of Başlamlı Village, P. brutia forest, 800 m, 27.6.1991, Türkmen 929.

T. arvensis (Huds.) Link subsp. *neglecta* (Sprengel) Thellung

Dörtyol, around Domuzdami, roadside, 1250 m, 28.8.1991, Türkmen 930.

Turgeniopsis foeniculacea (Fenzl.) Boiss.

Dörtyol, around Akelma, Q. cerris forest, 1550 m, 31.5.1991, Türkmen 931.

Daucus guttatus Sm.

Erzin, around İçme, macchie, 450 m, 27.6.1990, Türkmen 917.

ARALIACEAE

Hedera helix L.

Erzin, around Karaoluk, F. orientalis forest, 1300 m, 26.6.1989, Türkmen 447.

CORNACEAE

Cornus sanguinea L. subsp. *australis* (C.A.Mey.) Jav.

Dörtyol, around Çökek, mixed forest, 1070 m, 26.6.1989, Euro-Sib., Türkmen 575.

C. mas L.

Dörtyol, around Çökek, mixed forest, 1070 m, 26.6.1989, Euro-Sib., Türkmen 574.

CAPRIFOLIACEAE

Sambucus ebulus L.

Erzin, around Kengerlidüz, mixed forest roadside, 1600 m, 11.9.1989, Euro-Sib., Türkmen 473.

S. nigra L.

Dörtyol, east of Rabat Village, mixed forest, 1000 m, 4.6.1992, Euro-Sib., Türkmen 474.

**Lonicera xylosteum* L.

Dörtyol, around Çökek, in ditch, 950 m, 8.5.1990, Türkmen 472.

VALERIANACEAE

Valeriana alliariifolia Adams

Dörtyol, around Kapulu, mixed forest, 1080 m, 29.5.1991, Türkmen 935.

DIPSACEAE

Cephalaria taurica Szabo

Erzin, east of Başlamlı Village, P. brutia forest roadside, 400 m, 31.8.1990, Med., End., Türkmen 618.

Scabiosa columbaria L. subsp. *columbaria* var. *intermedia* (Post) Matws.

Dörtyol, around Tohtak, mixed forest, 1200 m, 28.8.1991, Türkmen 620.

S. columbaria L. subsp. *ochroleuca* (L.) Coulter var. *webbiana* (Don) Matws

Erzin, top slopes of Keldağ, stony areas, 2000 m, 27.8.1991, Türkmen 621.

- S. kurdica** Post
Dörtyol, around Tekkoz, mixed forest, 1050 m, 2.7.1992, Med., End., Türkmen 622.
- S. calocephala** Boiss.
Between Dörtyol and Erzin, degraded macchie, 100 m, 3.6.1990, Türkmen 619.
- COMPOSITAE (ASTERACEAE)**
- Xanthium spinosum** L.
Dörtyol, streamside, 30 m, 2.8.1990, Türkmen 569.
- X. strumarium** L. subsp. **cavenillesii** (Scho.) D.Love & P.Dansr.
Erzin, east of Başlamlı Village, P. brutia forest roadside, 600 m, 31.8.1990, Türkmen 570.
- Pallenis spinosa** (L.) Cass.
Erzin, east of Başlamlı Village, macchie, 500 m, Med., Türkmen 549.
- Inula salicina** L.
Dörtyol, around Tohtak, mixed forest, 1400 m, 28.8.1990, Euro-Sib., Türkmen 540.
- I. vulgaris** (Lam.) Trevisan
Erzin, east of Başlamlı Village, P. brutia forest roadside, 800 m, 26.9.1990, Euro-Sib., Türkmen 541.
- ***I. anatolica** Boiss.
Erzin, top slopes of Keldağ, stony areas, 2100 m, 27.8.1991, End., Türkmen 539.
- Pulicaria dysenterica** (L.) Bernh.
Dörtyol, streamside, 30 m, 27.9.1990, Türkmen 556.
- Helichrysum plicatum** DC. subsp. **placatum**
Erzin, top slopes of Keldağ, stony areas, 1900 m, 28.6.1990, Türkmen 536.
- H. armenium** DC. subsp. **armenium**
Erzin, top slopes of Keldağ, stony areas, 2120 m, 28.6.1990, Türkmen 536.
- Galatella amani** (Post) Grierson
Erzin, top slopes of Keldağ, stony areas, 2100 m, 27.8.1991, Med., End., Türkmen 532.
- Conyza canadensis** (L.) Cronquist
Dörtyol, garden border 70 m, 27.9.1990, Türkmen 526.
- C. bonariensis** (L.) Cronquist
Dörtyol, garden edge, 60 m, 27.9.1990, Türkmen 525.
- Bellis perennis** L.
Dörtyol, around Karagöz, steppe, 1660 m, 30.5.1990, Euro-Sib., Türkmen 508.
- Doronicum orientale** Hoffm.
Dörtyol, around Karagöz, mixed forest, 1700 m, 29.5.1991, Türkmen 528.
- Senecio vernalis** Waldst & Kit.
Dörtyol, around Çardak, roadside, 1400 m, 31.5.1991, Türkmen 562.
- Calendula arvensis** L.
Erzin, around İçme, field border, 320 m, 2.4.1990, Türkmen 509.
- Eupatorium cannabinum** L.
Dörtyol, around Tohtak, mixed forest, waste areas, 1200 m, 28.8.1991, Türkmen 531.
- Anthemis tinctoria** L. var. **tinctoria**
Dörtyol, around Ciğersiz çeşme, mixed forest, 1050 m, 29.8.1991, Türkmen 506.
- Leucocyclus formosus** Boiss. subsp. **amanicus** (Rech.fil.) Hub.-Mor. & Grierson
Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Med., End., Türkmen 547.
- Achillea grandiflora** Friv.
Erzin, east of Başlamlı Village, mixed forest, 800 m, 30.5.1990, Türkmen 505.
- ***A. coarctata** Poir.
Erzin, top slopes of Keldağ, rocky areas, 2100 m, 31.5.1990, Türkmen 504.
- Chrysanthemum segetum** L.
Dörtyol, garden border, 70 m, 7.5.1991, Med., Türkmen 522.
- Arctium minus** (Hill) Bernh. subsp. **pubens** (Babington) Arenes
Dörtyol, around Kocadüz, roadside, 800 m, 29.8.1991, Euro-Sib., Türkmen 507.
- ***Onopordum acanthium** L.
Erzin, top slopes of Keldağ, stony areas, 1950 m, 28.6.1990, Türkmen 548.
- Silybum marianum** (L.) Gaertner
Erzin, around İçme, field border, 320 m, 2.4.1990, Türkmen 563.
- Cirsium leuconeurmum** Boiss. & Hausskn.
Dörtyol, top slopes of Miğır, stony areas, 2120 m, 28.8.1991, Türkmen 524.
- Picnomon acarna** (L.) Cass.
Erzin, around Kengerlidüz, clearing of mixed forest, 1650 m, 11.9.1989, Med., Türkmen 550.
- Ptilostemon diacantha** (Lab.) Greuter
Dörtyol, streamside, 30 m, 2.8.1990, Med., Türkmen 555.
- Carduus nutans** L. subsp. **nutans**
Between Dörtyol and Erzin, roadside, 150 m, 3.6.1990, Türkmen 511.
- C. pycnocephalus** L. subsp. **albidus** (Bieb.) Kazmi
Erzin, around İçme, field border, 300 m, 2.4.1990, Türkmen 512.
- Tyrimnus leucographus** (L.) Cass.
Between Dörtyol and Erzin, in cavity, 150 m, Med., Türkmen 567.
- Centaurea lycopifolia** Boiss. & Kotschy
Erzin, east of Başlamlı Village, macchie, 550 m, 30.5.1990, Med., End., Türkmen 518.
- C. cataonica** Boiss. & Hausskn.
Erzin, east of Başlamlı Village, macchie, 500 m, 27.6.1991, End., Türkmen 517.
- C. babylonica** (L.) L.
Erzin, east of Başlamlı Village, roadside, 600 m, 27.6.1991, Med., Türkmen 515.
- C. ptosimopappa** Hayek
Erzin, east of Başlamlı Village, P. brutia forest, 800 m, 23.6.1989, Med., End., Türkmen 519.
- C. solstitialis** L. subsp. **solstitialis**
Between Dörtyol and Erzin, degraded macchie, 150 m, 3.7.1990, Türkmen 520.
- C. calcitrapa** L. subsp. **calcitrapa**
Dörtyol, streamside, 30 m, 2.8.1991, Med., Türkmen 516.
- ***C. aegialophila** Wagenitz
Erzin, around İçme, field border, 300 m, 2.4.1990, Med., Türkmen 514.
- Cardopatium corymbosum** (L.) Pers.
Dörtyol, around BOTAS, roadside, 70 m, 3.7.1990, Med., Türkmen 510.

- Carlina oligocephala* Boiss. & Kotschy
subsp. *oligocephala*
Erzin, top slopes of Keldağ, stony areas, 2000 m, 27.8.1991, Türkmen 513.
- Echinops ritro* L.
Erzin, top slopes of Keldağ, stony areas, 2000 m, 27.8.1991, Türkmen 529.
- E. viscosus* DC. subsp. *bithynicus* (Boiss.) Rech. fil.
Erzin, around İçme, roadside, 25.7.1991, Türkmen 530.
- Cichorium pumilum* Jack
Erzin, east of Başlamoş Village, degraded macchie, 700 m, 25.7.1991, Med., Türkmen 523.
- Scorzoneroides cana* (C.A.Meyer) Hoffm. var. *cana*
Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Cosm., Türkmen 559.
- S. cana* (C.A.Meyer) Hoffm. var. *radicosa* (Boiss.) Chamb.
Dörtyol, top slopes of Miğır, stony areas, 2100 m, 4.6.1990, Türkmen 560.
- S. mollis* Bieb. subsp. *szowitzii* (DC.) Chamb.
Dörtyol, top slopes of Miğır, stony areas, 2100 m, 4.6.1990, Ir.-Tur., Türkmen 561.
- Hypochoeris radicata* L. var. *heterocarpa* Moris
Dörtyol, around Çökek, streamside, 650 m, 8.5.1990, Euro-Sib., Türkmen 536.
- Leontodon hispidus* L. var. *hispidus*
Erzin, top slopes of Keldağ, stony areas, 2000 m, 27.8.1991, Türkmen 546.
- Picris amalecitana* (Boiss.) Eig
Erzin, east of Başlamoş Village, roadside, 700 m, 25.7.1991, Med., Türkmen 551.
- Helminthotheca echioides* (L.) Holub.
Erzin, east of Kızlarçayı Village, Hillside, 700 m, 22.8.1990, Türkmen 534.
- Urospermum picroides* (L.) F.W.Schmidt.
Erzin, around İçme, roadside, 320 m, 28.3.1991, Med., Türkmen 568.
- Hedypnois cretica* (L.) Dum.-Cours.
Between Dörtyol and Erzin, roadside,
- 100 m, 3.6.1990, Med., Türkmen 533.
- Rhagadiolus stellatus* (L.) Gaertner var. *edulis* (Gaert.) DC.
Dörtyol, around Çökek, streamside, 650 m, 8.5.1990, Med., Türkmen 558.
- Sonchus oleraceus* L.
Dörtyol, around Tekkoz, mixed forest roadside, 900 m, 31.5.1991, Türkmen 564.
- **Reichardia intermedia* (Schultz Bip.) Hayek
Erzin, around İçme, degraded macchie, 300 m, 2.4.1990, Med., Türkmen 557.
- Hieracium laevigatum* Willd.
Dörtyol, around Ciğersiz çeşme, mixed forest, 1050 m, 29.8.1991, Euro-Sib., Türkmen 537.
- Pilosella hoppeana* (Schul.) C.H. & F.W.Schultz subsp. *troica*
Erzin, top slopes of Keldağ, stony areas, 2100 m, 27.8.1991, Türkmen 554.
- **P. hoppeana* (Schultes) C.H. & F.W.Schultz subsp. *isaurica* Hub.-Mor.
Dörtyol, around Tohtak, Q. cerris forest, 1400 m, 4.6.1990, Ir.-Tur., End., Türkmen 553.
- P. echooides* (Lumn.) C.H. & F.W. Schultz subsp. *procera* (Fries) Sell & West
Erzin, top slopes of Keldağ, stony areas, 2000 m, 3.7.1990, Türkmen 552.
- Steptorhampus tuberosus* (Jacq.) Grossh.
Between Dörtyol and Erzin, degraded macchie, 100 m, 3.6.1990, Türkmen 565.
- Lactuca saligna* L.
Erzin, east of Başlamoş Village, P. brutia forest roadside, 650 m, 25.7.1991, Türkmen 542.
- L. serriola* L.
Erzin, east of Başlamoş Village, P. brutia forest roadside, 600 m, 31.8.1990, Euro-Sib., Türkmen 543.
- Lapsana communis* L. subsp. *psidica* (Boiss. & Heldr.) Rech.fil.
Erzin, around Karaoluk, F. orientalis forest, 1300 m, 6.3.1989, Türkmen 545.3
- L. communis* L. subsp. *intermedia* (Bieb.) Hayek
Dörtyol, around Çardak, roadside, 1400 m, 31.5.1990, Türkmen 544.
- Taraxacum sintensii* Dahlst.
Dörtyol, around Karamezla, clearing of F. orientalis forest, 1750 m, 30.5.1991, Türkmen 566.
- Condrilla juncea* L. var. *juncea*
Dörtyol, roadside, 60 m, 29.11.1991, Türkmen 521.
- Crepis reuterana* Boiss. subsp. *reuterana*
Erzin, east of Başlamoş Village, P. brutia forest, 750 m, 31.5.1990, Med., Türkmen 527.
- CAMpanulaceae**
- Campanula trachelium* L. subsp. *athoia* (Boiss. & Heldr.) Hayek
Erzin, east of Başlamoş Village, P. brutia forest roadside, 650 m, 25.7.1991, Euro-Sib., Türkmen 468.
- C. rapunculus* L. var. *rapunculus*
Between Dörtyol and Erzin, in cavity, 100 m, 3.6.1990, Euro-Sib., Türkmen 466.
- C. retrorsa* Labill.
Erzin, east of Başlamoş Village, P. brutia forest roadside, 700 m, 27.6.1991, Türkmen 467.
- Asyneuma virgatum* (Labill.) Bornm. subsp. *virgatum*
Erzin, top slopes of Keldağ, stony areas, 2100 m, 27.8.1991, Türkmen 465.
- Michauxia campanuloides* L'Herit. ex Aiton
Erzin, east of Başlamoş Village, P. brutia forest roadside, 700 m, 23.6.1989, Med., Türkmen 470.
- Legousia speculum-veneris* (L.) Chaix
Dörtyol, around Çökek, P. brutia forest, 800 m, 8.5.1990, Med., Türkmen 469.
- ERICACEAE**
- Erica manipuliflora* Salisb.
Erzin, east of Başlamoş Village, P. brutia forest, 800 m, 26.6.1990, Med., Türkmen 625.
- Arbutus unedo* L.
Erzin, east of Başlamoş Village, macchie, 500 m, 10.10.1989, Türkmen 624.
- A. andrachne* L.
Erzin, east of Başlamoş Village, macchie, 500 m, 10.10.1989, Türkmen 623.

PRIMULACEAE

Primula vulgaris Huds. subsp. *vulgaris*

Erzin, east of Başlamlış Village, mixed forest, 800 m, 5.4.1990, Euro-Sib., Türkmen 820.

Cyclamen coum Miller var. *coum*

Erzin, east of Başlamlış Village, Hillside, 650 m, 27.2.1989, Türkmen 819.

Anagallis arvensis L. var. *caerulea* (L.) Gouan

Erzin, east of Başlamlış Village, macchie, 500 m, 5.4.1990, Türkmen 818.

STYRACACEAE

Styrax officinalis L.

Erzin, east of Başlamlış Village, P. brutia forest, 750 m, 18.8.1989, Türkmen 906.

OLEACEAE

Jasminum fruticans L.

Erzin, around İçme, macchie, 450 m, 31.5.1990, Med., Türkmen 784.

Fraxinus ornus L. subsp. *cilicica* (Lindgels.) Yalt.

Erzin, east of Başlamlış Village, P. brutia forest, 550 m, 31.8.1990, Med., End., Türkmen 783.

Olea europaea L. var. *sylvestris* (Miller) Lehr.

Erzin, around İçme, degraded macchie, 250 m, 27.5.1991, Med., Türkmen 785.

Phillyrea latifolia L. subsp. *orientalis* Sebst.

Erzin, around İçme, macchie, 350 m, 31.8.1990, Med., Türkmen 786.

APOCYNACEAE

Nerium oleander L.

Erzin, around İçme, streamside, 350 m, 30.5.1990, Med., Türkmen 443.

Vinca major L. subsp. *major*

Dörtyol, garden border, 100 m, 8.5.1990, Med., Türkmen 444.

ASCLEPIADACEAE

Vincetoxicum tmoleum Boiss.

Dörtyol, top slopes of Miğır, stony areas, 2100 m, 28.9.1991, Ir.-Tur., Türkmen 1043.

GENTIANACEAE

**Blackstonia perfoliata* (L.) Hudson

subsp. *serotina* (W.Koch ex Reichb.) Vollmann

Between Dörtyol and Erzin, macchie, 150 m, 3.6.1990, Türkmen 642.

Centaurium erythraea Rafin. subsp. *turcicum* (Velen) Melderis

Erzin, east of Başlamlış Village, macchie, 500 m, 27.6.1990, Türkmen 643.

CONVOLVULACEAE

Calystegia silvatica (Kit.) Griseb.

Dörtyol, around Çökek, streamside, 650 m, 8.5.1990, Türkmen 571.

Convolvulus dorycnium L. subsp. *oxycephalus* (Boiss.) Rech.fil

Dörtyol, around BOTAŞ, roadside, 70 m, 3.7.1992, Med., Türkmen 573.

C. arvensis L.

Dörtyol, around Tohtak, roadside, 1450 m, 29.5.1991, Cosm., Türkmen 572.

CUSCUTACEAE

**Cuscuta campestris* Yuncker

Dörtyol, around BOTAŞ, roadside, on Alhagi mannifera, 70 m, 3.7.1990, Cosm., Türkmen 616.

C. brevistyla A.Braun

Erzin, top slopes of Keldağ, on Marubium globosum, 2000 m, 28.6.1990, Türkmen 615.

BORAGINACEAE

Heliotropium europaeum L.

Between Dörtyol and Erzin, onion field, 150 m, 3.6.1992, Med., Türkmen 456.

Myosotis alpestris F.W.Schmidt.

Dörtyol, top slopes of Miğır, stony areas, 2000 m, 4.6.1990, Türkmen 459.

M. lithospermifolia (Willd.) Hornem.

Dörtyol, around Ufaçık, Q. cerris forest, 1530 m, 31.5.1990, Euro-Sib., Türkmen 454.

**Paracaryum lithospermifolium* (Lam.)

Grande subsp. *cariense* (Boiss.) R.Mill var. *cariense*

Dörtyol, top slopes of Miğır, stony areas, 2000 m, 4.6.1990, Med., Türkmen 462.

Cynoglossum creticum L.

Erzin, east of Başlamlış Village, macchie, 500 m, 5.4.1990, Türkmen 453.

C. montanum L.

Dörtyol, around Karamezla, clearing of F. orientalis forest, 1750 m, 30.5.1991, Türkmen 455.

Lithospermum purpurocaeruleum L.

Dörtyol, around Çökek, P. brutia forest, 750 m, 8.5.1990, Euro-Sib., Türkmen 458.

Buglossoides arvensis (L.) Johnston

Erzin, around İçme, field border, 300 m, 28.3.1991, Türkmen 452.

Lithodora hispidula (Sm.) Griseb. subsp. *versicolor* Meikle

Erzin, around İçme, macchie, 150 m, 27.6.1990, Med., Türkmen 457.

Onosma frutescens Lam

Dörtyol, top slopes of Miğır, stony areas, 2000 m, 4.6.1990, Med., Türkmen 460.

O. tauricum Patlas ex Willd. var. *tauricum*

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Türkmen 461.

Symphytum brachycalix Boiss.

Dörtyol, around Karamezla, F. orientalis forest, 1750 m, 30.5.1991, Med., Türkmen 463.

Brunnera orientalis (Scheyk) Johnston

Dörtyol, around Akelma, Q. cerris forest, 1530 m, 31.5.1990, Euro-Sib., Türkmen 451.

Anchusa undulata L. subsp. *hybrida* (Ten.) Coutinho

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Türkmen 450.

A. strigosa Labill.

Dörtyol, garden border, 30 m, 2.8.1990, Türkmen 449.

SOLANACEAE

Solanum nigrum L. subsp. *nigrum*

Dörtyol, streamside, 30 m, 2.8.1990, Cosm., Türkmen 904.

S. dulcamara L.

Dörtyol, around Ciğersiz çeşme, Hillside, 1050 m, 29.8.1991, Euro-Sib., Türkmen 903.

S. elatum Moench

Erzin, east of Başlamlış Village, P. brutia forest roadside, 550 m, 30. 5.1990, Türkmen 902.

- Physalis alkekengi** L.
Erzin, east of Kızlarçayı Village, Hillside, 650 m, 22.8.1991, Türkmen 901.
- Atropa belladonna** L.
Erzin, nort slopes of Keldağ, F. orientalis forest roadside, 1800 m, 27.8.1991, Euro-Sib., Türkmen 899.
- Datura innoxia** Miller
Dörtyol, streamside, 30 m, 27.9.1990, Türkmen 900.
- SCROPHULARIACEAE**
- Verbascum linearilobium** (Boiss.) Hub.-Mor.
Erzin, east of Başlamlış Village, P. brutia forest roadside, 700 m, 25.7.1991, Med., End., Türkmen 891.
- V. cedreti** Boiss.
Dörtyol, around Akelma, Q. cerris forest, 1550 m, 31.5.1990, Med., Türkmen 888.
- V. sinuatum** L. var. *adenosephalum* Murb.
Dörtyol, pasture, 70 m, 17.8.1990, Med., Türkmen 892.
- V. caesareum** Boiss.
Erzin, top slopes of Keldağ, stony areas, 1850 m, 27.8.1991, Med., End., Türkmen 887.
- V. amanum** Boiss.
Dörtyol, top slopes of Miğır, stony areas, 2100 m, 28.9.1990, Med., Türkmen 886.
- V. galileum** Boiss.
Erzin, east of Başlamlış Village, P. brutia forest roadside, 550 m, 27.12.1990, Med., Türkmen 890.
- V. cheiranthifolium** Boiss. var. *asperulum* (Boiss.) Murb.
Dörtyol, around Çardak, steppe, 1400 m, 31.5.1991, End., Türkmen 889.
- Scrophularia scopolii** (Hoppe ex) Pers. var. *scopolii*
Dörtyol, around Mişmiş, clearing of F. orientalis forest, 1400 m, 4.6.1990, Türkmen 884.
- S. xanthoglossa** Boiss.
S. Erzin, top slopes of Keldağ, stony areas, 2000 m, 28.6.1990, Ir.-Tur., Türkmen 885.
- Anarrhinum orientale** Bentham
Erzin, around Kengerlidüz, mixed forest, 1700 m, 28.6.1990, Ir.-Tur., Türkmen 878.
- ***Misopates orontium** (L.) Rafin.
Between Dörtyol and Erzin, degraded macchie, 150 m, 3.6.1990, Türkmen 883.
- Linaria chalepensis** (L.) Miller var. *chalepensis*
Dörtyol, roadside, 70 m, 7.5.1990, Med., Türkmen 882.
- Kickxia commutata** (Bernh. ex Reichb.) Frit. subsp. *graeca* (Bor & Chamb.) R.Fernand.
Dörtyol, streamside, 30 m, 2.8.1990, Türkmen 880.
- Veronica arvensis** L.
Dörtyol, around Çökek, streamside, 650 m, 8.5.1990, Euro-Sib., Türkmen 893.
- V. persica** Poiret
Erzin, garden border, 250 m, 2.4.1990, Türkmen 897.
- V. cymbalaria** Bodard
Erzin, garden border, 250 m, 2.4.1990, Med., Türkmen 894.
- V. leiocarpa** Boiss.
Dörtyol, around Çökek, P. brutia forest, 400 m, 30.5.1991, Med., Türkmen 895.
- V. orientalis** Boiss. Miller subsp. *nimordii* (Reichter ex Stapf.) M.A.Fischer
Dörtyol, around Karagöz, steppe, 1660 m, 31.3.1990, End., Türkmen 896.
- Wulfenia orientalis** Boiss.
Dörtyol, around Tekkoz, mixed forest roadside, 1000 m, 4.6.1990, Med., Türkmen 898.
- Bellardia trixago** (L.) All.
Between Dörtyol and Erzin, degraded macchie, 150 m, 3.6.1990, Türkmen 879.
- Lesquerexia syriaca** Boiss. & Reuter
Erzin, east of Başlamlış Village, P. brutia forest, 750 m, 23.6.1989, Med., Türkmen 881.
- OROBANCHACEAE**
- Phelypaea coccinea** (Bieb.) Poiret
Dörtyol, around Kirmenkaya, Q. cerris forest, 1710 m, 31.5.1990, Ir.-Tur., Türkmen 791.
- Orobanche crenata** Forsskal
Erzin, around Kengerlidüz, mixed forest, 1750 m, 28.6.1990, Türkmen 790.
- O. caryophyllacea** Smith
Erzin, around İçme, P. brutia forest, 300 m, 2.4.1990, Türkmen 789.
- O. anatolica** Boiss. & Reuter
Dörtyol, around Kirikelma, F. orientalis forest, 1500 m, 30.5.1991, Türkmen 788.
- VERBENACEAE**
- ***Phyla nodiflora** (L.) Greene
Dörtyol, streamside, 30 m, 2.8.1990, Türkmen 936.
- Verbena officinalis** L.
Dörtyol, streamside, 20 m, 2.8.1990, Türkmen 937.
- Vitex agnus-castus** L.
Erzin, around İçme, streamside, 350 m, 2.8.1990, Med., Türkmen 938.
- LABIATAE (LAMIACEAE)**
- Ajuga orientalis** L.
Dörtyol, top slopes of Miğır, stony areas, 2000 m, 4.6.1990, Türkmen 661.
- A. chamaepitys** (L.) Schreber subsp. *chia* (Schreber) Arcangeli var. *ciliata* Briq.
Dörtyol, around Tekkoz, mixed forest, 1000 m, 31.5.1991, Türkmen 660.
- Teucrium polium** L. var. *vulgare* Bentham
Erzin, top slopes of Keldağ, stony areas, 2000 m, 27.8.1991, Türkmen 692.
- ***Scutellaria rubicunda** Hormem subsp. *brevibracteata* (Stapf.) Edmond
Between Dörtyol and Erzin, in ditch, 100 m, 3.6.1990, Med., End., Türkmen 685.
- S. glaphyrostachys** Rech. fil.
Dörtyol, around Kirikelma, rocky areas, 1540 m, 3.7.1990, Med., End., Türkmen 684.
- S. salviifolia** Bentham
Erzin, top slopes of Keldağ, rocky areas, 2100 m, 3.7.1990, End., Türkmen 686.
- Phlomis viscosa** Poiret

Erzin, south slopes of Keldağ, stony areas, 1800 m, 27.8.1991, Med., Türkmen 677.

P. longifolia Boiss. & Bal. var. *bailanica* (Vierh.) Hub.-Mor.

Erzin, around Tekkoz, mixed forest, 900 m, 31.5.1991, Med., End., Türkmen 676.

Lamium garganicum L. subsp. *nepetifolium* (Boiss.) R. Mill.

Dörtyol, around Kapulu, roadside, 900 m, 29.5.1991, Med., End., Türkmen 666.

L. garganicum L. subsp. *reniforme* (Montbret & Aucher ex Bentham) R. Mill.

Dörtyol, top slopes of Miğır, stony areas, 2100 m, 4.6.1992, Türkmen 667.

L. macrodon Boiss. & Huet

Dörtyol, top slopes of Miğır, stony areas, 2000 m, 4.6.1992, Ir.-Tur., Türkmen 668.

L. maculatum L. var. *maculatum*

Dörtyol, around Kirikelma, F. orientalis forest, 1750 m, 30.5.1991, Euro-Sib., Türkmen 669.

Ballota nigra L. subsp. *nigra* (Fiori & Beg.) Petzak

Dörtyol, streamside, 40 m, 29.11.1990, Med., Türkmen 662.

Marrubium globosum Montbret et Aucher ex Bentham subsp. *globosum*

Erzin, top slopes of Keldağ, stony areas, 2100 m, 11.9.1989, Ir.-Tur., End., Türkmen 670.

Sideritis libanotica Labill. subsp. *libanotica*

Dörtyol, top slopes of Miğır, stony areas, 2130 m, 28.8.1991, Med., Türkmen 687.

S. perfoliata L. var. *condensata* Boiss.

Erzin, top slopes of Keldağ, stony areas, 2000 m, 26.9.1990, Türkmen 688.

Stachys pinetorum Boiss. & Bal.

Erzin, east of Başlamlı Village, P. brutia forest roadside, 650 m, 27.6.1991, Med., Türkmen 691.

S. annua (L.) L. subsp. *ammophila* (Boiss. & Bl.) Samuel.

Erzin, around İçme, field border, 300 m, 28.3.1991, Med., Türkmen 689.

S. diversifolia Boiss.

Erzin, east of Başlamlı Village, P. brutia forest, 830 m, 26.9.1990, Med., Türkmen 690.

**Melissa officinalis* L. subsp. *officinalis*

Dörtyol, around Domuzdami, roadside, 1250 m, 28.8.1991, Türkmen 671.

Nepeta cilicina Boiss.

Erzin, top slopes of Keldağ, rocky areas, 2000 m, 3.7.1990, Med., Türkmen 673.

Prunella vulgaris L.

Dörtyol, around Bükle, P. brutia forest, 660 m, 29.5.1991, Euro-Sib., Türkmen 679.

P. orientalis Bornm.

Dörtyol, east of Kuyuluk Village, P. brutia forest, 450 m, 2.7.1990, Türkmen 678.

Origanum syriacum L. var. *bevanii* (Holmes) Leswaart

Erzin, east of Başlamlı Village, macchie, 400 m, 31.8.1990, Med., Türkmen 675.

O. laevigatum Boiss. var. *laxum* Post

Erzin, around İçme, P. brutia forest, 750 m, 14.11.1989, Med., Türkmen 674.

Satureja amani P.H.Davis

Dörtyol, around Kirikelma, rocky areas, 1650 m, 20.5.1991, Med., End., Türkmen 683.

C. nepeta (L.) Savi subsp. *nepeta*

Erzin, east of Başlamlı Village, P. brutia forest, 850 m, 2.8.1990, Med., Türkmen 664.

Clinopodium vulgare L. subsp. *arundinum* (Boiss.) Nyman

Dörtyol, around Tohtak, mixed forest, 1200 m, 28.8.1991, Türkmen 665.

Thymus leuchotrichus Hal. var. *austroanatolicus* Jales

Erzin, top slopes of Keldağ, rocky areas, 2000 m, 28.6.1990, Türkmen 695.

T. kotschyanus Boiss. & Hohen var. *glabrescens* Boiss.

Erzin, top slopes of Keldağ, stony areas, 2000 m, 27.8.1991, Ir.-Tur., Türkmen 694.

T. sipyleus Boiss. subsp. *sipyleus* var. *sipyleus*

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, End., Türkmen 696.

Thymbra spicata L. var. *spicata*

Between Dörtyol and Erzin, degraded macchie, 150 m, 3.6.1990, Med., Türkmen 693.

Mentha pulegium L.

Dörtyol, around Pekmezci, rocky areas, 940 m, 3.7.1990, Türkmen 672.

Ziziphora capitata L. subsp. *orientalis* Samuel. ex Rech.

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Ir.-Tur., Türkmen 697.

Salvia tomentosa Miller

Erzin, east of Başlamlı Village, P. brutia forest, 800 m, 30.5.1990, Med., Türkmen 681.

S. viridis L.

Between Dörtyol and Erzin, degraded macchie, 150 m, 3.6.1990, Med., Türkmen 682.

S. glutinosa L.

Dörtyol, around Kirikelma, clearing of F. orientalis forest, 1700 m, 28.8.1991, Euro-Sib., Türkmen 680.

PLUMBAGINACEAE

Acanthalimon libanoticum Boiss.

Dörtyol, top slopes of Miğır, stony areas, 2160 m, 28.9.1990, Med., Türkmen 805.

**A. acerosum* (Willd.) Boiss. var. *brachystachyum* Boiss.

Erzin, top slopes of Keldağ, stony areas, 2100 m, 27.8.1991, Ir.-Tur., End., Türkmen 804.

PLANTAGINACEAE

Plantago major L. subsp. *intermedia* (Gilib.) Lange

Dörtyol, around Ciğersiz çeşme, Hill-side, 1050 m, 29.8.1991, Türkmen 801.

**P. holosteum* Scop.

Erzin, top slopes of Keldağ, stony areas, 2000 m, 27.8.1991, Med., Türkmen 799.

P. lanceolata L.

Erzin, around İçme, macchie, 500 m, 30.5.1990, Türkmen 800.

- **P. scabra* Moench
Dörtyol, garden border, 40 m, 2.8.1990, Türkmen 802.
- THYMELAEAE**
- Daphne sericea* Vahl
Erzin, around İçme, macchie, 350 m, 5.4.1990, Med., Türkmen 909.
- D. oleoides* Schreb. subsp. *oleoides*
Dörtyol, top slopes of Miğır, stony areas, 2100 m, 28.9.1990, Türkmen 908.
- LAURACEAE**
- Laurus nobilis* L.
Dörtyol, around Sarısu, Hillside, 1000 m, 28.9.1990, Med., Türkmen 698.
- SANTALACEAE**
- Thesium bergeri* Zucc.
Erzin, east of Başlamlı Village, macchie, 450 m, 27.6.1990, Med., Türkmen 877.
- Osyris alba* L. var. *serotinia* Griseb.
Erzin, east of Başlamlı Village, macchie, 31.5.1990, Med., Türkmen 876.
- LORANTHACEAE**
- Loranthus europaeus* Jacq.
Dörtyol, around Tohtak, on *Q. cerris*, 1460 m, 3.7.1990, Türkmen 777.
- RAFLESIACEAE**
- Cytinus hypocistis* L. subsp. *kermesinus* (Guss.) Waldts.
Dörtyol, around Tekkoz, mixed forest, 1050 m, 31.5.1991, Med., Türkmen 822.
- EUPHORBIACEAE**
- Mercurialis annua* L.
Erzin, garden border, 250 m, 2.4.1990, Türkmen 633.
- M. ovata* Sternb. & Hoppe
Dörtyol, around Kırkelta, *F. orientalis* forest, 1500 m, 30.5.1991, Euro-Sib., Türkmen 634.
- Euphorbia supina* Rafin
Between Dörtyol and Erzin, roadside, 100 m, 3.6.1990, Türkmen 632.
- E. rhytidosperma* Boiss. & Bal.
Dörtyol, around İçkoz, *P. nigra* forest, 1550 m, 29.5.1991, Med., End., Türkmen 631.
- E. apios* L. var. *lamprocarpa* Boiss.
- Erzin, east of Başlamlı Village, *P. brutia* forest, 830 m, 5.4.1990, Med., Türkmen 626.
- E. helioscopia* L.
Erzin, around İçme, field border, 250 m, 27.2.1991, Türkmen 628.
- E. peplus* L. var. *peplus*
Dörtyol, around Çökek, streamside, 650 m, 8.5.1990, Türkmen 630.
- E. falcata* L. subsp. *falcata* var. *falcata*
Erzin, east of Başlamlı Village, *P. brutia* forest roadside, 700 m, 25.7.1991, Türkmen 627.
- E. macrostegia* Boiss.
Erzin, east of Başlamlı Village, *P. brutia* forest, 800 m, 25.7.1991, Türkmen 629.
- BUXACEAE**
- Buxus sempervirens* L.
Dörtyol, around Tekkoz, mixed forest, Hillside, 1080 m, 29.5.1991, Euro-Sib., Türkmen 464.
- URTICACEAE**
- Urtica urens* L.
Erzin, garden border, 250 m, 2.4.1990, Türkmen 934.
- U. dioica* L.
Dörtyol, around Karagöz, garden border, 1660 m, 31.5.1990, Euro-Sib., Türkmen 933.
- Parietaria judaica* L.
Erzin, garden border, 250 m, 2.4.1990, Türkmen 932.
- MORACEAE**
- Ficus carica* L. subsp. *carica*
Erzin, east of Başlamlı Village, Hillside, 650 m, 25.7.1991, Türkmen 781.
- ULMACEAE**
- Ulmus glabra* Hudson
Dörtyol, around Tekkoz, mixed forest, 850 m, 2.5.1990, Euro-Sib., Türkmen 911.
- JUGLANDACEAE**
- Juglans regia* Miller
Erzin, around Kengerlidüz, mixed forest, 1650 m, 2.5.1990, Türkmen 659.
- PLATANACEAE**
- Platanus orientalis* L.
Erzin, around içme, streamside, 350 m, 5.4.1990, Türkmen 803.
- FAGACEAE**
- Fagus orientalis* Lipsky.
Erzin, around Kengerlidüz, mixed forest, 1700 m, 11.9.1989, Euro-Sib., Türkmen 636.
- **Castanea sativa* Miller
Dörtyol, around Tekkoz, mixed forest, 850 m, 2.7.1990, Euro-Sib., Türkmen 635 (cultivated).
- Quercus petraea* (Mat.) Liebl. subsp. *pinnatiloba* (C. Koch) Menitsby
Erzin, around Kengerlidüz, mixed forest, 1650 m, 11.9.1989, End., Türkmen 641.
- Q. infectoria* Oliver subsp. *boissieri* (Reuter) O. Schwarz
Erzin, east of Başlamlı Village, *P. brutia* forest, 500 m, 9.11.1989, Türkmen 639.
- Q. cerris* L. var. *cerris*
Erzin, around Kengerlidüz, mixed forest, 1650 m, 11.9.1989, Med., Türkmen 637.
- Q. libani* Oliver
Dörtyol, around Tohtak, *Q. cerris* forest, 1350 m, 9.11.1989, Ir.-Tur., Türkmen 640.
- Q. coccifera* L.
Erzin, east of Başlamlı Village, macchie, 500 m, 27.6.1990, Med., Türkmen 638.
- CORYLACEAE**
- Carpinus orientalis* Miller
Erzin, east of Başlamlı Village, mixed forest, 650 m, 2.7.1990, Türkmen 576.
- Ostrya carpinifolia* Scop.
Dörtyol, around Tekkoz, mixed forest, 1000 m, 28.3.1990, Med., Türkmen 578.
- Corylus avellana* L. var. *avellana*
Dörtyol, around Fındıkderesi, streamside, 1080 m, 29.5.1991, Euro-Sib., Türkmen 577.
- BETULACEAE**
- Alnus glutinosa* (L.) Gaertn. subsp. *barbata* (C.A.Meyer) Yalt.
Dörtyol, near Kuyuluk Village, streamside, 500 m, 31.5.1991, Euro-Sib., Türkmen 448.

SALICACEAE

Salix alba L. subsp. *micans* (Anderson)
Rech. fil.

Dörtyol, around Karagöz, wetland,
1480 m, 3.7.1990, Euro-Sib., Türkmen
874.

S. pedicellata Desf. subsp. *pedicellata*

Dörtyol, east of Kuyuluk Village, Hill-
side, 550 m, 31.5.1991, Med., Türkmen
875.

Populus tremula L.

Erzin, around Kengerlidüz, mixed for-
est, 1650 m, 30.5.1990, Euro-Sib.,
Türkmen 873.

RUBIACEAE

Putoria calabrica (L. fil.) DC.

Erzin, east of Başlamlı Village, P. bru-
tia forest, Hillside, 600 m, 30.8.1991,
Med., Türkmen 869.

Sherardia arvensis L.

Erzin, east of Başlamlı Village, macchie,
500 m, 5.4.1990, Med., Türkmen 872.

Crucianella latifolia L.

Between Dörtyol and Erzin, degraded
macchie, 150 m, 3.6.1990, Med., Türkmen
861.

**Asperula stricta* Boiss. subsp. *mon-
ticola* Ehrend.

Erzin, top slopes of Keldağ, stony ar-
eas, 2000 m, 3.7.1990, Med., End.,
Türkmen 859.

A. stricta Boiss. subsp. *stricta*

Erzin, east of Başlamlı Village, P. bru-
tia forest, 650 m, 3.7.1990, Med.,
Türkmen 860.

A. cymulosa (Post) Post

Erzin, east of Başlamlı Village, P. bru-
tia forest, Med., End., Türkmen 858.

Galium odoratum (L.) Scop.

Dörtyol, around Mişmiş F. orientalis
forest, 1400 m, 4.6.1990, Euro-Sib.,
Türkmen 866.

G. verum L. subsp. *verum*

Between Dörtyol and Erzin, roadside,
150 m, 3.6.1990, Euro-Sib., Türkmen
868.

G. album Miller subsp. *amani* Ehrend.
et Schönb.-Tem.

Dörtyol, around Akelma, Q. cerris for-
est, 1530 m, 31.5.1990, Türkmen 863.

G. incanum Sm. subsp. *elatius* (Boiss.)
Ehrend.

Erzin, top slopes of Keldağ, stony ar-
eas, 2000 m, 28.6.1990, Ir.-Tur., Türkmen
865.

G. aparine L.

Dörtyol, around Çardak, roadside,
1400 m, 31.5.1990, Türkmen 864.

**G. tenuissimum* Bieb. subsp. *te-
nuissimum*

Between Dörtyol and Erzin, field bor-
der, 150 m, 3.6.1990, Türkmen 867.

**Cruciata laevipes* Opiz

Between Dörtyol and Erzin, degraded
macchie, 150 m, 3.6.1990, Euro-Sib.,
Türkmen 862.

Rubia rotundifolia Banks & Sol.

Dörtyol, east of Kuyuluk Village, P. bru-
tia forest, 450 m, 2.7.1990, Med.,
Türkmen 870.

R. tenuifolia d.Urv. subsp. *brachypoda*
(Boiss.) Ehrend.

Erzin, around İçme, macchie, 450 m,
17.4.1990, Med., Türkmen 871.

MONOCOTYLEDONES

ARACEAE

Arum dioscoridis Sm. var. *lieboldtii*
(Scott) Engler

Dörtyol, garden border, 90 m,
5.4.1990, Med., Türkmen 446.

LILIACEAE

Smilax excelsa L.

Dörtyol, around Kapulu, mixed forest,
1070 m, 26.6.1989, Euro-Sib., Türkmen
1028.

S. aspera L.

Erzin, east of Başlamlı Village, P. brutia
forest, 750 m, 26.6.1990, Türkmen 1027.

Ruscus aculeatus L. var. *angustifolius*
Boiss.

Dörtyol, around Çökek, P. brutia for-
est, 750 m, 26.6.1989, Türkmen 1024.

Danae racemosa (L.) Moench

Dörtyol, around Tekkoz, mixed forest,
Hillside, 1000 m, 31.5.1991, Türkmen
1011.

Asparagus acutifolius L.

Erzin, around İçme, macchie, 500 m,
31.8.1990, Med., Türkmen 1006.

Polygonatum orientale Desf.

Dörtyol, around Mişmiş F. orientalis
forest, 1400 m, 4.6.1990, Euro-Sib.,
Türkmen 1023

P. multiflorum All.

Dörtyol, around Kirkelma, F.orientalis
forest, 1500 m, 30.5.1991, Türkmen
1022.

Asphodelus aestivus Brot.

Between Dörtyol and Erzin, degraded
macchie, 150 m, 3.6.1990, Med., Türkmen
1009.

Eremurus spectabilis Bieb.

Dörtyol, top slopes of Miğır, stony ar-
eas, 2100 m, 4.6.1990, Ir.-Tur., Türkmen
1012.

Asphodelina globifera J.Gay ex Baker

Dörtyol, around Karagöz, steppe,
1660 m, 31.5.1990, Med., Türkmen
1008.

A. damascena (Boiss.) Baker subsp.
damascena

Dörtyol, top slopes of Miğır, stony ar-
eas, 1950 m, 4.6.1992, Ir.-Tur., Türkmen
1007.

**Allium sipyleum* Boiss.

Erzin, top slopes of Keldağ, stony ar-
eas, 2000 m, 27.8.1991, Med., Türkmen
1005.

A. ampeloprasum L.

Dörtyol, field border, 150 m,
3.6.1990, Med., Türkmen 1001.

A. scorodoprasum L. subsp. *ro-
tundum* (L.) Stearn

Dörtyol, around Karagöz, steppe,
1480 m, 3.7.1990, Med., Türkmen 1004.

A. calyptatum Boiss.

Dörtyol, top slopes of Miğır, stony ar-
eas, 2000 m, 4.6.1990, Med., Türkmen
1002.

A. lycaonicum Siehe ex Hayek

Erzin, around Karaoluk, clearing of F.
orientalis forest, 1300 m, 26.6.1989,
Türkmen 1003.

Urginea maritima L.

Dörtyol, streamside, 30 m, 27.9.1990,
Med., Türkmen 1029.

Scilla melaine Speta

Erzin, east of Başlamış Village, mixed

forest, 650 m, 28.3.1991, Med., Türkmen 1026.

S. autumnalis L.

Erzin, around İçme, macchie, 400 m, 26.9.1991, Türkmen 1025.

Ornithogalum urophyllum Hand.-Mazz.

Dörtyol, around Karagöz, steppe, 1660 m, 31.5.1990, Türkmen 1021.

O. oligophyllum E.D. Clarke

Erzin, around Kengerlidüz, clearing of *P. nigra* forest, 1700 m, 23.5.1992, Türkmen 1020.

Muscari comosum (L.) Mill.

Erzin, around Kengerlidüz, mixed forest, 1700 m, 28.6.1990, Türkmen 1017.

M. tenuiflorum Tousch.

Dörtyol, around Çökek, P. brutia forest, 800 m, 8.5.1990, Türkmen 1019.

M. neglectum Guss.

Dörtyol, top slopes of Miğır, stony areas, 1950 m, 3.6.1990, Türkmen 1018.

Fritillaria acmopetala Boiss. subsp. acmopetala

Dörtyol, around Gücük, clearing of *F. orientalis* forest, 1400-1700 m, 4.6.1990, Med., Türkmen 1013.

F. hermonis Fenzl subsp. amana Rix

Dörtyol, top slopes of Miğır, stony areas, 2000 m, 4.6.1990, Med., Türkmen 1014.

F. pinardii Boiss.

Erzin, around Kengerlidüz, *P. nigra* forest, 1700 m, 23.5.1990, Ir.-Tur., Türkmen 1015.

Gagea fibrosa (Desf.) Schultes & Schultes. fil.

Erzin, around İçme, macchie, 300 m, 2.4.1992, Türkmen 1016.

Colchicum trodii Kotschy

Dörtyol, around Karamezla, clearing of *F. orientalis* forest, 1750 m, 28.9.1990, Med., Türkmen 1010.

IRIDACEAE

Iris unguicularis Poiret

Erzin, east of Başlamlı Village, P. brutia forest, 750 m, 5.4.1990, Med., Türkmen 998.

Gynandriris sisyrinchium (L.) Parl.

Erzin, around İçme, macchie, 400 m, 5.4.1990, Türkmen 997.

Crocus kotschyanus C.Koch subsp. kotschyanus

Dörtyol, top slopes of Miğır, stony areas, 1920 m, 28.9.1990, Türkmen 994.

Gladiolus italicus Miller

Erzin, east of Başlamlı Village, P. brutia forest, 750 m, 30.5.1990, Türkmen 996.

G. anatolicus (Boiss.) Stapf

Dörtyol, around Kocadüz, mixed forest, 1050 m, 2.7.1990, Med., End., Türkmen 995.

ORCHIDACEAE

Cephalanthera kurdica Bornm. ex Kranzlin

Dörtyol, around Tekkoz, mixed forest, 1000 m, 31.5.1991, Ir.-Tur., Türkmen 1032.

C. rubra (L.) L.C.M. Richard

Dörtyol, around Bülke, P. brutia forest, 1000 m, 31.5.1991, Türkmen 1034.

C. longifolia (L.) Fritsch

Dörtyol, around Mışmiş *F. orientalis* forest, 1350 m, 4.6.1990, Euro-Sib., Türkmen 1033.

C. damascenium (Miller) Druce

Dörtyol, around Kirkelma, *F. orientalis* forest, 1500 m, 30.5.1991, Euro-Sib., Türkmen 1031.

Epipactis helleborine (L.) Crantz

Dörtyol, around Kocadüz, mixed forest, 1050 m, 2.7.1990, Türkmen 1037.

Limodorum abortivum (L.) Swartz

Dörtyol, around Akelma, *F. orientalis* forest, 1520 m, 31.5.1991, Türkmen 1038.

Platanthera bifolia (L.) L.C.M. Richard

Dörtyol, around İçkız, *P. nigra* forest, 1550 m, 29.5.1991, Euro-Sib., Türkmen 1041.

Anacamptis pyramidalis (L.) L.C.M. Richard

Dörtyol, around Kocadüz, mixed forest, 1050 m, 2.7.1992, Türkmen 1030.

Orchis morio L. subsp. syriaca Camus & al.

Erzin, around İçme, macchie, 300 m, 2.4.1992, Med., Türkmen 1040.

O. mascula (L.) subsp. pinetorum (Boiss. & Kotschy) G.Camus

Dörtyol, around Gücük, *F. orientalis* forest, 1800 m, 4.6.1990, Med., Türkmen 1039.

Dactylorhiza saccifera (Brong.) Soo'

Dörtyol, around Tekkoz, mixed forest, 850 m, 2.7.1990, Med., Türkmen 1036.

D. osmanica (L.) Soo' var. *osmanica*

Dörtyol, around Atkaya, mixed forest, 880 m, 29.5.1991, Ir.-Tur., End., Türkmen 1035.

DIOSCOREACEAE

Tamus communis L. subsp. *communis*

Dörtyol, around Tohtak, mixed forest, 1070 m, 26.6.1989, Türkmen 617.

TYPHACEAE

***Typha angustifolia L.**

Dörtyol, around BOTAŞ, irrigation canal, 70 m, 3.7.1992, Türkmen 1042.

JUNCACEAE

Juncus inflexus L.

Dörtyol, around Tohtak, mixed forest, 1200 m, 28.8.1991, Türkmen 999.

Luzula forsteri (Sm.) DC.

Dörtyol, around Akelma, *Q. cerris* forest, 1530 m, 31.5.1990, Euro-Sib., Türkmen 1000.

CYPERACEAE

***Cyperus rotundus L.**

Dörtyol, around BOTAŞ, field border, 70 m, 3.7.1990, Türkmen 948.

Bolboschoenus maritimus (L.) Palla var. *cymosus*

Dörtyol, salty places near sea, 20 m, 27.9.1990, Türkmen 943.

Scirpoides holoschoenus (L.) Soják

Erzin, east of Başlamlı Village, P. brutia forest roadside, 650 m, 25.7.1991, Türkmen 949.

Carex divulsa Stokes subsp. *divulsa*

Dörtyol, around Çökek, streamside, 650 m, 8.5.1990, Euro-Sib., Türkmen 945.

C. pendula Hudson

Dörtyol, around Kapulu, roadside, 1080 m, 29.5.1991, Euro-Sib., Türkmen 947.

- C. flacca* Schreber subsp. *serrulata* (Biv.) Greuter
Erzin, east of Başlamlı Village, macchie, 500 m, 5.4.1990, Med., Türkmen 946.
- C. distans* L.
Erzin, east of Başlamlı Village, P. brutia forest roadside, 650 m, 31.10.1991, Euro-Sib., Türkmen 944.
- GRAMINEAE (POACEAE)**
- Brachypodium pinnatum* (L.) P. Beauv.
Erzin, east of Başlamlı Village, P. brutia forest, 800 m, 30.5.1990, Türkmen 955.
- Aegilops speltoides* Tausch var. *speltooides*
Between Dörtyol and Erzin, roadside, 150 m, 3.6.1990, Türkmen 951.
- **Ae. neglecta* Req. ex Bertol.
Between Dörtyol and Erzin, degraded macchie, 150 m, 3.6.1990, Med., Türkmen 950.
- Hordeum bulbosum* L.
Dörtyol, top slopes of Miğır, stony areas, 1950 m, 31.5.1990, Türkmen 974.
- Bromus intermedius* Guss.
Erzin, around İçme, macchie, 500 m, 30.5.1990, Türkmen 957.
- B. squarrosum* L.
Dörtyol, around Tekkoz, mixed forest, 1000 m, 26.6.1989, Türkmen 959.
- B. scoparius* L.
Dörtyol, around Akelma, Q. cerris forest, 1530 m, 31.5.1990, Türkmen 958.
- B. tectorum* L.
Dörtyol, around Tekkoz, mixed forest roadside, 900 m, 31.5.1991, Türkmen 961.
- B. sterilis* L.
Dörtyol, around Tekkoz, mixed forest roadside, 900 m, 31.5.1991, Türkmen 960.
- Agrostis stolonifera* L.
Dörtyol, around Akelma, Q. cerris forest, 1530 m, 31.5.1990, Euro-Sib., Türkmen 952.
- Alepocurus gerardii* Vill. var. *gerardii*
Erzin, top slopes of Keldağ, stony ar-
- eas, 2100 m, 27.8.1991, Med., Türkmen 953.
- Phleum montanum* C.Koch subsp. *montanum*
Erzin, top slopes of Keldağ, stony areas, 2100 m, 28.6.1990, Türkmen 981.
- Lolium rigidum* Gaudin var. *rigidum*
Dörtyol, around Tekkoz, mixed forest roadside, 31.5.1991, Türkmen 976.
- **Vulpia fasciculata* (Forsskal) Fritsch
Dörtyol, around Tekkoz, mixed forest, 900 m, 31.5.1991, Med., Türkmen 993.
- Catapodium rigidum* (L.) C.E. Hubbard ex Dony subsp. *rigidum* var. *majus* (C.Persl) Lainz
Erzin, around Karaoluk, clearing of *F. orientalis* forest, 1300 m, 26.6.1989, Türkmen 962.
- Poa annua* L.
Dörtyol, around Kirkelma, *F. orientalis* forest, 1500 m, 30.5.1991, Cosm., Türkmen 984.
- P. timoleontis* Heldr. ex Boiss.
Erzin, around İçme, degraded macchie, 300 m, 2.4.1990, Med., Türkmen 986.
- P. bulbosa* L.
Dörtyol, top slopes of Miğır, stony areas, 2100 m, 4.6.1990, Türkmen 985.
- Eromopoa songarica* (Schrenk) Roshev.
Dörtyol, around Çardak, roadside, 1400 m, 31.5.1990, Ir.-Tur., Türkmen 973.
- Dactylis glomerata* L. subsp. *glomerata*
Erzin, east of Başlamlı Village, P. brutia forest roadside, 700 m, 31.10.1991, Türkmen 967.
- D. glomerata* L. subsp. *hispanica* (Roth) Nyman
Erzin, around İçme, P. brutia forest, 800 m, 30.5.1990, Türkmen 968.
- Cynosurus echinatus* L.
Erzin, top slopes of Keldağ, 1700-2000 m, 28.6.1990, Med., Türkmen 966.
- Briza minor* L.
Dörtyol, around Çökek, streamside, 650 m, 8.5.1992, Türkmen 956.
- Echinaria capitata* (L.) Scop.
Dörtyol, roadside, 30 m, 5.4.1990, Türkmen 971.
- Melica uniflora* Retz
Erzin, east of Başlamlı Village, P. brutia forest, 700 m, 3.6.1989, Euro-Sib., Türkmen 979.
- M. eligulata* Boiss.
Erzin, near Kızlarçayı Village, Hillside, 700 m, 22.8.1991, Med., Türkmen 977.
- M. minuta* L.
Erzin, east of Başlamlı Village, P. brutia forest, 750 m, 30.5.1990, Med., Türkmen 978.
- Stipa holosericea* Trin.
Erzin, around Kengerlidüz, mixed forest, 1650 m, 11.8.1989, Ir.-Tur., Türkmen 990.
- Piptatherum coerulescens* (Desf.) P. Beauv.
Dörtyol, around Çökek, streamside, 700 m, 8.5.1990, Türkmen 983.
- Arundo donax* L.
Dörtyol, streamside, 70 m, 26.9.1990, Türkmen 954.
- Phragmites australis* (Cav.) Trin. ex Steudel
Erzin, around Toprakkale, marshy place, 70 m, 17.10.1990, Euro-Sib., Türkmen 982.
- Cynodon dactylon* (L.) Pers. var. *dactylon*
Dörtyol, around Çökek, degraded macchie, 350 m, 8.5.1990, Türkmen 965.
- Crypsis alopecuroides* (Piller & Mitterp.) Schrader
Dörtyol, around Kapulu, Q. cerris forest, 1070 m, 26.6.1989, Türkmen 964.
- **Tragus racemosus* (L.) All.
Dörtyol, streamside, 20 m, 2.8.1990, Türkmen 992.
- **Echinochloa colonum* (L.) Link
Dörtyol, around BOTAŞ, roadside, 70 m, 3.7.1990, Türkmen 972.
- Digitaria sanguinalis* (L.) Scop.
Dörtyol, roadside, 30 m, 29.11.1990, Türkmen 970.
- Paspalum paspaloides* (Michx.) Schribner

Dörtyol, streamside, 20 m, 27.9.1990,
Türkmen 980.

Saccharum ravennae (L.) Murray

Dörtyol, streamside, 30 m, 27.9.1990,
Türkmen 987.

S. strictum (Host) Sprengel

Erzin, east of Başlamlış Village, P. bruta
tia forest, 800 m, 25.7.1991, Türkmen
988.

Sorghum halepense (L.) Pers. var.
halepense

Between Dörtyol and Erzin, field bor-
der, 150 m, 3.6.1990, Türkmen 989.

Chrysopogon gryllus (L.) Trin.

Erzin, east of Başlamlış Village, macchie,
500 m, 30.5.1990, Türkmen 963.

Dicanthium annulatum (Forsskal.)
Stapf.

Dörtyol, around Çökek, roadside, 450
m, 8.5.1992, Ir.-Tur., Türkmen 969.

Hyparrhenia hirta (L.) Stapf.

Dörtyol, garden border, 60 m,
29.11.1990, Türkmen 975.

Themeda triandra Forsskal.

Erzin, around İçme, macchie, 500 m,
2.8.1990, Türkmen 991.