

# Constant-round Leakage-resilient Zero-knowledge from Collision Resistance

Susumu Kiyoshima

NTT Secure Platform Laboratories, Japan  
kiyoshima.susumu@lab.ntt.co.jp

December 28, 2015

## Abstract

We construct a constant-round leakage-resilient zero-knowledge argument system under the existence of collision-resistant hash function family. That is, using collision-resistant hash functions, we construct a constant-round zero-knowledge argument system such that for any cheating verifier that obtains arbitrary amount of leakage of the prover's state, there exists a simulator that can simulate the adversary's view by obtaining at most the same amount of leakage of the witness. Previously, leakage-resilient zero-knowledge protocols were constructed only under a relaxed security definition (Garg-Jain-Sahai, CRYPTO'11) or under the DDH assumption (Pandey, TCC'14).

Our leakage-resilient zero-knowledge argument system satisfies an additional property that it is simultaneously leakage-resilient zero-knowledge, meaning that both zero-knowledgeness and soundness hold in the presence of leakage.

# 1 Introduction

*Zero-knowledge (ZK) proofs and arguments* [GMR89] are interactive proof/argument systems with which the prover can convince the verifier of the correctness of a mathematical statement while providing *zero additional knowledge*. This “zero additional knowledge” property is formalized through the *simulation paradigm*. Specifically, an interactive proof or argument is said to be zero-knowledge if for any adversarial verifier there exists a *simulator* that can output a simulated view of the adversary.

Recently, Garg et al. [GJS11] introduced a new notion of zero-knowledgeness called *leakage-resilient zero-knowledge* (LRZK). Roughly speaking, LRZK is a notion of zero-knowledgeness in the setting where adversarial verifiers can obtain arbitrary leakage on the entire state of the honest prover (including the witness and the randomness) during the entire protocol execution. LRZK is motivated by the studies of *side-channel attacks* (e.g., [Koc96, AK96, QS01]), which demonstrated that adversaries might be able to obtain leakage of honest parties’ secret states by attacking physical implementations of cryptographic algorithms.

Informally speaking, LRZK requires that the protocol does not reveal anything beyond the validity of the statement *and the leakage that the adversary obtained*. More formally, LRZK is defined as follows. In the definition of LRZK, the cheating verifier is allowed to make arbitrary number of *leakage queries* during the interaction with a honest prover, where each leakage query  $f$  is answered by  $f(w, \text{tape})$  for the witness  $w$  and the randomness  $\text{tape}$  that the honest prover generated thus far. On the other hand, the simulator is allowed to make queries to the *leakage oracle*  $\mathcal{L}_w$ , which is parametrized by the witness  $w$  of the honest prover and outputs  $f(w)$  on input any function  $f$ . LRZK is then defined by requiring that for any cheating verifier  $V^*$  there exists a simulator  $\mathcal{S}$  such that for any  $\ell \in \mathbb{N}$ , when  $V^*$  obtains  $\ell$  bits of leakage of the prover’s state via leakage queries,  $\mathcal{S}$  can simulate the view of  $V^*$  by obtaining  $\ell$  bits of leakage of the witness via queries to the leakage oracle  $\mathcal{L}_w$ .<sup>1</sup>

In [GJS11], Garg et al. showed a proof system that satisfies a weaker notion of LRZK called  $(1 + \epsilon)$ -LRZK. Specifically, they showed that for any  $\epsilon > 0$ , there exists a proof system such that when  $V^*$  obtains  $\ell$  bits of leakage from the prover, a simulator can simulate the verifier’s view by obtaining at most  $(1 + \epsilon) \cdot \ell$  bits of leakage from  $\mathcal{L}_w$ . The round complexity of this protocol is at least  $\omega(\log n)/\epsilon$ , and its security is proven under a standard general assumption (the existence of statistically hiding commitment scheme that is public-coin w.r.t. the receiver). Garg et al. also showed that their protocol can be used to relax the assumption on the “tamper-proofness” of hardware tokens that are used in the design of various cryptographic protocols.

A natural question left open by [GJS11] is whether we can construct a LRZK protocol without weakening the security requirement. That is, the question is whether we can reduce  $\epsilon$  to 0 in the protocol of [GJS11]. This question is important because, although  $(1 + \epsilon)$ -LRZK is useful in several applications,  $(1 + \epsilon)$ -LRZK does not guarantee sufficient level of security in many applications. (In fact, since  $(1 + \epsilon)$ -LRZK allows the simulator to obtain strictly more leakage than the adversary,  $(1 + \epsilon)$ -LRZK protocols can potentially reveal secret information in addition to the leakage.) The question of reducing  $\epsilon$  to 0 is also of theoretical interest because reducing  $\epsilon$  to 0 is optimal in the sense that  $\lambda$ -LRZK for  $\lambda < 0$  is impossible to achieve in the plain model [GJS11].

Recently, this open question was solved affirmatively by Pandey [Pan14], who constructed the first LRZK argument system by using the DDH assumption and collision-resistant hash functions. Pandey’s protocol has a desirable property that it has only constant number of rounds; hence, his result implies that asymptotically optimal round complexity can be achievable even in the presence of leakage.

---

<sup>1</sup> In [OPV15], it is pointed out that nowadays *leakage tolerance* is the commonly accepted term for this security notion. Nevertheless, in this paper we use the term “leakage resilience” for this security notion for consistency with previous works [GJS11, Pan14].

A question that is explicitly left open by Pandey [Pan14, Section 1] is whether we can construct LRZK protocols under a standard *general* assumption. In fact, although the protocol of [Pan14] is superior to the protocol of [GJS11] in terms of both leakage resilience (LRZK v.s.  $(1 + \epsilon)$ -LRZK) and round complexity (constant v.s.  $\omega(\log n)/\epsilon$ ), the assumption of the former is seemingly much stronger than that of the latter (the DDH assumption v.s. the existence of statistically hiding commitment scheme that is public-coin w.r.t. the receiver, which is implied by, say, the existence of collision-resistant hash function family or even the existence of one-way functions<sup>2</sup>).

**Question.** *Can we construct a (constant-round) leakage-resilient zero-knowledge protocol under standard general assumptions?*

## 1.1 Our Results

In this paper, we answer the above question affirmatively by constructing a LRZK protocol from collision-resistant hash functions (CRHFs). Like the protocol of [Pan14], our protocol has only constant number of rounds. Also, our protocol has an additional property that it is public coin (w.r.t. the verifier).

**Theorem.** *Assume the existence of collision-resistant hash function family. Then, there exists a constant-round public-coin leakage-resilient zero-knowledge argument for  $\mathcal{NP}$ .*

We notice that the existence of LRZK protocols under CRHFs is somewhat surprising because the only known LRZK protocol [Pan14] crucially relies on the secure two-party computation protocol of Yao [Yao86], which requires an assumption that is seemingly stronger than the existence of CRHFs (i.e., the existence of oblivious transfer protocols). One of our technical novelties is the construction of LRZK without Yao’s protocol.

**Simultaneously leakage-resilient zero-knowledge.** Our protocol has an additional property that it is *simultaneously leakage-resilient zero-knowledge* [GJS11], meaning that not only zero-knowledgeness but also soundness holds in the presence of leakage. The *leakage-resilient (LR) soundness* (i.e., soundness in the presence of leakage) of our protocol follows immediately from its public-coin property. In fact, any public-coin interactive proof/argument system is LR sound for arbitrary amount of leakage of the verifier because the verifier has no secret state in public-coin protocols.

To the best of our knowledge, our protocol is the first simultaneously LRZK protocol. The  $(1 + \epsilon)$ -LRZK protocol of Garg et al. [GJS11] is LR sound in a weak sense—it is LR sound when there is an a-priori upper bound on the amount of leakage—but is not LR sound when the amount of leakage is unbounded,<sup>3</sup> and similarly, the LRZK protocol of Pandey [Pan14] is also not LR sound with unbounded amount of leakage. In contrast, our protocol is sound even when cheating verifiers obtain arbitrary amount of leakage on the secret state of the verifier.

The summary of the previous results and ours is given in Table 1. In the table, “bounded-LR sound” means that the soundness holds when there is an a-priori upper bound on the amount of leakage from the verifier.

## 1.2 Open Questions

**Reducing assumption to one-way functions.** An important open question is whether we can construct constant-round LRZK argument systems under the existence of one-way functions.

<sup>2</sup>A constant-round one can be constructed from collision-resistant hash functions [NY89, DPP98] and a polynomial-round one can be constructed from one-way functions [HNO<sup>+</sup>09].

<sup>3</sup>This is because in the protocol of [GJS11], the verifier commits to the challenge bits of Blum’s Hamiltonicity protocol in advance and hence an cheating prover can easily break the soundness by obtaining the challenge bits via leakage.

	LR ZKness	LR soundness	#(round)	Assumptions
[GJS11]	$(1 + \epsilon)$ -LRZK	bounded-LR sound	$\text{poly}(n) + \omega(\log n)/\epsilon$	OWFs
			$\omega(\log n)/\epsilon$	CRHFs
[Pan14]	LRZK	-	$O(1)$	DDH + CRHFs
This work	LRZK	LR sound	$O(1)$	CRHFs

Table 1: Summary of the results on LRZK protocols. The round complexity of the protocol of [GJS11] depends on the assumption that is used to instantiate the underlying statistically-hiding commitment scheme; in particular, when only one-way functions (OWFs) are used, there is a polynomial additive overhead because statistically hiding commitment schemes currently require polynomial number of rounds in this case [HNO<sup>+</sup>09].

We notice that solving this question affirmatively seems to require an advancement on “straight-line” simulation techniques (i.e., techniques that do not use rewinding). This is because, as will become clear in Section 2, constant-round LRZK seems to require straight-line simulation, and currently the only known straight-line simulation technique, the one by Barak [Bar01], requires collision-resistant hash functions.<sup>4</sup>

**Constructing LRZK proof system.** Another open question is whether we can construct LRZK proof systems (instead of argument systems).

We notice that solving this question affirmatively also seems to require an advancement on straight-line simulation techniques. This is because the straight-line simulation technique by Barak [Bar01] is currently inherently only computationally sound.

### 1.3 Related Works

The works relevant to ours are the works that study interactive protocols in the presence of arbitrary leakage in the models other than the plain model. These works include the works about leakage-tolerant UC-secure protocols in the CRS model [BCH12], non-transferable interactive proof systems in the CRS model with leak-free input encoding/updating phase [AGP14], and secure computation protocols in the CRS model with leak-free preprocessing/input-encoding phase and constant fraction of honest parties [BGJK12, BGJ<sup>+</sup>13, BDL14]. We remind the readers that, like [GJS11, Pan14], this work considers LRZK protocols in the plain model without any leak-free phase.

In [OPV15], Ostrovsky et al. showed an impossibility result about black-box LRZK (and leakage-resilient MPC for several functionalities) in the model with only leak-free input-encoding phase (i.e., without CRS and preprocessing). We notice that this impossibility result does not contradict our result since the definition of LRZK in [OPV15] is different from the one we use (i.e., the definition given by [GJS11]). Specifically, in the definition of [OPV15], the simulator is not allowed to obtain any leakage, whereas in the definition that we use, the simulator can obtain the same amount of leakage as the cheating verifier. (In other words, Ostrovsky et al. [OPV15] considers leakage resilience whereas we consider leakage tolerance; see Footnote 1.)

### 1.4 Outline

In Section 2, we give an overview of our techniques. In Section 3, we give the notations and definitions that are used throughout the paper. In Section 4, we show the two new building blocks that we use in

<sup>4</sup>In [CPS13], Chung et al. showed that the simulation technique of Barak can be modified so that it requires only one-way functions. However, the simulation technique of Chung et al. involves rewinding of the adversary and therefore is no longer straight-line simulation.

our LRZK protocol. In Section 5, we describe our LRZK protocol and prove its security.

## 2 Overview of Our Techniques

### 2.1 Previous Techniques

Since our techniques rely on the techniques that are used in the previous LRZK protocols of [GJS11, Pan14], we start by recalling these protocols.

#### Protocol of [GJS11].

In [GJS11], Garg et al. constructed a  $(1 + \epsilon)$ -leakage-resilient zero-knowledge proof system from a statistically hiding commitment scheme that is public-coin w.r.t. the receiver. That is, they constructed a proof system such that, when  $V^*$  obtains  $\ell$  bits of leakage from the prover, its view can be simulated by obtaining at most  $(1 + \epsilon) \cdot \ell$  bits of leakage from  $\mathcal{L}_w$ .

A key idea behind the protocol of [GJS11] is to give the simulator two independent ways of cheating—one for simulating prover’s messages and the other for simulating leakages. Concretely, Garg et al. constructed their protocol by combining two well-known techniques of constant-round zero-knowledge protocols—the technique of [GK96] that requires the verifier to commit to its challenges in advance and the technique of [FS89] that uses equivocal commitment schemes. They then proved the security by considering a simulator that simulates the prover’s messages by extracting the challenges and simulates the leakages by using the equivocality of the underlying commitment scheme.

In more details, the protocol of [GJS11] consists of the following two phases. In the first phase, the verifier uses an extractable commitment scheme to commit to a challenge string  $ch$  of Blum’s Hamiltonicity protocol as well as trapdoor information  $td$  of an equivocal commitment scheme.<sup>5</sup> In the second phase, the prover and the verifier execute Blum’s Hamiltonicity protocol that is instantiated with the equivocal commitment scheme. In simulation, the simulator extracts  $ch$  and  $td$  in the first phase and then simulates the prover’s messages and the leakages in the second phase by using the knowledge of  $ch$  and  $td$  in the following way. (For simplicity, we assume that Blum’s protocol is executed only once instead of many times in parallel.)

- When the extracted challenge  $ch$  is 0, the simulator commits to a randomly permuted graph of statement  $G$ , and after  $V^*$  decommits the challenge  $ch$  (which must be 0), the simulator decommits the commitment to the permuted graph of  $G$ .

Notice that the simulator does exactly the same things as a honest prover. Hence, the simulator can simulate prover’s randomness  $\text{tape}$  easily and therefore can answer any leakage query  $f$  from  $V^*$  by querying  $f(\cdot, \text{tape})$  to  $\mathcal{L}_w$ .

- When the extracted challenge  $ch$  is 1, the simulator commits to a randomly chosen cycle graph  $H$  at the beginning and then partially decommits it in the last step so that only the edges on the cycle are revealed.

When  $V^*$  makes a leakage query, the simulator answers it by using the fact that, given  $w$  and  $td$ , it is possible to compute randomness that “explains” the commitment to  $H$  as a commitment to a permuted graph of  $G$ . Specifically, the simulator answers a leakage query  $f$  from  $V^*$  by querying  $\mathcal{L}_w$  the following function  $\tilde{f}(\cdot)$ .

---

<sup>5</sup>Actually, there is a coin-tossing protocol that determines the parameter of the equivocal commitment, and  $td$  is the trapdoor for biasing the outcome of the coin-tossing.

1. On input  $w$ , function  $\tilde{f}$  first computes a permutation  $\pi$  that maps the Hamiltonian cycle  $w$  in  $G$  to the cycle in  $H$  (i.e., computes  $\pi$  such that  $\pi(G)$  has the same cycle as  $H$ ).
2. Then, by using equivocality<sup>6</sup> with trapdoor  $td$ , it computes randomness `tape` that explains the commitment to  $H$  as a commitment to  $\pi(G)$  (i.e., it computes `tape` such that committing to  $\pi(G)$  with randomness `tape` will generate the same commitment as the one that the simulator has sent to  $V^*$  by committing to  $H$ ).
3. Finally, it outputs  $f(w, \text{tape})$ .

Notice that since  $\pi(G)$  has the same cycle as  $H$ , the simulated leakages (from which  $V^*$  may be able to compute  $\pi(G)$ ) are consistent with the decommitted cycle of  $H$  in the last step.

We remark that the reason why the protocol of [GJS11] satisfies only  $(1 + \epsilon)$ -LRZK (rather than standard LRZK) is that the extraction of  $ch$  and  $td$  involves the rewinding of  $V^*$ . In fact, since  $V^*$  can make new leakage queries after being rewound, the simulator need to obtain new leakages from  $\mathcal{L}_w$  in each rewinding and hence the simulator need to obtain more bits of leakage than  $V^*$ . From this observation, it seems that to achieve LRZK, we need to avoid the use of rewinding simulation techniques.

### Protocol of [Pan14].

In [Pan14], Pandey constructed a constant-round LRZK argument system under the DDH assumption. Roughly speaking, Pandey’s idea is to replace the rewinding simulation technique in the protocol of [GJS11] with the “straight-line” simulation technique of Barak [Bar01]. In particular, Pandey replaced the first phase of the protocol of [GJS11] with the following one.

1. First, the prover and the verifier execute an encrypted version of so called *Barak’s preamble* [Bar01, PR05b, PR05a], which determines a “fake statement” that is false except with negligible probability.
2. Next, the prover and the verifier execute Yao’s garbled circuit protocol [Yao86] in which the prover can obtain  $ch$  and  $td$  only when it has a valid witness for the fake statement.

From the security of the encrypted Barak’s preamble, no cheating prover can make the fake statement true; hence,  $ch$  and  $td$  are hidden from the cheating prover. In contrast, a non-black-box simulator can make the fake statement true by using the knowledge of the code of the verifier; hence, the simulator can obtain  $ch$  and  $td$  without rewinding  $V^*$ . An issue is that, to guarantee leakage resilience, it is required that Yao’s protocol is executed in a way that all prover’s messages are pseudorandom (since otherwise it is hard to simulate randomness that explains the simulated prover’s messages as honest prover’s messages during the simulation of the leakages). Since Yao’s protocol involves executions of an oblivious transfer protocol (in which the prover behaves as a receiver), this property is hard to satisfy. Pandey solved this problem by using the DDH assumption, under which there exists an oblivious transfer protocol such that all receiver’s messages are indistinguishable from random group elements.

## 2.2 Our Techniques

The reason why the protocols of [GJS11, Pan14] either guarantee only weaker security or rely on a stronger assumption is that the simulation involves extraction from  $V^*$ . In fact, in [GJS11], the

---

<sup>6</sup> What is actually used here is *adaptive security*, which guarantees that for each underlying commitment, it is possible to compute randomness `tape0` and `tape1` such that `tapeb` explains the commitment as a commitment to  $b$  for each  $b \in \{0, 1\}$ .

simulator need to obtain more amount of leakage than  $V^*$  because it rewinds  $V^*$  during extraction, and in [Pan14], the DDH assumption is required because Yao’s protocol is used for extraction.

Based on this observation, our strategy is to modify the protocols of [GJS11, Pan14] so that no extraction is required in simulation. We first remove the extraction of trapdoor  $td$  and next remove the extraction of challenge  $ch$ . We remark that the latter is much harder than the former.

### Removing Extraction of Trapdoor $td$ .

We first modify the protocols of [GJS11, Pan14] so that leakages can be simulated without extracting the trapdoor  $td$  of an equivocal commitment scheme.

Our main tool is Hamiltonicity commitment scheme H-Com [FS89, CLOS02], which is a well-known instance-dependent equivocal commitment scheme based on Blum’s Hamiltonicity protocol. H-Com is parametrized by a graph  $G$  with  $q = \text{poly}(n)$  vertices. To commit to 0, the committer chooses a random permutation  $\pi$  and commits to the adjacent matrix of  $\pi(G)$  using any commitment scheme Com; in the decommit phase, the committer reveals  $\pi$  and decommits all the entries of the matrix. To commit to 1, the committer commits to the adjacent matrix of a random  $q$ -cycle graph; in the decommit phase, the committer decommits only the entries that corresponds to the edges on the cycle. H-Com satisfies equivocality when  $G$  has a Hamiltonian cycle; this is because after committing to 0, the committer can decommit it to both 0 and 1 given a Hamiltonian cycle  $w$  in  $G$ .

Given H-Com, we remove the extraction of  $td$  by combining H-Com with an encrypted variant of Barak’s preamble. Specifically, we replace the equivocal commitment scheme in the protocols of [GJS11, Pan14] with H-Com that depends on the fake statement  $G'$  that is obtained by the encrypted Barak’s preamble. From the security of Barak’s preamble, any cheating prover cannot make  $G'$  true and hence it cannot use the equivocality of H-Com, whereas the simulator can make  $G'$  true and hence it can use the equivocality of H-Com as desired.

*Remark 1.* As observed in [Pan14], it is not straightforward to use the encrypted Barak’s preamble in the presence of leakage. Roughly speaking, in the encrypted Barak’s preamble, the prover commits to its messages instead of sending them in clear, and in the proof of soundness, it is required that the prover’s messages are extractable from the commitments. The problem is that it is not easy to guarantee this extractability in the presence of leakage (this is because the prover’s messages are typically not pseudorandom in the techniques of extractability). Pandey [Pan14] solved this problem by having the prover use a specific extractable commitment scheme based on the DDH assumption. In this paper, we instead have the prover use a commitment scheme that satisfies only very weak extractability but the prover’s messages of which are pseudorandom and the security of which is based on the existence of CRHFs.<sup>7</sup> For details, see Section 4.1.

### Removing Extraction of Challenge $ch$ .

Next, we modify the protocols of [GJS11, Pan14] so that prover’s messages can be simulated without extracting the challenge  $ch$  of Hamiltonicity protocol. Surprisingly, we can do this without using any heavy machinery; all that is required is a clever use of the Hamiltonicity protocol.

We first notice that, although the simulator can use equivocality without extraction as shown above, it is not easy for the simulator to use equivocality for simulating prover’s messages. This is because when the leakages to  $V^*$  includes the randomness that is used for commitments,  $V^*$  may be able to determine the committed values from the leakages and therefore equivocation may be detected by  $V^*$ .

---

<sup>7</sup>This extractability is used only in the proof of soundness. Hence, the proof of zero-knowledgeness works even in the presence of this extractable commitment scheme.

As our main technical tool, then, we introduce a specific instance-dependent equivocal commitment scheme GJS-Com that we obtain by considering the technique of [GJS11] on Hamiltonicity protocol in the context of H-Com. Recall that in [GJS11], Garg et al. use Blum’s Hamiltonicity protocol that is instantiated with an equivocal commitment scheme. Here, we use H-Com that is instantiated with an equivocal commitment scheme (i.e., we use H-Com in which the adjacent matrix is committed to by an equivocal commitment scheme). The equivocal commitment scheme that we use here is, as above, H-Com that depends on the fake statement generated by the encrypted Barak’s preamble.<sup>8</sup> Hence, the commitment scheme GJS-Com is a version of H-Com that is instantiated by using H-Com itself as the underlying commitment scheme.<sup>9</sup> GJS-Com depends on two statements of the Hamiltonicity problem: The “outer” H-Com (the H-Com that is implemented with H-Com) depends on the real statement  $G$ , and the “inner” H-Com (the H-Com that is used to implement H-Com) depends on the fake statement  $G'$ . GJS-Com inherits equivocality from the outer H-Com, i.e., given a witness for the real statement  $G$ , a GJS-Com commitment to 0 can be decommitted to both 0 and 1.

Since GJS-Com is obtained by considering the technique of [GJS11] in the context of H-Com, we can see that GJS-Com satisfies a property that is useful for proving LRZK property. First, observe that given GJS-Com, the second phase of the LRZK protocol of [GJS11] (i.e., Blum’s Hamiltonicity protocol phase) can be viewed as follows.

1. The prover commits to 0 by using GJS-Com.
2. The verifier reveals the challenge  $ch \in \{0, 1\}$  that is committed to in the first phase.
3. When  $ch = 0$ , the prover decommits the GJS-Com commitment to 0 honestly, and when  $ch = 1$ , the prover decommits it to 1 by using the equivocality with the knowledge of Hamiltonian cycle  $w$  in  $G$ .

When the second phase of the protocol of [GJS11] is viewed in this way, the key property that is used in the simulation of the leakages in [GJS11] is the following.

- Given a Hamiltonian cycle in  $G$  and that in  $G'$ , a GJS-Com commitment to 1 (in which a random cycle graph is committed) can be “explained” as a commitment to 0 (in which a permutation of  $G$  is committed) by using the equivocality of the inner H-Com. Furthermore, even after being explained as a commitment to 0, the commitment can later be decommitted to 1 in a consistent way with the explained randomness (cf. function  $\tilde{f}$  in Section 2.1).

Because of this property, even when the simulator commits to 1 instead of 0 using GJS-Com to simulate the messages, the simulator can answer any leakage query  $f$  from  $V^*$  by querying  $\mathcal{L}_w$  a function  $\tilde{f}$  that, on input  $w$ , computes randomness  $\text{tape}$  that explains the commitment to 1 as a commitment to 0 and then outputs  $f(w, \text{tape})$ .

A problem of this property is that it can be used only in a very limited situation. Specifically, this property can be used only when the simulator knows which GJS-Com commitment will be decommitted to 1, and this is the reason why the extraction of  $ch$  is required in the simulation strategy of [GJS11, Pan14]. Hence, to remove the extraction of  $ch$ , we need to use GJS-Com in a way that, given a witness for the fake statement, the simulator can predict which value each GJS-Com commitment will be decommitted to.

Then, our key observation is that we can use this property if we use GJS-Com to implement the Hamiltonicity protocol *in which the fake statement is proven*.<sup>10</sup> Concretely, we consider the following protocol.

<sup>8</sup>Actually, we use an adaptively secure H-Com [CLOS02, LZ11]. See footnote 6.

<sup>9</sup>In the “inner” H-Com, the underlying commitment scheme is Com as before.

<sup>10</sup>Hence, we use Hamiltonicity protocol recursively *three times*: We instantiate Hamiltonicity commitment with Hamiltonicity commitment to obtain GJS-Com, and then instantiate Blum’s Hamiltonicity protocol with GJS-Com.



1. The prover and the verifier execute an encrypted variant of Barak’s preamble. Let  $G'$  be the fake statement and let  $q'$  be the number of the nodes of  $G'$ .
2. (a) The prover commits to a  $q' \times q'$  zero matrix by using GJS-Com.  
 (b) The verifier sends a challenge  $ch \in \{0, 1\}$ .  
 (c) When  $ch = 0$ , the prover sends a random permutation  $\pi$  over  $G'$  to the verifier and then decommit the GJS-Com commitments to the adjacent matrix of  $\pi(G')$  by using the equivocality of GJS-Com with the knowledge of a witness for the real statement.  
 When  $ch = 1$ , the prover chooses a random  $q'$ -cycle graph  $H$  and decommits some of the GJS-Com commitments to 1 by using the equivocality of GJS-Com so that the decommitted entries of the matrix correspond to the cycle in  $H$ .  
 (d) When  $ch = 0$ , the verifier verifies whether the decommitted graph is  $\pi(G')$ . When  $ch = 1$ , the verifier verifies whether the decommitted entries corresponds to a  $q'$ -cycle in a graph.

Since any cheating prover cannot make the fake statement  $G'$  true, GJS-Com is statistically binding when the real statement  $G$  is false, and hence soundness follows. In contrast, the simulator can cheat in Barak’s preamble so that it knows a Hamiltonian cycle  $w'$  in the fake statement  $G'$ , and therefore it can simulate the prover’s messages by “honestly” proving the fake statement, i.e., by committing to  $\pi(G')$  in step 2(a) for a randomly chosen  $\pi$  and then revealing the entire graph  $\pi(G')$  or only the cycle  $\pi(w')$  depending on the value of  $ch$ . Furthermore, since in step 2(a) the simulator do know which value each GJS-Com commitment will be decommitted to (the commitments to the edges on  $\pi(w')$  will be always decommitted to 1 and others will be decommitted honestly or will not be decommitted), the simulator can simulate the leakage in the same way as in the protocol of [GJS11] by using the property of GJS-Com described above.

Since Barak’s preamble is based on the existence of CRHFs and has constant rounds, our protocols is based on the existence of CRHFs and has constant rounds. This completes the overview of our techniques.

### 3 Preliminaries

#### 3.1 Notations

Throughout the paper, we use  $n$  to denote the security parameter. For any  $k \in \mathbb{N}$ , we use  $[k]$  to denote the set  $\{1, \dots, k\}$ . For any randomized algorithm  $\text{Algo}$ , we use  $\text{Algo}(x; r)$  to denote the execution of  $\text{Algo}$  with input  $x$  and randomness  $r$ , and we use  $\text{Algo}(x)$  to denote the execution of  $\text{Algo}$  with input  $x$  and uniformly chosen randomness.

We use  $\mathbf{L}_{\text{HC}}$  to denote the languages of the Hamiltonian graphs. For any  $G \in \mathbf{L}_{\text{HC}}$ , we use  $\mathbf{R}_{\text{HC}}(G)$  to denote the set of the Hamiltonian cycles in  $G$ . Generally, for any language  $\mathbf{L}$  and any instance  $x \in \mathbf{L}$ , we use  $\mathbf{R}_{\mathbf{L}}(x)$  to denote the set of the witnesses for  $x \in \mathbf{L}$ .

For any two-party protocol  $\langle A, B \rangle$ , we use  $\text{trans}[A(x) \leftrightarrow B(y)]$  to denote a random variable representing the transcript of the interaction between  $A$  and  $B$  with input  $x$  and  $y$  respectively, and use  $\text{output}_A[A(x) \leftrightarrow B(y)]$  (resp.,  $\text{output}_B[A(x) \leftrightarrow B(y)]$ ) to denote a random variable representing the output of  $A$  (resp.,  $B$ ) in the interaction between  $A$  and  $B$  with input  $x$  and  $y$  respectively.

#### 3.2 Leakage-resilient Zero-knowledge

We recall the definition of leakage-resilient zero-knowledgeness [GJS11]. For convenience, we use a slightly different formulation of the definition.

For any interactive proof system  $\langle P, V \rangle$ , any PPT cheating receiver  $V^*$ , any statement  $x \in \mathbf{L}$ , any witness  $w \in \mathbf{R}_{\mathbf{L}}(x)$ , and any oracle machine  $\mathcal{S}$  called *simulator*, consider the following two experiments.

$\text{REAL}_{V^*}(x, w, z)$

1. Execute  $V^*(x, z)$  with a honest prover  $P(x, w)$  of  $\langle P, V \rangle$ .  
During the interaction,  $V^*$  can make arbitrary number of adaptive leakage queries on the state of  $P$ . A leakage query consists of an efficiently compatible function  $f_i$  (described as a circuit) and it is answered with  $f_i(w, \text{tape})$ , where  $\text{tape}$  is the randomness used by  $P$  so far.
2. Output the view of  $V^*$ .

$\text{IDEAL}_{\mathcal{S}}(x, w, z)$

1. Execute  $\mathcal{S}(x, z)$  with access to a leakage oracle  $\mathcal{L}_w$ . A query to  $\mathcal{L}_w$  consists of an efficiently computable function  $f$  and answered with  $f(w)$ . Let  $\tau$  be the output of  $\mathcal{S}$ .
2. If  $\tau$  is not valid view of  $V^*$ , the output of the experiment is  $\perp$ . Otherwise, let  $\ell$  be the total length of the leakage that  $V^*$  obtains in  $\tau$ . If the total length of the answers that  $\mathcal{S}$  obtained from  $\mathcal{L}_w$  is larger than  $\ell$ , the output of the experiment is  $\perp$ . Otherwise, the output is  $\tau$ .

Let  $\text{REAL}_{V^*}(x, w, z)$  be the random variable representing the output of  $\text{REAL}_{V^*}(x, w, z)$  and  $\text{IDEAL}_{\mathcal{S}}(x, w, z)$  be the random variable representing the output of  $\text{IDEAL}_{\mathcal{S}}(x, w, z)$ . Then, leakage resilient zero-knowledgeness is defined as follows.

**Definition 1.** *An interactive argument system  $\langle P, V \rangle$  for a language  $\mathbf{L}$  with witness relation  $\mathbf{R}$  is **leakage-resilient zero knowledge** if for every PPT machine  $V^*$  and every sequence  $\{w_x\}_{x \in \mathbf{L}}$  such that  $(x, w_x) \in \mathbf{R}_{\mathbf{L}}$ , there exists a PPT oracle machine  $\mathcal{S}$  such that the following hold.*

**Indistinguishability condition.**

$$\{\text{REAL}_{V^*}(x, w_x, z)\}_{x \in \mathbf{L}, z \in \{0,1\}^*} \approx \{\text{IDEAL}_{\mathcal{S}}(x, w_x, z)\}_{x \in \mathbf{L}, z \in \{0,1\}^*} .$$

**Leakage-length condition.** *For every  $x \in \mathbf{L}$  and  $z \in \{0, 1\}^*$ ,*

$$\Pr [\text{IDEAL}_{\mathcal{S}}(x, w_x, z) = \perp] = 0 .$$

### 3.3 Commitment Scheme

Recall that commitment schemes are two-party protocols between a committer  $C$  and a receiver  $R$ . We say that a commitment is *valid* if there is a value to which the commitment can be decommitted. We denote by  $\text{value}(\cdot)$  a function that, on input a commitment (i.e., a transcript in the commit phase), outputs its committed value if it is uniquely determined and outputs  $\perp$  otherwise.

### 3.4 Naor's Commitment

We recall Naor's statistically binding commitment scheme  $\text{Com}$ , which can be constructed from one-way functions [Nao91, HILL99].

**Commit phase.** The commit phase consists of two rounds. In the first round, the receiver sends a random  $3n$ -bit string  $r \in \{0, 1\}^{3n}$ . In the second round, the committer chooses a random seed  $s \in \{0, 1\}^n$  for a pseudorandom generator  $\text{PRG} : \{0, 1\}^n \rightarrow \{0, 1\}^{3n}$  and then sends  $\text{PRG}(s)$  if it wants to commit to 0 and sends  $\text{PRG}(s) \oplus r$  if it wants to commit to 1.

We use  $\text{Com}_r(\cdot)$  to denote an algorithm that, on input  $b \in \{0, 1\}$ , computes a commitment to  $b$  as above by using  $r$  as the first-round message.

**Decommit phase.** In the decommit phase, the committer reveals the seed  $s$ .

**Security.** Com is statistically binding and computational hiding. Furthermore, the binding and hiding property hold even when the same first-round message  $r$  is used in multiple commitments.

**Committing to strings.** For any  $\ell \in \mathbb{N}$ , we can commit to an  $\ell$ -bit string by simply committing to each bit using Com. We notice that the same first-round message  $r$  can be used in all the commitments.

We abuse the notation and use  $\text{Com}_r(\cdot)$  to denote an algorithm that, on input  $m \in \{0, 1\}^*$ , computes a commitment to  $m$  as above by using  $r$  as the first-round message. Notice that  $\text{Com}_r(\cdot)$  has pseudo-random range. Hence, by using a public-coin algorithm  $\text{Com}_{\text{pub}}$  that outputs a random  $3n\ell$ -bit string on input  $1^\ell$ , we can obtain a “fake commitment” that is indistinguishable from a real commitment to an  $\ell$ -bit string.

### 3.5 Hamiltonicity Commitment

We recall a well-known instance-dependent commitment scheme H-Com [FS89, CLOS02] that is based on Blum’s zero-knowledge proof for Hamiltonicity.

**Commit phase.** H-Com is parametrized by a graph  $G$ . Let  $q$  be the number of its vertices. To commit to 0, the committer chooses a random permutation  $\pi$  over the vertices of  $G$  and then commits to the adjacent matrix of  $\pi(G)$  by using Com. To commit to 1, the committer chooses a random  $q$ -cycle graph and then commits to its adjacent matrix by using Com.

We use  $\text{H-Com}_{G,r}(\cdot)$  to denote an algorithm that, on input  $b \in \{0, 1\}$ , computes a commitment to  $b$  as above by using  $r$  as the first-round message of all the Com commitments.

**Decommit phase.** When the committer committed to 0, it reveals  $\pi$ , and also reveals all the entries of the adjacent matrix by decommitting all the Com commitments. When the committer committed to 1, it reveals only the entries corresponding to the edges on the  $q$ -cycle by decommitting the Com commitments in which these entries are committed.

**Security.** H-Com is computationally hiding, and it is statistically binding when  $G \notin \mathbf{L}_{\text{HC}}$ .

**Equivocality.** When  $G \in \mathbf{L}_{\text{HC}}$ , a commitment to 0 can be decommitted to 1 given a Hamiltonian cycle  $w \in \mathbf{R}_{\text{HC}}(G)$  in  $G$ . Specifically, a commitment to 0 can be decommitted to 1 by decommitting the entries that corresponds to the edges on  $\pi(w)$  (i.e., the cycle that is obtained by applying  $\pi$  on  $w$ ).

### 3.6 Adaptive Hamiltonicity Commitment

We recall the adaptively secure Hamiltonicity commitment scheme AH-Com, which was used in, e.g., [CLOS02, LZ11].

**Commit phase.** AH-Com is parametrized by a graph  $G$ . Let  $q$  be the number of its vertices. To commit to 0, the committer does the same things as in H-Com; i.e., it chooses a random permutation  $\pi$  over the vertices of  $G$  and then commits to the adjacent matrix of  $\pi(G)$  by using Com. To commit to 1, the committer chooses a random  $q$ -cycle graph and then commits to its adjacent matrix in the following way: For all the entries corresponding to the edges on the  $q$ -cycle, it commits to 1 by using Com, and for all the other entries, it simply sends random  $3n$ -bit strings instead of committing to 0. (Since Com has pseudorandom range, random  $3n$ -bit strings are indistinguishable from Com commitments.)

We use  $\text{AH-Com}_{G,r}(\cdot)$  to denote an algorithm that, on input  $b \in \{0, 1\}$ , computes a commitment to  $b$  as above by using  $r$  as the first-round message of all the Com commitments.

**Decommit phase.** To decommit, the committer reveals all the randomness used in the commit phase. We use  $\text{AH-Dec}_r(\cdot, \cdot, \cdot)$  to denote an algorithm that, on input  $c, b, \rho$  such that  $\text{AH-Com}_r(b; \rho) = c$ , outputs a decommitment  $d$  as above.

**Security.** Like H-Com, AH-Com is computationally hiding both when  $G \in \mathbf{L}_{\text{HC}}$  and when  $G \notin \mathbf{L}_{\text{HC}}$ , and it is statistically binding when  $G \notin \mathbf{L}_{\text{HC}}$ .

**Adaptive security.** When  $G \in \mathbf{L}_{\text{HC}}$ , a commitment to 0 can be “explained” as a valid commitment to 1 given a witness  $w \in \mathbf{R}_{\text{HC}}(G)$ . Specifically, for a commitment  $c$  to 0, we can compute  $\rho$  such that  $\text{AH-Com}(1; \rho) = c$ . This is because commitments to the entries that do not correspond to the edges on  $\pi(w)$  are indistinguishable from random strings.

Formally, there exists an algorithm AH-ExplainAsOne such that for security parameter  $n \in \mathbb{N}$ , graphs  $G \in \mathbf{L}_{\text{HC}}$ , witness  $w \in \mathbf{R}_{\text{HC}}(G)$ , and string  $r \in \{0, 1\}^{3n}$ , the following hold.

**Correctness.** Given witness  $w \in \mathbf{R}_{\text{HC}}(G)$  and  $c, \rho$  such that  $\text{AH-Com}_{G,r}(0; \rho) = c$ ,  $\text{AH-ExplainAsOne}_{G,r}$  outputs  $\rho'$  such that  $\text{AH-Com}_{G,r}(1; \rho') = c$ .

**Indistinguishability.** Consider the following two probabilistic experiments.

$\text{EXP}_0^{\text{AH}}(n, G, w, r)$   
 /\* commit to 1 and reveal randomness \*/  
 1. Computes  $c \leftarrow \text{AH-Com}_{G,r}(1)$ .  
 Let  $\rho_1$  be the randomness used in AH-Com.  
 2. Output  $(c, \rho_1)$ .

$\text{EXP}_1^{\text{AH}}(n, G, w, r)$   
 /\* commit to 0 and explain it as commitment to 1 \*/  
 1. Computes  $c \leftarrow \text{AH-Com}_{G,r}(0)$ .  
 Let  $\rho_0$  be the randomness used in AH-Com.  
 Compute  $\rho_1 := \text{AH-ExplainAsOne}_{G,r}(w, c, \rho_0)$ .  
 2. Output  $(c, \rho_1)$ .

Let  $\text{EXP}_b^{\text{AH}}(n, G, w, r)$  be the random variable representing the output of  $\text{EXP}_b^{\text{AH}}(n, G, w, r)$  for each  $b \in \{0, 1\}$ . Then, the following two ensembles are computationally indistinguishable.

- $\left\{ \text{EXP}_0^{\text{AH}}(n, G, w, r) \right\}_{n \in \mathbb{N}, G \in \mathbf{L}_{\text{HC}}, w \in \mathbf{R}_{\text{HC}}(G), r \in \{0, 1\}^{3n}}$
- $\left\{ \text{EXP}_1^{\text{AH}}(n, G, w, r) \right\}_{n \in \mathbb{N}, G \in \mathbf{L}_{\text{HC}}, w \in \mathbf{R}_{\text{HC}}(G), r \in \{0, 1\}^{3n}}$

### 3.7 Barak’s Non-black-box Zero-knowledge Protocols

As explained in Section 2, in our LRZK protocol, we use a variant of so called “encrypted” Barak’s preamble [PR05b, PR05a], which is based on the preamble stage of Barak’s non-black-box zero-knowledge protocol [Bar01]. In this section, we recall Barak’s non-black-box zero-knowledge protocol. Our variant of encrypted Barak’s preamble is described in Section 4.1.

Barak’s non-black-box zero-knowledge protocol is constructed from any collision-resilient hash function family  $\mathcal{H}$ . Informally speaking, Barak’s protocol BarakZK proceeds as follows.

#### Protocol BarakZK

1. The verifier  $V$  sends a random hash function  $h \in \mathcal{H}$  and the first-round message  $r_1 \in \{0, 1\}^{3n}$  of  $\text{Com}$  to the prover  $P$ .
2.  $P$  sends  $c \leftarrow \text{Com}_{r_1}(0^n)$  to  $V$ . Then,  $V$  sends random string  $r_2$  to  $P$ .
3.  $P$  proves the following statement by a witness-indistinguishable argument.
  - $x \in L$ , or
  - $(h, c, r_2) \in \Lambda$ , where  $(h, c, r_2) \in \Lambda$  holds if and only if there exists a machine  $\Pi$  such that  $c$  is a commitment to  $h(\Pi)$  and  $\Pi$  outputs  $r_2$  in  $n^{\log \log n}$  steps.

Note that the statement proven in the last step is not in  $\mathcal{NP}$ . Thus,  $P$  proves this statement by a witness-indistinguishable *universal argument* (WIUA), with which  $P$  can prove any statement in  $\mathcal{NEXP}$ . Intuitively, BarakZK is sound since  $\Pi(c) \neq r$  holds with overwhelming probability even when a cheating prover  $P^*$  commits to  $h(\Pi)$  for a machine  $\Pi$ . On the other hand, the zero-knowledge property can be proven by using a simulator that commits to  $h(\Pi)$  such that  $\Pi$  is a machine that emulates the cheating verifier  $V^*$ ; since  $\Pi(c) = V^*(c) = r$  holds from the definition, the simulator can give a valid proof in the last step.

For our purpose, it is convenient to consider a variant of BarakZK that we denote by  $\langle P_B, V_B \rangle$ .  $\langle P_B, V_B \rangle$  is the same as BarakZK except that in the last step, instead of proving  $x \in L \vee (h, c, r_2) \in \Lambda$  by using WIUA,  $P$  proves  $(h, c, r_2) \in \Lambda$  by using four-round public-coin universal argument system UA [BG08]. (Hence,  $\langle P_B, V_B \rangle$  is no longer zero-knowledge protocol.) The formal description of  $\langle P_B, V_B \rangle$  is shown in Figure 1. We remark that in  $\langle P_B, V_B \rangle$ , the language proven in the last step is replaced with a slightly more complex language as in, e.g., [Bar01, PR05b, PR05a, Pan14]. This replacement is important for using  $\langle P_B, V_B \rangle$  in the setting of leakage-resilient zero-knowledge, because the cheating verifier can obtain arbitrary information (i.e., leakage) before sending  $r_2$ .

In essentially the same way as the soundness of BarakZK, we can prove the following lemma on  $\langle P_B, V_B \rangle$ , which roughly states that there exists a “hard” language  $L_B$  on the transcript of  $\langle P_B, V_B \rangle$  such that no cheating prover can generate a transcript that is included in  $L_B$ .

**Lemma 1** (Soundness). *Let  $L_B$  be the language defined in Figure 2. Then, for any cheating prover  $P^*$  against  $\langle P_B, V_B \rangle$ , any  $n \in \mathbb{N}$ , and any  $z \in \{0, 1\}^*$ ,*

$$\Pr[\tau \leftarrow \text{trans}[P^*(1^n, z) \leftrightarrow V_B(1^n)] : \tau \in L_B] \leq \text{negl}(n) .$$

*Proof sketch of Lemma 1.* We first remark that the language  $\Lambda$  depicted in Figure 1 is overly simplified and therefore we can prove this lemma only when the underlying hash function family  $\mathcal{H}$  is secure against  $\text{poly}(n^{\log \log n})$ -time adversaries. By using the language given in [BG08], we can prove this lemma even when  $\mathcal{H}$  is secure only against polynomial-time adversaries.

**Stage 1:**

The verifier  $V_B$  sends a random hash function  $h \in \mathcal{H}$  to the prover  $P_B$ , where the domain of  $h$  is  $\{0, 1\}^*$  and the range of  $h$  is  $\{0, 1\}^n$ .  $V_B$  also sends  $r_1 \in \{0, 1\}^{3n}$  (the first-round message of  $\text{Com}$ ) to  $P_B$ .

**Stage 2:**

1.  $P_B$  computes  $c \leftarrow \text{Com}_{r_1}(0^n)$  and send  $c$  to  $V_B$ .
2.  $V_B$  sends random  $r_2 \in \{0, 1\}^{n+n^2}$  to  $P_B$ .

**Stage 3:**  $P_B$  proves statement  $(h, r_1, c, r_2) \in \Lambda$  by using  $\text{UA}$ .

1.  $V_B$  sends the first-round message  $\alpha$ .
  2.  $P_B$  sends the second-round message  $\beta$ .
  3.  $V_B$  sends the third-round message  $\gamma$ .
  4.  $P_B$  sends the fourth-round message  $\delta$ .
- .....

**Language  $\Lambda$ :**

$(h, r_1, c, r_2) \in \Lambda$  if and only if there exist

- a machine  $\Pi$
- randomness  $\text{rand}$  for  $\text{Com}$
- a string  $y$  such that  $|y| \leq n^2$

such that

- $c = \text{Com}_{r_1}(h(\Pi); \text{rand})$ , and
- $\Pi(c, y)$  outputs  $r_2$  within  $n^{\log \log n}$  steps.

Figure 1: Encrypted Barak's preamble  $\langle P_B, V_B \rangle$ .

**Language  $L_B$ :**

$\tau = (h, r_1, c, r_2, \alpha, \beta, \gamma, \delta) \in L_B$  if and only if  $(\alpha, \beta, \gamma, \delta)$  is an accepting transcript of  $\text{UA}$  for statement  $(h, r_1, c, r_2) \in \Lambda$ .

Figure 2: A "hard" language  $L_B$ .

Assume for contradiction that there exists  $P^*$  such that for infinitely many  $n$ 's, there exists  $z \in \{0, 1\}^*$  such that the following holds for a polynomial  $p(\cdot)$ .

$$\Pr[\tau \leftarrow \text{trans}[P^*(1^n, z) \leftrightarrow V_B(1^n)] : \tau \in L_B] \geq \frac{1}{p(n)} .$$

Fix any such  $P^*$ ,  $n$ , and  $z$ . Then, consider interacting with  $P^*$  in the following way.

1. Interacts with  $P^*$  as a honest  $V_B$  until the end of  $\langle P_B, V_B \rangle$ . Let  $(h, r_1, c, r_2)$  be the transcript of the first two stages. If the  $\text{UA}$  proof in the last stage is not accepting, abort. Otherwise, extracts witness  $w = (\Pi, R, y)$  for  $(h, r_1, c, r_2) \in \Lambda$  using the extractability of  $\text{UA}$ . (From the definition of the extractability of  $\text{UA}$ , this extraction takes at most  $\text{poly}(n^{\log \log n})$  steps.)

2. Rewind  $P^*$  to the point just before sending  $r_2$  to  $P^*$ , and interacts with  $P^*$  again as a honest  $V_B$  with fresh randomness until the end of  $\langle P_B, V_B \rangle$ . Let  $(h, r_1, c, r'_2)$  be the transcript of the first two stages. If the UA proof is not accepting, abort. Otherwise, extracts witness  $w' = (\Pi', R', y')$  for  $(h, r_1, c, r'_2) \in \Lambda$  using the extractability of UA.

From an average argument and the extractability of UA, we can obtain  $w$  and  $w'$  with probability  $1/p'(n)$  for a polynomial  $p'(\cdot)$ . We then show that when we obtain  $w$  and  $w'$ , we can obtain a collision of  $h$ . First, observe that since  $\Pi$  is deterministic, we have

$$\left| \left\{ r : \exists y \in \{0, 1\}^* \text{ s.t. } |y| \leq n^2 \wedge \Pi(c, y) = r \right\} \right| \leq 2^{n^2+1} .$$

Since  $r'_2$  is chosen uniformly at random from  $\{0, 1\}^{n+n^2}$ , the probability that there exists  $y \in \{0, 1\}^{n^2}$  such that  $\Pi(c, y) = r'_2$  is at most  $2^{n^2+1}/2^{n+n^2} = 1/2^{n-1}$ . Then, since we have  $\Pi'(c, y'_2) = r'_2$  because  $w'$  is a valid witness, we have  $\Pi \neq \Pi'$  except with probability  $1/2^{n-1}$ . Furthermore, since both  $h(\Pi)$  and  $h(\Pi')$  are the committed value of  $c$ , from the statistical binding property of Com,  $h(\Pi) = h(\Pi')$  holds except with negligible probability. Hence, the pair of  $\Pi$  and  $\Pi'$  is a collision of  $h$  except with negligible probability.  $\square$

### 3.8 Somewhat Extractable Commitment Scheme

As we mentioned in Remark 1 in Section 2.2, in our variant of encrypted Barak's preamble, we use a commitment scheme that satisfies only very weak extractability, which we call *somewhat extractability*. An important point is that since only very weak extractability is required, we can construct a somewhat extractable commitment scheme such that the committer sends only pseudorandom messages. Furthermore, we can construct such a scheme from one-way functions.

Concretely, we consider the commitment scheme SWExtCom in Figure 3. SWExtCom is the same as the extractable commitment scheme of [PW09] except that in the last step, the committer simply reveals the values that it committed to in the first step (instead of decommitting the commitments). Because of this simplification, SWExtCom does not satisfy extractability in the standard sense. Still, it is not hard to see that SWExtCom satisfies extractability in the sense that, given two valid commitments  $c$  and  $c'$  such that the transcripts of the commit stage are identical but those of the challenge stage are different, then the committed value of  $c$  can be extracted. Formally, SWExtCom satisfies the following extractability.

**Lemma 2** (Somewhat extractability). *Let us say that two commitments  $c = (\{c_{i,b}\}_{i \in [n], b \in \{0,1\}}, \{e_i\}_{i \in [n]}, \{a_{i,e_i}\}_{i \in [n]})$  and  $c' = (\{c'_{i,b}\}_{i \in [n], b \in \{0,1\}}, \{e'_i\}_{i \in [n]}, \{a'_{i,e'_i}\}_{i \in [n]})$  are **admissible** if*

- $c_{i,b} = c'_{i,b}$  for every  $i \in [n]$  and  $b \in \{0, 1\}$ ,
- there exists  $i^* \in [n]$  such that  $e_{i^*} \neq e'_{i^*}$ , and
- the committed value of  $c_{i,b}$  is uniquely determined for every  $i \in [n]$  and  $b \in \{0, 1\}$ .

Let  $\text{Extract}(\cdot, \cdot)$  be the algorithm shown in Figure 3. Then, for any two admissible commitments  $c$  and  $c'$ , if both  $c$  and  $c'$  are valid,  $\tilde{v} \stackrel{\text{def}}{=} \text{Extract}(c, c')$  is equal to  $\text{value}(c)$  (i.e.,  $\tilde{v}$  is the committed value of  $c$ ).

*Proof.* First, when  $c$  and  $c'$  are valid,  $a_{i^*,e_{i^*}}$  and  $a'_{i^*,e'_{i^*}}$  are the committed values of  $c_{i^*,e_{i^*}}$  and  $c_{i^*,e'_{i^*}}$  (since otherwise, any decommitments of  $c$  and  $c'$  would be rejected because the decommitted values of  $c_{i^*,e_{i^*}}$  and  $c_{i^*,e'_{i^*}}$  are not consistent with  $a_{i^*,e_{i^*}}$  and  $a'_{i^*,e'_{i^*}}$ ). Second, when  $c$  and  $c'$  are valid, the committed value of  $c$  can be computed by XORing the committed values of  $c_{i^*,e_{i^*}}$  and  $c_{i^*,e'_{i^*}}$  (since otherwise, any decommitments of  $c$  and  $c'$  would be rejected). From these, the lemma follows.  $\square$

**Commit phase.** The committer  $C$  and the receiver  $R$  receive common inputs  $1^n$ . To commit to  $v \in \{0, 1\}^n$ , the committer  $C$  does the following with the receiver  $R$ .

**Commit stage.**

For each  $i \in [n]$ , the committer  $C$  chooses a pair of random  $n$ -bit strings  $(a_{i,0}, a_{i,1})$  such that  $a_{i,0} \oplus a_{i,1} = v$ . Then, for each  $i \in [n]$  in parallel,  $C$  commits to  $a_{i,0}$  and  $a_{i,1}$  by using  $\text{Com}$ . For each  $i \in [n]$  and  $b \in \{0, 1\}$ , let  $c_{i,b}$  be the commitment to  $a_{i,b}$ .

**Challenge stage.**

$R$  sends random  $n$ -bit string  $e = (e_1, \dots, e_n)$  to  $C$ .

**Reply stage.**

For each  $i \in [n]$ ,  $C$  sends  $a_{i,e_i}$  to  $R$ .

COMMENT:  $C$  just sends  $a_{i,e_i}$  and does not decommit  $c_{i,e_i}$ .

**Decommit phase.**  $C$  sends  $v$  to  $R$  and decommits  $c_{i,b}$  to  $a_{i,b}$  for all  $i \in [n]$  and  $b \in \{0, 1\}$ .  $R$  checks whether  $a_{1,0} \oplus a_{1,1} = \dots = a_{n,0} \oplus a_{n,1} = v$  holds and whether  $a_{1,e_1}, \dots, a_{n,e_n}$  are equal to the values that were revealed in the commit phase.

.....

**Extracting algorithm Extract.**

On input two commitments  $c = (\{c_{i,b}\}_{i \in [n], b \in \{0,1\}}, \{e_i\}_{i \in [n]}, \{a_{i,e_i}\}_{i \in [n]})$  and  $c' = (\{c'_{i,b}\}_{i \in [n], b \in \{0,1\}}, \{e'_i\}_{i \in [n]}, \{a'_{i,e'_i}\}_{i \in [n]})$  such that  $c_{i,b} = c'_{i,b}$  for every  $i \in [n]$  and  $b \in \{0, 1\}$ , do the following.

1. Find any  $i \in [n]$  such that  $e_i \neq e'_i$ . If no such  $i$  exist, output fail.
2. Output  $\tilde{v} \stackrel{\text{def}}{=} a_{i,e_i} \oplus a'_{i,e'_i}$ .

Figure 3: A somewhat extractable commitment scheme SWExtCom

A nice property of SWExtCom is that all the messages that the committer sends in the commit phase are pseudorandom. Formally, we have the following lemma.

**Lemma 3** (Existence of public-coin fake committing algorithm). *Let  $C$  be a honest committer algorithm of SWExtCom. There exists a PPT public-coin algorithm  $C_{\text{pub}}$  such that for any PPT cheating receiver  $R^*$  that interacts with  $C$  in the commit phase of SWExtCom, the following ensembles are computationally indistinguishable.*

- $\{\text{output}_{R^*}[C(v) \leftrightarrow R^*(1^n, z)]\}_{n \in \mathbb{N}, v \in \{0,1\}^n, z \in \{0,1\}^*}$
- $\{\text{output}_{R^*}[C_{\text{pub}}(1^n) \leftrightarrow R^*(1^n, z)]\}_{n \in \mathbb{N}, v \in \{0,1\}^n, z \in \{0,1\}^*}$

*Proof sketch.*  $C_{\text{pub}}$  is an algorithm that is the same as  $C$  except that, instead of sending commitments of  $\text{Com}$ , it sends fake commitments of  $\text{Com}$  using  $\text{Com}_{\text{pub}}$  (i.e., sends random strings with the same length as the  $\text{Com}$  commitments). Since  $\text{Com}$  has pseudorandom range, the indistinguishability can be proven by using a standard hybrid argument (in which the commitments of  $\text{Com}$  are replaced with random strings one by one). The formal proof is omitted.  $\square$

## 4 Building Blocks

In this section, we introduce the building blocks that we use in our LRZK protocol.






Figure 4: Special-purpose encrypted Barak’s preamble  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$ .

#### 4.1 Special-purpose Encrypted Barak’s Preamble

In our LRZK protocol, we use a variant of so called “encrypted” Barak’s preamble [PR05b, PR05a]. The encrypted Barak’s preamble is the same as (a variant of) Barak’s non-black-box zero-knowledge protocol  $\langle P_B, V_B \rangle$  in Section 3.7 except that  $P_B$  commits to its UA messages  $\beta$  and  $\delta$  instead of sending them in clear. In this paper, we use a variant in which, instead of giving valid commitments,  $P_B$  gives fake commitments of Com and SWExtCom by using  $\text{Com}_{\text{pub}}$  and  $C_{\text{pub}}$ . A nice property of this variant is that the prover sends only random strings; as will become clear later, this property is useful for constructing leakage-resilient protocols. The formal description of this variant, which we denote by  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$ , is shown in Figure 4.

We first show that, as in the case of  $\langle P_B, V_B \rangle$ , there exists a “hard” language on the transcript of  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$ .

**Lemma 4** (Soundness). *Let  $\mathbb{L}_B$  be the language defined in Figure 5. Then, for any cheating prover*

**Language  $\mathbb{L}_B$ :**

$(h, r_1, c, r_2, \alpha, \widehat{\beta}, \gamma, \widehat{\delta}) \in \mathbb{L}_B$  if and only if there exist

- decommitments  $d_1, d_2 \in \{0, 1\}^{\text{poly}(n)}$  for SWExtCom
- the second-round and the fourth-round messages  $\beta, \delta \in \{0, 1\}^n$  of UA

such that

- $d_1$  is a valid decommitment of  $\widehat{\beta}$  to  $\beta$ , and
- $d_2$  is a valid decommitment of  $\widehat{\delta}$  to  $\delta$ , and
- $(\alpha, \beta, \gamma, \delta)$  is an accepting transcript of UA for statement  $(h, r_1, c, r_2) \in \Lambda$ .

Figure 5: Language  $\mathbb{L}_B$ .

$\mathbb{P}^*$  against  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$ , any  $n \in \mathbb{N}$ , and any  $z \in \{0, 1\}^*$ ,

$$\Pr[\tau \leftarrow \text{trans}[\mathbb{P}^*(1^n, z) \leftrightarrow \mathbb{V}_B(1^n)] : \tau \in \mathbb{L}_B] \leq \text{negl}(n) .$$

*Proof.* Assume for contradiction that there exists  $\mathbb{P}^*$  such that for infinitely many  $n$ 's, there exists  $z \in \{0, 1\}^*$  such that

$$\Pr[\tau \leftarrow \text{trans}[\mathbb{P}^*(1^n, z) \leftrightarrow \mathbb{V}_B(1^n)] : \tau \in \mathbb{L}_B] \geq \frac{1}{p(n)}$$

for a polynomial  $p(\cdot)$ . We use  $\mathbb{P}^*$  to construct a cheating prover  $P^*$  against  $\langle P_B, V_B \rangle$  and show that it contradicts the soundness of  $\langle P_B, V_B \rangle$  (i.e., Lemma 1).

Consider the following cheating prover  $P^*$  against  $\langle P_B, V_B \rangle$ . First,  $P^*$  internally invokes  $\mathbb{P}^*$ . Then, while externally interacting with a honest  $V_B$  of  $\langle P_B, V_B \rangle$ ,  $P^*$  interacts with internal  $\mathbb{P}^*$  as a verifier of  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$  in the following way.

- In Stage 1 and 2 (of  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$ ),  $P^*$  forwards all messages from external  $V_B$  to internal  $\mathbb{P}^*$  and forwards all messages from internal  $\mathbb{P}^*$  to external  $V_B$ . (Notice that the verifier of  $\langle P_B, V_B \rangle$  and that of  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$  are identical.) Let  $(h, r_1, c, r_2)$  be the transcript of these stages.
- In Stage 3-1,  $P^*$  forwards  $\alpha$  from external  $V_B$  to internal  $\mathbb{P}^*$ .
- In Stage 3-2,  $P^*$  interacts with internal  $\mathbb{P}^*$  as a honest receiver of SWExtCom and obtains  $\widehat{\beta}_1$ . Let  $\text{st}$  be the current state of  $\mathbb{P}^*$ . Then,  $P^*$  rewinds  $\mathbb{P}^*$  to the point just before the challenge stage of SWExtCom, interacts with  $\mathbb{P}^*$  again, and obtains  $\widehat{\beta}_2$ . Then,  $P^*$  computes a potential committed value  $\widetilde{\beta} \stackrel{\text{def}}{=} \text{Extract}(\widehat{\beta}_1, \widehat{\beta}_2)$  of  $\widehat{\beta}_1$  (recall that  $\text{Extract}$  is the extracting algorithm of SWExtCom shown in Figure 3) and sends  $\widetilde{\beta}$  to external  $V_B$ .
- In Stage 3-3,  $P^*$  receives  $\gamma$  from  $V_B$  and sends it to internal  $\mathbb{P}^*$  (which is restarted from state  $\text{st}$ ).
- In Stage 3-4,  $P^*$  interacts with internal  $\mathbb{P}^*$  as a honest receiver of SWExtCom and obtains  $\widehat{\delta}_1$ . Then,  $P^*$  rewinds  $\mathbb{P}^*$  to the point just before the challenge stage of SWExtCom, interacts with  $\mathbb{P}^*$  again, and obtains  $\widehat{\delta}_2$ . Then,  $P^*$  computes  $\widetilde{\delta} := \text{Extract}(\widehat{\delta}_1, \widehat{\delta}_2)$  and sends  $\widetilde{\delta}$  to external  $V_B$ .

Whenever internal  $\mathbb{P}^*$  aborts,  $P^*$  also aborts.

Before analyzing the success probability of  $P^*$ , we first introduce some terminologies regarding the internally emulated interaction between  $\mathbb{P}^*$  and  $\mathbb{V}_B$ . Let  $\tau = (h, r_1, c, r_2, \alpha, \widehat{\beta}_1, \gamma, \widehat{\delta}_1)$  be its transcript. Notice that since  $P^*$  emulates  $\mathbb{V}_B$  for internal  $\mathbb{P}^*$  perfectly, we have  $\tau \in \mathbb{L}_B$  with probability at least  $1/p(n)$ .

- We say that a transcript  $\tau_1$  up until the commit stage of  $\text{SWExtCom}$  in Stage 3-2 is *good* if under the condition that  $\tau_1$  is a prefix of  $\tau$ , the probability that  $\tau \in \mathbb{L}_B$  holds is at least  $1/2p(n)$ .
- We say that a transcript  $\tau_2$  up until the commit stage of  $\text{SWExtCom}$  in Stage 3-4 is *good* if (1) a prefix of  $\tau_2$  up until the commit stage of  $\text{SWExtCom}$  in Stage 3-2 is good and (2) under the condition that  $\tau_2$  is a prefix of  $\tau$ , the probability that  $\tau \in \mathbb{L}_B$  holds is at least  $1/4p(n)$ .

We then analyze the success probability of  $P^*$  as follows. Let  $\text{GOOD}_1$  be the event that a prefix of  $\tau$  up until the commit stage of  $\text{SWExtCom}$  in Stage 3-2 is good, and let  $\text{GOOD}_2$  be the event that a prefix of  $\tau$  up until the commit stage of  $\text{SWExtCom}$  in Stage 3-4 is good. From an average argument, we have

$$\Pr[\text{GOOD}_1] \geq \frac{1}{2p(n)} \quad \text{and} \quad \Pr[\text{GOOD}_2 \mid \text{GOOD}_1] \geq \frac{1}{4p(n)} .$$

Hence, we have

$$\Pr[\text{GOOD}_2] = \Pr[\text{GOOD}_1 \wedge \text{GOOD}_2] \geq \frac{1}{8(p(n))^2} . \quad (1)$$

(The first equation holds since  $\text{GOOD}_1$  occurs whenever  $\text{GOOD}_2$  occurs.) Also, from the definition of  $\text{GOOD}_2$ , we have

$$\Pr[\tau \in \mathbb{L}_B \mid \text{GOOD}_2] \geq \frac{1}{4p(n)} . \quad (2)$$

Hence, from Equation (1) and (2), we have

$$\Pr[\text{GOOD}_1 \wedge \text{GOOD}_2 \wedge \tau \in \mathbb{L}_B] = \Pr[\text{GOOD}_2 \wedge \tau \in \mathbb{L}_B] \geq \frac{1}{32(p(n))^3} . \quad (3)$$

Next, we observe that when the transcript up until the commit stage of  $\text{SWExtCom}$  in Stage 3-2 is good,  $\mathbb{P}^*$  gives a valid commitment of  $\text{SWExtCom}$  in Stage 3-2 with probability at least  $1/2p(n)$ , and similarly, when the transcript up until the commit stage of  $\text{SWExtCom}$  in Stage 3-4 is good,  $\mathbb{P}^*$  gives a valid commitment of  $\text{SWExtCom}$  in Stage 3-4 with probability at least  $1/4p(n)$ . (This is because when the transcript is in  $\mathbb{L}_B$ , the  $\text{SWExtCom}$  commitments in Stage 3-2 and 3-4 are valid.) Hence, under the condition that  $\text{GOOD}_1 \wedge \text{GOOD}_2 \wedge \tau \in \mathbb{L}_B$ , the probability that both of  $\widehat{\beta}_2$  and  $\widehat{\delta}_2$  are valid is at least  $1/8(p(n))^2$ . Also, from the definition of  $\mathbb{L}_B$ , both of  $\widehat{\beta}_1$  and  $\widehat{\delta}_1$  are valid when  $\tau \in \mathbb{L}_B$ , and furthermore,  $\widehat{\beta}_1$  and  $\widehat{\beta}_2$  (resp,  $\widehat{\delta}_1$  and  $\widehat{\delta}_2$ ) are admissible except with negligible probability. Hence, from Lemma 2, for  $\widetilde{\beta} = \text{Extract}(\widehat{\beta}_1, \widehat{\beta}_2)$  and  $\widetilde{\delta} = \text{Extract}(\widehat{\delta}_1, \widehat{\delta}_2)$  we have

$$\begin{aligned} & \Pr[\widetilde{\beta} = \text{value}(\widehat{\beta}_1) \wedge \widetilde{\delta} = \text{value}(\widehat{\delta}_1) \mid \text{GOOD}_1 \wedge \text{GOOD}_2 \wedge \tau \in \mathbb{L}_B] \\ & \geq \frac{1}{8(p(n))^2} - \text{negl}(n) . \end{aligned} \quad (4)$$

Hence, from Equation (3) and (4), we have

$$\begin{aligned} & \Pr[\text{GOOD}_1 \wedge \text{GOOD}_2 \wedge \tau \in \mathbb{L}_B \wedge \widetilde{\beta} = \text{value}(\widehat{\beta}_1) \wedge \widetilde{\delta} = \text{value}(\widehat{\delta}_1)] \\ & \geq \frac{1}{256(p(n))^5} - \text{negl}(n) . \end{aligned}$$

Notice that from the definition of  $\mathbb{L}_B$ , when  $\tau \in \mathbb{L}_B \wedge \widetilde{\beta} = \text{value}(\widehat{\beta}_1) \wedge \widetilde{\delta} = \text{value}(\widehat{\delta}_1)$ , it holds that  $(\alpha, \widetilde{\beta}, \gamma, \widetilde{\delta})$  is an accepting UA proof for  $(h, r_1, c, r_2) \in \Lambda$ . Hence, we have

$$\Pr[(h, r_1, c, r_2, \alpha, \widetilde{\beta}, \gamma, \widetilde{\delta}) \in \mathbf{L}_B] \geq \frac{1}{256(p(n))^5} - \text{negl}(n) ,$$

which contradicts Lemma 1. □

We next note that a non-black-box simulator can simulate the transcript  $\tau$  in such a way that  $\tau \in \mathbb{L}_B$  holds, and the simulator can additionally output a witness for  $\tau \in \mathbb{L}_B$ .

**Lemma 5** (Simulatability). *Let  $\mathbb{L}_B$  be the language defined in Figure 5. Then, for any PPT cheating verifier  $\mathbb{V}^*$  against  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$ , there exists a PPT simulator  $\mathcal{S}$  such that the following hold.*

- Let  $\mathcal{S}_1(x, z)$  be the random variable representing the first output of  $\mathcal{S}(x, z)$ . Then, the following indistinguishability holds.

$$\{\text{view}_{\mathbb{V}^*} [\mathbb{P}_B(1^n) \leftrightarrow \mathbb{V}^*(1^n, z)]\}_{n \in \mathbb{N}, z \in \{0, 1\}^*} \approx \{\mathcal{S}_1(1^n, z)\}_{n \in \mathbb{N}, z \in \{0, 1\}^*}$$

- For any  $n \in \mathbb{N}$  and  $z \in \{0, 1\}^*$ , the following holds.

$$\Pr \left[ \begin{array}{l} (v, w) \leftarrow \mathcal{S}(1^n, z); \\ \text{reconstruct transcript } \tau \text{ from view } v \text{ of } \mathbb{V}^* : w \in \mathbf{R}_{\mathbb{L}_B}(\tau) \end{array} \right] \geq 1 - \text{negl}(n)$$

This lemma can be proven in essentially the same way as the zero-knowledge property of Barak's non-black-box zero-knowledge protocol. For completeness, a proof sketch is given below.

*Proof sketch of Lemma 5.* To simulate the view of  $\mathbb{V}^*$ , the simulator  $\mathcal{S}$  internally invokes  $\mathbb{V}^*$  and interacts with it as follows.

- After receiving  $h$  and  $r_1$  in Stage 1,  $\mathcal{S}$  sends  $c \leftarrow \text{Com}_{r_1}(h(\mathbb{V}^*))$  to  $\mathbb{V}^*$  in Stage 2-1. Let  $\text{rand}$  be the randomness that was used in this step.
- After receiving  $r_2$  in Stage 2-2 and  $\alpha$  in Stage 3-1,  $\mathcal{S}$  computes the second-round UA message  $\beta$  by using witness  $(\mathbb{V}^*, \text{rand}, \varepsilon)$  for  $(h, r_1, c, r_2) \in \Lambda$  (where  $\varepsilon$  is an empty string) and then honestly commits to  $\beta$  by using  $\text{SWExtCom}$ . Let  $\widehat{\beta}$  be the commitment and  $d_1$  be the decommitment.
- After receiving  $\gamma$  in Stage 3-3,  $\mathcal{S}$  computes the fourth-round UA message  $\delta$  and then honestly commits to  $\delta$  by using  $\text{SWExtCom}$ . Let  $\widehat{\delta}$  be the commitment and  $d_2$  be the decommitment.

$\mathcal{S}$  then outputs  $(v, w)$ , where  $v$  is the view of internal  $\mathbb{V}^*$  and  $w \stackrel{\text{def}}{=} (d_1, d_2, \beta, \delta)$ . Let  $\tau := (h, r_1, c, r_2, \alpha, \widehat{\beta}, \gamma, \widehat{\delta})$ .

We analyze  $\mathcal{S}$  as follows. First, from the hiding property of  $\text{Com}$  and the indistinguishability of  $C_{\text{pub}}$  (Lemma 3),  $v$  is indistinguishable from the real view of  $\mathbb{V}^*$ . Next, from the definitions of  $\Lambda$  and  $\mathbb{L}_B$ , we have  $\tau \in \mathbb{L}_B$  and  $w$  is its witness. Hence, the lemma follows.  $\square$

## 4.2 Special-purpose Instance-dependent Commitment

In our LRZK protocol, we use a special-purpose instance-dependent commitment scheme  $\text{GJS-Com}$ , which is shown in Figure 6.  $\text{GJS-Com}$  is parametrized by two graphs,  $G$  and  $G'$ , and obtained by modifying Hamiltonicity commitment scheme  $\text{H-Com}_{G,r}$  in such a way that the adjacent matrix is committed to by using  $\text{AH-Com}_{G',r}$  instead of  $\text{Com}_r$ .  $\text{GJS-Com}$  inherits many properties from  $\text{H-Com}$ —hiding, binding, and equivocality—and additionally, thanks to the adaptive security of  $\text{AH-Com}$ , it provides adaptive security in the following sense: When  $G \in \mathbf{L}_{\text{HC}}$  and  $G' \in \mathbf{L}_{\text{HC}}$ , a commitment to 1 can be explained as a valid commitment to 0, and furthermore, even after being explained as a commitment to 0, it can be decommitted to 1 in a consistent way. Details follow.

**Lemma 6** (Hiding and binding).  *$\text{GJS-Com}$  is computationally hiding. Furthermore, it is statistically binding when  $G \notin \mathbf{L}_{\text{HC}}$  and  $G' \notin \mathbf{L}_{\text{HC}}$ .*

**Parameters:**

- Security parameter  $n$ .
- Two graphs  $G$  and  $G'$ , where the number of vertices in  $G$  is  $q = \text{poly}(n)$  and that in  $G'$  is  $q' = \text{poly}'(n)$ .

**Inputs:**

- $C$  has secret input  $b \in \{0, 1\}$ , which is the value to be committed to.

**Commit phase:**

1.  $R$  sends the first-round message  $r \in \{0, 1\}^{3n}$  of Com.
2. **To commit to 0**,  $C$  chooses a random permutation  $\pi$  over the vertices of  $G$ , computes  $H_0 := \pi(G)$ , and commits to its adjacent matrix  $A_0 = \{a_{0,i,j}\}_{i,j \in [q]}$  by using  $\text{AH-Com}_{G',r}$ , i.e., sends  $c_{i,j} \leftarrow \text{AH-Com}_{G',r}(a_{0,i,j})$  for every  $i, j \in [q]$ .  
**To commit to 1**,  $C$  chooses a random  $q$ -cycle graph  $H_1$  and commits to its adjacent matrix  $A_1 = \{a_{1,i,j}\}_{i,j \in [q]}$  by using  $\text{AH-Com}_{G',r}$ , i.e., sends  $c_{i,j} \leftarrow \text{AH-Com}_{G',r}(a_{1,i,j})$  for every  $i, j \in [q]$ .

Let  $\text{GJS-Com}_{G,G',r}(\cdot)$  be a function that, on input  $b \in \{0, 1\}$ , computes a commitment to  $b$  as above by considering  $r$  as the first-round message from the receiver.

**Decommit phase:**

- **When  $C$  committed to 0**, it reveals  $\pi$  and decommits  $c_{i,j}$  to  $a_{0,i,j}$  for every  $i, j \in [q]$ .  $R$  verifies whether the decommitted matrix is the adjacent matrix of  $\pi(G)$ .
- **When  $C$  committed to 1**, it decommits  $c_{i,j}$  to 1 for every  $i, j$  such that edge  $(i,j)$  is on the  $q$ -cycle in  $H_1$  (i.e., every  $i, j$  such that  $a_{1,i,j} = 1$ ).  $R$  verifies whether the decommitted entries correspond to the edges on a Hamilton cycle.

Let  $\text{GJS-Dec}_r(\cdot)$  be a function that, on input  $(c, b, \rho)$  such that  $\text{GJS-Com}_{G,G',r}(b; \rho) = c$ , outputs a decommitment to  $b$  as above.

Figure 6: Special-purpose instance-dependent commitment GJS-Com.

*Proof.* The hiding property follows directly from the hiding property of  $\text{AH-Com}_{G'}$ . To see the binding property, observe the following: When  $G' \notin \mathbf{L}_{\text{HC}}$ ,  $\text{AH-Com}_{G'}$  is statistically binding and therefore the matrix committed to in the commit phase of GJS-Com is uniquely determined except with negligible probability; furthermore, when the committed matrix is uniquely determined and  $G \notin \mathbf{L}_{\text{HC}}$ , decommitting to both 0 and 1 is clearly impossible; hence, when  $G \notin \mathbf{L}_{\text{HC}}$  and  $G' \notin \mathbf{L}_{\text{HC}}$ , a commitment of GJS-Com can be decommitted to both 0 and 1 only with negligible probability.  $\square$

**Lemma 7** (Equivocality). *There exists an algorithm  $\text{GJS-EquivToOne}$  that is parametrized by graphs  $G, G'$  and a string  $r \in \{0, 1\}^{3n}$  and satisfies the following: When  $G \in \mathbf{L}_{\text{HC}}$ , on input any  $w \in \mathbf{R}_{\text{HC}}(G)$  and any  $c$  and  $\rho$  such that  $\text{GJS-Com}_{G,G',r}(0; \rho) = c$ ,  $\text{GJS-EquivToOne}_{G,G',r}$  outputs a valid decommitment of  $c$  to 1.*

*Proof.* We need to show that, on inputs a commitment  $c$  to 0, a witness  $w \in \mathbf{R}_{\text{HC}}(G)$ , and randomness  $\rho$  that is used to compute  $c$ , an algorithm  $\text{GJS-EquivToOne}$  can decommit  $c$  to 1.

$\text{GJS-EquivToOne}$  decommits  $c$  to 1 as follows. From the construction of GJS-Com, commitment

$c$  consists of  $\{c_{i,j}\}_{i,j \in [q]}$ , which are AH-Com commitments to the adjacent matrix of  $H_0 = \pi(G)$ . To decommit  $c$  to 1, GJS-EquivToOne need to decommit some of  $\{c_{i,j}\}_{i,j \in [q]}$  to 1 so that decommitted entries of the matrix correspond to the edges on a Hamiltonian cycle in a  $q$ -vertex graph. To do such decommitments, GJS-EquivToOne first computes a Hamiltonian cycle  $\pi(w)$  in  $H_0$  by using Hamiltonian cycle  $w$  in  $G$  and permutation  $\pi$  (which is included in  $\rho$ ). Then, GJS-EquivToOne decommits  $c_{i,j}$  to  $a_{i,j}$  honestly for every  $i, j$  such that  $(i, j)$  is an edge on  $\pi(w)$ . Clearly, this is a valid decommitment to 1.  $\square$

**Lemma 8** (Adaptive security). *There exists an algorithm GJS-ExplainAsZero that is parametrized by graphs  $G, G'$  and a string  $r \in \{0, 1\}^{3n}$  and satisfies the following.*

**Correctness.** *When  $G, G' \in \mathbf{L}_{\text{HC}}$ , on input any  $w \in \mathbf{R}_{\text{HC}}(G)$  and  $w' \in \mathbf{R}_{\text{HC}}(G')$  and any  $c$  and  $\rho_1$  such that  $\text{GJS-Com}_{G,G',r}(1; \rho_1) = c$ ,  $\text{GJS-ExplainAsZero}_{G,G',r}$  outputs  $\rho_0$  such that  $\text{GJS-Com}_{G,G',r}(0; \rho_0) = c$ .*

**Indistinguishability.** *For security parameter  $n \in \mathbb{N}$ , graphs  $G, G' \in \mathbf{L}_{\text{HC}}$ , witnesses  $w \in \mathbf{R}_{\text{HC}}(G)$  and  $w' \in \mathbf{R}_{\text{HC}}(G')$ , and string  $r \in \{0, 1\}^{3n}$ , consider the following two probabilistic experiments.*

$\text{EXP}_0^{\text{GJS}}(n, G, G', w, w', r)$   
 /\* commit to 0 and decommit it to 1 using equivocality \*/  
 1. Compute  $c \leftarrow \text{GJS-Com}_{G,G',r}(0)$ .  
    Let  $\rho_0$  be the randomness used in GJS-Com.  
 2. Compute  $d_1 := \text{GJS-EquivToOne}_{G,G',r}(c, w, \rho_0)$ .  
 3. Output  $(c, \rho_0, d_1)$ .

$\text{EXP}_1^{\text{GJS}}(n, G, G', w, w', r)$   
 /\* commit & decommit to 1 and explain it as commitment to 0 \*/  
 1. Compute  $c \leftarrow \text{GJS-Com}_{G,G',r}(1)$ .  
    Let  $\rho_1$  be the randomness used in GJS-Com.  
    Compute  $d_1 := \text{GJS-Dec}_{G,G',r}(c, 1, \rho)$ .  
 2. Compute  $\rho_0 := \text{GJS-ExplainAsZero}_{G,G',r}(c, w, w', \rho_1)$ .  
 3. Output  $(c, \rho_0, d_1)$ .

Let  $\text{EXP}_b^{\text{GJS}}(n, G, G', w, w', r)$  be the random variable representing the output of  $\text{EXP}_b^{\text{GJS}}(n, G, G', w, w', r)$  for each  $b \in \{0, 1\}$ . Then, the following two ensembles are computationally indistinguishable.

- $\left\{ \text{EXP}_0^{\text{GJS}}(n, G, G', w, w', r) \right\}_{n \in \mathbb{N}, G, G' \in \mathbf{L}_{\text{HC}}, w \in \mathbf{R}_{\text{HC}}(G), w' \in \mathbf{R}_{\text{HC}}(G'), r \in \{0, 1\}^{3n}}$
- $\left\{ \text{EXP}_1^{\text{GJS}}(n, G, G', w, w', r) \right\}_{n \in \mathbb{N}, G, G' \in \mathbf{L}_{\text{HC}}, w \in \mathbf{R}_{\text{HC}}(G), w' \in \mathbf{R}_{\text{HC}}(G'), r \in \{0, 1\}^{3n}}$

*Proof.* GJS-ExplainAsZero is shown in Figure 7. A key idea behind GJS-ExplainAsZero is that given the ability to explain AH-Com commitments to 0 as AH-Com commitments to 1, we can explain a commitment to 1 (which is AH-Com commitments to the adjacent matrix of a cycle graph) as a commitment to 0 (which is AH-Com commitments to the adjacent matrix of a Hamiltonian graph  $G$ ). Intuitively, this is because a cycle graph can be transformed to any Hamiltonian graph by appropriately adding edges (which corresponds to changing some entries of the adjacent matrix from 0 to 1).

We first prove the correctness. A key is that since  $H_0$  is defined in such a way that  $H_0$  has the same  $q$ -cycle as  $H_1$ , for every  $i, j \in [q]$  we have only the following three cases regarding the values of  $a_{0,i,j}$  and  $a_{1,i,j}$ .

**Case 1.**  $a_{0,i,j} = 0, a_{1,i,j} = 0$

**Parameter:**

- Graphs  $G, G' \in \mathbf{L}_{\text{HC}}$
- String  $r \in \{0, 1\}^{3n}$

**Input:**

- Witnesses  $w \in \mathbf{R}_{\text{HC}}(G)$  and  $w' \in \mathbf{R}_{\text{HC}}(G')$
- Commitment  $c$  and randomness  $\rho_1$  s.t.  $\text{GJS-Com}_{G,G',r}(1; \rho_1) = c$

**Output:**

1. Parse  $c$  as  $\{c_{i,j}\}_{i,j \in [q]}$ , where each  $c_{i,j}$  is a AH-Com commitment. Also, from  $\rho_1$ , reconstruct  $A_1 = \{a_{1,i,j}\}_{i,j \in [q]}$  and  $\{\sigma_{1,i,j}\}_{i,j \in [q]}$  such that  $A_1$  is the adjacent matrix of a  $q$ -cycle graph  $H_1$  and  $\text{AH-Com}_{G',r}(a_{1,i,j}; \sigma_{1,i,j}) = c_{i,j}$  for every  $i, j \in [q]$ .
2. Choose a random permutation  $\pi$  under the condition that a  $q$ -cycle in  $H_0 \stackrel{\text{def}}{=} \pi(G)$  coincides with the  $q$ -cycle in  $H_1$  (i.e.,  $H_0$  has the same cycle as  $H_1$ ).<sup>a</sup> Let  $A_0 = \{a_{0,i,j}\}_{i,j \in [q]}$  be the adjacent matrix of  $H_0$ .
3. For every  $i, j \in [q]$ , define  $\sigma_{0,i,j}$  by  $\sigma_{0,i,j} \stackrel{\text{def}}{=} \sigma_{1,i,j}$  when  $a_{0,i,j} = a_{1,i,j}$  and by  $\sigma_{0,i,j} \stackrel{\text{def}}{=} \text{AH-ExplainAsOne}_{G',r}(w', c_{i,j}, \sigma_{1,i,j})$  when  $a_{0,i,j} \neq a_{1,i,j}$ .<sup>b</sup>
4. Outputs  $\rho_0 \stackrel{\text{def}}{=} (\pi, \{\sigma_{0,i,j}\}_{i,j \in [q]})$ .

<sup>a</sup>Given  $w$ , this can be done efficiently.

<sup>b</sup>When  $a_{0,i,j} \neq a_{1,i,j}$ , it holds that  $a_{0,i,j} = 1$  and  $a_{1,i,j} = 0$ ; see the proof.

Figure 7: GJS-ExplainAsZero.

**Case 2.**  $a_{0,i,j} = 1, a_{1,i,j} = 1$

**Case 3.**  $a_{0,i,j} = 1, a_{1,i,j} = 0$

In particular, we do not have the case that  $a_{0,i,j} = 0$  and  $a_{1,i,j} = 1$  because when  $a_{1,i,j} = 1$ , edge  $(i, j)$  is on the  $q$ -cycle in  $H_1$ , and therefore edge  $(i, j)$  is also on a  $q$ -cycle in  $H_0$  and thus  $a_{0,i,j} = 1$ . Then, since we have only these three cases, from the property of AH-ExplainAsOne we have  $\text{AH-Com}_{G',r}(a_{0,i,j}; \sigma_{0,i,j}) = c_{i,j}$  for every  $i, j$  such that  $a_{0,i,j} \neq a_{1,i,j}$ . Therefore, the output  $\rho_0$  satisfies  $\text{GJS-Com}_{G,G',r}(1; \rho) = c$ .

We next prove the indistinguishability. Toward this end, we consider the following hybrid experiments.

**Hybrid HYB<sub>0</sub>** is the same as  $\text{EXP}_0^{\text{GJS}}(n, G, G', w, w', r)$ . Recall that in  $\text{EXP}_0^{\text{GJS}}$ , output  $(c, \rho_0, d_1)$  is computed as follows:

- Choose  $\rho_0 = (\pi, \{\sigma_{0,i,j}\}_{i,j \in [q]})$ , where  $\pi$  is a randomly chosen permutation and each  $\sigma_{0,i,j}$  is randomly chosen randomness for AH-Com.
- Compute  $c = \{c_{i,j}\}_{i,j \in [q]}$  by  $c_{i,j} := \text{AH-Com}_{G',r}(a_{0,i,j}; \sigma_{0,i,j})$  for each  $i, j \in [q]$ , where  $A_0 = \{a_{0,i,j}\}_{i,j \in [q]}$  is the adjacent matrix of  $H_0 = \pi(G)$ .
- Define  $d_1 \stackrel{\text{def}}{=} \{\sigma_{0,i,j}\}_{(i,j) \in \pi(w)}$ , where  $\pi(w)$  is the set of the edges on the Hamiltonian cycle in  $H_0$  that is obtained by applying  $\pi$  on Hamiltonian cycle  $w$  in  $G$ .

**Hybrid HYB<sub>1</sub>** is the same as HYB<sub>0</sub> except that  $\pi$  is chosen as follows:

1. Choose a random  $q$ -cycle graph  $H_1$ . Let  $A_1 = \{a_{1,i,j}\}_{i,j \in [q]}$  be the adjacent matrix of  $H_1$ .
2. Choose a random permutation  $\pi$  under the condition that a  $q$ -cycle in  $H_0 = \pi(G)$  coincides with the  $q$ -cycle in  $H_1$ .

**Hybrid HYB<sub>2</sub>** is the same as HYB<sub>1</sub> except for the following.

- $c_{i,j}$  is computed by  $c_{i,j} := \text{AH-Com}_{G',r}(a_{1,i,j}; \sigma_{1,i,j})$  for every  $i, j \in [q]$ , where  $\sigma_{1,i,j}$  is randomly chosen randomness.
- $\sigma_{0,i,j}$  is defined by  $\sigma_{0,i,j} \stackrel{\text{def}}{=} \sigma_{1,i,j}$  when  $a_{0,i,j} = a_{1,i,j}$  and by  $\sigma_{0,i,j} \stackrel{\text{def}}{=} \text{AH-ExplainAsOne}_{G',r}(w', c_{i,j}, \sigma_{1,i,j})$  when  $a_{0,i,j} \neq a_{1,i,j}$ .

**Hybrid HYB<sub>3</sub>** is the same as  $\text{EXP}_1^{\text{GJS}}(n, G, G', w, w', r)$ .

From a hybrid argument, we can show the indistinguishability of  $\text{EXP}_0^{\text{GJS}}$  and  $\text{EXP}_1^{\text{GJS}}$  by showing the indistinguishability of each neighboring hybrids.

**Claim 1.** *The outputs of HYB<sub>0</sub> and HYB<sub>1</sub> are identically distributed.*

*Proof.* HYB<sub>0</sub> and HYB<sub>1</sub> differ only in the way  $\pi$  is chosen. However, the distribution of  $\pi$  is uniformly random in both hybrids. (In particular, the distribution of  $\pi$  is uniformly random in HYB<sub>1</sub> since  $H_1$  is chosen randomly.) Hence, the claim follows.  $\square$

**Claim 2.** *The outputs of HYB<sub>1</sub> and HYB<sub>2</sub> are computationally indistinguishable.*

*Proof.* We first remark that, as noted above, we have  $a_{0,i,j} = 1$  and  $a_{1,i,j} = 0$  when  $a_{0,i,j} \neq a_{1,i,j}$ . Because of this, HYB<sub>1</sub> and HYB<sub>2</sub> differ only in that for every  $i, j$  such that  $a_{0,i,j} \neq a_{1,i,j}$ ,

- in the case of HYB<sub>1</sub>,  $c_{i,j}$  is a commitment to 1 and  $\sigma_{0,i,j}$  is randomly chosen randomness that is used to generate  $c_{i,j}$ , whereas
- in the case of HYB<sub>2</sub>,  $c_{i,j}$  is a commitment to 0 and  $\sigma_{0,i,j}$  is the randomness that is computed by AH-ExplainAsOne.

Hence, the indistinguishability follows from the adaptive security of AH-Com. In particular, we can prove the indistinguishability by considering a sequence of intermediate hybrids  $\text{HYB}_{1,0}, \dots, \text{HYB}_{1,q^2}$  such that

- $\text{HYB}_{1,0}$  is the same as HYB<sub>1</sub>, and
- for every  $u, v \in [q]$ ,  $\text{HYB}_{1,(u-1)q+v}$  is the same as  $\text{HYB}_{1,(u-1)q+v-1}$  except that  $c_{u,v}$  and  $\sigma_{0,u,v}$  are computed in the same way as in HYB<sub>2</sub>,

and then proving the indistinguishability of each neighboring intermediate hybrids by designing an adversary against the adaptive security of AH-Com in a straight-forward manner so that, depending on the value of  $(c, \rho_1)$  that it receives externally, it internally emulates either  $\text{HYB}_{1,(u-1)q+v}$  or  $\text{HYB}_{1,(u-1)q+v-1}$  (i.e., when  $c$  is a commitment to 1 and  $\rho$  is its randomness, the adversary internally emulates  $\text{HYB}_{1,(u-1)q+v-1}$ , and when  $c$  is a commitment to 0 and  $\rho$  is the randomness that is generated by AH-ExplainAsOne, the adversary internally emulates  $\text{HYB}_{1,(u-1)q+v}$ ).  $\square$

**Claim 3.** *The outputs of HYB<sub>2</sub> and HYB<sub>3</sub> are identically distributed.*

*Proof.* It can be seen by inspection that in HYB<sub>2</sub>, the output  $(c, \rho_0, d_1)$  is computed in exactly the same way as in  $\text{EXP}_1^{\text{GJS}}$ . Hence, the claim follows.  $\square$

From these claims, we obtain the indistinguishability of  $\text{EXP}_0^{\text{GJS}}$  and  $\text{EXP}_1^{\text{GJS}}$ . This concludes the proof of Lemma 8.  $\square$



## 5 Our Leakage-resilient Zero-knowledge Argument

In this section, by using the two building blocks  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$  and GJS-Com in Section 4, we construct a constant-round LRZK argument system.

**Theorem 1.** *Assume the existence of collision-resistant hash function family. Then, there exists a constant-round public-coin leakage-resilient zero-knowledge argument system LR-ZK.*

*Proof.* LR-ZK is shown in Figure 8. Since  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$  can be constructed from any collision-resistant hash function family, and SWExtCom can be constructed from any one-way function (which can be obtained from any collision-resistant hash function family), LR-ZK can be constructed from any collision-resistant hash function family. Also, by inspection, it can be seen that LR-ZK is public-coin and has constant rounds.

In the following, we prove soundness in Section 5.1 and leakage-resilient zero-knowledgeness in Section 5.2.

### 5.1 Soundness

**Lemma 9.** *LR-ZK is sound against PPT adversaries.*

*Proof.* For any cheating PPT prover  $P^*$ , we show that  $P^*$  cannot give an accepting proof for a false statement  $G \notin \mathbf{L}_{\text{HC}}$  except with negligible probability. Notice that from the soundness of  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$ , the statement  $\tau$  generated in Stage 1 satisfies  $\tau \notin \mathbb{L}_B$  except with negligible probability. Hence, it suffices to show that under the condition that  $\tau \notin \mathbb{L}_B$  (and hence  $G' \notin \mathbf{L}_{\text{HC}}$ ),  $P^*$  cannot give an accepting proof except with negligible probability.

A key is that when  $G \notin \mathbf{L}_{\text{HC}}$  and  $G' \notin \mathbf{L}_{\text{HC}}$ , GJS-Com $_{G,G'}$  is statistically binding, and therefore the matrix that is committed to in Stage 2-1 is uniquely determined in each of the  $n$  iterations except with negligibly probability. Using this fact, we can prove the soundness in essentially the same way as the soundness of Blum's Hamiltonicity protocol. Specifically, when the committed matrix is uniquely determined in each of the  $n$  iterations,  $P^*$  can give a valid response in Stage 2-3 with probability at most  $1/2$  in each of  $n$  iterations. (This is because, when  $G' \notin \mathbf{L}_{\text{HC}}$ , no Hamiltonian graph is isomorphic to  $G'$ .) Hence, under the condition that  $\tau \notin \mathbb{L}_B$ ,  $P^*$  can give an accepting proof with only negligible probability. This completes the proof of soundness.  $\square$

### 5.2 Leakage-resilient Zero-knowledgeness

**Lemma 10.** *LR-ZK is leakage-resilient zero-knowledge.*

In the following, we prove this lemma only w.r.t. a simplified version of LR-ZK in which Stage 2-1, 2-2, and 2-3 are executed only once (instead of executed  $n$  times in parallel). The proof w.r.t. LR-ZK can be obtained by modifying the following proof in a straight-forward way.

*Proof.* Without loss of generality, we assume that after receiving each message from the prover, the cheating verifier makes exactly a single leakage query. To see that we indeed do not lose generality, observe that instead of making two queries  $f_1$  and  $f_2$ , the cheating verifier can always query a single query  $f$  such that, on input witness  $w$  and prover's randomness  $\text{tape}$ , it computes the first leakage  $L_1 := f_1(w, \text{tape})$ , chooses the second query  $f_2$  adaptively, computes the second leakage  $L_2 := f_2(w, \text{tape})$ , and outputs  $(L_1, L_2)$ .

In the following, we describe our simulator, observe that our simulator obtains the same amount of leakage as the adversary, and prove the indistinguishability of views.

**Input.**

- Common input is graph  $G \in \mathbf{L}_{\text{HC}}$ .  
Let  $n \stackrel{\text{def}}{=} |G|$ , and  $q$  be the number of vertices in  $G$ .
- Private input to the prover  $P$  is witness  $w \in \mathbf{R}_{\text{HC}}(G)$ .

**Stage 1.**

- $P$  and  $V$  execute special-purpose encrypted Barak's preamble  $\langle \mathbb{P}_{\text{B}}, \mathbb{V}_{\text{B}} \rangle$ . Let  $\tau$  be the transcript.
- $P$  and  $V$  reduce statement " $\tau \in \mathbb{L}_{\text{B}}$ " to Hamiltonicity problem via general  $\mathcal{NP}$  reduction. Let  $G'$  be the graph that  $P$  and  $V$  obtained. Let  $q'$  be the number of vertices in  $G'$ .

**Stage 2.**

- $V$  sends the first-round message  $r \in \{0, 1\}^{3n}$  of Com to  $P$ .
- $P$  and  $V$  do the following for  $n$  times in parallel.
  1.  $P$  commits to a  $q' \times q'$  zero matrix in a bit-by-bit manner by using  $\text{GJS-Com}_{G,G',r}$ . That is,  $P$  sends  $c_{i,j} \leftarrow \text{GJS-Com}_{G,G',r}(0)$  to  $V$  for every  $i, j \in [q']$ . Let  $\rho_{i,j}$  be the randomness that was used to compute  $c_{i,j}$ .
  2.  $V$  sends a random bit  $ch \in \{0, 1\}$  to  $P$ .
  3. **When  $ch = 0$ :**
    - $P$  chooses a random permutation  $\pi$  and computes  $H_0 := \pi(G')$ . Let  $A_0 = \{a_{0,i,j}\}_{i,j \in [q']}$  be the adjacent matrix of  $H_0$ .
    - $P$  sends  $\pi$  to  $V$  and decommits the GJS-Com commitments in Stage 2-1 to  $A_0$  by using the equivocality of GJS-Com. That is, for every  $i, j \in [q]$ ,  $P$  sends a honest decommitment  $d_{i,j} := \text{GJS-Dec}_{G,G',r}(c_{i,j}, 0, \rho_{i,j})$  to  $V$  when  $a_{0,i,j} = 0$  and sends a fake decommitment  $d_{i,j} := \text{GJS-EquivToOne}_{G,G',r}(c_{i,j}, w_0, \rho_{i,j})$  to  $V$  when  $a_{0,i,j} = 1$ .
    - $V$  computes  $H_0 = \pi(G')$  and verifies whether the decommitted matrix is equal to the adjacent matrix of  $H_0$ .
  - When  $ch = 1$ :**
    - $P$  chooses a random  $q'$ -cycle graph  $H_1$ . Let  $A_1 = \{a_{1,i,j}\}_{i,j \in [q']}$  be the adjacent matrix of  $H_1$ .
    - $P$  decommits  $c_{i,j}$  to  $a_{1,i,j}$  for every  $i, j$  such that  $a_{1,i,j} = 1$  (i.e., for every  $i, j$  such that edge  $(i, j)$  is on the  $q'$ -cycle of  $H_1$ ). That is, for every such  $i$  and  $j$ ,  $P$  sends a fake decommitment  $d_{i,j} := \text{GJS-EquivToOne}_{G,G',r}(c_{i,j}, w_0, \rho_{i,j})$  to  $V$ .
    - $V$  checks whether the decommitted entries of the matrix correspond to the edges on a  $q'$ -cycle.

Figure 8: Constant-round leakage-resilient zero-knowledge argument LR-ZK.

**5.2.1 Description of the simulator.**

Given access to leakage oracle  $\mathcal{L}_w$  and input  $(G, z)$ , our simulator  $\mathcal{S}$  simulates the view of cheating verifier  $V^*$  by internally invoking  $V^*(G, z)$  and interacting with it as follows.

**Simulating messages and leakages in Stage 1.** Roughly speaking,  $\mathcal{S}$  simulates the messages in Stage 1 by interacting with  $V^*$  in the same way as the simulator of  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$  (cf. Lemma 5). To simulate the leakages in Stage 1,  $\mathcal{S}$  uses the fact that Stage 1 of LR-ZK is public coin w.r.t. the prover and therefore all the randomness that a honest prover generates during Stage 1 is the messages themselves. Specifically,  $\mathcal{S}$  simulates the leakages by considering the messages `msgs` that it has sent to  $V^*$  thus far as the randomness of the prover. An issue is that due to the existence of leakage queries,  $\mathcal{S}$  cannot use the simulator of  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$  in a modular way. Nonetheless,  $\mathcal{S}$  can still use the technique used in the simulator of  $\langle \mathbb{P}_B, \mathbb{V}_B \rangle$  as long as the length of the leakages is bounded by  $n^2$ . (Notice that when the length of leakage exceeds  $n^2$ ,  $\mathcal{S}$  can simply obtain a Hamiltonian cycle  $w$  of  $G$  from  $\mathcal{L}_w$ .)

Formally,  $\mathcal{S}$  interacts with  $V^*$  as follows.

1. After receiving  $h$  and  $r_1$  from  $V^*$ ,  $\mathcal{S}$  sends  $c \leftarrow \text{Com}_{r_1}(h(V^*))$  to  $V^*$ . Let `rand` be the randomness that was used in this step.

**Leakage query:** When  $V^*$  makes a leakage query  $f$ ,  $\mathcal{S}$  does the following.

- Let `tape` :=  $c$ .
- If the output length of  $f$  is more than  $n^2$ ,  $\mathcal{S}$  obtains  $w$  from  $\mathcal{L}_w$  and returns  $f(w \parallel \text{tape})$  to  $V^*$ .
- Otherwise,  $\mathcal{S}$  queries  $f(\cdot, \text{tape})$  to  $\mathcal{L}_w$ , obtains reply  $L$  from  $\mathcal{L}_w$ , and forwards  $L$  to  $V^*$ .

If  $\mathcal{S}$  obtained  $w$ , from now on  $\mathcal{S}$  interacts with  $V^*$  in exactly the same way as a honest prover. Otherwise, do the following.

2. After receiving  $r_2$  and  $\alpha$  from  $V^*$ ,  $\mathcal{S}$  computes the second-round UA message  $\beta$  by using witness  $(V^*, \text{rand}, L)$  and then honestly commits to  $\beta$  by using `SWExtCom`. Let  $\widehat{\beta}$  be the commitment and  $d_1$  be the decommitment.

**Leakage query:** When  $V^*$  makes a leakage query  $f$ ,  $\mathcal{S}$  sets `tape` := `msgs`, queries  $f(\cdot, \text{tape})$  to  $\mathcal{L}_w$ , and forwards the reply from  $\mathcal{L}_w$  to  $V^*$ , where `msgs` are the messages that  $\mathcal{S}$  has sent to  $V^*$  thus far.

3. After receiving  $\gamma$  from  $V^*$ ,  $\mathcal{S}$  computes the fourth-round UA message  $\delta$  and then honestly commits to  $\delta$  by using `SWExtCom`. Let  $\widehat{\delta}$  be the commitment and  $d_2$  be the decommitment.

**Leakage query:** When  $V^*$  makes a leakage query  $f$ ,  $\mathcal{S}$  answers it in exactly the same way as above.

Let  $\tau \stackrel{\text{def}}{=} (h, r_1, c, r_2, \alpha, \widehat{\beta}, \gamma, \widehat{\delta})$  and  $\bar{w} \stackrel{\text{def}}{=} (d_1, d_2, \beta, \delta)$ . Since  $(V^*, \text{rand}, L)$  is a valid witness for  $(h, r_1, c, r_2) \in \Lambda$ , we have  $\tau \in \mathbb{L}_B$  and  $\bar{w} \in \mathbf{R}_{\mathbb{L}_B}(\tau)$ . Let  $G'$  and  $w'$  be the graph and its Hamiltonian cycle that are obtained by reducing statement “ $\tau \in \mathbb{L}_B$ ” to Hamiltonicity problem through the  $\mathcal{NP}$  reduction.

**Simulating messages Stage 2.** If  $\mathcal{S}$  obtained  $w$  during Stage 1, it interacts with  $V^*$  in the same way as a honest prover. Otherwise,  $\mathcal{S}$  interacts with  $V^*$  as follows. The idea is that, since  $\mathcal{S}$  know a witness  $w'$  for  $G' \in \mathbf{L}_{\text{HC}}$ ,  $\mathcal{S}$  can correctly respond to the challenge for both  $ch = 0$  and  $ch = 1$  by committing to a random permutation of  $G'$  in the first step.

1.  $\mathcal{S}$  chooses a random permutation  $\pi$  and computes  $H := \pi(G')$ . Then,  $\mathcal{S}$  commits to the adjacent matrix  $A = \{a_{i,j}\}_{i,j \in [q']}$  of  $H$  by using `GJS-Com` $_{G,G',r}$ . That is,  $\mathcal{S}$  sends  $c_{i,j} \leftarrow \text{GJS-Com}_{G,G',r}(a_{i,j})$  to  $V^*$  for every  $i, j \in [q]$ .

Let  $\{\rho_{i,j}\}_{i,j \in [q]}$  be the randomness used in the `GJS-Com` commitments and  $\pi(w')$  be the Hamiltonian cycle in  $H$  that is obtained by applying  $\pi$  on Hamiltonian cycle  $w'$  in  $G'$ .

2.  $\mathcal{S}$  receives a random bit  $ch \in \{0, 1\}$  from  $V^*$ .

3. **When  $ch = 0$ ,**  $\mathcal{S}$  sends  $\pi$  to  $V$  and decommits  $c_{i,j}$  to  $a_{i,j}$  honestly for every  $i, j \in [q']$ . That is,  $\mathcal{S}$  sends  $d_{i,j} := \text{GJS-Dec}_{G,G',r}(c_{i,j}, a_{i,j}, \rho_{i,j})$  to  $V$  for every  $i, j \in [q']$ .

**When  $ch = 1$ ,**  $\mathcal{S}$  decommits  $c_{i,j}$  to 1 honestly for every  $i, j$  such that edge  $(i, j)$  is on the Hamiltonian cycle  $\pi(w')$  in  $H$ . That is, for every such  $i$  and  $j$ ,  $\mathcal{S}$  sends  $d_{i,j} := \text{GJS-Dec}_{G,G',r}(c_{i,j}, a_{i,j}, \rho_{i,j})$  to  $V^*$ .

**Simulating leakage queries in Stage 2.** When  $V^*$  makes a leakage query  $f$ ,  $\mathcal{S}$  simulates the leakage as follows. Recall that in Stage 2-1, a honest prover commits to a  $q' \times q'$  zero matrix whereas  $\mathcal{S}$  commits to the adjacent matrix of  $H$ . Hence,  $\mathcal{S}$  simulates the leakage by “explaining” commitments  $\{c_{i,j}\}_{i,j \in [q']}$  to  $\{a_{i,j}\}_{i,j \in [q']}$  as commitments to  $\{0\}$  by using the adaptive security of GJS-Com and the knowledge of  $w'$ . Concretely,  $\mathcal{S}$  does the following.

- First, for each  $i, j \in [q']$ ,  $\mathcal{S}$  constructs a function  $F_{i,j}(\cdot)$  such that on input  $w$ , it outputs  $\tilde{\rho}_{i,j}$  such that  $\text{GJS-Com}_{G,G',r}(0; \tilde{\rho}_{i,j}) = c_{i,j}$ . Concretely, when  $a_{i,j} = 0$ ,  $F_{i,j}(\cdot)$  is a function that always outputs  $\rho_{i,j}$ , and when  $a_{i,j} = 1$ ,  $F_{i,j}(\cdot) \stackrel{\text{def}}{=} \text{GJS-ExplainAsZero}_{G,G',r}(c_{i,j}, \cdot, w', \rho_{i,j})$ .
- Next,  $\mathcal{S}$  constructs a function  $\tilde{f}$  such that on input  $w$ , it computes  $\text{tape} := \text{msgs} \parallel \{F_{i,j}(w)\}_{i,j \in [q']}$  and outputs  $f(w, \text{tape})$ .
- Finally,  $\mathcal{S}$  queries  $\tilde{f}$  to  $\mathcal{L}_w$  and forwards the reply from  $\mathcal{L}_w$  to  $V^*$ .

### 5.2.2 Amount of total leakage.

From the construction of  $\mathcal{S}$ , it always obtains at most the same amount of leakages as  $V^*$ . Hence, we have

$$\Pr [\text{IDEAL}_{\mathcal{S}}(x, w_x, z) = \perp] = 0 .$$

### 5.2.3 Indistinguishability of views.

We show that for any cheating verifier  $V^*$  and any sequence  $\{w_G\}_{G \in \text{L}_{\text{HC}}}$  such that  $w_G \in \mathbf{R}_{\text{HC}}(G)$ , the following indistinguishability holds.

$$\{\text{REAL}_{V^*}(G, w_G, z)\}_{G \in \text{L}_{\text{HC}}, z \in \{0,1\}^*} \approx \{\text{IDEAL}_{\mathcal{S}}(G, w_G, z)\}_{G \in \text{L}_{\text{HC}}, z \in \{0,1\}^*} . \quad (5)$$

Toward this end, we consider the following hybrid experiments.

**Hybrid  $\text{HYB}_0(G, z)$**  is identical with experiment  $\text{REAL}_{V^*}(G, w, z)$ . That is,  $V^*$  interacts with honest  $P(G, w)$  and obtains leakage that is computed honestly based on witness  $w$  and the prover’s randomness. The outputs of this hybrid is the view of  $V^*$ .

**Hybrid  $\text{HYB}_1(G, z)$**  is the same as  $\text{HYB}_0$  except for the following.

- In Stage 1, a honest prover is replaced with the simulator. That is,  $c$  is computed by committing to  $h(V^*)$ ,  $\widehat{\beta}$  is computed by committing to  $\beta$ , and  $\widehat{\delta}$  is computed by committing to  $\delta$ .

Let  $\tau$  and  $\bar{w}$  be the statement and the witness generated in it. Let  $G'$  and  $w'$  be the graph and its Hamiltonian cycle that are obtained by reducing statement “ $\tau \in \mathbb{L}_{\text{B}}$ ” to Hamiltonicity problem through the  $\mathcal{NP}$  reduction.

- The leakage queries are answered by considering that the randomness generated by the prover during Stage 1 is equal to the messages sent to  $V^*$  during Stage 1.

**Hybrid  $\text{HYB}_2(G, z)$**  is the same as  $\text{HYB}_1$  except for the following.

- As in  $\mathcal{S}$ , a random permutation  $\pi$  is chosen randomly at the beginning of Stage 2-1. Let  $H \stackrel{\text{def}}{=} \pi(G')$ , and  $A = \{a_{i,j}\}_{i,j \in [q']}$  be the adjacent matrix of  $H$ . Let  $\pi(w')$  be the Hamiltonian cycle in  $H$  that is obtained by applying  $\pi$  on Hamiltonian cycle  $w'$  in  $G'$ .  
We remark that in this hybrid, the prover still commits to a  $q' \times q'$  zero matrix as in  $\text{HYB}_1$ . Also, the leakage query immediately after Stage 2-1 is answered in exactly the same way as in  $\text{HYB}_1$ . In particular, when the leakage query is answered,  $\pi$  is not included in the randomness generated by the prover in Stage 2-1.
- In Stage 2-3, graph  $H_0$  or  $H_1$  is chosen as follows.

**When  $ch = 0$ ,**  $H_0 := H$ .

**When  $ch = 1$ ,**  $H_1$  is the graph that is obtained by removing every edge in  $H$  except for the ones on Hamiltonian cycle  $\pi(w')$ .

The leakage query immediately after Stage 2-3 is answered in the same way as in  $\text{HYB}_1$  by considering that  $H_0$  or  $H_1$  was chosen during Stage 2-3 as in  $\text{HYB}_1$ .

**Hybrid  $\text{HYB}_3(G, z)$**  is the same as  $\text{HYB}_2$  except for the following.

- In Stage 2-1, for every  $i, j \in [q']$ , commitment  $c_{i,j}$  is computed by committing to  $a_{i,j}$  (instead of 0), i.e.,  $c_{i,j} \leftarrow \text{GJS-Com}_{G,G',r}(a_{i,j})$ .
- In Stage 2-3, for every  $i, j \in [q']$ , if commitment  $c_{i,j}$  need to be decommitted, it is decommitted to  $a_{i,j}$  honestly.
- When the leakage queries are answered during Stage 2, the randomness  $\rho_{i,j}$  used for computing  $c_{i,j}$  is simulated by  $\bar{\rho}_{i,j}$  that is computed by function  $F_{i,j}$  as in  $\mathcal{S}$  for every  $i, j \in [q']$ .

**Hybrid  $\text{HYB}_4(G, z)$**  is identical with  $\text{IDEAL}_{\mathcal{S}}(x, w, z)$ . That is,  $\mathcal{S}(G, z)$  is executed given access to  $\mathcal{L}_w$ . The outputs of this hybrid is that of  $\mathcal{S}$ .

From a hybrid argument, we can obtain Equation (5) by showing that the outputs of each neighboring hybrids are indistinguishable. Let  $\text{HYB}_i(x, z)$  be the random variable representing the output of  $\text{HYB}_i(x, z)$  for each  $i \in \{0, \dots, 4\}$ .

**Claim 4.** *We have the following indistinguishability.*

$$\{\text{HYB}_0(G, z)\}_{G \in \mathcal{L}_{\text{HC}}, z \in \{0,1\}^*} \approx \{\text{HYB}_1(G, z)\}_{G \in \mathcal{L}_{\text{HC}}, z \in \{0,1\}^*} .$$

*Proof.*  $\text{HYB}_1$  differs from  $\text{HYB}_0$  only in that fake commitments of  $\text{Com}$  and  $\text{SWExtCom}$  are replaced with real commitments. Hence, the indistinguishability follows from the security of  $\text{Com}_{\text{pub}}$  and  $C_{\text{pub}}$  (see Section 3.4 and 3.8).  $\square$

**Claim 5.** *We have the following indistinguishability.*

$$\{\text{HYB}_1(G, z)\}_{G \in \mathcal{L}_{\text{HC}}, z \in \{0,1\}^*} \equiv \{\text{HYB}_2(G, z)\}_{G \in \mathcal{L}_{\text{HC}}, z \in \{0,1\}^*} .$$

*Proof.* This claim can be proven by inspection. Observe that  $\text{HYB}_2$  differs from  $\text{HYB}_1$  only in the way graph  $H_0$  or  $H_1$  is chosen in Stage 2. When  $ch = 0$ , the distribution of  $H_0$  in  $\text{HYB}_2$  is the same as that in  $\text{HYB}_1$  since  $H_0$  is obtained both in  $\text{HYB}_2$  and  $\text{HYB}_1$  by applying a random permutation on  $G'$ . When  $ch = 1$ , the distribution of  $H_1$  in  $\text{HYB}_2$  is the same as that in  $\text{HYB}_1$  since the Hamiltonian cycle  $w'$  in  $G'$  is mapped to a random  $q$ -cycle by  $\pi$ . Hence, the output of  $\text{HYB}_2$  is identically distributed with that of  $\text{HYB}_1$ .  $\square$

**Claim 6.** *We have the following indistinguishability.*

$$\{\text{HYB}_2(G, z)\}_{G \in \mathbf{L}_{\text{HC}}, z \in \{0,1\}^*} \approx \{\text{HYB}_3(G, z)\}_{G \in \mathbf{L}_{\text{HC}}, z \in \{0,1\}^*} .$$

*Proof.* Assume for contradiction that for infinitely many  $G \in \mathbf{L}_{\text{HC}}$ , there exists  $z \in \{0,1\}^*$  such that a distinguisher  $\mathcal{D}$  distinguishes  $\text{HYB}_2(G, z)$  and  $\text{HYB}_3(G, z)$  with advantage  $1/p(n)$  for a polynomial  $p(\cdot)$ . Fix any such  $G$  and  $z$ . To derive a contradiction, we consider the following intermediate hybrids.

**Hybrid  $\text{HYB}_{2:0}(G, z)$**  is identical with  $\text{HYB}_2(G, z)$ .

**Hybrid  $\text{HYB}_{2:k}(G, z)$** , where  $k \in [q'^2]$ , is the same as  $\text{HYB}_{2:k-1}$  except for the following. Let  $u \stackrel{\text{def}}{=} \lfloor (k-1)/q' \rfloor + 1$  and  $v \stackrel{\text{def}}{=} k - \lfloor (k-1)/q' \rfloor \cdot q'$ .

- In Stage 2-1, commitment  $c_{u,v}$  is computed by committing to  $a_{u,v}$  (instead of 0), i.e.,  $c_{u,v} \leftarrow \text{GJS-Com}_{G,G',r}(a_{u,v})$ .
- In Stage 2-3, if commitment  $c_{u,v}$  need to be decommitted, it is decommitted to  $a_{u,v}$  honestly.
- When the leakage queries are answered during Stage 2, the randomness  $\rho_{u,v}$  used for computing  $c_{u,v}$  is simulated by  $\tilde{\rho}_{u,v}$  that is computed by function  $F_{u,v}$  as in  $\mathcal{S}$ .

Clearly,  $\text{HYB}_{2:q'^2}$  is identical with  $\text{HYB}_3$ . Hence, there exists  $k^* \in [q'^2]$  such that the output of  $\text{HYB}_{2:k^*-1}$  and that of  $\text{HYB}_{2:k^*}$  can be distinguished with advantage  $1/q'^2 p(n)$ . Furthermore, from an average argument, there exists a prefix  $\sigma$  of the execution of  $\text{HYB}_{k^*-1}$  up until permutation  $\pi$  is chosen in Stage 2-1 (i.e., just before  $\{c_{i,j}\}_{i,j \in [q']}$  is sent to  $V^*$ ) such that under the condition that a prefix of the execution is  $\sigma$ , the output of  $\text{HYB}_{2:k^*-1}$  and that of  $\text{HYB}_{2:k^*}$  can be distinguished with advantage  $1/q'^2 p(n)$ . Notice that  $\sigma$  determines  $G', w', r, \{a_{i,j}\}_{i,j \in [q]}$ .

We derive a contradiction by showing that we can break the adaptive security of  $\text{GJS-Com}$  (Lemma 8). Specifically, we show that  $\text{EXP}_0^{\text{GJS}}(n, G, G', w, w', r)$  and  $\text{EXP}_1^{\text{GJS}}(n, G, G', w, w', r)$  can be distinguished with advantage  $1/q'^2 p(n)$ . Toward this end, consider the following distinguisher  $\mathcal{D}'$ .

- Externally,  $\mathcal{D}'$  takes  $(c, \rho_0, d_1)$  as well as  $(n, G, G', w, w', r)$  as input.  $\mathcal{D}'$  also takes  $(\sigma, z)$  as non-uniform input.
- Internally,  $\mathcal{D}'$  invokes  $V^*$  and simulates  $\text{HYB}_{2:k^*-1}(G, z)$  for  $V^*$  from  $\sigma$  honestly except for the following. Let  $u^* \stackrel{\text{def}}{=} \lfloor (k^*-1)/q' \rfloor + 1$  and  $v^* \stackrel{\text{def}}{=} k^* - \lfloor (k^*-1)/q' \rfloor \cdot q'$ . Notice that it must hold that  $a_{u^*,v^*} = 1$  since  $\text{HYB}_{2:k^*}$  is identical with  $\text{HYB}_{2:k^*-1}$  when  $a_{u^*,v^*} = 0$ .
  - In Stage 2-1, commitment  $c_{u^*,v^*}$  is defined by setting  $c_{u^*,v^*} := c$ .
  - In Stage 2-3, when commitment  $c_{u^*,v^*}$  is decommitted, it is decommitted to  $a_{u^*,v^*} = 1$  by sending  $d_1$ .
  - When the leakage queries are answered during Stage 2, the randomness  $\rho_{u^*,v^*}$  used for computing  $c_{u^*,v^*}$  is simulated by setting  $\tilde{\rho}_{u^*,v^*} := \rho_0$ .

Let  $\text{view}$  be the view of  $V^*$ . Then,  $\mathcal{D}'$  outputs  $\mathcal{D}(\text{view})$ .

When  $(c, \rho_0, d_1) \leftarrow \text{EXP}_0^{\text{GJS}}(n, G, G', w, w', r)$  (i.e., when  $c$  is a commitment to 0,  $\rho_0$  is the randomness that is used to generate  $c$ , and  $d_1$  is a decommitment to 1 that is computed by GJS-EquivToOne),  $\mathcal{D}'$  emulates  $\text{HYB}_{2:k^*-1}$  for  $V^*$  perfectly. On the other hand, when  $(c, \rho_0, d_1) \leftarrow \text{EXP}_1^{\text{GJS}}(n, G, G', w, w', r)$  (i.e., when  $c$  is a commitment to 1,  $\rho_0$  is randomness that is computed by GJS-ExplainAsZero, and  $d_1$  is a decommitment to 1 that is computed honestly),  $\mathcal{D}'$  emulates  $\text{HYB}_{2:k^*}$  for  $V^*$  perfectly. Hence, from our assumption,  $\mathcal{D}'$  distinguishes  $\text{EXP}_0^{\text{GJS}}(n, G, G', w, w', r)$  and  $\text{EXP}_1^{\text{GJS}}(n, G, G', w, w', r)$  with advantage  $1/q^2 p(n)$ , and therefore we reach a contradiction.  $\square$

**Claim 7.** *We have the following indistinguishability.*

$$\{\text{HYB}_3(G, z)\}_{G \in \mathcal{L}_{\text{HC}}, z \in \{0,1\}^*} \equiv \{\text{HYB}_4(G, z)\}_{G \in \mathcal{L}_{\text{HC}}, z \in \{0,1\}^*} .$$

*Proof.* In  $\text{HYB}_3$ , the prover interacts with  $V^*$  in exactly the same way as  $\mathcal{S}$ . Hence, the claim follows.  $\square$

From Claim 4, 5, 6, and 7, we obtain Equation (5). This concludes the proof of Lemma 10.  $\square$

This concludes the proof of Theorem 1.  $\square$

## References

- [AGP14] Prabhanjan Ananth, Vipul Goyal, and Omkant Pandey. Interactive proofs under continual memory leakage. In *CRYPTO*, pages 164–182, 2014.
- [AK96] Ross Anderson and Markus Kuhn. Tamper resistance: A cautionary note. In *WOEC*, pages 1–11, 1996.
- [Bar01] Boaz Barak. How to go beyond the black-box simulation barrier. In *FOCS*, pages 106–115, 2001.
- [BCH12] Nir Bitansky, Ran Canetti, and Shai Halevi. Leakage-tolerant interactive protocols. In *TCC*, pages 266–284, 2012.
- [BDL14] Nir Bitansky, Dana Dachman-Soled, and Huijia Lin. Leakage-tolerant computation with input-independent preprocessing. In *CRYPTO*, pages 146–163, 2014.
- [BG08] Boaz Barak and Oded Goldreich. Universal arguments and their applications. *SIAM J. Comput.*, 38(5):1661–1694, 2008.
- [BGJ<sup>+</sup>13] Elette Boyle, Sanjam Garg, Abhishek Jain, Yael Tauman Kalai, and Amit Sahai. Secure computation against adaptive auxiliary information. In *CRYPTO*, pages 316–334, 2013.
- [BGJK12] Elette Boyle, Shafi Goldwasser, Abhishek Jain, and Yael Tauman Kalai. Multiparty computation secure against continual memory leakage. In *STOC*, pages 1235–1254, 2012.
- [CLOS02] Ran Canetti, Yehuda Lindell, Rafail Ostrovsky, and Amit Sahai. Universally composable two-party and multi-party secure computation. In *STOC*, pages 494–503, 2002.
- [CPS13] Kai-Min Chung, Rafael Pass, and Karn Seth. Non-black-box simulation from one-way functions and applications to resettable security. In *STOC*, pages 231–240, 2013.

- [DPP98] Ivan Damgård, Torben P. Pedersen, and Birgit Pfitzmann. Statistical secrecy and multibit commitments. *IEEE Transactions on Information Theory*, 44(3):1143–1151, 1998.
- [FS89] Uriel Feige and Adi Shamir. Zero knowledge proofs of knowledge in two rounds. In *CRYPTO*, pages 526–544, 1989.
- [GJS11] Sanjam Garg, Abhishek Jain, and Amit Sahai. Leakage-resilient zero knowledge. In *CRYPTO*, pages 297–315, 2011.
- [GK96] Oded Goldreich and Ariel Kahan. How to construct constant-round zero-knowledge proof systems for NP. *J. Cryptology*, 9(3):167–190, 1996.
- [GMR89] Shafi Goldwasser, Silvio Micali, and Charles Rackoff. The knowledge complexity of interactive proof systems. *SIAM J. Comput.*, 18(1):186–208, 1989.
- [HILL99] Johan Håstad, Russell Impagliazzo, Leonid A. Levin, and Michael Luby. A pseudorandom generator from any one-way function. *SIAM J. Comput.*, 28(4):1364–1396, 1999.
- [HNO<sup>+</sup>09] Iftach Haitner, Minh-Huyen Nguyen, Shien Jin Ong, Omer Reingold, and Salil P. Vadhan. Statistically hiding commitments and statistical zero-knowledge arguments from any one-way function. *SIAM J. Comput.*, 39(3):1153–1218, 2009.
- [Koc96] Paul C. Kocher. Timing attacks on implementations of diffie-hellman, rsa, dss, and other systems. In *CRYPTO*, pages 104–113, 1996.
- [LZ11] Yehuda Lindell and Hila Zarosim. Adaptive zero-knowledge proofs and adaptively secure oblivious transfer. *J. Cryptology*, 24(4):761–799, 2011.
- [Nao91] Moni Naor. Bit commitment using pseudorandomness. *J. Cryptology*, 4(2):151–158, 1991.
- [NY89] Moni Naor and Moti Yung. Universal one-way hash functions and their cryptographic applications. In *STOC*, pages 33–43, 1989.
- [OPV15] Rafail Ostrovsky, Giuseppe Persiano, and Ivan Visconti. Impossibility of black-box simulation against leakage attacks. In *CRYPTO*, pages 130–149, 2015.
- [Pan14] Omkant Pandey. Achieving constant round leakage-resilient zero-knowledge. In *TCC*, pages 146–166, 2014.
- [PR05a] Rafael Pass and Alon Rosen. Concurrent non-malleable commitments. In *FOCS*, pages 563–572, 2005.
- [PR05b] Rafael Pass and Alon Rosen. New and improved constructions of non-malleable cryptographic protocols. In *STOC*, pages 533–542, 2005.
- [PW09] Rafael Pass and Hoeteck Wee. Black-box constructions of two-party protocols from one-way functions. In *TCC*, pages 403–418, 2009.
- [QS01] Jean-Jacques Quisquater and David Samyde. Electromagnetic analysis (EMA): measures and counter-measures for smart cards. In *E-smart*, pages 200–210, 2001.
- [Yao86] Andrew Chi-Chih Yao. How to generate and exchange secrets (extended abstract). In *FOCS*, pages 162–167, 1986.