

# Tightly SIM-SO-CCA Secure Public Key Encryption from Standard Assumptions<sup>\*</sup>

Lin Lyu<sup>1,2</sup>, Shengli Liu<sup>1,2,3(✉)</sup>, Shuai Han<sup>1,2,4</sup>, and Dawu Gu<sup>5,1</sup>

<sup>1</sup> Dept. of Computer Science and Engineering,  
Shanghai Jiao Tong University, Shanghai 200240, China  
{lvlin, slliu, dalen17, dwgu}@sjtu.edu.cn

<sup>2</sup> State Key Laboratory of Cryptology, P.O. Box 5159, Beijing 100878, China

<sup>3</sup> Westone Cryptologic Research Center, Beijing 100070, China

<sup>4</sup> Karlsruhe Institute of Technology, Karlsruhe, Germany

<sup>5</sup> Shanghai Institute for Advanced Communication and Data Science,  
Shanghai, China

**Abstract.** Selective opening security (SO security) is desirable for public key encryption (PKE) in a multi-user setting. In a selective opening attack, an adversary receives a number of ciphertexts for possibly correlated messages, then it opens a subset of them and gets the corresponding messages together with the randomnesses used in the encryptions. SO security aims at providing security for the unopened ciphertexts. Among the existing simulation-based, selective opening, chosen ciphertext secure (SIM-SO-CCA secure) PKEs, only one (Libert *et al.* Crypto'17) enjoys *tight* security, which is reduced to the Non-Uniform LWE assumption. However, their public key and ciphertext are not compact.

In this work, we focus on constructing PKE with *tight* SIM-SO-CCA security based on standard assumptions. We formalize security notions needed for key encapsulation mechanism (KEM) and show how to transform these securities into SIM-SO-CCA security of PKE through a tight security reduction, while the construction of PKE from KEM follows the general framework proposed by Liu and Paterson (PKC'15). We present two KEM constructions with tight securities based on the Matrix Decision Diffie-Hellman assumption. These KEMs in turn lead to two tightly SIM-SO-CCA secure PKE schemes. One of them enjoys not only tight security but also compact public key.

## 1 Introduction

**Selective Opening Security.** In the context of public key encryption (PKE), IND-CPA(CCA) security is widely believed to be the right security notion. However, multi-user settings enable more complicated attacks and the traditional IND-CPA(CCA) security may not be strong enough. Consider a scenario of  $N$  senders and one receiver. The senders encrypt  $N$  (possibly correlated) messages  $\mathbf{m}_1, \dots, \mathbf{m}_N$  under the receiver's public key  $\text{pk}$  using fresh randomnesses  $\mathbf{r}_1, \dots, \mathbf{r}_N$  to get ciphertexts  $\mathbf{c}_1, \dots, \mathbf{c}_N$ , respectively, i.e., each sender  $i$  computes  $\mathbf{c}_i = \text{Enc}(\text{pk}, \mathbf{m}_i; \mathbf{r}_i)$ . Upon receiving the ciphertexts  $\mathbf{c}_1, \dots, \mathbf{c}_N$ , the adversary might be able to open a subset of them via implementing corruptions. Namely, by corrupting a subset of users, say  $I \subset [N]$ , the adversary obtains the messages  $\{\mathbf{m}_i\}_{i \in I}$  together with the randomnesses  $\{\mathbf{r}_i\}_{i \in I}$ . Such an attack is called selective opening attack (SOA). It is desirable that the unopened ciphertexts  $\{\mathbf{c}_i\}_{i \in [N] \setminus I}$  still protect the privacy of  $\{\mathbf{m}_i\}_{i \in [N] \setminus I}$ , which is exactly what the SO security concerns.

---

<sup>\*</sup> This is the full version of a paper that appeared in PKC 2018.

The potential correlation between  $\{\mathbf{m}_i\}_{i \in I}$  and  $\{\mathbf{m}_i\}_{i \in [N] \setminus I}$  hinders the use of hybrid argument proof technique. Hence, traditional IND-CPA security may not imply SO security. To date, there exist two types of SO security formalizations: indistinguishability-based SO security (IND-SO, [BHY09, BHK12]) and simulation-based SO security (SIM-SO, [BHY09, DNRS99]). According to whether the adversary has access to a decryption oracle, these securities are further classified into IND-SO-CPA, IND-SO-CCA, SIM-SO-CPA and SIM-SO-CCA.

Intuitively, IND-SO security requires that, given public key  $\text{pk}$ , ciphertexts  $\{\mathbf{c}_i\}_{i \in [N]}$ , the opened messages  $\{\mathbf{m}_i\}_{i \in I}$  and randomnesses  $\{\mathbf{r}_i\}_{i \in I}$  (together with a decryption oracle in the CCA case), the unopened messages  $\{\mathbf{m}_i\}_{i \in [N] \setminus I}$  remain computationally indistinguishable from independently sampled messages conditioned on the already opened messages  $\{\mathbf{m}_i\}_{i \in I}$ . Accordingly, the IND-SO security usually requires the message distributions be *efficiently conditionally re-samplable* [BHY09, HLOV11, Hof12] (and such security is referred to as *weak* IND-SO security in [BHK12]), which limits its application scenarios.

On the other hand, SIM-SO security is conceptually similar to semantic security [GM84]. It requires that the output of the SO adversary can be simulated by a simulator which only takes the opened messages  $\{\mathbf{m}_i\}_{i \in I}$  as its input after it assigns the corruption set  $I$ . Since there is no restriction on message distribution, SIM-SO security has an advantage over IND-SO security from an application point of view. SIM-SO security was also shown to be stronger than (weak) IND-SO security in [BHK12]. However, as shown in [HJR16], SIM-SO security turns out to be significantly harder to achieve.

Generally speaking, there are two approaches to achieve SIM-SO-CCA security. The first approach uses lossy trapdoor functions [PW08], All-But- $N$  lossy trapdoor functions [HLOV11] or All-But-Many lossy trapdoor functions [Hof12] to construct lossy encryption schemes. If this lossy encryption has an efficient opener, then the resulting PKE scheme can be proven to be SIM-SO-CCA secure as shown in [BHY09]. A DCR-based scheme in [Hof12] and a LWE-based scheme in [LSSS17] are the only two schemes known to have such an opener. The second approach uses extended hash proof system and cross-authentication codes (XACs) [FHKW10]. As pointed out in [HLQ13, HLQC13], a stronger property of XAC is required to make this proof rigorous. Following this line of research, Liu and Paterson proposed a general framework for constructing SIM-SO-CCA PKE from a special kind of key encapsulation mechanism (KEM) in combination with a strengthened XAC [LP15].

**Tight Security Reductions.** Usually, the security of a cryptographic primitive is established on the hardness of some underlying mathematical problems through a *security reduction*. It shows that any successful probabilistic polynomial-time (PPT) adversary  $\mathcal{A}$  breaking the cryptographic primitive with advantage  $\epsilon_{\mathcal{A}}$  can be transformed into a successful PPT problem solver  $\mathcal{B}$  for the underlying hard problem with advantage  $\epsilon_{\mathcal{B}}$ . The ideal case is  $\epsilon_{\mathcal{A}} = \epsilon_{\mathcal{B}}$ . However, most reductions suffer from a loss in the advantage, for example,  $\epsilon_{\mathcal{A}} = L \cdot \epsilon_{\mathcal{B}}$  where  $L$  is called *security loss factor* of the reduction. Smaller  $L$  always indicates a better security level for a fixed security parameter. For a PKE scheme,  $L$  usually depends on  $\lambda$  (the security parameter) as well as  $Q_e$  (the number of challenge ciphertexts) and  $Q_d$  (the number of decryption queries). A security reduction for a PKE scheme is *tight* and the PKE scheme is called a *tightly secure* one [GHKW16, Hof17] if  $L$  depends only on the security parameter  $\lambda$ <sup>6</sup> (and is independent of both  $Q_e$  and  $Q_d$ ).

<sup>6</sup> According to [CW13, GHK17], such a security reduction is called an *almost tight* one and a security reduction is *tight* only if  $L$  is a constant.

Note that for concrete settings,  $\lambda$  is much smaller than  $Q_e$  and  $Q_d$  (for example,  $\lambda = 80$  and  $Q_e, Q_d$  can be as large as  $2^{20}$  or even  $2^{30}$  in some settings). Most reductions are not tight and it appears to be a non-trivial problem to construct tightly IND-CCA secure PKE schemes.

Among the existing SIM-SO-CCA secure PKEs, only one of them has a tight security reduction [LSSS17]. Very recently, Libert *et al.* [LSSS17] provide an all-but-many lossy trapdoor function with an efficient opener, leading to a tightly SIM-SO-CCA secure PKE based on the Non-Uniform LWE assumption. Note that, their construction relies on a specific tightly secure PRF which is computable in NC<sup>1</sup>. So far, no construction of such a PRF based on standard LWE assumption is known, which is why their PKE has to rely on a non-standard assumption. Meanwhile, there is no PKE scheme enjoying both tight SIM-SO-CCA security and compact public key & ciphertext up to now.

### 1.1 Our Contribution

We explore how to construct tightly SIM-SO-CCA secure PKE based on standard assumptions. Following the KEM+XAC framework proposed in [LP15],

- we characterize stronger security notions needed for KEM and present a tightness preserving security reduction, which shows the PKE is tightly SIM-SO-CCA secure as long as the underlying KEM is tightly secure;
- we present two KEM instantiations and prove that their security can be tightly reduced to the Matrix Decision Diffie-Hellman (MDDH) assumption, thus leading to two tightly SIM-SO-CCA secure PKE schemes. One of them enjoys not only tight security but also compact public key.

### 1.2 Technique Overview

Roughly speaking, to prove the SIM-SO-CCA security of a PKE (see for Definition 1), for any PPT adversary, we need to construct a simulator and show that the adversary's outputs are indistinguishable with those of the simulator. Naturally, such a simulator can be realized simply by simulating the entire real SO-CCA environment, invoking the adversary and returning the adversary's outputs. However, due to lack of essential information like messages and randomnesses, the simulator is not able to provide a perfect environment directly. Therefore, both the PKE scheme and the simulator has to be carefully designed, so that the simulator is able to provide the adversary a *computational indistinguishable* environment. To this end, we have to solve two problems.

- The first problem is how the simulator prepares ciphertexts for the adversary without knowing the messages.
- The second problem is how the simulator prepares randomnesses for the adversary according to the opened messages  $\{\mathbf{m}_i\}_{i \in I}$  that it receives later.

To solve the first problem, the simulator has to provide ciphertexts that are computational indistinguishable with real ciphertexts in the setting of selective opening (together with chosen-ciphertext attacks). As to the second problem, note that the adversary can always check the consistence between  $\{\mathbf{m}_i\}_{i \in I}, \{\mathbf{c}_i\}_{i \in I}$  and the randomnesses by re-encryption. Therefore, the simulator should not only provide indistinguishable ciphertexts but also be able to explain these ciphertexts as encryptions of any designated messages.

Liu and Paterson [LP15] solved these two problems and proposed a general framework for constructing SIM-SO-CCA secure PKE with the help of KEM in combination

with XAC. Their PKE construction encrypts message in a bitwise manner. Suppose the message  $\mathbf{m}$  has bit length  $\ell$ . If the  $i$ -th bit of  $\mathbf{m}$  is 1 ( $\mathbf{m}_i = 1$ ), a pair of encapsulation  $\psi_i$  and key  $\gamma_i$  is generated from KEM, i.e.,  $(\psi_i, \gamma_i) \leftarrow_{\S} \text{KEnc}(\text{pk}_{\text{kem}})$ . If  $\mathbf{m}_i = 0$ , a random pair is generated, i.e.,  $(\psi_i, \gamma_i) \leftarrow_{\S} \Psi \times \Gamma$ . Then a tag  $T$  is generated to bind up  $(\gamma_1, \dots, \gamma_\ell)$  and  $(\psi_1, \dots, \psi_\ell)$  via XAC. And the final ciphertext is  $C = (\psi_1, \dots, \psi_\ell, T)$ .

They construct a simulator in the following way.

- Without knowledge of the message, the simulator uses an encryption of  $1^\ell$  as the ciphertext. Thus the encryption involves  $\ell$  encapsulated pairs  $(\psi_i, \gamma_i) \leftarrow_{\S} \text{KEnc}(\text{pk}_{\text{kem}})$ . The simulator then saves all the randomnesses used in these encapsulations.

- When providing the randomnesses for the opened messages, the simulator checks the opened messages bit by bit. If a specific bit is 1, then the simulator outputs the original randomnesses and the simulation is perfect. Otherwise, the simulator views the encapsulated pair as a random pair. Then the simulator resamples randomnesses as if this pair is randomly chosen using these resampled randomnesses.

Thanks to the bit-wise encryption mode and the resampling property of spaces  $\Psi$  and  $\Gamma$ , an encapsulation pair (encrypting bit 1) can be easily explained as a random pair (encrypting bit 0). Therefore the second problem is solved.

To solve the first problem, one has to show that the encapsulated pairs and the random pairs are computationally indistinguishable. In [LP15], a special security named IND-tCCCA is formalized for KEM. This security guarantees that *one* encapsulated pair is computationally indistinguishable with *one* random pair even when a constrained decryption oracle is provided. With the help of IND-tCCCA security of KEM, the indistinguishability between the encryption of  $1^\ell$  and the encryption of real messages are proved with  $\ell$  hybrid arguments, each hybrid replacing only one encapsulated pair with one random pair.

To pursue tight security reduction, the  $\ell$  hybrid arguments have to be avoided. To this end, we enhance the IND-tCCCA security and consider the pseudorandomness for *multiple* pairs even when a constrained decryption oracle is provided. This new security for KEM is formalized as mPR-CCCA security in Definition 5. Armed with this enhanced security, it is possible to replace the  $\ell$  encapsulated pairs once for all in the security reduction from the SIM-SO-CCA security of PKE to the mPR-CCCA security of KEM. However, this gives rise to another problem. The SIM-SO-CCA adversary  $\mathcal{A}$  may submit a fresh ciphertext which shares the same encapsulation  $\psi$  with some challenge encapsulation. In the security reduction, the adversary  $\mathcal{B}$ , who invokes  $\mathcal{A}$  to attack the mPR-CCCA security of KEM, cannot ask its own decapsulation oracle to decapsulate  $\psi$  since  $\psi$  is already embedded in some challenge ciphertext for  $\mathcal{A}$ . To solve this problem, we define another security notion for KEM, namely, the Random Encapsulation Rejection (RER) security of KEM (cf. Definition 6). Equipped with the RER security of KEM and a security of XAC,  $\mathcal{B}$  could simply set 0 as the decryption bit for  $\psi$ .

Although the enhancement from IND-tCCCA to mPR-CCCA is conceptually simple, finding an mPR-CCCA secure KEM instantiation with tight reduction to standard assumptions is highly non-trivial. Inspired by the recent work on constructing tightly IND-CCA secure PKE [GHKW16, GHK17], we are able to give two tightly mPR-CCCA & RER secure KEM instantiations, one of which also enjoys compact public key.

### 1.3 Instantiation Overview

We provide two KEM instantiations.

The first KEM instantiation is inspired by a recent work in Eurocrypt'16. In the work [GHKW16], Gay *et al.* proposed the first tightly multi-challenge IND-CCA secure

PKE scheme based on the MDDH assumption. From their PKE construction, we extract a KEM and tightly prove its mPR-CCCA security & RER security based on the MDDH assumption.<sup>7</sup>

The second KEM instantiation is contained in a very recent work by Gay *et al.* [GHK17] in Crypto'17. In [GHK17], a qualified proof system (QPS) is proposed to construct multi-challenge IND-CCCA secure KEM, which can be used to obtain a tightly multi-challenge IND-CCA secure PKE scheme with help of an authenticated encryption scheme. Note that our mPR-CCCA security is stronger than multi-challenge IND-CCCA security. To achieve mPR-CCCA security, we formalize a so-called Pseudorandom Simulated Proof property for QPS. We prove that if QPS has this property, the KEM from QPS is mPR-CCCA secure. Finally, we show that the QPS in [GHK17] possesses the pseudorandom simulated proof property.

Compared with the first instantiation, the public key of our second KEM instantiation has a constant number of group elements. The compactness of public key is in turn transferred to the PKE, resulting in the first tightly SIM-SO-CCA secure PKE based on standard assumptions together with a compact public key.

## 2 Preliminaries

We use  $\lambda$  to denote the security parameter in this work. Let  $\varepsilon$  be the empty string. For  $n \in \mathbb{N}$ , denote by  $[n]$  the set  $\{1, \dots, n\}$ . Denote by  $s_1, \dots, s_n \leftarrow_{\S} S$  the process of picking  $n$  elements uniformly from set  $S$ . For a PPT algorithm  $\mathcal{A}$ , we use  $y \leftarrow \mathcal{A}(x; r)$  to denote the process of running  $\mathcal{A}$  on input  $x$  with randomness  $r$  and assigning the deterministic result to  $y$ . Let  $\mathcal{R}_{\mathcal{A}}$  be the randomness space of  $\mathcal{A}$ , we use  $y \leftarrow_{\S} \mathcal{A}(x)$  to denote  $y \leftarrow \mathcal{A}(x; r)$  where  $r \leftarrow_{\S} \mathcal{R}_{\mathcal{A}}$ . We use  $\mathbf{T}(\mathcal{A})$  to denote the running time of  $\mathcal{A}$ , which is a polynomial in  $\lambda$  if  $\mathcal{A}$  is PPT.

We use boldface letters to denote vectors or matrices. For a vector  $\mathbf{m}$  of finite dimension,  $|\mathbf{m}|$  denotes the dimension of the vector and  $\mathbf{m}_i$  denotes the  $i$ -th component of  $\mathbf{m}$ . For a set  $I = \{i_1, i_2, \dots, i_{|I|}\} \subseteq [|\mathbf{m}|]$ , define  $\mathbf{m}_I := (\mathbf{m}_{i_1}, \mathbf{m}_{i_2}, \dots, \mathbf{m}_{i_{|I|}})$ . For all matrix  $\mathbf{A} \in \mathbb{Z}_q^{\ell \times k}$  with  $\ell > k$ ,  $\overline{\mathbf{A}} \in \mathbb{Z}_q^{k \times k}$  denotes the upper square matrix of  $\mathbf{A}$  and  $\underline{\mathbf{A}} \in \mathbb{Z}_q^{(\ell-k) \times k}$  denotes the lower  $\ell - k$  rows of  $\mathbf{A}$ . By  $\text{span}(\mathbf{A}) := \{\mathbf{A}\mathbf{r} \mid \mathbf{r} \in \mathbb{Z}_q^k\}$ , we denote the span of  $\mathbf{A}$ . By  $\text{Ker}(\mathbf{A}^\top)$ , we denote the orthogonal space of  $\text{span}(\mathbf{A})$ . For  $\ell = k$ , we define the *trace* of  $\mathbf{A}$  as the sum of all diagonal elements of  $\mathbf{A}$ , i.e.,  $\text{trace}(\mathbf{A}) := \sum_{i=1}^k \mathbf{A}_{i,i}$ .

A function  $f(\lambda)$  is *negligible*, if for every  $c > 0$  there exists a  $\lambda_c$  such that  $f(\lambda) < 1/\lambda^c$  for all  $\lambda > \lambda_c$ .

We use game-based security proof. The games are illustrated using pseudo-codes in figures. By a box in a figure, we denote that the codes in the box appears in a specific game. For example,  $\boxed{G_4} \boxed{G_5}$  means that  $G_4$  contains the codes in  $\boxed{\text{dash box}}$ ,  $G_5$  contains the codes in  $\boxed{\text{oval box}}$ , and both of them contain codes in  $\boxed{\text{square box}}$ . Moreover, we assume that the unboxed codes are contained in all games. We use the notation  $\Pr_i[E]$  to denote the probability that event  $E$  occurs in game  $G_i$ , and use the notation  $G \Rightarrow 1$  to denote the event that game  $G$  returns 1. All variables in games are initialized to  $\perp$ . We use “ $\square$ ” to denote the end of proof of lemmas and use “ $\blacksquare$ ” to denote the end of proof of theorems.

We review the definitions of collision resistant hash function and universal hash function, together with leftover hash lemma in Appendix A.1.

<sup>7</sup> In [LLH17], a PKE with tight SIM-SO-CCA security is constructed directly on the MDDH assumption. Our work unified their work by characterizing the mPR-CCCA security and RER security for KEM.

## 2.1 Prime-order Groups

Let  $\text{GGen}$  be a PPT algorithm that on input  $1^\lambda$  returns  $\mathcal{G} = (\mathbb{G}, q, P)$ , a description of an additive cyclic group  $\mathbb{G}$  with a generator  $P$  of order  $q$  which is a  $\lambda$ -bit prime. For  $a \in \mathbb{Z}_q$ , define  $[a] := aP \in \mathbb{G}$  as the *implicit representation* of  $a$  in  $\mathbb{G}$ . More generally, for a matrix  $\mathbf{A} = (a_{ij}) \in \mathbb{Z}_q^{n \times m}$ , we define  $[\mathbf{A}]$  as the implicit representation of  $\mathbf{A}$  in  $\mathbb{G}$ , i.e.,  $[\mathbf{A}] := (a_{ij}P) \in \mathbb{G}^{n \times m}$ . Note that from  $[a] \in \mathbb{G}$  it is generally hard to compute the value  $a$  (discrete logarithm problem is hard in  $\mathbb{G}$ ). Obviously, given  $[a], [b] \in \mathbb{G}$  and a scalar  $x \in \mathbb{Z}$ , one can efficiently compute  $[ax] \in \mathbb{G}$  and  $[a + b] \in \mathbb{G}$ . Similarly, for  $\mathbf{A} \in \mathbb{Z}_q^{m \times n}, \mathbf{B} \in \mathbb{Z}_q^{n \times t}$ , given  $\mathbf{A}, \mathbf{B}$  or  $[\mathbf{A}], \mathbf{B}$  or  $\mathbf{A}, [\mathbf{B}]$ , one can efficiently compute  $[\mathbf{AB}] \in \mathbb{G}^{m \times t}$ .

We review the Matrix Decision Diffie-Hellman Assumption relative to  $\text{GGen}$  in Appendix A.2.

## 2.2 Simulation-based, Selective-Opening CCA Security of PKE

We recall the definition of public key encryption in Appendix A.3. Let  $\mathbf{m}$  and  $\mathbf{r}$  be two vectors of dimension  $n := n(\lambda)$ . Define  $\text{Enc}(\text{pk}, \mathbf{m}; \mathbf{r}) := (\text{Enc}(\text{pk}, \mathbf{m}_1; \mathbf{r}_1), \dots, \text{Enc}(\text{pk}, \mathbf{m}_n; \mathbf{r}_n))$  where  $\mathbf{r}_i$  is a fresh randomness used for the encryption of  $\mathbf{m}_i$  for  $i \in [n]$ . Then we review the SIM-SO-CCA security definition in [FHKW10]. Let  $\mathcal{M}$  denote an  $n$ -message sampler, which on input a string  $\alpha \in \{0, 1\}^*$  outputs a message vector  $\mathbf{m}$  of dimension  $n$ , i.e.,  $\mathbf{m} = (\mathbf{m}_1, \dots, \mathbf{m}_n)$ . Let  $R$  be any PPT relation.

$\text{Exp}_{\text{PKE}, \mathcal{A}, n, \mathcal{M}, R}^{\text{so-cca-real}}(\lambda):$	$\text{Exp}_{\mathcal{S}, n, \mathcal{M}, R}^{\text{so-cca-ideal}}(\lambda):$
$(\text{pk}, \text{sk}) \leftarrow_{\S} \text{Gen}(1^\lambda)$	$(\alpha, s_1) \leftarrow_{\S} \mathcal{S}_1(1^\lambda)$
$(\alpha, a_1) \leftarrow_{\S} \mathcal{A}_1^{\text{Dec}(\cdot)}(\text{pk})$	$\mathbf{m} \leftarrow_{\S} \mathcal{M}(\alpha)$
$\mathbf{m} \leftarrow_{\S} \mathcal{M}(\alpha), \mathbf{r} \leftarrow_{\S} (\mathcal{R}_{\text{Enc}})^n$	$(I, s_2) \leftarrow_{\S} \mathcal{S}_2(s_1, (1^{ \mathbf{m}_i })_{i \in [n]})$
$\mathbf{C} \leftarrow \text{Enc}(\text{pk}, \mathbf{m}; \mathbf{r})$	$out_{\mathcal{S}} \leftarrow_{\S} \mathcal{S}_3(s_2, \mathbf{m}_I)$
$(I, a_2) \leftarrow_{\S} \mathcal{A}_2^{\text{Dec}_{\neq \mathbf{C}}(\cdot)}(a_1, \mathbf{C})$	Return $R(\mathbf{m}, I, out_{\mathcal{S}})$
$\hat{\mathbf{r}}_I \leftarrow \mathbf{r}_I$	
$out_{\mathcal{A}} \leftarrow_{\S} \mathcal{A}_3^{\text{Dec}_{\neq \mathbf{C}}(\cdot)}(a_2, \mathbf{m}_I, \hat{\mathbf{r}}_I)$	
Return $R(\mathbf{m}, I, out_{\mathcal{A}})$	

Fig. 1. Experiments used in the definition of SIM-SO-CCA security of PKE

**Definition 1 (SIM-SO-CCA Security).** A PKE scheme  $\text{PKE} = (\text{Gen}, \text{Enc}, \text{Dec})$  is simulation-based, selective-opening, chosen-ciphertext secure (SIM-SO-CCA secure) if for every PPT  $n$ -message sampler  $\mathcal{M}$ , every PPT relation  $R$ , every stateful PPT adversary  $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2, \mathcal{A}_3)$ , there is a stateful PPT simulator  $\mathcal{S} = (\mathcal{S}_1, \mathcal{S}_2, \mathcal{S}_3)$  such that  $\text{Adv}_{\text{PKE}, \mathcal{A}, \mathcal{S}, n, \mathcal{M}, R}^{\text{so-cca}}(\lambda)$  is negligible, where

$$\text{Adv}_{\text{PKE}, \mathcal{A}, \mathcal{S}, n, \mathcal{M}, R}^{\text{so-cca}}(\lambda) := \left| \Pr \left[ \text{Exp}_{\text{PKE}, \mathcal{A}, n, \mathcal{M}, R}^{\text{so-cca-real}}(\lambda) = 1 \right] - \Pr \left[ \text{Exp}_{\mathcal{S}, n, \mathcal{M}, R}^{\text{so-cca-ideal}}(\lambda) = 1 \right] \right|.$$

Experiments  $\text{Exp}_{\text{PKE}, \mathcal{A}, n, \mathcal{M}, R}^{\text{so-cca-real}}(\lambda)$  and  $\text{Exp}_{\mathcal{S}, n, \mathcal{M}, R}^{\text{so-cca-ideal}}(\lambda)$  are defined in Figure 1. Here the restriction on  $\mathcal{A}$  is that  $\mathcal{A}_2, \mathcal{A}_3$  are not allowed to query the decryption oracle  $\text{Dec}(\cdot)$  with any challenge ciphertext  $\mathbf{C}_i \in \mathbf{C}$ .

### 2.3 Efficiently Samplable and Explainable (ESE) Domain

A domain  $\mathcal{D}$  is said to be *efficiently samplable and explainable* (ESE) [FHKW10] if there exist two PPT algorithms  $(\text{Sample}_{\mathcal{D}}, \text{Sample}_{\mathcal{D}}^{-1})$  where  $\text{Sample}_{\mathcal{D}}(1^\lambda)$  outputs a uniform element over  $\mathcal{D}$  and  $\text{Sample}_{\mathcal{D}}^{-1}(x)$ , on input  $x \in \mathcal{D}$ , outputs  $r$  that is uniformly distributed over the set  $\{r \in \mathcal{R}_{\text{Sample}_{\mathcal{D}}} \mid \text{Sample}_{\mathcal{D}}(1^\lambda; r) = x\}$ .

It was shown by Damgård and Nielsen in [DN00] that any dense subset of an efficiently samplable domain is ESE as long as the dense subset admits an efficient membership test.

### 2.4 Cross-Authentication Codes

The concept of XAC was first proposed by Fehr *et al.* in [FHKW10] and later adapted to strong XAC in [HLQC13] and strengthened XAC in [LDL<sup>+</sup>14].

#### Definition 2 ( $\ell$ -Cross-Authentication Code, XAC).

An  $\ell$ -cross-authentication code XAC (for  $\ell \in \mathbb{N}$ ) consists of three PPT algorithms  $(\text{XGen}, \text{XAuth}, \text{XVer})$  and two associated spaces, the key space  $\mathcal{XK}$  and the tag space  $\mathcal{XT}$ . The key generation algorithm  $\text{XGen}(1^\lambda)$  outputs a uniformly random key  $K \in \mathcal{XK}$ , the authentication algorithm  $\text{XAuth}(K_1, \dots, K_\ell)$  takes  $\ell$  keys  $(K_1, \dots, K_\ell) \in \mathcal{XK}^\ell$  as input and outputs a tag  $T \in \mathcal{XT}$ , and the verification algorithm  $\text{XVer}(K, T)$  outputs a decision bit.

**Correctness.**  $\text{fail}_{\text{XAC}}(\lambda) := \Pr[\text{XVer}(K_i, \text{XAuth}(K_1, \dots, K_\ell)) \neq 1]$  is negligible for all  $i \in [\ell]$ , where the probability is taken over  $K_1, \dots, K_\ell \leftarrow_{\S} \mathcal{XK}$ .

**Security against impersonation and substitution attacks.** Define

$$\epsilon_{\text{XAC}}^{\text{imp}}(\lambda) := \max_{T'} \Pr[\text{XVer}(K, T') = 1 \mid K \leftarrow_{\S} \mathcal{XK}] \text{ where max is over all } T' \in \mathcal{XT},$$

$$\text{and } \epsilon_{\text{XAC}}^{\text{sub}}(\lambda) := \max_{i, K_{\neq i}, F} \Pr \left[ \begin{array}{c} T' \neq T \\ \text{XVer}(K_i, T') = 1 \end{array} \middle| \begin{array}{c} K_i \leftarrow_{\S} \mathcal{XK}, \\ T \leftarrow \text{XAuth}(K_1, \dots, K_\ell), \\ T' \leftarrow F(T) \end{array} \right] \text{ where max is}$$

over all  $i \in [\ell]$ , all  $K_{\neq i} := (K_j)_{j \in [\ell] \setminus i} \in \mathcal{XK}^{\ell-1}$  and all (possibly randomized) functions  $F : \mathcal{XT} \rightarrow \mathcal{XT}$ . Then we say XAC is secure against impersonation and substitution attacks if both  $\epsilon_{\text{XAC}}^{\text{imp}}(\lambda)$  and  $\epsilon_{\text{XAC}}^{\text{sub}}(\lambda)$  are negligible.

**Definition 3 (Strong and semi-unique XACs).** An  $\ell$ -cross-authentication code XAC is strong and semi-unique if it has the following two properties.

**Strongness [HLQC13].** There exists a PPT algorithm  $\text{ReSamp}$ , which takes as input  $T \in \mathcal{XT}$  and  $i \in [\ell]$ , with  $K_1, \dots, K_\ell \leftarrow_{\S} \text{XGen}(1^\lambda), T \leftarrow \text{XAuth}(K_1, \dots, K_\ell)$ , and outputs  $\hat{K}_i \in \mathcal{XK}$ , denoted by  $\hat{K}_i \leftarrow_{\S} \text{ReSamp}(T, i)$ . Suppose for each fixed  $(k_1, \dots, k_{\ell-1}, t) \in (\mathcal{XK})^{\ell-1} \times \mathcal{XT}$ , the statistical distance between  $\hat{K}_i$  and  $K_i$ , conditioned on  $(K_{\neq i}, T) = (k_1, \dots, k_{\ell-1}, t)$ , is bounded by  $\delta(\lambda)$ , i.e.,

$$\frac{1}{2} \sum_{k \in \mathcal{XK}} \left| \frac{\Pr[\hat{K}_i = k \mid (K_{\neq i}, T) = (k_1, \dots, k_{\ell-1}, t)]}{\Pr[K_i = k \mid (K_{\neq i}, T) = (k_1, \dots, k_{\ell-1}, t)]} - 1 \right| \leq \delta(\lambda).$$

Then the code XAC is said to be  $\delta(\lambda)$ -strong or strong if  $\delta(\lambda)$  is negligible.

**Semi-Uniqueness [LDL<sup>+</sup>14].** The code XAC is said to be semi-unique if  $\mathcal{XK} = \mathcal{K}_x \times \mathcal{K}_y$ , and given  $T \in \mathcal{XT}$  and  $K^x \in \mathcal{K}_x$ , there exists at most one  $K^y \in \mathcal{K}_y$  such that  $\text{XVer}((K^x, K^y), T) = 1$ .

A concrete XAC instantiation by Fehr *et al.* in [FHKW10] is shown in Appendix A.4.

### 3 Key Encapsulation Mechanism

In this section, we recall the definition of key encapsulation mechanism and formalize two new security notions for it.

**Definition 4 (Key Encapsulation Mechanism).** A KEM  $\text{KEM}$  is a tuple of PPT algorithms  $(\text{KGen}, \text{KEnc}, \text{KDec})$  such that,  $\text{KGen}(1^\lambda)$  generates a (public, secret) key pair  $(\text{pk}_{\text{kem}}, \text{sk}_{\text{kem}})$ ;  $\text{KEnc}(\text{pk}_{\text{kem}})$  returns an encapsulation  $\psi \in \Psi$  and a key  $\gamma \in \Gamma$ , where  $\Psi$  is the encapsulation space and  $\Gamma$  is the key space;  $\text{KDec}(\text{sk}_{\text{kem}}, \psi)$  deterministically decapsulates  $\psi$  with  $\text{sk}_{\text{kem}}$  to get  $\gamma \in \Gamma$  or  $\perp$ .

We say KEM is perfectly correct if for all  $\lambda$ ,  $\Pr[\text{KDec}(\text{sk}_{\text{kem}}, \psi) = \gamma] = 1$ , where  $(\text{pk}_{\text{kem}}, \text{sk}_{\text{kem}}) \leftarrow_{\$} \text{KGen}(1^\lambda)$  and  $(\psi, \gamma) \leftarrow_{\$} \text{KEnc}(\text{pk}_{\text{kem}})$ .

#### 3.1 mPR-CCCA Security for KEM

We formalize a new security notion for KEM, namely mPR-CCCA. Roughly speaking, mPR-CCCA security guarantees pseudorandomness of multiple  $(\psi, \gamma)$  pairs outputted by  $\text{KEnc}$  even if a constrained decapsulation oracle is provided.

**Definition 5 (mPR-CCCA Security for KEM).** Let  $\mathcal{A}$  be an adversary and  $b \in \{0, 1\}$  be a bit. Let  $\text{KEM} = (\text{KGen}, \text{KEnc}, \text{KDec})$  be a KEM with encapsulation space  $\Psi$  and key space  $\Gamma$ . Define the experiment  $\text{Exp}_{\text{KEM}, \mathcal{A}}^{\text{mpr-ccca-}b}(\lambda)$  in Figure 2.

$\text{Exp}_{\text{KEM}, \mathcal{A}}^{\text{mpr-ccca-}b}(\lambda) // b \in \{0, 1\}$ $(\text{pk}_{\text{kem}}, \text{sk}_{\text{kem}}) \leftarrow_{\$} \text{KGen}(1^\lambda)$ $b' \leftarrow_{\$} \mathcal{A}^{\mathcal{O}_{\text{enc}}(), \mathcal{O}_{\text{dec}}(\cdot, \cdot)}(\text{pk}_{\text{kem}})$ Return $b'$	$\mathcal{O}_{\text{enc}}():$ $(\psi_0, \gamma_0) \leftarrow_{\$} \Psi \times \Gamma$ $(\psi_1, \gamma_1) \leftarrow_{\$} \text{KEnc}(\text{pk}_{\text{kem}})$ $\psi_{\text{enc}} \leftarrow \psi_{\text{enc}} \cup \{\psi_b\}$ Return $(\psi_b, \gamma_b)$	$\mathcal{O}_{\text{dec}}(\text{pred}, \psi):$ $\gamma \leftarrow \text{KDec}(\text{sk}_{\text{kem}}, \psi)$ Return $\begin{cases} \gamma & \text{If } \left( \psi \notin \psi_{\text{enc}} \wedge \right. \\ & \left. \text{pred}(\gamma) = 1 \right) \\ \perp & \text{Otherwise} \end{cases}$
---	---	---

**Fig. 2.** Experiment used in the definition of mPR-CCCA security of KEM

In  $\text{Exp}_{\text{KEM}, \mathcal{A}}^{\text{mpr-ccca-}b}(\lambda)$ ,  $\text{pred} : \Gamma \cup \{\perp\} \rightarrow \{0, 1\}$  denotes a PPT predicate and  $\text{pred}(\perp) := 0$ . Let  $Q_{\text{dec}}$  be the total number of decapsulation queries made by  $\mathcal{A}$ , which is independent of the environment without loss of generality. The uncertainty of  $\mathcal{A}$  is defined as  $\text{uncert}_{\mathcal{A}}(\lambda) := \frac{1}{Q_{\text{dec}}} \sum_{i=1}^{Q_{\text{dec}}} \Pr_{\gamma \leftarrow_{\$} \Gamma}[\text{pred}_i(\gamma) = 1]$ , where  $\text{pred}_i$  is the predicate in the  $i$ -th  $\mathcal{O}_{\text{dec}}$  query.

We say KEM has multi-encapsulation pseudorandom security against constrained CCA adversaries (mPR-CCCA security) if for each PPT adversary  $\mathcal{A}$  with negligible uncertainty  $\text{uncert}_{\mathcal{A}}(\lambda)$ , the advantage  $\text{Adv}_{\text{KEM}, \mathcal{A}}^{\text{mpr-ccca}}(\lambda)$  is negligible, where  $\text{Adv}_{\text{KEM}, \mathcal{A}}^{\text{mpr-ccca}}(\lambda) := \left| \Pr \left[ \text{Exp}_{\text{KEM}, \mathcal{A}}^{\text{mpr-ccca-}0}(\lambda) = 1 \right] - \Pr \left[ \text{Exp}_{\text{KEM}, \mathcal{A}}^{\text{mpr-ccca-}1}(\lambda) = 1 \right] \right|$ .

Note that the afore-defined mPR-CCCA security implies multi-challenge IND-CCCA security defined in [GHK17].

### 3.2 RER Security of KEM

We define Random Encapsulation Rejection security for KEM which requires the decapsulation of a random encapsulation is rejected overwhelmingly.

**Definition 6 (Random Encapsulation Rejection Security for KEM).** Let  $\text{KEM} = (\text{KGen}, \text{KEnc}, \text{KDec})$  be a KEM with encapsulation space  $\Psi$  and key space  $\Gamma$ . Let  $\mathcal{A}$  be a stateful adversary and  $b \in \{0, 1\}$  be a bit. Define the following experiment  $\text{Exp}_{\text{KEM}, \mathcal{A}}^{\text{rer-}b}(\lambda)$  in Figure 3.

$\text{Exp}_{\text{KEM}, \mathcal{A}}^{\text{rer-}b}(\lambda): \quad // b \in \{0, 1\}$ $(\text{pk}_{\text{kem}}, \text{sk}_{\text{kem}}) \leftarrow_{\S} \text{KGen}(1^\lambda)$ $\psi_{\text{ran}} \leftarrow \emptyset$ $(st, 1^n) \leftarrow_{\S} \mathcal{A}^{\mathcal{O}_{\text{cha}}(\cdot, \cdot)}(\text{pk}_{\text{kem}})$ $\psi_{\text{ran}} = \{\psi_1, \dots, \psi_n\} \leftarrow_{\S} \Psi^n$ $b' \leftarrow_{\S} \mathcal{A}^{\mathcal{O}_{\text{cha}}(\cdot, \cdot)}(st, \psi_{\text{ran}})$ $\text{Return } b'$	$\mathcal{O}_{\text{cha}}(\text{pred}, \psi):$ $\text{If } \psi \notin \psi_{\text{ran}}:$ $\quad \text{Return } \text{pred}(\text{KDec}(\text{sk}_{\text{kem}}, \psi))$ $\text{If } b = 1:$ $\quad \text{Return } \text{pred}(\text{KDec}(\text{sk}_{\text{kem}}, \psi))$ $\text{Else:}$ $\quad \text{Return } 0$
---	--

**Fig. 3.** Experiment used in the definition of RER property of KEM

In  $\text{Exp}_{\text{KEM}, \mathcal{A}}^{\text{rer-}b}(\lambda)$ ,  $\text{pred} : \Gamma \cup \{\perp\} \rightarrow \{0, 1\}$  denotes a PPT predicate and  $\text{pred}(\perp) := 0$ . Let  $Q_{\text{cha}}$  be the total number of  $\mathcal{O}_{\text{cha}}$  queries made by  $\mathcal{A}$ , which is independent of the environment without loss of generality. The uncertainty of  $\mathcal{A}$  is defined as  $\text{uncert}_{\mathcal{A}}(\lambda) := \frac{1}{Q_{\text{cha}}} \sum_{i=1}^{Q_{\text{cha}}} \Pr_{\gamma \leftarrow_{\S} \Gamma}[\text{pred}_i(\gamma) = 1]$ , where  $\text{pred}_i$  is the predicate in the  $i$ -th  $\mathcal{O}_{\text{cha}}$  query.

We say KEM has Random Encapsulation Rejection security (RER security) if for each PPT adversary  $\mathcal{A}$  with negligible uncertainty  $\text{uncert}_{\mathcal{A}}(\lambda)$ , the advantage

$$\text{Adv}_{\text{KEM}, \mathcal{A}}^{\text{rer}}(\lambda) := \left| \Pr[\text{Exp}_{\text{KEM}, \mathcal{A}}^{\text{rer-}0}(\lambda) = 1] - \Pr[\text{Exp}_{\text{KEM}, \mathcal{A}}^{\text{rer-}1}(\lambda) = 1] \right| \text{ is negligible.}$$

## 4 SIM-SO-CCA Secure PKE from KEM

### 4.1 PKE Construction

In Figure 4, we recall the general framework for constructing SIM-SO-CCA secure PKE proposed in [LP15]. A small difference from [LP15] is that we make use of hash function  $H_1$  to convert the key space of KEM to the key space of XAC.

**Ingredients.** This construction uses the following ingredients.

- $\text{KEM} = (\text{KGen}, \text{KEnc}, \text{KDec})$  with key space  $\Gamma$  & ESE encapsulation space  $\Psi$ .
- $(\ell + 1)$ -XAC XAC with ESE key space  $\mathcal{XK} = \mathcal{K}_x \times \mathcal{K}_y$ .
- Hash function  $H_1 : \Gamma \rightarrow \mathcal{XK}$  generated by hash function generator  $\mathcal{H}_1(1^\lambda)$ .
- Hash function  $H_2 : \Psi^\ell \rightarrow \mathcal{K}_y$  generated by hash function generator  $\mathcal{H}_2(1^\lambda)$ .

### 4.2 Tight Security Proof of PKE

In this subsection, we prove the SIM-SO-CCA security of PKE with tight reduction to the security of KEM. We state our main result in the following theorem.

<p><b>Gen</b>(<math>1^\lambda</math>):</p> <p><math>(\text{pk}_{\text{kem}}, \text{sk}_{\text{kem}}) \leftarrow_{\S} \text{KGen}(1^\lambda)</math></p> <p><math>\text{H}_1 \leftarrow_{\S} \mathcal{H}_1(1^\lambda)</math></p> <p><math>\text{H}_2 \leftarrow_{\S} \mathcal{H}_2(1^\lambda)</math></p> <p><math>K^x \leftarrow_{\S} \mathcal{K}_x</math></p> <p><math>\text{pk} \leftarrow (\text{pk}_{\text{kem}}, \text{H}_1, \text{H}_2, K^x)</math></p> <p><math>\text{sk} \leftarrow (\text{pk}, \text{sk}_{\text{kem}})</math></p> <p>Return <math>(\text{pk}, \text{sk})</math></p>	<p><b>Enc</b>(<math>\text{pk}, \mathbf{m} \in \{0, 1\}^\ell</math>):</p> <p>For <math>j \leftarrow 1</math> to <math>\ell</math>:</p> <p>  If <math>\mathbf{m}_j = 1</math>:</p> <p>    <math>(\psi_j, \gamma_j) \leftarrow_{\S} \text{KEnc}(\text{pk}_{\text{kem}})</math></p> <p>    <math>K_j \leftarrow \text{H}_1(\gamma_j)</math></p> <p>  Else:</p> <p>    <math>\psi_j \leftarrow_{\S} \Psi</math></p> <p>    <math>K_j \leftarrow_{\S} \mathcal{XK}</math></p> <p>  <math>K^y \leftarrow \text{H}_2(\psi_1, \dots, \psi_\ell)</math></p> <p>  <math>K_{\ell+1} \leftarrow (K^x, K^y)</math></p> <p>  <math>T \leftarrow \text{XAuth}(K_1, \dots, K_{\ell+1})</math></p> <p>Return <math>C \leftarrow (\psi_1, \dots, \psi_\ell, T)</math></p>	<p><b>Dec</b>(<math>\text{sk}, C = (\psi_1, \dots, \psi_\ell, T)</math>):</p> <p><math>\mathbf{m}' \leftarrow 0^\ell</math></p> <p><math>K^{y'} \leftarrow \text{H}_2(\psi_1, \dots, \psi_\ell)</math></p> <p><math>K'_{\ell+1} \leftarrow (K^x, K^{y'})</math></p> <p>If <math>\text{XVer}(K'_{\ell+1}, T) = 1</math>:</p> <p>  For <math>j \leftarrow 1</math> to <math>\ell</math>:</p> <p>    <math>\gamma'_j \leftarrow \text{KDec}(\text{sk}_{\text{kem}}, \psi_j)</math></p> <p>    <math>K'_j \leftarrow \text{H}_1(\gamma'_j)</math></p> <p>    <math>\mathbf{m}'_j \leftarrow \text{XVer}(K'_j, T)</math></p> <p>Return <math>\mathbf{m}'</math></p>
--	--	--

**Fig. 4.** Construction of PKE = (Gen, Enc, Dec).

**Theorem 1.** *Suppose the KEM  $\text{KEM}$  is  $m\text{PR-CCCA}$  and  $\text{RER}$  secure, the  $(\ell+1)$ -cross-authentication code  $\text{XAC}$  is  $\delta(\lambda)$ -strong, semi-unique, and secure against impersonation and substitution attacks;  $\mathcal{H}_1$  is universal;  $\mathcal{H}_2$  outputs collision resistant function. Then the PKE scheme  $\text{PKE}$  constructed in Figure 4 is  $\text{SIM-SO-CCA}$  secure. More precisely, for each PPT adversary  $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2, \mathcal{A}_3)$  against  $\text{PKE}$  in the  $\text{SIM-SO-CCA}$  real experiment, for each PPT  $n$ -message sampler  $\mathcal{M}$ , and each PPT relation  $R$ , we can construct a stateful PPT simulator  $\mathcal{S} = (\mathcal{S}_1, \mathcal{S}_2, \mathcal{S}_3)$  for the  $\text{SIM-SO-CCA}$  ideal experiment and PPT adversaries  $\mathcal{B}_1, \mathcal{B}_2, \mathcal{B}_3$  with  $\mathbf{T}(\mathcal{B}_1) \approx \mathbf{T}(\mathcal{B}_2) \approx \mathbf{T}(\mathcal{B}_3) \leq \mathbf{T}(\mathcal{A}) + Q_{\text{dec}} \cdot \text{poly}(\lambda)$ , such that*

$$\begin{aligned} \text{Adv}_{\text{PKE}, \mathcal{A}, \mathcal{S}, n, \mathcal{M}, R}^{\text{so-cca}}(\lambda) &\leq \text{Adv}_{\text{KEM}, \mathcal{B}_2}^{\text{mpr-ccca}}(\lambda) + \text{Adv}_{\text{KEM}, \mathcal{B}_3}^{\text{rer}}(\lambda) + \ell \cdot Q_{\text{dec}} \cdot \epsilon_{\text{XAC}}^{\text{sub}}(\lambda) \\ &\quad + 2\text{Adv}_{\mathcal{H}, \mathcal{B}_1}^{\text{cr}}(\lambda) + (n\ell) \cdot (\delta(\lambda) + \Delta), \end{aligned} \quad (1)$$

where  $Q_{\text{dec}}$  denotes the total number of  $\mathcal{A}$ 's decryption oracle queries,  $\text{poly}(\lambda)$  is a polynomial independent of  $\mathbf{T}(\mathcal{A})$  and  $\Delta = \frac{1}{2} \cdot \sqrt{|\mathcal{XK}|/|\Gamma|}$ .

**Remark.** If we instantiate the construction with the information-theoretically secure  $\text{XAC}$  in Appendix A.4 and choose proper set  $\mathcal{XK}$  and  $\Gamma$ , then  $\Delta, \delta(\lambda), \epsilon_{\text{XAC}}^{\text{imp}}(\lambda)$  and  $\epsilon_{\text{XAC}}^{\text{sub}}(\lambda)$  are all exponentially small in  $\lambda$ . Then (1) turns out to be

$$\text{Adv}_{\text{PKE}, \mathcal{A}, \mathcal{S}, n, \mathcal{M}, R}^{\text{so-cca}}(\lambda) \leq \text{Adv}_{\text{KEM}, \mathcal{B}_2}^{\text{mpr-ccca}}(\lambda) + \text{Adv}_{\text{KEM}, \mathcal{B}_3}^{\text{rer}}(\lambda) + 2\text{Adv}_{\mathcal{H}, \mathcal{B}_1}^{\text{cr}}(\lambda) + 2^{-\Omega(\lambda)}.$$

If the underlying KEM has tight  $m\text{PR-CCCA}$  security and  $\text{RER}$  security, then our PKE turns out to be tightly  $\text{SIM-SO-CCA}$  secure.

*Proof of Theorem 1.* For each PPT adversary  $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2, \mathcal{A}_3)$ , we can construct a stateful PPT simulator  $\mathcal{S} = (\mathcal{S}_1, \mathcal{S}_2, \mathcal{S}_3)$  as shown in Figure 5. In Appendix B, we illustrate the detailed ideas of the construction for  $\mathcal{S}$ .

The differences between the real and the ideal experiments lie in two aspects. The first is how the challenge ciphertext vector is generated and the second is how the corrupted ciphertexts are opened. In other words, the algorithms  $\text{SimCtGen}$  and  $\text{SimOpen}$  used by the simulator differ from the real experiment. In the proof, we focus on these two algorithms and gradually change them through a series of games starting with game  $G_0$  and ending with game  $G_9$ , with adjacent games being proved to be computationally

$\mathcal{S}_1(1^\lambda)$ : $(\text{pk}, \text{sk}) \leftarrow_{\S} \text{SimKeyGen}(1^\lambda)$ $(\alpha, a_1) \leftarrow_{\S} \mathcal{A}_1^{\text{Dec}(\cdot)}(\text{pk})$ Return $(\alpha, s_1 = (\text{pk}, \text{sk}, a_1))$  $\mathcal{S}_2(s_1, (1^{ \mathbf{m}_i })_{i \in [n]})$ : $(\mathbf{C}, \mathbf{R}, \mathbf{K}) \leftarrow_{\S} \text{SimCtGen}(\text{pk})$ $(I, a_2) \leftarrow_{\S} \mathcal{A}_2^{\text{Dec} \notin \mathcal{C}(\cdot)}(a_1, \mathbf{C})$ Return $(I, s_2 = (s_1, a_2, I, \mathbf{C}, \mathbf{R}, \mathbf{K}))$  $\mathcal{S}_3(s_2, \mathbf{m}_I)$ : $\hat{\mathbf{R}}_I \leftarrow_{\S} \text{SimOpen}(I, \mathbf{m}_I, \mathbf{C}, \mathbf{R}, \mathbf{K})$ $\text{out}_{\mathcal{A}} \leftarrow_{\S} \mathcal{A}_3^{\text{Dec} \notin \mathcal{C}(\cdot)}(a_2, \mathbf{m}_I, \hat{\mathbf{R}}_I)$ Return $\text{out}_{\mathcal{A}}$	$\text{SimKeyGen}(1^\lambda)$ : $(\text{pk}_{\text{kem}}, \text{sk}_{\text{kem}}) \leftarrow_{\S} \text{KGen}(1^\lambda), \text{H}_1 \leftarrow_{\S} \mathcal{H}_1(1^\lambda), \text{H}_2 \leftarrow_{\S} \mathcal{H}_2(1^\lambda), K^x \leftarrow_{\S} \mathcal{K}_x$ $\text{pk} \leftarrow (\text{pk}_{\text{kem}}, \text{H}_1, \text{H}_2, K^x), \text{sk} \leftarrow (\text{pk}, \text{sk}_{\text{kem}})$ Return $(\text{pk}, \text{sk})$
	$\text{SimCtGen}(\text{pk})$ : For $i \leftarrow 1$ to $n$ : For $j \leftarrow 1$ to $\ell$ : $r_{i,j} \leftarrow_{\S} \mathcal{R}_{\text{KEnc}}$ $(\psi_{i,j}, \gamma_{i,j}) \leftarrow \text{KEnc}(\text{pk}_{\text{kem}}, r_{i,j})$ $K_{i,j} \leftarrow \text{H}_1(\gamma_{i,j})$ $K_i^y \leftarrow \text{H}_2(\psi_{i,1}, \dots, \psi_{i,\ell})$ $K_{i,\ell+1} \leftarrow (K^x, K_i^y)$ $T_i \leftarrow \text{XAuth}(K_{i,1}, \dots, K_{i,\ell+1})$ $\mathbf{C}_i \leftarrow (\psi_{i,1}, \dots, \psi_{i,\ell}, T_i)$ $\mathbf{R}_i \leftarrow (r_{i,1}, \dots, r_{i,\ell})$ $\mathbf{K}_i \leftarrow (K_{i,1}, \dots, K_{i,\ell+1})$ Return $\begin{pmatrix} \mathbf{C} \\ \mathbf{R} \\ \mathbf{K} \end{pmatrix} = \begin{pmatrix} \mathbf{C}_1, \dots, \mathbf{C}_n \\ \mathbf{R}_1, \dots, \mathbf{R}_n \\ \mathbf{K}_1, \dots, \mathbf{K}_n \end{pmatrix}$

**Fig. 5.** Construction of simulator  $\mathcal{S} = (\mathcal{S}_1, \mathcal{S}_2, \mathcal{S}_3)$  for  $\text{Exp}_{\mathcal{S}, n, \mathcal{M}, \mathcal{R}}^{\text{so-cca-ideal}}(\lambda)$ .

indistinguishable. The full set of games are illustrated in Figure 6.

**Game  $G_0$ .** Game  $G_0$  is exactly the ideal experiment  $\text{Exp}_{\mathcal{S}, n, \mathcal{M}, \mathcal{R}}^{\text{so-cca-ideal}}(\lambda)$ . Hence

$$\Pr \left[ \text{Exp}_{\mathcal{S}, n, \mathcal{M}, \mathcal{R}}^{\text{so-cca-ideal}}(\lambda) = 1 \right] = \Pr_0[G \Rightarrow 1]. \quad (2)$$

**Game  $G_0 - G_1$ .** The only difference between  $G_1$  and  $G_0$  is that a collision check for  $\text{H}_2$  is added in  $G_1$  and  $G_1$  aborts if a collision is found. More precisely, we use a set  $\mathcal{Q}$  to log all the (input, output) pairs for  $\text{H}_2$  in algorithm  $\text{SimCtGen}$ . Then in the Dec oracle, if there exists a usage of  $\text{H}_2$  such that its output collides with some output in  $\mathcal{Q}$  but with different inputs, then a collision for  $\text{H}_2$  is found and the game  $G_1$  aborts immediately. It is straightforward to build a PPT adversary  $\mathcal{B}_1$  with  $\mathbf{T}(\mathcal{B}_1) \approx \mathbf{T}(\mathcal{A}) + Q_{\text{dec}} \cdot \text{poly}(\lambda)$ , where  $\text{poly}(\lambda)$  is a polynomial independent of  $\mathbf{T}(\mathcal{A})$ , such that,

$$|\Pr_0[G \Rightarrow 1] - \Pr_1[G \Rightarrow 1]| \leq \text{Adv}_{\mathcal{H}, \mathcal{B}_1}^{\text{cr}}(\lambda). \quad (3)$$

**Game  $G_1 - G_2$ .**  $G_2$  is essentially the same as  $G_1$  except for one conceptual change in the Dec oracle. More precisely, for a  $\text{Dec}(C = (\psi_1, \dots, \psi_\ell, T))$  query such that  $\exists(i, j) \in [n] \times [\ell], \eta \in [\ell]$  s.t.  $\mathbf{m}_{i,j} = 0 \wedge \psi_\eta = \psi_{i,j}$ ,

- in  $G_1$ , we proceed exactly the same as the decryption algorithm, i.e.,

$$\text{set } \mathbf{m}'_\eta \leftarrow \text{XVer}(\text{H}_1(\gamma'_\eta), T) \text{ where } \gamma'_\eta = \text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta);$$

- in  $G_2$ , we set  $\mathbf{m}'_\eta \leftarrow \text{XVer}(K_{i,j}, T)$ .

Since  $\psi_\eta = \psi_{i,j}$ ,  $\gamma'_\eta = \text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)$  and  $(\psi_{i,j}, \gamma_{i,j})$  is the output of  $\text{KEnc}(\text{pk}_{\text{kem}})$ , we have that  $\gamma'_\eta = \gamma_{i,j}$  due to the perfect correctness of KEM. Then  $K_{i,j} = \text{H}_1(\gamma_{i,j}) = \text{H}_1(\gamma'_\eta)$ . Thus the difference between  $G_1$  and  $G_2$  is only conceptual, and it follows

$$\Pr_1[G \Rightarrow 1] = \Pr_2[G \Rightarrow 1]. \quad (4)$$

<p><math>\text{Exp}_{S,n,\mathcal{M},R}^{\text{so-cca-ideal}}(\lambda)</math>:</p> <p><math>(\text{pk}, \text{sk}) \leftarrow_{\S} \text{SimKeyGen}(1^\lambda)</math></p> <p><math>(\alpha, a_1) \leftarrow_{\S} \mathcal{A}_1^{\text{Dec}(\cdot)}(\text{pk})</math></p> <p><math>\mathbf{m} \leftarrow_{\S} \mathcal{M}(\alpha)</math></p> <p><math>(\mathbf{C}, \mathbf{R}, \mathbf{K}) \leftarrow_{\S} \text{SimCtGen}(\text{pk})</math></p> <p><math>(I, a_2) \leftarrow_{\S} \mathcal{A}_2^{\text{Dec}_{\neq \mathbf{C}}(\cdot)}(a_1, \mathbf{C})</math></p> <p><math>\hat{\mathbf{R}}_I \leftarrow_{\S} \text{SimOpen}(I, \mathbf{m}_I, \mathbf{C}, \mathbf{R}, \mathbf{K})</math></p> <p><math>\text{out}_{\mathcal{A}} \leftarrow_{\S} \mathcal{A}_3^{\text{Dec}_{\neq \mathbf{C}}(\cdot)}(a_2, \mathbf{m}_I, \hat{\mathbf{R}}_I)</math></p> <p>Return <math>R(\mathbf{m}, I, \text{out}_{\mathcal{A}})</math></p> <hr/> <p><b>SimCtGen(pk):</b></p> <p><math>G_0</math> <math>G_1, G_2</math> <math>G_3</math> <math>G_4 - G_7</math> <math>G_8</math> <math>G_9</math></p> <p>For <math>i \leftarrow 1</math> to <math>n</math>:</p> <p>  For <math>j \leftarrow 1</math> to <math>\ell</math>:</p> <p>    <b>If <math>\mathbf{m}_{i,j} = 0</math>:</b></p> <p>      <math>r_{i,j}^\psi \leftarrow_{\S} \mathcal{R}_{\text{Sample}_\psi}</math></p> <p>      <math>\psi_{i,j} \leftarrow \text{Sample}_\psi(1^\lambda; r_{i,j}^\psi)</math></p> <p>      <math>\gamma_{i,j} \leftarrow_{\S} \Gamma</math></p> <p>      <math>K_{i,j} \leftarrow \text{H}_1(\gamma_{i,j})</math></p> <p>      <math>r_{i,j}^K \leftarrow_{\S} \mathcal{R}_{\text{Sample}_{\mathcal{X}\mathcal{K}}}</math></p> <p>      <math>K_{i,j} \leftarrow \text{Sample}_{\mathcal{X}\mathcal{K}}(1^\lambda; r_{i,j}^K)</math></p> <p>      <math>r_{i,j} \leftarrow (r_{i,j}^K, r_{i,j}^\psi)</math></p> <p>    <b>Else:</b></p> <p>      <math>r_{i,j} \leftarrow_{\S} \mathcal{R}_{\text{KEnc}}</math></p> <p>      <math>(\psi_{i,j}, \gamma_{i,j}) \leftarrow \text{KEnc}(\text{pk}_{\text{kem}}; r_{i,j})</math></p> <p>      <math>K_{i,j} \leftarrow \text{H}_1(\gamma_{i,j})</math></p> <p>      <math>K_i^y \leftarrow \text{H}_2(\psi_{i,1}, \dots, \psi_{i,\ell})</math></p> <p>      <math>\mathcal{Q} \leftarrow \mathcal{Q} \cup \{(K_i^y, (\psi_{i,1}, \dots, \psi_{i,\ell}))\}</math></p> <p>      <math>K_{i,\ell+1} \leftarrow (K^x, K_i^y)</math></p> <p>      <math>T_i \leftarrow \text{XAuth}(K_{i,1}, \dots, K_{i,\ell+1})</math></p> <p>      <math>\mathbf{C}_i \leftarrow (\psi_{i,1}, \dots, \psi_{i,\ell}, T_i)</math></p> <p>      <math>\mathbf{R}_i \leftarrow (r_{i,1}, \dots, r_{i,\ell})</math></p> <p>      <math>\mathbf{K}_i \leftarrow (K_{i,1}, \dots, K_{i,\ell+1})</math></p> <p>    Return <math>\begin{pmatrix} \mathbf{C} \\ \mathbf{R} \\ \mathbf{K} \end{pmatrix} = \begin{pmatrix} \mathbf{C}_1, \dots, \mathbf{C}_n \\ \mathbf{R}_1, \dots, \mathbf{R}_n \\ \mathbf{K}_1, \dots, \mathbf{K}_n \end{pmatrix}</math></p>	<p><b>SimOpen(<math>I, \mathbf{m}_I, \mathbf{C}, \mathbf{R}, \mathbf{K}</math>):</b></p> <p><math>G_0 - G_6</math> <math>G_7, G_8</math> <math>G_9</math></p> <p>For <math>i \in I</math>:</p> <p>  For <math>j \leftarrow 1</math> to <math>\ell</math>:</p> <p>    <b>If <math>\mathbf{m}_{i,j} = 1</math>:</b></p> <p>      <math>\hat{r}_{i,j} \leftarrow r_{i,j}</math></p> <p>    <b>Else:</b></p> <p>      <math>\hat{K}_{i,j} \leftarrow_{\S} \text{ReSamp}(T_i, j)</math></p> <p>      <math>\hat{r}_{i,j}^K \leftarrow_{\S} \text{Sample}_{\mathcal{X}\mathcal{K}}^{-1}(\hat{K}_{i,j})</math></p> <p>      <math>\hat{r}_{i,j}^K \leftarrow_{\S} \text{Sample}_{\mathcal{X}\mathcal{K}}^{-1}(K_{i,j})</math></p> <p>      <math>\hat{r}_{i,j}^\psi \leftarrow_{\S} \text{Sample}_\psi^{-1}(\psi_{i,j})</math></p> <p>      <math>\hat{r}_{i,j} \leftarrow (\hat{r}_{i,j}^K, \hat{r}_{i,j}^\psi)</math></p> <p>  <math>\hat{\mathbf{R}}_i \leftarrow (\hat{r}_{i,1}, \dots, \hat{r}_{i,\ell})</math></p> <p><math>\hat{\mathbf{R}}_I \leftarrow \mathbf{R}_I</math></p> <p>Return <math>\hat{\mathbf{R}}_I</math></p> <hr/> <p><b>Dec<math>_{\neq \mathbf{C}}</math>(<math>C = (\psi_1, \dots, \psi_\ell, T)</math>):</b></p> <p><math>G_0</math> <math>G_1</math> <math>G_2, G_3, G_4</math> <math>G_5</math> <math>G_6, G_7</math> <math>G_8, G_9</math></p> <p><b>If <math>C \in \mathbf{C}</math>:</b></p> <p>  Return <math>\perp</math></p> <p><math>\mathbf{m} \leftarrow 0^\ell</math></p> <p><math>K^{y'} \leftarrow \text{H}_2(\psi_1, \dots, \psi_\ell)</math></p> <p><b>If</b> <math>\left[ \begin{array}{l} \exists (\hat{K}^y, (\hat{\psi}_1, \dots, \hat{\psi}_\ell)) \in \mathcal{Q} \text{ s.t.} \\ K^{y'} = \hat{K}^y \wedge (\psi_1, \dots, \psi_\ell) \neq (\hat{\psi}_1, \dots, \hat{\psi}_\ell) \end{array} \right]</math>:</p> <p>  <b>Abort game</b> //Find a collision for <math>\text{H}_2</math></p> <p>  <math>\mathcal{Q} \leftarrow \mathcal{Q} \cup \{(K^{y'}, (\psi_1, \dots, \psi_\ell))\}</math></p> <p><math>K_{\ell+1}' \leftarrow (K^x, K^{y'})</math></p> <p><b>If <math>\text{XVer}(K_{\ell+1}', T) = 1</math>:</b></p> <p>  For <math>\eta \leftarrow 1</math> to <math>\ell</math>:</p> <p>    <math>\gamma_\eta' \leftarrow \text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)</math></p> <p>    <b>If</b> <math>\left[ \begin{array}{l} \exists (i, j) \in [n] \times [\ell] \text{ s.t.} \\ \mathbf{m}_{i,j} = 0 \wedge \psi_\eta = \psi_{i,j} \end{array} \right]</math>:</p> <p>      <math>\mathbf{m}'_\eta \leftarrow \text{XVer}(\text{H}_1(\gamma_\eta'), T)</math></p> <p>      <math>\mathbf{m}'_\eta \leftarrow \text{XVer}(K_{i,j}, T)</math></p> <p>      <math>\mathbf{m}'_\eta \leftarrow 0</math></p> <p>    <b>Else:</b></p> <p>      <math>\mathbf{m}'_\eta \leftarrow \text{XVer}(\text{H}_1(\gamma_\eta'), T)</math></p> <p>  Return <math>\mathbf{m}'</math></p>
<p><b>SimKeyGen(<math>1^\lambda</math>):</b> <math>G_0</math> <math>G_1 - G_7</math> <math>G_8, G_9</math></p> <p><math>(\text{pk}_{\text{kem}}, \text{sk}_{\text{kem}}) \leftarrow_{\S} \text{KGen}(1^\lambda), \text{H}_1 \leftarrow_{\S} \mathcal{H}_1(1^\lambda), \text{H}_2 \leftarrow_{\S} \mathcal{H}_2(1^\lambda), K^x \leftarrow_{\S} \mathcal{K}_x</math></p> <p><math>\text{pk} \leftarrow (\text{pk}_{\text{kem}}, \text{H}_1, \text{H}_2, K^x), \text{sk} \leftarrow (\text{pk}, \text{sk}_{\text{kem}})</math> <math>\mathcal{T} \leftarrow \emptyset</math></p> <p>Return <math>(\text{pk}, \text{sk})</math></p>	

 Fig. 6. Games  $G_0 - G_9$  in the proof of Theorem 1.

**Game  $G_2 - G_3$ .**  $G_3$  is almost the same as  $G_2$  except for one change in the SimCtGen algorithm.

- In  $G_2$ , all  $(\psi_{i,j}, \gamma_{i,j})$  pairs are the output of  $\text{KEnc}(\text{pk}_{\text{kem}})$ .
- In  $G_3$ , for  $\mathbf{m}_{i,j} = 1$ ,  $(\psi_{i,j}, \gamma_{i,j})$  pairs are the output of  $\text{KEnc}(\text{pk}_{\text{kem}})$ ;  
for  $\mathbf{m}_{i,j} = 0$ ,  $(\psi_{i,j}, \gamma_{i,j})$  pairs are uniformly selected from  $\Psi \times \Gamma$ .

We will reduce the indistinguishability between game  $G_2$  and  $G_3$  to the mPR-CCCA security of KEM. Given  $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2, \mathcal{A}_3)$ , we can build a PPT adversary  $\mathcal{B}_2$  with  $\mathbf{T}(\mathcal{B}_2) \approx \mathbf{T}(\mathcal{A})$  and uncertainty  $\text{uncert}_{\mathcal{B}_2}(\lambda) \leq \epsilon_{\text{XAC}}^{\text{imp}}(\lambda) + \Delta$  such that

$$|\Pr_2[G \Rightarrow 1] - \Pr_3[G \Rightarrow 1]| \leq \text{Adv}_{\text{KEM}, \mathcal{B}_2}^{\text{mpr-ccca}}(\lambda). \quad (5)$$

On input  $\text{pk}_{\text{kem}}$ ,  $\mathcal{B}_2$  selects  $\text{H}_1, \text{H}_2$  and  $K^x$  itself and embeds  $\text{pk}_{\text{kem}}$  in  $\text{pk} = (\text{pk}_{\text{kem}}, \text{H}_1, \text{H}_2, K^x)$ . In the first phase,  $\mathcal{B}_2$  calls  $\mathcal{A}_1^{\text{Dec}(\cdot)}(\text{pk})$ . To respond the decryption query  $\text{Dec}(C = (\psi_1, \dots, \psi_\ell, T))$  submitted by  $\mathcal{A}$ ,  $\mathcal{B}_2$  simulates Dec until it needs to call  $\text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)$  to decapsulate  $\psi_\eta$ . Since  $\mathcal{B}_2$  does not possess  $\text{sk}_{\text{kem}}$  relative to  $\text{pk}_{\text{kem}}$ ,  $\mathcal{B}_2$  is not able to invoke  $\text{KDec}$  itself. Then  $\mathcal{B}_2$  submits a  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi_\eta)$  query to its own oracle  $\mathcal{O}_{\text{dec}}$  where  $\text{pred}(\cdot) := \text{XVer}(\text{H}_1(\cdot), T)$ . Clearly, this predicate is a PPT one. If the response of  $\mathcal{O}_{\text{dec}}$  is  $\perp$ ,  $\mathcal{B}_2$  sets  $\mathbf{m}'_\eta$  to 0. Otherwise  $\mathcal{B}_2$  sets  $\mathbf{m}'_\eta$  to 1.

**Case 1:**  $\mathcal{O}_{\text{dec}}(\text{XVer}(\text{H}_1(\cdot), T), \psi_\eta) = \perp$ . This happens if and only if

$$\psi_\eta \in \psi_{\text{enc}} \vee \text{XVer}(\text{H}_1(\text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)), T) = 0.$$

In the first phase,  $\mathcal{B}_2$  has not submitted any  $\mathcal{O}_{\text{enc}}$  query yet and  $\psi_{\text{enc}}$  is empty. So  $\psi_\eta \notin \psi_{\text{enc}}$ . In this case,  $\mathcal{O}_{\text{dec}}(\text{XVer}(\text{H}_1(\cdot), T), \psi_\eta) = \perp$  if and only if

$$\text{XVer}(\text{H}_1(\text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)), T) = 0.$$

Therefore  $\mathcal{B}_2$  perfectly simulates the Dec oracle in  $G_2(G_3)$  by setting  $\mathbf{m}'_\eta \leftarrow 0$ .

**Case 2:**  $\mathcal{O}_{\text{dec}}(\text{XVer}(\text{H}_1(\cdot), T), \psi_\eta) \neq \perp$ . This happens if and only if

$$\psi_\eta \notin \psi_{\text{enc}} \wedge \text{XVer}(\text{H}_1(\text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)), T) = 1.$$

For the same reason as case 1, the condition  $\psi_\eta \notin \psi_{\text{enc}}$  always holds. In this case,  $\mathcal{O}_{\text{dec}}(\text{XVer}(\text{H}_1(\cdot), T), \psi_\eta) \neq \perp$  if and only if  $\text{XVer}(\text{H}_1(\text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)), T) = 1$ . Therefore  $\mathcal{B}_2$  perfectly simulates the Dec oracle in  $G_2(G_3)$  by setting  $\mathbf{m}'_\eta \leftarrow 1$ .

In either case,  $\mathcal{B}_2$  can perfectly simulate the Dec oracle for  $\mathcal{A}_1$ . At the end of this phase,  $\mathcal{B}_2$  gets  $\mathcal{A}_1$ 's output  $(\alpha, a_1)$ . Then  $\mathcal{B}_2$  calls  $\mathbf{m} \leftarrow_{\S} \mathcal{M}(\alpha)$  and simulates algorithm SimCtGen(pk).

- If  $\mathbf{m}_{i,j} = 1$ ,  $\mathcal{B}_2$  proceeds just like game  $G_2(G_3)$ , i.e.,  $(\psi_{i,j}, \gamma_{i,j}) \leftarrow_{\S} \text{KEnc}(\text{pk}_{\text{kem}})$  and set  $K_{i,j} \leftarrow \text{H}_1(\gamma_{i,j})$ .
- If  $\mathbf{m}_{i,j} = 0$ ,  $\mathcal{B}_2$  submits an  $\mathcal{O}_{\text{enc}}()$  query to its own oracle and gets the response  $(\psi, \gamma)$  ( $\psi$  is added into set  $\psi_{\text{enc}}$ ). Then  $\mathcal{B}_2$  sets  $(\psi_{i,j}, \gamma_{i,j}) \leftarrow (\psi, \gamma)$ .  
If  $b = 1$ ,  $(\psi, \gamma)$  is the output of  $\text{KEnc}(\text{pk}_{\text{kem}})$ ,  $\mathcal{B}_2$  perfectly simulates SimCtGen(pk) to generate challenge ciphertexts  $\mathbf{C}$  in  $G_2$ .  
If  $b = 0$ ,  $(\psi, \gamma)$  is uniformly over  $\Psi \times \Gamma$ ,  $\mathcal{B}_2$  perfectly simulates SimCtGen(pk) to generate challenge ciphertexts  $\mathbf{C}$  in  $G_3$ .

In the second phase,  $\mathcal{B}_2$  calls  $\mathcal{A}_2^{\text{Dec}_{\neq \mathbf{C}}(\cdot)}(a_1, \mathbf{C})$  to get  $(I, a_2)$ . Upon an decryption query  $\text{Dec}_{\neq \mathbf{C}}(C = (\psi_1, \dots, \psi_\ell, T))$  submitted by  $\mathcal{A}_2$ ,  $\mathcal{B}_2$  responds almost in the same way as in the first phase, except that  $\mathcal{B}_2$  has to deal with the case of  $\exists \psi_\eta \in \psi_{\text{enc}}$ . This case does happen: even if  $C = (\psi_1, \dots, \psi_\ell, T) \notin \mathbf{C}$ , it is still possible that  $\exists \psi_\eta \in \{\psi_i\}_{i \in [\ell]}$  with  $\psi_\eta \in \psi_{\text{enc}}$ . In this case, there is no chance for  $\mathcal{B}_2$  to submit an  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi_\eta)$  query for a useful response because the response will always be  $\perp$ . However, it does not matter. By the specification of  $G_2(G_3)$ ,  $\mathbf{m}'_\eta$  should be set to the output of  $\text{XVer}(K_{i,j}, T)$  which  $\mathcal{B}_2$  can perfectly do.

Note that the execution of algorithm **SimOpen** in game  $G_2(G_3)$  does not need all information about  $\mathbf{R}$ . Only those randomnesses with respect to  $\mathbf{m}_{i,j} = 1$  are needed. Now that  $\mathcal{B}_2$  does have  $I, \mathbf{m}_I, \mathbf{C}, \mathbf{K}$  and part of  $\mathbf{R}$  (for  $\mathbf{m}_{i,j} = 1$ ), it can call **SimOpen**( $I, \mathbf{m}_I, \mathbf{C}, \mathbf{R}, \mathbf{K}$ ) to get  $\hat{\mathbf{R}}_I$ .

In the third phase,  $\mathcal{B}_2$  calls  $\mathcal{A}_3^{\text{Dec}_{\neq \mathbf{C}}(\cdot)}(a_2, \mathbf{m}_I, \hat{\mathbf{R}}_I)$  to get  $out_{\mathcal{A}}$ . The  $\text{Dec}_{\neq \mathbf{C}}$  query submitted by  $\mathcal{A}$  in this phase is responded by  $\mathcal{B}_2$  in the same way as in the second phase. Finally,  $\mathcal{B}_2$  outputs  $R(\mathbf{m}, I, out_{\mathcal{A}})$ .

According to the above analysis,  $\mathcal{B}_2$  perfectly simulates  $G_2$  for  $\mathcal{A}$  if  $b = 1$  and perfectly simulates  $G_3$  for  $\mathcal{A}$  if  $b = 0$ . Moreover, for  $\gamma \leftarrow_{\S} \Gamma$ ,  $\mathbf{H}_1(\gamma)$  is  $\Delta$ -close to uniform by Lemma 2 since  $\mathbf{H}_1$  is universal. Then

$$\Pr_{\gamma \leftarrow_{\S} \Gamma}[\text{pred}(\gamma) = 1] = \Pr_{\gamma \leftarrow_{\S} \Gamma}[\text{XVer}(\mathbf{H}_1(\gamma), T) = 1] \leq \epsilon_{\text{XAC}}^{\text{imp}}(\lambda) + \Delta.$$

By the definition of uncertainty, we have.

$$\text{uncert}_{\mathcal{B}_2}(\lambda) \leq \epsilon_{\text{XAC}}^{\text{imp}}(\lambda) + \Delta. \quad (6)$$

Thus (5) follows.

**Game  $G_3 - G_4$ .**  $G_4$  is almost the same as  $G_3$  except for one change in the **SimCtGen** algorithm. In the **SimCtGen** algorithm, if  $\mathbf{m}_{i,j} = 0$ ,

- in  $G_3$ ,  $K_{i,j} \leftarrow \mathbf{H}_1(\gamma_{i,j})$  for  $\gamma_{i,j} \leftarrow_{\S} \Gamma$ ;
- in  $G_4$ ,  $K_{i,j}$  is uniformly selected from  $\mathcal{XK}$ .

Since  $\mathbf{H}_1$  is universal, by Lemma 2 and a union bound, we have that

$$|\Pr_3[G \Rightarrow 1] - \Pr_4[G \Rightarrow 1]| \leq (n\ell) \cdot \Delta. \quad (7)$$

**Game  $G_4 - G_5$ .**  $G_5$  is almost the same as  $G_4$  except for one change in the **Dec** oracle. More precisely, to reply a  $\text{Dec}_{\neq \mathbf{C}}(C = (\psi_1, \dots, \psi_{\ell}, T))$  query such that  $\exists(i, j) \in [n] \times [\ell], \eta \in [\ell]$  s.t.  $\mathbf{m}_{i,j} = 0 \wedge \psi_{\eta} = \psi_{i,j}$ ,

- in  $G_4$ , we set  $\mathbf{m}'_{\eta} \leftarrow \text{XVer}(K_{i,j}, T)$ ;
- in  $G_5$ , we set  $\mathbf{m}'_{\eta} \leftarrow 0$  directly.

Suppose  $\psi_{\eta} = \psi_{i,j} \in \mathbf{C}_i = (\psi_{i,1}, \dots, \psi_{i,\ell}, T_i)$  where  $T_i = \text{XAuth}(K_{i,1}, \dots, K_{i,\ell+1})$ . There are two cases according to whether  $T = T_i$ .

**Case 1:**  $T = T_i$ . In this case, since  $C \notin \mathbf{C}$ , we have that  $(\psi_1, \dots, \psi_{\ell}) \neq (\psi_{i,1}, \dots, \psi_{i,\ell})$ . Note that  $K_i^y = \mathbf{H}_2(\psi_{i,1}, \dots, \psi_{i,\ell})$  and  $K^{y'} = \mathbf{H}_2(\psi_1, \dots, \psi_{\ell})$ . If  $K_i^y = K^{y'}$ , a collision for  $\mathbf{H}_2$  occurs, both  $G_4$  and  $G_5$  abort. Otherwise, we must have  $K^{y'} \neq K_i^y$ , hence  $K'_{\ell+1} = (K^x, K^{y'}) \neq (K^x, K_i^y) = K_{i,\ell+1}$ . Since **XAC** is semi-unique and  $\text{XVer}(K_{i,\ell+1}, T) = 1$ , it holds that  $\text{XVer}(K'_{\ell+1}, T) \neq 1$  which implies that  $\mathbf{m}'_{\eta} = 0$ . In this case, the responses of  $\text{Dec}_{\neq \mathbf{C}}$  make no difference in  $G_4$  and  $G_5$ .

**Case 2:**  $T \neq T_i$ . Note that all the information about  $K_{i,j}$  is leaked to  $\mathcal{A}$  only through  $T_i$  in game  $G_4$ . Thus, the probability that  $\text{XVer}(K_{i,j}, T) = 1$  for  $T \neq T_i$  will be no more than  $\epsilon_{\text{XAC}}^{\text{sub}}(\lambda)$ .

By a union bound, we have that

$$|\Pr_4[G \Rightarrow 1] - \Pr_5[G \Rightarrow 1]| \leq \ell \cdot Q_{\text{dec}} \cdot \epsilon_{\text{XAC}}^{\text{sub}}(\lambda). \quad (8)$$

**Game  $G_5 - G_6$ .**  $G_6$  is almost the same as  $G_5$  except for one change in the **Dec** oracle. More precisely, for a  $\text{Dec}(C = (\psi_1, \dots, \psi_{\ell}, T))$  query such that  $\exists(i, j) \in [n] \times [\ell]$  s.t.  $\mathbf{m}_{i,j} = 0 \wedge \psi_{\eta} = \psi_{i,j}$  for any  $\eta \in [\ell]$ ,

- in  $G_5$ , we set  $\mathbf{m}'_{\eta} \leftarrow 0$  directly;
- in  $G_6$ , we proceed exactly the same as the decryption algorithm, i.e., setting  $\mathbf{m}'_{\eta} \leftarrow \text{XVer}(\mathbf{H}_1(\gamma'_{\eta}), T)$ , where  $\gamma'_{\eta} = \text{KDec}(\text{sk}_{\text{kem}}, \psi_{\eta})$ .

We will reduce the indistinguishability between game  $G_5$  and  $G_6$  to the RER security of KEM. More precisely, we can build a PPT adversary  $\mathcal{B}_3$  with  $\mathbf{T}(\mathcal{B}_3) \approx \mathbf{T}(\mathcal{A})$  and with uncertainty  $\text{uncert}_{\mathcal{B}_3}(\lambda) \leq \epsilon_{\text{XAC}}^{\text{imp}}(\lambda) + \Delta$  such that

$$|\Pr_5[G \Rightarrow 1] - \Pr_6[G \Rightarrow 1]| \leq \text{Adv}_{\text{KEM}, \mathcal{B}_3}^{\text{rer}}(\lambda). \quad (9)$$

On input  $\text{pk}_{\text{kem}}$ ,  $\mathcal{B}_3$  selects  $H_1, H_2$  and  $K^x$  itself and embeds  $\text{pk}_{\text{kem}}$  in  $\text{pk} = (\text{pk}_{\text{kem}}, H_1, H_2, K^x)$ . In the first phase,  $\mathcal{B}_3$  calls  $\mathcal{A}_1^{\text{Dec}(\cdot)}(\text{pk})$ . To respond the decryption query  $\text{Dec}(C = (\psi_1, \dots, \psi_\ell, T))$  submitted by  $\mathcal{A}$ ,  $\mathcal{B}_3$  simulates  $\text{Dec}$  until it needs to call  $\text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)$  to decapsulate  $\psi_\eta$ . Since  $\mathcal{B}_3$  does not hold  $\text{sk}_{\text{kem}}$  relative to  $\text{pk}_{\text{kem}}$ ,  $\mathcal{B}_3$  is not able to invoke  $\text{KDec}$  itself. Then  $\mathcal{B}_3$  submits a  $\mathcal{O}_{\text{cha}}(\text{pred}, \psi)$  query to its own oracle  $\mathcal{O}_{\text{cha}}$  where  $\text{pred}(\cdot) := \text{XVer}(H_1(\cdot), T)$  and  $\psi = \psi_\eta$ . Clearly, this predicate is a PPT one. Since  $\psi_{\text{ran}}$  is empty set in this phase, the condition  $\psi \notin \psi_{\text{ran}}$  will always hold and  $\mathcal{B}_3$  will get a bit  $\beta = \text{pred}(\text{KDec}(\text{sk}_{\text{kem}}, \psi)) = \text{XVer}(H_1(\text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)), T)$  in return. Then  $\mathcal{B}_3$  sets  $\mathbf{m}'_\eta \leftarrow \beta$  and perfectly simulates  $\text{Dec}$  for  $\mathcal{A}$  in this phase.

At the end of this phase,  $\mathcal{B}_3$  gets  $\mathcal{A}$ 's output  $(\alpha, a_1)$ . Then  $\mathcal{B}_3$  calls  $\mathbf{m} \leftarrow_{\S} \mathcal{M}(\alpha)$  and then simulates algorithm  $\text{SimCtGen}(\text{pk})$  as follows.  $\mathcal{B}_3$  first outputs  $1^{n\ell}$  and get  $\psi_{\text{ran}} = \{\psi_1^{\text{ran}}, \dots, \psi_{n\ell}^{\text{ran}}\}$  which are  $n\ell$  random encapsulations. During the generation of the challenge ciphertexts,  $\mathcal{B}_3$  sets  $(\psi_{i,j}, K_{i,j})$  according to  $\mathbf{m}$ .

- If  $\mathbf{m}_{i,j} = 1$ ,  $\mathcal{B}_3$  sets  $(\psi_{i,j}, \gamma_{i,j}) \leftarrow_{\S} \text{KEnc}(\text{pk}_{\text{kem}})$  and sets  $K_{i,j} \leftarrow H_1(\gamma_{i,j})$ .
- If  $\mathbf{m}_{i,j} = 0$ ,  $\mathcal{B}_3$  sets  $\psi_{i,j} \leftarrow \psi_{(i-1)\ell+j}^{\text{ran}}$  and  $K_{i,j} \leftarrow_{\S} \mathcal{XK}$ . Since  $(i, j) \in [n] \times [\ell]$ , the subscript  $(i-1)\ell + j \in \{1, \dots, n\ell\}$  is well defined.

Then  $\mathcal{B}_3$  proceeds just like algorithm  $\text{SimCtGen}(\text{pk})$  in game  $G_5(G_6)$ .

In the second phase,  $\mathcal{B}_3$  calls  $\mathcal{A}_2^{\text{Dec}_{\neq \mathbf{C}}(\cdot)}(a_1, \mathbf{C})$  to get  $(I, a_2)$ . To respond the decryption query  $\text{Dec}_{\neq \mathbf{C}}(C = (\psi_1, \dots, \psi_\ell, T))$  submitted by  $\mathcal{A}$ ,  $\mathcal{B}_3$  proceeds just like game  $G_5(G_6)$ . When a decapsulation of  $\psi_\eta$  is needed,  $\mathcal{B}_3$  submits a  $\mathcal{O}_{\text{cha}}(\text{pred}, \psi_\eta)$  query to its own oracle  $\mathcal{O}_{\text{cha}}$  where  $\text{pred}(\cdot) := \text{XVer}(H_1(\cdot), T)$ . After that,  $\mathcal{B}_3$  will get a bit  $\beta$  in return and  $\mathcal{B}_3$  sets  $\mathbf{m}'_\eta \leftarrow \beta$ . Note that

- In case of  $\psi_\eta \notin \psi_{\text{ran}}$ ,  $\mathbf{m}'_\eta = \text{XVer}(H_1(\text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)), T)$ , which is exactly how  $\mathbf{m}'_\eta$  is computed in both game  $G_5$  and  $G_6$ .
- In case of  $\psi_\eta \in \psi_{\text{ran}}$ , there must exist  $(i, j) \in [n] \times [\ell]$  s.t.  $\mathbf{m}_{i,j} = 0 \wedge \psi_\eta = \psi_{i,j}$ . Thus  $\mathbf{m}'_\eta = \text{XVer}(H_1(\text{KDec}(\text{sk}_{\text{kem}}, \psi_\eta)), T)$  if  $b = 1$  and  $\mathbf{m}'_\eta = 0$  if  $b = 0$ . The former case is exactly how  $\mathbf{m}'_\eta$  is computed in game  $G_6$  and the latter case is exactly how  $\mathbf{m}'_\eta$  is computed in game  $G_5$ .

As a result,  $\mathcal{B}_3$  perfectly simulates  $\text{Dec}_{\neq \mathbf{C}}$  in the second phase of game  $G_5$  for  $\mathcal{A}$  if  $b = 0$  and perfectly simulates  $\text{Dec}_{\neq \mathbf{C}}$  in the second phase of game  $G_6$  for  $\mathcal{A}$  if  $b = 1$ . After  $\mathcal{B}_3$  gets  $(I, a_2)$ ,  $\mathcal{B}_3$  is able to call  $\text{SimOpen}(I, \mathbf{m}_I, \mathbf{C}, \mathbf{R}, \mathbf{K})$  to get  $\hat{\mathbf{R}}_I$  for the similar reason as in the proof of  $G_2 - G_3$ .

In the third phase,  $\mathcal{B}_3$  calls  $\mathcal{A}_3^{\text{Dec}_{\neq \mathbf{C}}(\cdot)}(a_2, \mathbf{m}_I, \hat{\mathbf{R}}_I)$  to get  $\text{out}_{\mathcal{A}}$ . The  $\text{Dec}_{\neq \mathbf{C}}$  query submitted by  $\mathcal{A}$  in this phase is responded using the same way as in the second phase. Finally,  $\mathcal{B}_3$  outputs  $R(\mathbf{m}, I, \text{out}_{\mathcal{A}})$ .

Thus  $\mathcal{B}_3$  perfectly simulates  $G_6$  for  $\mathcal{A}$  if  $b = 1$  and perfectly simulates  $G_5$  for  $\mathcal{A}$  if  $b = 0$ . Similar to (6),  $\text{uncert}_{\mathcal{B}_3}(\lambda) \leq \epsilon_{\text{XAC}}^{\text{imp}}(\lambda) + \Delta$ . Thus (9) follows.

**Game  $G_6 - G_7$ .**  $G_7$  is almost the same as  $G_6$  except for one change in the  $\text{SimOpen}$  algorithm. More precisely,

- in  $G_6$ ,  $\hat{r}_{i,j}^K$  is the output of  $\text{Sample}_{\mathcal{XK}}^{-1}(\hat{K}_{i,j})$  where  $\hat{K}_{i,j} \leftarrow_{\S} \text{ReSamp}(T_i, j)$ ;
- in  $G_7$ ,  $\hat{r}_{i,j}^K$  is the output of  $\text{Sample}_{\mathcal{XK}}^{-1}(K_{i,j})$  for the original  $K_{i,j}$  generated in algorithm  $\text{SimCtGen}$ .

In game  $G_6$  and  $G_7$ , before the invocation of algorithm `SimOpen`, only  $T_i$  leaks information about  $K_{i,j}$  to  $\mathcal{A}$  when  $\mathbf{m}_{i,j} = 0$ . Since `XAC` is  $\delta(\lambda)$ -strong, the statistical distance between the resampled  $\hat{K}_{i,j} \leftarrow_{\S} \text{ReSamp}(T_i, j)$  and the original  $K_{i,j}$  is at most  $\delta(\lambda)$ . By a union bound, we have that

$$|\Pr_6[G \Rightarrow 1] - \Pr_7[G \Rightarrow 1]| \leq (n\ell) \cdot \delta(\lambda). \quad (10)$$

**Game  $G_7 - G_8$ .**  $G_8$  is almost the same as  $G_7$  except for the dropping of the collision check added in  $G_1$ . Similar to the proof of  $G_0 - G_1$ , we can show that

$$|\Pr_7[G \Rightarrow 1] - \Pr_8[G \Rightarrow 1]| \leq \text{Adv}_{\mathcal{H}, \mathcal{B}_1}^{\text{cr}}(\lambda). \quad (11)$$

**Game  $G_8 - G_9$ .**  $G_9$  is almost the same as  $G_8$  except for one change in `SimOpen`. More precisely,

- in  $G_8$ , the opened randomness is a “reverse sampled” randomness, i.e.,  $\hat{r}_{i,j}^K \leftarrow_{\S} \text{Sample}_{\mathcal{XK}}^{-1}(K_{i,j})$  and  $\hat{r}_{i,j}^\psi \leftarrow_{\S} \text{Sample}_{\Psi}^{-1}(\psi_{i,j})$ ;
- in  $G_9$ , the opened randomness  $(\hat{r}_{i,j}^K, \hat{r}_{i,j}^\psi)$  is changed to be the original randomness used to sample  $K_{i,j}$  and  $\psi_{i,j}$ , i.e.,  $(\hat{r}_{i,j}^K, \hat{r}_{i,j}^\psi) \leftarrow (r_{i,j}^K, r_{i,j}^\psi)$ .

This change is conceptual since  $\Psi$  and  $\mathcal{XK}$  are ESE domains. Thus

$$\Pr_8[G \Rightarrow 1] = \Pr_9[G \Rightarrow 1]. \quad (12)$$

**Game  $G_9$ .** Game  $G_9$  is exactly the real experiment  $\text{Exp}_{\text{PKE}, \mathcal{A}, n, \mathcal{M}, R}^{\text{so-cca-real}}(\lambda)$ . Thus

$$\Pr_9[G \Rightarrow 1] = \Pr \left[ \text{Exp}_{\text{PKE}, \mathcal{A}, n, \mathcal{M}, R}^{\text{so-cca-real}}(\lambda) = 1 \right]. \quad (13)$$

Finally, Theorem 1 follows from (2, 3, 4, 5, 7, 8, 9, 10, 11, 12) and (13).  $\blacksquare$

## 5 Instantiations

We give two instantiations of KEM with mPR-CCCA security and RER security.

### 5.1 KEM from MDDH

We present a KEM which is extracted from the multi-challenge IND-CCA secure PKE proposed by Gay *et al.* in [GHKW16]. The KEM  $\text{KEM}_{\text{mddh}} = (\text{KGen}, \text{KEnc}, \text{KDec})$  is shown in Figure 7.

Suppose  $\mathcal{G} = (\mathbb{G}, q, P) \leftarrow_{\S} \text{GGen}(1^\lambda)$  and  $\mathcal{H}$  is a hash generator outputting functions  $\text{H} : \mathbb{G}^k \rightarrow \{0, 1\}^\lambda$ . For a vector  $\mathbf{y} \in \mathbb{Z}_q^{3k}$ , we use  $\bar{\mathbf{y}} \in \mathbb{Z}_q^k$  to denote the upper  $k$  components and  $\underline{\mathbf{y}} \in \mathbb{Z}_q^{2k}$  to denote the lower  $2k$  components.

Perfectly correctness of  $\text{KEM}_{\text{mddh}}$  is straightforward. By Theorem 2 and 3, we will prove that it is tightly mPR-CCCA secure and tightly RER secure.

**Theorem 2.** *The KEM  $\text{KEM}_{\text{mddh}}$  in Figure 7 is mPR-CCCA secure if  $\mathcal{U}_k$ -MDDH assumption holds and  $\mathcal{H}$  outputs collision-resistant hash function. Specifically, for each PPT adversary  $\mathcal{A}$  with negligible uncertainty  $\text{uncert}_{\mathcal{A}}(\lambda)$ , there exist two PPT adversaries  $\mathcal{B}_1, \mathcal{B}_2$  with  $\mathbf{T}(\mathcal{B}_1) \approx \mathbf{T}(\mathcal{B}_2) \leq \mathbf{T}(\mathcal{A}) + (Q_{\text{enc}} + Q_{\text{dec}}) \cdot \text{poly}(\lambda)$  such that the advantage*

$$\begin{aligned} \text{Adv}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{mpr-cca}}(\lambda) &\leq (8\lambda + 6) \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}_1}^{\text{mddh}}(\lambda) + 2 \text{Adv}_{\mathcal{H}, \mathcal{B}_2}^{\text{cr}}(\lambda) \\ &\quad + (8\lambda + 4) Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda) + 2^{-\Omega(\lambda)}, \end{aligned}$$

where  $Q_{\text{enc}}(Q_{\text{dec}})$  is the total number of  $\mathcal{O}_{\text{enc}}(\mathcal{O}_{\text{dec}})$  queries made by  $\mathcal{A}$  and  $\text{poly}(\lambda)$  is a polynomial independent of  $\mathbf{T}(\mathcal{A})$ .

$\text{KGen}(1^\lambda) :$ $\mathbf{M} \leftarrow_{\S} \mathcal{U}_{3k,k}, \mathbf{H} \leftarrow_{\S} \mathcal{H}(1^\lambda).$ $\mathbf{k}_{1,0}, \dots, \mathbf{k}_{\lambda,1} \leftarrow_{\S} \mathbb{Z}_q^{3k}$ $\text{pk}_{\text{kem}} \leftarrow \left( \begin{array}{c} \mathcal{G}, \mathbf{H}, [\mathbf{M}] \\ ([\mathbf{M}^\top \mathbf{k}_{j,\beta}])_{\substack{0 \leq \beta \leq 1 \\ 1 \leq j \leq \lambda}} \end{array} \right)$ $\text{sk}_{\text{kem}} \leftarrow (\mathbf{k}_{j,\beta})_{1 \leq j \leq \lambda, 0 \leq \beta \leq 1}$ Return $(\text{pk}_{\text{kem}}, \text{sk}_{\text{kem}})$	$\text{KEnc}(\text{pk}_{\text{kem}}) :$ $\mathbf{r} \leftarrow_{\S} \mathbb{Z}_q^k, [\mathbf{y}] \leftarrow [\mathbf{M}]\mathbf{r}$ $\tau \leftarrow \mathbf{H}([\bar{\mathbf{y}}])$ $\gamma \leftarrow \mathbf{r}^\top \cdot \sum_{j=1}^{\lambda} [\mathbf{M}^\top \mathbf{k}_{j,\tau_j}]$ Return $(\psi \leftarrow [\mathbf{y}], \gamma)$ $// \Psi = \mathbb{G}^{3k}, \Gamma = \mathbb{G}$	$\text{KDec}(\text{sk}_{\text{kem}}, \psi) :$ $\psi = [\mathbf{y}]$ $\tau \leftarrow \mathbf{H}([\bar{\mathbf{y}}])$ $\mathbf{k}_\tau \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j}$ $\gamma \leftarrow [\mathbf{y}^\top] \cdot \mathbf{k}_\tau$ Return $\gamma$
---	---	---

Fig. 7. The KEM  $\text{KEM}_{\text{mddh}} = (\text{KGen}, \text{KEnc}, \text{KDec})$  extracted from [GHKW16].

**Theorem 3.** *The KEM  $\text{KEM}_{\text{mddh}}$  in Figure 7 is RER secure if  $\text{KEM}_{\text{mddh}}$  is mPR-CCCA secure and the  $\mathcal{U}_k$ -MDDH assumption holds. Specifically, for each PPT adversary  $\mathcal{A}$  with negligible uncertainty  $\text{uncert}_{\mathcal{A}}(\lambda)$ , there exist two PPT adversaries  $\mathcal{B}_1, \mathcal{B}_2$  with  $\mathbf{T}(\mathcal{B}_1) \approx \mathbf{T}(\mathcal{B}_2) \leq \mathbf{T}(\mathcal{A}) + Q_{\text{cha}} \cdot \text{poly}(\lambda)$  and  $\text{uncert}_{\mathcal{B}_1}(\lambda) = \text{uncert}_{\mathcal{A}}(\lambda)$  such that*

$$\text{Adv}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{rer}}(\lambda) \leq 2\text{Adv}_{\text{KEM}, \mathcal{B}_1}^{\text{mpr-ccca}}(\lambda) + 2\text{Adv}_{\mathcal{U}_k, \mathcal{G}\text{Gen}, \mathcal{B}_2}^{\text{mddh}}(\lambda) + 2Q_{\text{cha}} \cdot \text{uncert}_{\mathcal{A}}(\lambda) + 2^{-\Omega(\lambda)},$$

where  $Q_{\text{cha}}$  is the total number of  $\mathcal{O}_{\text{cha}}$  queries made by  $\mathcal{A}$  and  $\text{poly}(\lambda)$  is a polynomial independent of  $\mathbf{T}(\mathcal{A})$ .

The public key of  $\text{KEM}_{\text{mddh}}$  is not compact, so we put the proof of these two theorems in Appendix C and D.

## 5.2 KEM from Qualified Proof System with Compact Public Key

First we recall the definition of a *proof system* described in [GHK17].

**Definition 7 (Proof System).** *Let  $\mathcal{L} = \{\mathcal{L}_{\text{pars}}\}$  be a family of languages indexed by public parameters  $\text{pars}$ , with  $\mathcal{L}_{\text{pars}} \subseteq \mathcal{X}_{\text{pars}}$  and an efficiently computable witness relation  $\mathcal{R}$ . A proof system  $\text{PS} = (\text{PGen}, \text{PPrv}, \text{PVer}, \text{PSim})$  for  $\mathcal{L}$  consists of a tuple of PPT algorithms.*

- $\text{PGen}(\text{pars})$ . *It outputs a public key  $\text{ppk}$  and a secret key  $\text{psk}$ .*
- $\text{PPrv}(\text{ppk}, x, w)$ . *On input a statement  $x \in \mathcal{L}$  and a witness  $w$  with  $\mathcal{R}(x, w) = 1$ , it deterministically outputs a proof  $\Pi \in \mathbf{\Pi}$  and a key  $K \in \mathcal{K}$ .*
- $\text{PVer}(\text{ppk}, \text{psk}, x, \Pi)$ . *On input  $\text{ppk}, \text{psk}, x \in \mathcal{X}$  and  $\Pi$ , it deterministically outputs  $b \in \{0, 1\}$  together with a key  $K \in \mathcal{K}$  if  $b = 1$  or  $\perp$  if  $b = 0$ .*
- $\text{PSim}(\text{ppk}, \text{psk}, x)$ . *Given  $\text{ppk}, \text{psk}, x \in \mathcal{X}$ , it deterministically outputs a proof  $\Pi$  and a key  $K \in \mathcal{K}$ .*

Next we recall the definition of a qualified proof system.

**Definition 8 (Qualified Proof System [GHK17]).** *Let  $\text{PS} = (\text{PGen}, \text{PPrv}, \text{PVer}, \text{PSim})$  be a proof system for a family of languages  $\mathcal{L} = \mathcal{L}_{\text{pars}}$ . Let  $\mathcal{L}^{\text{snd}} = \{\mathcal{L}_{\text{pars}}^{\text{snd}}\}$  be a family of languages, such that  $\mathcal{L}_{\text{pars}} \subseteq \mathcal{L}_{\text{pars}}^{\text{snd}}$ . We say that  $\text{PS}$  is  $\mathcal{L}^{\text{snd}}$ -qualified, if the following properties hold.*

- **Completeness:** *For all possible public parameters  $\text{pars}$ , for all statements  $x \in \mathcal{L}$  and all witnesses  $w$  such that  $\mathcal{R}(x, w) = 1$ ,  $\Pr[\text{PVer}(\text{ppk}, \text{psk}, x, \Pi)] = 1$ , where  $(\text{ppk}, \text{psk}) \leftarrow_{\S} \text{PGen}(\text{pars})$  and  $(\Pi, K) \leftarrow_{\S} \text{PPrv}(\text{ppk}, x, w)$ .*

- **Perfect zero-knowledge:** For all possible public parameters  $\text{pars}$ , all key pairs  $(\text{ppk}, \text{psk})$  in the output range of  $\text{PGen}(\text{pars})$ , all statements  $x \in \mathcal{L}$  and all witnesses  $w$  with  $\mathcal{R}(x, w) = 1$ , we have  $\text{PPrv}(\text{ppk}, x, w) = \text{PSim}(\text{ppk}, \text{psk}, x)$ .
- **Unique of the proofs:** For all possible public parameters  $\text{pars}$ , all key pairs  $(\text{ppk}, \text{psk})$  in the output range of  $\text{PGen}(\text{pars})$  and all statements  $x \in \mathcal{X}$ , there exists at most one  $\Pi^*$  such that  $\text{PVer}(\text{ppk}, \text{psk}, x, \Pi^*) = 1$ .
- **Constrained  $\mathcal{L}^{\text{snd}}$ -Soundness:** For any stateful PPT adversary  $\mathcal{A}$ , consider the soundness experiment in Figure 8 (where  $\text{PSim}$  and  $\text{PVer}$  are implicitly assumed to have access to  $\text{ppk}$ ).

$\text{Exp}_{\mathcal{L}^{\text{snd}}, \text{PS}, \mathcal{A}}^{\text{csnd}}(\lambda):$ $\text{win} = 0$ $(\text{ppk}, \text{psk}) \leftarrow_{\S} \text{PGen}(\text{pars})$ $\mathcal{A}^{\mathcal{O}_{\text{sim}}(), \mathcal{O}_{\text{ver}}(\cdot, \cdot, \cdot)}(\text{ppk})$	$\mathcal{O}_{\text{ver}}(x, \Pi, \text{pred}):$ $(v, K) \leftarrow \text{PVer}(\text{psk}, x, \Pi)$ If $v = 1 \wedge \text{pred}(K) = 1$ : If $x \in \mathcal{L}$ : Return $K$ Else: $\text{win} = \begin{cases} 0 & \text{If } x \in \mathcal{L}^{\text{snd}} \\ 1 & \text{Otherwise} \end{cases}$ <b>Abort game</b> Return $\perp$
$\mathcal{O}_{\text{sim}}():$ $x \leftarrow_{\S} \mathcal{L}^{\text{snd}} \setminus \mathcal{L}$ $(\Pi, K) \leftarrow \text{PSim}(\text{psk}, x)$ Return $(x, \Pi, K)$	

**Fig. 8.** Experiment used in the definition of constrained  $\mathcal{L}^{\text{snd}}$ -soundness of PS.

Let  $Q_{\text{ver}}$  be the total number of  $\mathcal{O}_{\text{ver}}$  queries, which is independent of the environment without loss of generality. Let  $\text{pred}_i : \mathcal{K} \cup \{\perp\} \rightarrow \{0, 1\}$  be the predicate submitted by  $\mathcal{A}$  in the  $i$ -th query, where  $\text{pred}_i(\perp) = 0$  for all  $i$ . The uncertainty of  $\mathcal{A}$  is defined as

$$\text{uncert}_{\mathcal{A}}(\lambda) := \frac{1}{Q_{\text{ver}}} \sum_{i=1}^{Q_{\text{ver}}} \Pr_{K \leftarrow_{\S} \mathcal{K}}[\text{pred}_i(K) = 1].$$

We say constrained  $\mathcal{L}^{\text{snd}}$ -soundness holds for PS if for each PPT adversary  $\mathcal{A}$  with negligible uncertainty,  $\text{Adv}_{\mathcal{L}^{\text{snd}}, \text{PS}, \mathcal{A}}^{\text{csnd}}(\lambda)$  is negligible, where

$$\text{Adv}_{\mathcal{L}^{\text{snd}}, \text{PS}, \mathcal{A}}^{\text{csnd}}(\lambda) := \Pr[\text{win} = 1 \text{ in } \text{Exp}_{\mathcal{L}^{\text{snd}}, \text{PS}, \mathcal{A}}^{\text{csnd}}(\lambda)]$$

In Appendix E, we review the definition for  $\mathcal{L}^{\text{snd}}$ -indistinguishability of two proof systems and the definition for  $\mathcal{L}^{\text{snd}}$ -extensibility of a proof system. Here we define a new property for qualified proof system, which stresses that the simulated proof  $\Pi$  for a random  $x \in \mathcal{L}^{\text{snd}} \setminus \mathcal{L}$  is pseudorandom when providing verification oracle for only  $x \in \mathcal{L}$ .

**Definition 9 (Pseudorandom Simulated Proof of Qualified Proof System).** Let  $\text{PS} = (\text{PGen}, \text{PPrv}, \text{PVer}, \text{PSim})$  be a  $\mathcal{L}^{\text{snd}}$ -qualified proof system for a family of languages  $\mathcal{L}$ . Let  $\mathcal{A}$  be a stateful adversary and  $b \in \{0, 1\}$  be a bit. Define the following experiment  $\text{Exp}_{\text{PS}, \mathcal{A}}^{\text{pr-proof-}b}(\lambda)$  in Figure 9. We say PS has pseudorandom simulated proof if for each PPT adversary  $\mathcal{A}$ , the advantage

$$\text{Adv}_{\text{PS}, \mathcal{A}}^{\text{pr-proof}}(\lambda) := \left| \Pr \left[ \text{Exp}_{\text{PS}, \mathcal{A}}^{\text{pr-proof-0}}(\lambda) = 1 \right] - \Pr \left[ \text{Exp}_{\text{PS}, \mathcal{A}}^{\text{pr-proof-1}}(\lambda) = 1 \right] \right| \text{ is negl.}$$

$\text{Exp}_{\text{PS}, \mathcal{A}}^{\text{pr-proof-}b}(\lambda) // b \in \{0, 1\}$ $(\text{ppk}, \text{psk}) \leftarrow_{\S} \text{PGen}(\text{pars})$ $b' \leftarrow_{\S} \mathcal{A}^{\mathcal{O}_{\text{sim}}(\cdot), \mathcal{O}_{\text{ver}}(\cdot, \cdot)}(\text{ppk})$ Return $b'$	$\mathcal{O}_{\text{sim}}(\cdot):$ $x \leftarrow_{\S} \mathcal{L}^{\text{snd}} \setminus \mathcal{L}$ $\Pi_0 \leftarrow_{\S} \Pi$ $(\Pi_1, K) \leftarrow \text{PSim}(\text{psk}, x)$ Return $(x, \Pi_b)$	$\mathcal{O}_{\text{ver}}(x, \Pi):$ $(v, K) \leftarrow \text{PVer}(\text{psk}, x, \Pi)$ If $x \notin \mathcal{L} \vee v = 0:$ Return $\perp$ Return $K$
--	--	---

**Fig. 9.** Experiment used in the definition of pseudorandom simulated proof of PS.

**The Qualified Proof System in [GHK17].** First we explain how the public parameters  $\text{pars}$  are sampled. Fix some  $k \in \mathbb{N}$ , invoke  $\mathcal{G} \leftarrow_{\S} \text{GGen}(1^\lambda)$  where  $\mathcal{G} = (\mathbb{G}, q, P)$ . Let  $\mathcal{D}_{2k,k}$  be a fixed matrix distribution, we sample  $\mathbf{A} \leftarrow_{\S} \mathcal{D}_{2k,k}$  and  $\mathbf{A}_0 \leftarrow_{\S} \mathcal{U}_{2k,k}$  where  $\overline{\mathbf{A}}$  and  $\overline{\mathbf{A}}_0$  are both full rank. Additionally select  $\mathbf{A}_1 \in \mathbb{Z}_q^{2k \times k}$  according to  $\mathcal{U}_{2k,k}$  with the restriction  $\overline{\mathbf{A}}_0 = \overline{\mathbf{A}}_1$ . Let  $\mathcal{H}_0$  and  $\mathcal{H}_1$  be universal hash function generators returning functions  $h_0 : \mathbb{G}^{k^2+1} \rightarrow \mathbb{Z}_q^{k \times k}$  and  $h_1 : \mathbb{G}^{k+1} \rightarrow \mathbb{Z}_q^k$  respectively. Let  $h_0 \leftarrow_{\S} \mathcal{H}_0$  and  $h_1 \leftarrow_{\S} \mathcal{H}_1$ . Let  $\text{pars} \leftarrow (k, \mathcal{G}, [\mathbf{A}], [\mathbf{A}_0], [\mathbf{A}_1], h_0, h_1)$  be the public parameters and we assume  $\text{pars}$  is an implicit input of all algorithms. The languages are defined as  $\mathcal{L} := \text{span}([\mathbf{A}])$ ,  $\mathcal{L}^{\text{snd}} := \text{span}([\mathbf{A}]) \cup \text{span}([\mathbf{A}_0])$  and  $\widetilde{\mathcal{L}}^{\text{snd}} := \text{span}([\mathbf{A}]) \cup \text{span}([\mathbf{A}_0]) \cup \text{span}([\mathbf{A}_1])$ .

The construction<sup>8</sup> of  $\mathcal{L}^{\text{snd}}$ -qualified proof system  $\text{PS} = (\text{PGen}, \text{PPrv}, \text{PVer}, \text{PSim})$  in [GHK17] is shown in Figure 10.

According to Theorem 1 of [GHK17], PS is  $\mathcal{L}^{\text{snd}}$ -qualified and  $\widetilde{\mathcal{L}}^{\text{snd}}$ -extensible, both admitting tight security reductions to the MDDH assumption. More precisely,  $\text{Adv}_{\mathcal{L}^{\text{snd}}, \text{PS}, \mathcal{A}}^{\text{csnd}}(\lambda), \text{Adv}_{\widetilde{\mathcal{L}}^{\text{snd}}, \widetilde{\text{PS}}, \mathcal{A}}^{\text{csnd}}(\lambda) \leq 2k \cdot \text{Adv}_{\mathcal{D}_{2k,k}, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}$ ,  $\text{Adv}_{\mathcal{L}^{\text{snd}}}^{\text{PS-ind}} \leq 2^{-\Omega(\lambda)}$ .

We now prove that  $\widetilde{\text{PS}}$  has pseudorandom simulated proof with Theorem 4.

**Theorem 4.** *The  $\mathcal{L}^{\text{snd}}$ -qualified proof system PS in Figure 10 has pseudorandom simulated proof if  $\mathcal{U}_k$ -MDDH assumption holds. Specifically, for each PPT adversary  $\mathcal{A}$ , we can build a PPT adversary  $\mathcal{B}$  with  $\mathbf{T}(\mathcal{B}) \leq \mathbf{T}(\mathcal{A}) + (Q_{\text{sim}} + Q_{\text{ver}}) \cdot \text{poly}(\lambda)$  such that the advantage*

$$\text{Adv}_{\text{PS}, \mathcal{A}}^{\text{pr-proof}}(\lambda) \leq 2 \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}.$$

where  $Q_{\text{sim}}(Q_{\text{ver}})$  is the total number of  $\mathcal{O}_{\text{sim}}(\mathcal{O}_{\text{ver}})$  queries made by  $\mathcal{A}$  and  $\text{poly}(\lambda)$  is a polynomial independent of  $\mathbf{T}(\mathcal{A})$ .

*Proof of Theorem 4.*

For a fixed PPT adversary  $\mathcal{A}$ , consider an experiment  $\text{Exp}_{\text{PS}, \mathcal{A}}^{\text{pr-proof}}(\lambda)$  which first uniformly selects  $b \leftarrow_{\S} \{0, 1\}$ , then calls  $\text{Exp}_{\text{PS}, \mathcal{A}}^{\text{pr-proof-}b}(\lambda)$  and gets its output  $b'$ . It is straightforward that

$$\text{Adv}_{\text{PS}, \mathcal{A}}^{\text{pr-proof}}(\lambda) = 2 \left| \Pr[b' = b \text{ in } \text{Exp}_{\text{PS}, \mathcal{A}}^{\text{pr-proof}}(\lambda)] - \frac{1}{2} \right|.$$

Now we rewrite  $\text{Exp}_{\text{PS}, \mathcal{A}}^{\text{pr-proof}}(\lambda)$  in Figure 11 and make changes to it gradually through game  $G_0$  to  $G_3$ . Games  $G_0 - G_3$  are defined as follows.

**Game  $G_0$ .** This game is the same as  $\text{Exp}_{\text{PS}, \mathcal{A}}^{\text{pr-proof}}(\lambda)$ . Then

$$\text{Adv}_{\text{PS}, \mathcal{A}}^{\text{pr-proof}}(\lambda) = 2 \left| \Pr_0[b' = b] - \frac{1}{2} \right|. \quad (14)$$

<sup>8</sup> This construction in Figure 10 is an updated version of [GHK17] from a personal communication.

<p><b>PGen(pars):</b></p> $\mathbf{K}_X \leftarrow_{\S} \mathbb{Z}_q^{(k^2+1) \times 2k}$ $\mathbf{K}_Y \leftarrow_{\S} \mathbb{Z}_q^{(k+1) \times 2k}$ $[\mathbf{P}_X] \leftarrow \mathbf{K}_X[\mathbf{A}] \in \mathbb{G}^{(k^2+1) \times k}$ $[\mathbf{P}_Y] \leftarrow \mathbf{K}_Y[\mathbf{A}] \in \mathbb{G}^{(k+1) \times k}$ $\text{ppk} \leftarrow ([\mathbf{P}_X], [\mathbf{P}_Y])$ $\text{psk} \leftarrow (\mathbf{K}_X, \mathbf{K}_Y)$ <p>Return (ppk, psk)</p>	<p><b>PSim(ppk, psk, [c]):</b></p> $\mathbf{X} \leftarrow h_0(\mathbf{K}_X[\mathbf{c}])$ $\mathbf{y} \leftarrow h_1(\mathbf{K}_Y[\mathbf{c}])$ $[\pi] \leftarrow [\mathbf{A}_0] \cdot \mathbf{X} + [\mathbf{c}] \cdot \mathbf{y}^\top$ $[\mathbf{K}] \leftarrow [\mathbf{A}_0] \cdot \mathbf{X} + [\mathbf{c}] \cdot \mathbf{y}^\top$ $[\kappa] \leftarrow \text{trace}([\mathbf{K}])$ <p>Return ([<math>\pi</math>], [<math>\kappa</math>])</p>
<p><b>PPrv(ppk, [c], r):</b></p> $\mathbf{X} \leftarrow h_0([\mathbf{P}_X]\mathbf{r}) \in \mathbb{Z}_q^{k \times k}$ $\mathbf{y} \leftarrow h_1([\mathbf{P}_Y]\mathbf{r}) \in \mathbb{Z}_q^k$ $[\pi] \leftarrow [\mathbf{A}_0] \cdot \mathbf{X} + [\mathbf{c}] \cdot \mathbf{y}^\top \in \mathbb{G}^{k \times k}$ $[\mathbf{K}] \leftarrow [\mathbf{A}_0] \cdot \mathbf{X} + [\mathbf{c}] \cdot \mathbf{y}^\top \in \mathbb{G}^{k \times k}$ $[\kappa] \leftarrow \text{trace}([\mathbf{K}]) \in \mathbb{G}$ <p>Return ([<math>\pi</math>], [<math>\kappa</math>])</p>	<p><b>PVer(ppk, psk, [c], [<math>\pi^*</math>]):</b></p> $([\pi], [\kappa]) \leftarrow \text{PSim}(\text{ppk}, \text{psk}, [\mathbf{c}])$ <p>Return <math>\begin{cases} (1, [\kappa]) &amp; \text{If } [\pi] = [\pi^*] \\ (0, \perp) &amp; \text{Otherwise} \end{cases}</math></p>

**Fig. 10.** Construction of the  $\mathcal{L}^{\text{snd}}$ -qualified proof system  $\text{PS} = (\text{PGen}, \text{PPrv}, \text{PVer}, \text{PSim})$  in [GHK17].

**Game  $G_0 - G_1$ .**  $G_1$  is almost the same as  $G_0$  except for the  $\mathcal{O}_{\text{sim}}$  oracle.

- In  $G_0$ ,  $\mathbf{X} = h_0(\mathbf{K}_X[\mathbf{c}])$ , where  $[\mathbf{c}] = [\mathbf{A}_0]\mathbf{r}$  and  $\mathbf{r} \leftarrow_{\S} \mathbb{Z}_q^k$  for each  $\mathcal{O}_{\text{sim}}$  query.
- In  $G_1$ ,  $\mathbf{X} = h_0([\mathbf{V}\mathbf{r}])$ , where (i) a fresh  $\mathbf{r}$  is uniformly chosen from  $\mathbb{Z}_q^k$  for each  $\mathcal{O}_{\text{sim}}$  query; (ii)  $\mathbf{V}$  is uniformly chosen from  $\mathbb{Z}_q^{(k^2+1) \times k}$  beforehand but will be fixed for each  $\mathcal{O}_{\text{sim}}$  query.

Define  $\mathbf{U} := \mathbf{K}_X \mathbf{A}_0$ , so  $(\mathbf{P}_X | \mathbf{U}) = \mathbf{K}_X(\mathbf{A} | \mathbf{A}_0)$ . Note that, the square matrix  $(\mathbf{A} | \mathbf{A}_0)$  is of full rank with probability  $1 - 2^{-\Omega(\lambda)}$ , then the entropy of  $\mathbf{K}_X$  is transferred to  $(\mathbf{P}_X | \mathbf{U})$  intactly. Recall that  $\mathbf{K}_X$  is uniform over  $\mathbb{Z}_q^{(k^2+1) \times 2k}$ . Therefore,  $(\mathbf{P}_X | \mathbf{U})$  is uniform over  $\mathbb{Z}_q^{(k^2+1) \times 2k}$  as well. Consequently,  $\mathbf{U}$  is uniformly distributed over  $\mathbb{Z}_q^{(k^2+1) \times k}$  even conditioned on  $\mathbf{P}_X$ .

In  $G_0$ , the  $\mathcal{O}_{\text{ver}}$  oracle rejects all  $[\mathbf{c}] \notin [\text{span}(\mathbf{A})]$ . Therefore, the information of  $\mathbf{K}_X$  leaked through  $\mathcal{O}_{\text{ver}}$  is characterized by the public key  $\mathbf{P}_X$ . Together with the fact that  $[\mathbf{c}] = [\mathbf{A}_0]\mathbf{r}$  in  $\mathcal{O}_{\text{sim}}$  of  $G_0$  and  $G_1$ , the computation of  $\mathbf{K}_X[\mathbf{c}] = [\mathbf{K}_X \mathbf{A}_0]\mathbf{r}$  in  $\mathcal{O}_{\text{sim}}$  of  $G_0$  can be replaced with  $[\mathbf{V}]\mathbf{r}$  for  $\mathbf{V} \leftarrow_{\S} \mathbb{Z}_q^{(k^2+1) \times k}$  in  $G_1$ . Thus we have

$$|\Pr_0[b' = b] - \Pr_1[b' = b]| \leq 2^{-\Omega(\lambda)}. \quad (15)$$

**Game  $G_1 - G_2$ .**  $G_2$  is the same as  $G_1$  except for the  $\mathcal{O}_{\text{sim}}$  oracle.

- In  $G_1$ ,  $\mathbf{X} = h_0([\mathbf{V}\mathbf{r}])$  is computed with the same  $\mathbf{V}$  but a fresh  $\mathbf{r} \leftarrow_{\S} \mathbb{Z}_q^k$ .
- In  $G_2$ ,  $\mathbf{X}$  is uniformly selected from  $\mathbb{Z}_q^{k \times k}$  for each  $\mathcal{O}_{\text{sim}}$  oracle.

We will show that

$$|\Pr_1[b' = b] - \Pr_2[b' = b]| \leq \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (16)$$

To prove (16), we define two intermediate games  $G'_1$  and  $G''_1$ .

$G'_1$  is the same as  $G_1$  except for the generation of  $\mathbf{r}$  in  $\mathcal{O}_{\text{sim}}$ . For each  $\mathcal{O}_{\text{sim}}$  query,

$\text{Exp}_{\text{PS}, \mathcal{A}}^{\text{pr-proof}}(\lambda): G_0 \text{ } \boxed{G_1 - G_3}$ $b \leftarrow_{\mathcal{S}} \{0, 1\}$ $\mathbf{V} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{(k^2+1) \times k}$ $\mathbf{K}_X \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{(k^2+1) \times 2k}$ $\mathbf{K}_Y \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{(k+1) \times 2k}$ $[\mathbf{P}_X] \leftarrow \mathbf{K}_X[\mathbf{A}]$ $[\mathbf{P}_Y] \leftarrow \mathbf{K}_Y[\mathbf{A}]$ $\text{ppk} \leftarrow ([\mathbf{P}_X], [\mathbf{P}_Y])$ $b' \leftarrow_{\mathcal{S}} \mathcal{A}^{\mathcal{O}_{\text{sim}}(\cdot), \mathcal{O}_{\text{ver}}(\cdot, \cdot)}(\text{ppk})$ Return $b'$	$\mathcal{O}_{\text{sim}}(): G_0 \text{ } \boxed{G_1} \text{ } \boxed{G_2 \ G_3}$ $\mathbf{r} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^k, [\mathbf{c}] \leftarrow [\mathbf{A}_0]\mathbf{r}$ $\Pi_0 \leftarrow_{\mathcal{S}} \mathbb{G}^{k \times k}$ $\mathbf{X} \leftarrow \mathbf{h}_0(\mathbf{K}_X[\mathbf{c}])$ $\mathbf{X} \leftarrow \mathbf{h}_0([\mathbf{V}\mathbf{r}])$ $\mathbf{X} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{k \times k}$ $\mathbf{y} \leftarrow \mathbf{h}_1(\mathbf{K}_Y[\mathbf{c}])$ $\Pi_1 \leftarrow [\mathbf{A}_0] \cdot \mathbf{X} + [\mathbf{c}] \cdot \mathbf{y}^\top$ $\Pi_1 \leftarrow_{\mathcal{S}} \mathbb{G}^{k \times k}$ Return $([\mathbf{c}], \Pi_b)$	$\mathcal{O}_{\text{ver}}([\mathbf{c}], \Pi^*): G_0 - G_3$ $\mathbf{X} \leftarrow \mathbf{h}_0(\mathbf{K}_X[\mathbf{c}])$ $\mathbf{y} \leftarrow \mathbf{h}_1(\mathbf{K}_Y[\mathbf{c}])$ $\Pi \leftarrow [\mathbf{A}_0] \cdot \mathbf{X} + [\mathbf{c}] \cdot \mathbf{y}^\top$ $[\mathbf{K}] \leftarrow [\mathbf{A}_0] \cdot \mathbf{X} + [\mathbf{c}] \cdot \mathbf{y}^\top$ $[\kappa] \leftarrow \text{trace}([\mathbf{K}])$ If $\left[ \begin{array}{l} [\mathbf{c}] \notin \text{span}([\mathbf{A}]) \\ \vee \Pi \neq \Pi^* \end{array} \right]$ : Return $\perp$ Return $[\kappa]$
--	---	---

Fig. 11. Games  $G_0 - G_3$  in the proof of Theorem 4.

- in  $G_1$ ,  $\mathbf{r} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^k$ ;
- in  $G'_1$ ,  $\mathbf{r} \leftarrow \mathbf{W}\mathbf{s}$  with a fresh  $\mathbf{s} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^k$  but the same  $\mathbf{W}$ , which is uniformly selected from  $\mathbb{Z}_q^{k \times k}$  beforehand.

Since  $\mathbf{W}$  is invertible with probability  $1 - 2^{-\Omega(\lambda)}$ , we have that

$$|\Pr_1[b' = b] - \Pr_{1'}[b' = b]| \leq 2^{-\Omega(\lambda)}. \quad (17)$$

$G''_1$  is the same with  $G'_1$  except for the  $\mathcal{O}_{\text{sim}}$  oracle. For each  $\mathcal{O}_{\text{sim}}$  query,

- $G'_1$  sets  $[\mathbf{c}] \leftarrow \mathbf{A}_0[\mathbf{W}]\mathbf{s}$  and  $\mathbf{X} \leftarrow \mathbf{h}_0([\mathbf{V}\mathbf{W}]\mathbf{s})$ , where  $\mathbf{s} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^k$ ;
- $G''_1$  sets  $[\mathbf{c}] \leftarrow \mathbf{A}_0[\mathbf{r}]$  and  $\mathbf{X} \leftarrow \mathbf{h}_0([\mathbf{u}])$ , where  $\mathbf{r} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^k, \mathbf{u} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{k^2+1}$ .

Note that, with overwhelming probability,  $[\mathbf{B}] = \begin{bmatrix} \mathbf{W} \\ \mathbf{V}\mathbf{W} \end{bmatrix}$  distributes uniformly over  $\mathbb{G}^{(k^2+k+1) \times k}$ . Then we can build an adversary  $\mathcal{B}$  and show that

$$|\Pr_{1'}[b' = b] - \Pr_{1''}[b' = b]| \leq \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (18)$$

To prove (18), we construct an adversary  $\mathcal{B}'$  and show that

$$|\Pr_{1'}[b' = b] - \Pr_{1''}[b' = b]| \leq \text{Adv}_{\mathcal{U}_{k^2+k+1, k}, \text{GGen}, \mathcal{B}'}^{\mathcal{Q}_{\text{sim}}\text{-mddh}}(\lambda). \quad (19)$$

Upon receiving a challenge  $(\mathcal{G}, [\mathbf{B}] \in \mathbb{G}^{(k^2+k+1) \times k}, [\mathbf{H}] := ([\mathbf{h}_1] \cdots [\mathbf{h}_{Q_{\text{sim}}}] \in \mathbb{G}^{(k^2+k+1) \times Q_{\text{sim}}})$  for the  $Q_{\text{sim}}$ -fold  $\mathcal{U}_{k^2+k+1, k}$ -MDDH problem,  $\mathcal{B}'$  simulates game  $G'_1(G''_1)$ . In the simulation of the  $i$ -th  $\mathcal{O}_{\text{sim}}$  oracle query for  $i \in [Q_{\text{sim}}]$ ,  $\mathcal{B}'$  embeds  $[\mathbf{h}_i]$  in  $[\mathbf{c}]$  with  $[\mathbf{c}] \leftarrow \mathbf{A}_0[\mathbf{h}_i]$ . Then  $\mathcal{B}'$  embeds  $[\mathbf{h}_i]$  in  $\mathbf{X}$  with  $\mathbf{X} \leftarrow \mathbf{h}_0([\mathbf{h}_i])$ .

If  $[\mathbf{h}_i]$  is uniformly chosen from  $\text{span}([\mathbf{B}])$  for all  $i \in [Q_{\text{sim}}]$ , then  $[\mathbf{h}_i] = \begin{bmatrix} \mathbf{W} \\ \mathbf{V}\mathbf{W} \end{bmatrix} \mathbf{s}_i$ ,  $[\mathbf{h}_i] = [\mathbf{W}]\mathbf{s}_i$  and  $[\mathbf{h}_i] = [\mathbf{V}\mathbf{W}]\mathbf{s}_i$  with  $\mathbf{s}_i \leftarrow_{\mathcal{S}} \mathbb{Z}_q^k$ . In this case,  $\mathcal{B}'$  perfectly simulates  $G'_1$ . If  $[\mathbf{h}_i]$  is uniformly chosen from  $\mathbb{G}^{k^2+k+1}$  for all  $i \in [Q_{\text{sim}}]$ , then both  $[\mathbf{h}_i]$  and  $[\mathbf{h}_i]$  are uniform. In this case,  $\mathcal{B}'$  perfectly simulates  $G''_1$ .

From above, (19) follows. Then, (18) follows from (19), Lemma 6 and Lemma 3.

In  $G''_1$ ,  $\mathbf{X} \leftarrow \mathbf{h}_0([\mathbf{u}])$  for a uniform  $\mathbf{u} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{k^2+1}$ . Since  $\mathbf{h}_0$  is universal, by Lemma 2 and a union bound, we have that

$$|\Pr_{1''}[b' = b] - \Pr_2[b' = b]| \leq \frac{Q_{\text{sim}}}{2\sqrt{q}} = 2^{-\Omega(\lambda)}. \quad (20)$$

Then (16) follows from (17, 18) and (20).

**Game  $G_2 - G_3$ .**  $G_3$  is the same as  $G_2$  except for the  $\mathcal{O}_{\text{sim}}$  oracle.

For each  $\mathcal{O}_{\text{sim}}$  query,

- in  $G_2$ ,  $\Pi_1 = [\overline{\mathbf{A}_0}] \cdot \mathbf{X} + [\overline{\mathbf{c}}] \cdot \mathbf{y}^\top$  for  $[\mathbf{c}] = [\mathbf{A}_0]\mathbf{r}$  and a fresh  $\mathbf{X} \leftarrow_{\S} \mathbb{Z}_q^{k \times k}$ ;
- in  $G_3$ ,  $\Pi_1$  is uniformly selected from  $\mathbb{G}^{k \times k}$ .

Note that in  $G_2$ ,

$$\Pi_1 = [\overline{\mathbf{A}_0}] \cdot \mathbf{X} + [\overline{\mathbf{c}}] \cdot \mathbf{y}^\top = [\overline{\mathbf{A}_0}](\mathbf{X} + \mathbf{r} \cdot \mathbf{y}^\top).$$

Due to the uniformness of  $\mathbf{X}$ ,  $\Pi_1$  has the same distribution as  $[\overline{\mathbf{A}_0}]\mathbf{X}$ . Since  $\overline{\mathbf{A}_0}$  is an invertible matrix,  $[\overline{\mathbf{A}_0}]\mathbf{X}$  is uniformly distributed over  $\mathbb{G}^{k \times k}$ . Thus we have

$$\Pr_2[b' = b] = \Pr_3[b' = b]. \quad (21)$$

**Game  $G_3$ .** In  $G_3$ ,  $\Pi_0$  distributes identically to  $\Pi_1$  and

$$\Pr_3[b' = b] = \frac{1}{2}. \quad (22)$$

Finally, Theorem 4 follows from (14, 15, 16, 21) and (22).  $\blacksquare$

$(\text{pk}_{\text{kem}}, \text{sk}_{\text{kem}}) \leftarrow_{\S} \text{KGen}(1^\lambda):$ $(\text{ppk}, \text{psk}) \leftarrow_{\S} \text{PGen}(\text{pars})$ $\mathbf{k}_0, \mathbf{k}_1 \leftarrow_{\S} \mathbb{Z}_q^{2k}, \quad [\mathbf{p}_0^\top] \leftarrow \mathbf{k}_0^\top [\mathbf{A}] \in \mathbb{G}^{1 \times k}, \quad [\mathbf{p}_1^\top] \leftarrow \mathbf{k}_1^\top [\mathbf{A}] \in \mathbb{G}^{1 \times k}$ Return $\text{pk}_{\text{kem}} \leftarrow (\text{ppk}, [\mathbf{p}_0^\top], [\mathbf{p}_1^\top]), \quad \text{sk}_{\text{kem}} \leftarrow (\text{psk}, \mathbf{k}_0, \mathbf{k}_1)$	
$(\psi, \gamma) \leftarrow_{\S} \text{KEnc}(\text{pk}_{\text{kem}}):$ $\mathbf{r} \leftarrow_{\S} \mathbb{Z}_q^k, \quad [\mathbf{c}] \leftarrow [\mathbf{A}]\mathbf{r} \in \mathbb{G}^{2k}$ $(\Pi, [\kappa]) \leftarrow_{\S} \text{PPrv}(\text{ppk}, [\mathbf{c}], \mathbf{r})$ $\tau \leftarrow \text{H}([\overline{\mathbf{c}}]) \in \{0, 1\}^\lambda \subseteq \mathbb{Z}_q$ $\gamma \leftarrow ([\mathbf{p}_0^\top] + \tau[\mathbf{p}_1^\top]) \cdot \mathbf{r} + [\kappa] \in \mathbb{G}$ Return $(\psi \leftarrow ([\mathbf{c}], \Pi), \gamma)$ $// \Psi = \mathbb{G}^{2k} \times \mathbb{G}^{k \times k}, \quad \Gamma = \mathbb{G}$	$\gamma/\perp \leftarrow \text{KDec}(\text{sk}_{\text{kem}}, \psi):$ Parse $\psi = ([\mathbf{c}], \Pi)$ $(v \in \{0, 1\}, [\kappa]) \leftarrow \text{PVer}(\text{psk}, [\mathbf{c}], \Pi)$ $\tau \leftarrow \text{H}([\overline{\mathbf{c}}]) \in \{0, 1\}^\lambda \subseteq \mathbb{Z}_q$ $\gamma \leftarrow (\mathbf{k}_0^\top + \tau\mathbf{k}_1^\top) \cdot [\mathbf{c}] + [\kappa] \in \mathbb{G}$ Return $\begin{cases} \gamma & \text{If } v = 1 \\ \perp & \text{Otherwise} \end{cases}$

**Fig. 12.** Construction of  $\text{KEM}_{\text{qps}} = (\text{KGen}, \text{KEnc}, \text{KDec})$  in [GHK17]

**KEM from Qualified Proof System.** The construction of the qualified PS based KEM  $\text{KEM}_{\text{qps}} = (\text{KGen}, \text{KEnc}, \text{KDec})$  from [GHK17] is shown in Figure 12. Suppose  $\mathcal{H}$  is a hash generator outputting functions  $\text{H} : \mathbb{G}^k \rightarrow \{0, 1\}^\lambda$ . The parameters  $\text{pars}$  used in this construction are specified in Section 5.2.

Theorem 2 in [GHK17] has shown that  $\text{KEM}_{\text{qps}}$  is IND-CCCA secure. Now we prove that  $\text{KEM}_{\text{qps}}$  is mPR-CCCA secure (through Theorem 5) and is RER secure (through Theorem 6), both admitting tight security reductions.

**Theorem 5.** *The KEM  $\text{KEM}_{\text{qps}}$  in Figure 12 is mPR-CCCA secure if the  $\mathcal{D}_{2k,k}$ -MDDH assumption holds,  $\mathcal{H}$  outputs collision-resistant hash function, PS is  $\mathcal{L}^{\text{snd}}$ -qualified,  $\widetilde{\mathcal{L}}^{\text{snd}}$ -extensible and has pseudorandom simulated proof. Specifically, for each PPT adversary*

$\mathcal{A}$  with negligible uncertainty  $\text{uncert}_{\mathcal{A}}(\lambda)$ , we can build PPT adversaries  $\mathcal{B}_1, \dots, \mathcal{B}_7$  with  $\mathbf{T}(\mathcal{B}_1) \approx \dots \approx \mathbf{T}(\mathcal{B}_7) \leq \mathbf{T}(\mathcal{A}) + (Q_{\text{enc}} + Q_{\text{dec}}) \cdot \text{poly}(\lambda)$  and  $\text{uncert}_{\mathcal{B}_4}(\lambda) = \text{uncert}_{\mathcal{B}_6}(\lambda) = \text{uncert}_{\mathcal{A}}(\lambda)$ , such that the advantage

$$\begin{aligned} \text{Adv}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{mpr-ccca}}(\lambda) &\leq 2\text{Adv}_{\mathcal{H}, \mathcal{B}_1}^{\text{cr}}(\lambda) + (4\lambda + 3k)\text{Adv}_{\mathcal{D}_{2k, k}, \text{GGen}, \mathcal{B}_2}^{\text{mddh}}(\lambda) \\ &\quad + 7\text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}_3}^{\text{mddh}}(\lambda) + \text{Adv}_{\mathcal{L}^{\text{snd}}, \text{PS}, \mathcal{B}_4}^{\text{csnd}}(\lambda) + \text{Adv}_{\mathcal{L}^{\text{snd}}, \text{PS}, \widetilde{\text{PS}}, \mathcal{B}_5}^{\text{PS-ind}}(\lambda) \\ &\quad + \lambda \text{Adv}_{\mathcal{L}^{\text{snd}}, \widetilde{\text{PS}}, \mathcal{B}_6}^{\text{csnd}}(\lambda) + 2\text{Adv}_{\text{PS}, \mathcal{B}_7}^{\text{pr-proof}}(\lambda) \\ &\quad + ((\lambda + 2) \cdot Q_{\text{enc}} + 3) \cdot Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda) + 2^{-\Omega(\lambda)}. \end{aligned}$$

where  $Q_{\text{enc}}(Q_{\text{dec}})$  is the total number of  $\mathcal{O}_{\text{enc}}(\mathcal{O}_{\text{dec}})$  queries made by  $\mathcal{A}$  and  $\text{poly}(\lambda)$  is a polynomial independent of  $\mathbf{T}(\mathcal{A})$ .

*Proof of Theorem 5.* For a fixed PPT adversary  $\mathcal{A}$  with negligible uncertainty  $\text{uncert}_{\mathcal{A}}(\lambda)$ , consider an experiment  $\text{Exp}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{mpr-ccca}}(\lambda)$  which first randomly selects  $b \leftarrow_{\mathcal{S}} \{0, 1\}$ , then calls  $\text{Exp}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{mpr-ccca-}b}(\lambda)$  and gets its output  $b'$ . It is straightforward that  $\text{Adv}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{mpr-ccca}}(\lambda) = 2 \left| \Pr[b' = b \text{ in } \text{Exp}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{mpr-ccca}}(\lambda)] - \frac{1}{2} \right|$ . Then we rewrite experiment  $\text{Exp}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{mpr-ccca}}(\lambda)$  in Figure 13 and make changes to it gradually through game  $G_0$  to  $G_9$  which are defined as follows.

**Game  $G_0$ .** This game is identical to  $\text{Exp}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{mpr-ccca}}(\lambda)$ . Then

$$\text{Adv}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{mpr-ccca}}(\lambda) = 2 \left| \Pr_0[b' = b] - \frac{1}{2} \right|. \quad (23)$$

**Game  $G_0 - G_1$ .**  $G_1$  is the same as  $G_0$  except that an additional rejection rule is added in  $\mathcal{O}_{\text{dec}}$ . More precisely, in  $G_1$ , we use a set  $\mathcal{T}$  to log all the tags  $\tau_b = \text{H}([\bar{c}_b])$  used in oracle  $\mathcal{O}_{\text{enc}}$ , and any  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi = ([c], \Pi))$  query will be rejected if  $\tau = \text{H}([\bar{c}]) \in \mathcal{T}$ .

**Lemma 1.**

$$\begin{aligned} |\Pr_0[b' = b] - \Pr_1[b' = b]| &\leq \text{Adv}_{\mathcal{H}, \mathcal{B}_1}^{\text{cr}}(\lambda) + \frac{k}{2} \cdot \text{Adv}_{\mathcal{D}_{2k, k}, \text{GGen}, \mathcal{B}_2}^{\text{mddh}}(\lambda) \\ &\quad + \frac{1}{2} \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}_3}^{\text{mddh}}(\lambda) + \frac{3}{2} Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda) + 2^{-\Omega(\lambda)}. \end{aligned}$$

We put the proof of this lemma in Appendix F.

**Game  $G_1 - G_2$ .**  $G_2$  is almost the same as  $G_1$  except for two changes in  $\mathcal{O}_{\text{enc}}$ . The first change is that  $\text{PPrv}$  is replaced with  $\text{PSim}$ . The second change is that  $\text{sk}_{\text{KEM}}$  is used to calculate  $\gamma_1$ . More precisely, for  $[c_1] = [\mathbf{A}]\mathbf{r}_1$  in oracle  $\mathcal{O}_{\text{enc}}$ ,

- in  $G_1$ ,  $(\Pi_1, [\kappa_1]) \leftarrow \text{PPrv}(\text{ppk}, [c_1], \mathbf{r}_1)$ ,  $\gamma_1 \leftarrow ([\mathbf{p}_0^\top] + \tau_1[\mathbf{p}_1^\top]) \cdot \mathbf{r}_1 + [\kappa_1]$ ;
- in  $G_2$ ,  $(\Pi_1, [\kappa_1]) \leftarrow \text{PSim}(\text{psk}, [c_1])$ ,  $\gamma_1 \leftarrow (\mathbf{k}_0^\top + \tau_1\mathbf{k}_1^\top) \cdot [c_1] + [\kappa_1]$ .


Due to the perfect zero-knowledge property of  $\text{PS}$ , we have  $\text{PPrv}(\text{ppk}, [c_1], \mathbf{r}_1) = \text{PSim}(\text{psk}, [c_1])$ . Meanwhile,  $[\mathbf{p}_0^\top] = \mathbf{k}_0^\top[\mathbf{A}]$  and  $[\mathbf{p}_1^\top] = \mathbf{k}_1^\top[\mathbf{A}]$ , so we have  $([\mathbf{p}_0^\top] + \tau_1[\mathbf{p}_1^\top]) \cdot \mathbf{r}_1 + [\kappa_1] = (\mathbf{k}_0^\top + \tau_1\mathbf{k}_1^\top) \cdot [c_1] + [\kappa_1]$ .

These changes are only conceptual, so  $G_1$  is identical to  $G_2$  and

$$\Pr_1[b' = b] = \Pr_2[b' = b]. \quad (24)$$

**Game  $G_2 - G_3$ .**  $G_3$  is the same as  $G_2$  except for one difference in  $\mathcal{O}_{\text{enc}}$ .

- In game  $G_2$ ,  $[c_1]$  is uniform over  $\text{span}([\mathbf{A}])$  for each  $\mathcal{O}_{\text{enc}}$  query.
- In game  $G_3$ ,  $[c_1]$  is uniform over  $\mathbb{G}^{2k}$  for each  $\mathcal{O}_{\text{enc}}$  query.

Fig. 13. Game  $G_0 - G_9$  in the proof of Theorem 5.

We can build an adversary  $\mathcal{B}_2$  and show that

$$|\Pr_2[b' = b] - \Pr_3[b' = b]| \leq k \cdot \text{Adv}_{\mathcal{D}_{2k, k}, \text{GGen}, \mathcal{B}_2}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (25)$$

The reduction is straightforward, since  $\mathcal{B}_2$  can simulate  $G_2(G_3)$  by generating the secret key itself and embed its own challenge in  $[\mathbf{c}_1]$ . We omit the details.

A similar proof can be found in Appendix F.

**Game  $G_3 - G_4$ .**  $G_4$  is the same as  $G_3$  except for one difference in  $\mathcal{O}_{\text{enc}}$ .

- In game  $G_3$ ,  $[\mathbf{c}_1]$  is uniform over  $\mathbb{G}^{2k}$  for each  $\mathcal{O}_{\text{enc}}$  query.
- In game  $G_4$ ,  $[\mathbf{c}_1]$  is uniform over  $\text{span}([\mathbf{A}_0])$  for each  $\mathcal{O}_{\text{enc}}$  query.

We can build an adversary  $\mathcal{B}_3$  and show that

$$|\Pr_3[b' = b] - \Pr_4[b' = b]| \leq \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}_3}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (26)$$

The reduction is straightforward and the proof of (26) is almost the same as (25).

**Game  $G_4 - G_5$ .**  $G_5$  is almost the same as  $G_4$  except that a rejection rule is added in  $\mathcal{O}_{\text{dec}}$ . More precisely, in  $G_5$ , an  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi = ([\mathbf{c}], \Pi))$  query is directly rejected if

$[\mathbf{c}] \notin \text{span}([\mathbf{A}])$ . We have that

$$\begin{aligned} |\Pr_4[b' = b] - \Pr_5[b' = b]| &\leq \frac{1}{2} \text{Adv}_{\mathcal{L}^{\text{snd}}, \text{PS}, \mathcal{B}_4}^{\text{csnd}}(\lambda) + \frac{1}{2} \text{Adv}_{\mathcal{L}^{\text{snd}}, \text{PS}, \widetilde{\text{PS}}, \mathcal{B}_5}^{\text{PS-ind}}(\lambda) \\ &\quad + 2\lambda \cdot \text{Adv}_{\mathcal{D}_{2k, k}, \text{GGen}, \mathcal{B}_2}^{\text{mddh}}(\lambda) + \frac{\lambda}{2} \text{Adv}_{\mathcal{L}^{\text{snd}}, \widetilde{\text{PS}}, \mathcal{B}_6}^{\text{csnd}}(\lambda) \\ &\quad + \frac{\lambda + 2}{2} \cdot Q_{\text{enc}} \cdot Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda) + Q_{\text{enc}} \cdot 2^{-\Omega(\lambda)}. \end{aligned} \quad (27)$$

The proof of (27) is the same as Lemma 9 in [GHK17]. We refer [GHK17] for details.

**Game  $G_5 - G_6$ .**  $G_6$  is almost the same as  $G_5$  except for one difference in  $\mathcal{O}_{\text{enc}}$ .

- In game  $G_5$ ,  $\gamma_1 = (\mathbf{k}_0^\top + \tau_1 \mathbf{k}_1^\top) \cdot [\mathbf{c}_1] + [\kappa_1]$  for each  $\mathcal{O}_{\text{enc}}$  query.
- In game  $G_6$ ,  $\gamma_1 = [\mathbf{v}^\top \mathbf{r}_1] + \tau_1 \mathbf{k}_1^\top [\mathbf{c}_1] + [\kappa_1]$  where  $\mathbf{v}$  is uniformly chosen from  $\mathbb{Z}_q^k$  beforehand but will be fixed for each  $\mathcal{O}_{\text{enc}}$  query.

We have that

$$|\Pr_5[b' = b] - \Pr_6[b' = b]| \leq 2^{-\Omega(\lambda)}. \quad (28)$$

The proof of (28) is almost the same as that of (15). We put it in Appendix G and omit the details here.

**Game  $G_6 - G_7$ .**  $G_7$  is almost the same as  $G_6$  except for one difference in  $\mathcal{O}_{\text{enc}}$ .

- In game  $G_6$ ,  $\gamma_1 = [\mathbf{v}^\top \mathbf{r}_1] + \tau_1 \mathbf{k}_1^\top [\mathbf{c}_1] + [\kappa_1]$  for each  $\mathcal{O}_{\text{enc}}$  query.
- In game  $G_7$ ,  $\gamma_1 \leftarrow [u_1] + \tau_1 \mathbf{k}_1^\top [\mathbf{c}_1] + [\kappa_1]$  where  $u_1 \leftarrow_{\S} \mathbb{Z}_q$  for each  $\mathcal{O}_{\text{enc}}$  query. In other words,  $\gamma_1$  is uniform for each  $\mathcal{O}_{\text{enc}}$  query in  $G_7$ . We have that

$$|\Pr_6[b' = b] - \Pr_7[b' = b]| \leq \text{Adv}_{\mathcal{U}_{k, \text{GGen}, \mathcal{B}_3}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (29)$$

The proof of (29) is almost the same as that of (16). We can set  $\mathbf{r}_1 = \mathbf{W}\mathbf{s}$  and  $[\mathbf{B}] = \begin{bmatrix} \mathbf{W} \\ \mathbf{v}^\top \mathbf{W} \end{bmatrix} \in \mathbb{G}^{(k+1) \times k}$  which has the distribution  $\mathcal{U}_{k+1, k}$  overwhelmingly. Then we can reduce the indistinguishability between  $G_6$  and  $G_7$  to the  $Q_{\text{enc}}$ -fold  $\mathcal{U}_{k+1, k}$ -MDDH assumption. We omit the detailed proof here.

Note that, in game  $G_7$ ,  $[\kappa_1]$  is not needed any longer since we can just select a uniform  $\gamma_1$  for each  $\mathcal{O}_{\text{enc}}$  query.

**Game  $G_7 - G_8$ .**  $G_8$  is almost the same as  $G_7$  except for one difference in  $\mathcal{O}_{\text{enc}}$ .

- In game  $G_7$ ,  $\Pi_1$  is the output of  $\text{PSim}(\text{psk}, [\mathbf{c}_1])$  for each  $\mathcal{O}_{\text{enc}}$  query.
- In game  $G_8$ ,  $\Pi_1$  is uniform selected for each  $\mathcal{O}_{\text{enc}}$  query.

We can build an adversary  $\mathcal{B}_7$  and show that

$$|\Pr_7[b' = b] - \Pr_8[b' = b]| \leq \text{Adv}_{\text{PS}, \mathcal{B}_7}^{\text{pr-proof}}(\lambda). \quad (30)$$

On input  $\text{ppk}$ ,  $\mathcal{B}_7$  uniformly selects  $b \leftarrow_{\S} \{0, 1\}$  and sets  $\mathcal{T} \leftarrow \emptyset$ . Then  $\mathcal{B}_7$  uniformly selects  $\mathbf{k}_0, \mathbf{k}_1 \leftarrow_{\S} \mathbb{Z}_q^{2k}$  and sets  $[\mathbf{p}_0^\top] \leftarrow \mathbf{k}_0^\top [\mathbf{A}]$ ,  $[\mathbf{p}_1^\top] \leftarrow \mathbf{k}_1^\top [\mathbf{A}]$ ,  $\text{pk}_{\text{KEM}} \leftarrow (\text{ppk}, [\mathbf{p}_0^\top], [\mathbf{p}_1^\top])$ . Then  $\mathcal{B}_7$  calls  $\mathcal{A}^{\mathcal{O}_{\text{enc}}(), \mathcal{O}_{\text{dec}}(\cdot, \cdot)}(\text{pk}_{\text{KEM}})$  by simulating the two oracles for  $\mathcal{A}$  in the following way.

- For  $\mathcal{A}$ 's  $\mathcal{O}_{\text{enc}}()$  query,  $\mathcal{B}_7$  uniformly chooses  $(\psi_0, \gamma_0)$  and calculates  $\tau_0$  just like game  $G_7(G_8)$ . Then  $\mathcal{B}_7$  submits an  $\mathcal{O}_{\text{sim}}$  query to its own oracle and gets  $([\mathbf{c}], \Pi)$  where  $[\mathbf{c}]$  is uniform over  $\mathcal{L}^{\text{snd}} \setminus \mathcal{L} = \text{span}([\mathbf{A}_0])$  and  $\Pi$  is either an output of  $\text{PSim}(\text{psk}, [\mathbf{c}])$  or uniformly chosen from  $\Pi$ . After that  $\mathcal{B}_7$  sets  $[\mathbf{c}_1] \leftarrow [\mathbf{c}]$  and  $\Pi_1 \leftarrow \Pi$ . Then  $\mathcal{B}_7$  sets  $\psi_{\text{enc}}$ , calculates  $\tau_1$  from  $[\overline{\mathbf{c}}_1]$  and uniformly selects  $\gamma_1$  just like game  $G_7(G_8)$ . Finally  $\mathcal{B}_7$  returns  $(\psi_b, \gamma_b)$  to  $\mathcal{A}$ .

- For  $\mathcal{A}$ 's  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi = ([\mathbf{c}], \Pi))$  query,  $\mathcal{B}_7$  submits  $\mathcal{O}_{\text{ver}}([\mathbf{c}], \Pi)$  query to its own oracle and gets the response  $K$ . If  $K = \perp$ ,  $\mathcal{B}_7$  returns  $\perp$  to  $\mathcal{A}$ . Since  $K = \perp$  means  $[\mathbf{c}] \notin \text{span}([\mathbf{A}])$  or the verification  $\text{PVer}(\text{psk}, [\mathbf{c}], \Pi)$  does not pass,  $\mathcal{B}_7$  acts exactly the same as game  $G_7(G_8)$  in such cases. If  $[\kappa] = K \neq \perp$ ,  $\mathcal{B}_7$  calculates  $\tau$  and  $\gamma$  just like game  $G_7(G_8)$ . Then  $\mathcal{B}_7$  tests if  $([\mathbf{c}], \Pi) \in \psi_{\text{enc}}$  or  $\text{pred}(\gamma) = 0$  or  $\forall \tau \in \mathcal{T}$  happens. If so,  $\mathcal{B}_7$  returns  $\perp$  to  $\mathcal{A}$ . Otherwise  $\mathcal{B}_7$  returns  $\gamma$  to  $\mathcal{A}$ .

Finally, according to  $\mathcal{A}$ 's output  $b'$ ,  $\mathcal{B}_7$  outputs 1 if and only if  $b' = b$ . It is clear that if  $\Pi$  is an output of  $\text{PSim}(\text{psk}, [\mathbf{c}])$  for each  $\mathcal{O}_{\text{sim}}$  query,  $\mathcal{B}_7$  perfectly simulates game  $G_7$  for  $\mathcal{A}$ . And if  $\Pi$  is uniformly chosen from  $\mathbf{\Pi}$  for each  $\mathcal{O}_{\text{sim}}$  query,  $\mathcal{B}_7$  perfectly simulates game  $G_8$  for  $\mathcal{A}$ . Thus (30) follows.

**Game  $G_8 - G_9$ .**  $G_9$  is the same as  $G_8$  except for one difference in  $\mathcal{O}_{\text{enc}}$ .

- In game  $G_8$ ,  $[\mathbf{c}_1]$  is uniform selected from  $\text{span}([\mathbf{A}_0])$  for each  $\mathcal{O}_{\text{enc}}$  query.
- In game  $G_9$ ,  $[\mathbf{c}_1]$  is uniform selected from  $\mathbb{G}^{2k}$  for each  $\mathcal{O}_{\text{enc}}$  query.

We can build an adversary  $\mathcal{B}_3$  and show that

$$|\Pr_8[b' = b] - \Pr_9[b' = b]| \leq \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}_3}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (31)$$

The reduction is straightforward and the proof of (31) is the same as the proof for (25). We omit the details here.

**Game  $G_9$ .** In game  $G_9$ ,  $(\psi_1, \Pi_1)$  is uniform over  $\Psi \times \Gamma$  for each  $\mathcal{O}_{\text{enc}}$  query, which distributes exactly the same as  $(\psi_0, \Pi_0)$ . Thus we have

$$\Pr_9[b' = b] = \frac{1}{2}. \quad (32)$$

Finally, Theorem 5 follows from (23), Lemma 1, (24)–(32).  $\blacksquare$

**Theorem 6.** *The KEM  $\text{KEM}_{\text{qps}}$  in Figure 12 is RER secure. Specifically, for each PPT adversary  $\mathcal{A}$  with negligible uncertainty  $\text{uncert}_{\mathcal{A}}(\lambda)$ , the advantage  $\text{Adv}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{rer}}(\lambda) \leq 2^{-\Omega(\lambda)}$ .*

*Proof of Theorem 6.* In  $\text{Exp}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{rer-}b}(\lambda)$ , among all the  $\mathcal{O}_{\text{cha}}(\psi, \text{pred})$  queries submitted by  $\mathcal{A}$ , if  $\psi \notin \psi_{\text{ran}}$ , the oracle  $\mathcal{O}_{\text{cha}}$  will answer  $\mathcal{A}$  with  $\text{pred}(\text{KDec}(\text{sk}_{\text{KEM}}, \psi))$ . Thus no information about  $b$  is leaked to  $\mathcal{A}$ .

Therefore, we only consider those  $\mathcal{O}_{\text{cha}}(\psi, \text{pred})$  queries such that  $\psi = ([\mathbf{c}], \Pi) \in \psi_{\text{ran}}$ . In this case, both  $[\mathbf{c}]$  and  $\Pi$  are uniform.

If  $b = 0$ ,  $\mathcal{O}_{\text{cha}}(\psi, \text{pred})$  will always return 0 in  $\text{Exp}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{rer-}0}(\lambda)$ .

If  $b = 1$ ,  $\mathcal{O}_{\text{cha}}(\psi, \text{pred})$  will use  $\text{KDec}(\text{sk}_{\text{KEM}}, \psi)$  to decapsulate  $\psi$ . More precisely, it will invoke  $\text{PVer}(\text{psk}, [\mathbf{c}], \Pi)$  to obtain  $(v, [\kappa])$  and output  $\perp$  if  $v = 0$ . By the proof uniqueness of PS and the uniformness of  $\Pi$ , the probability that  $v = 1$  in this query is at most  $\frac{1}{|\mathbf{\Pi}|}$ . Taking into account all the  $\mathcal{Q}_{\text{cha}}$  queries, a union bound suggests that  $\mathcal{O}_{\text{cha}}(\psi, \text{pred})$  always outputs 0 in  $\text{Exp}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{rer-}1}(\lambda)$  except with probability at most  $\frac{|\mathcal{Q}_{\text{cha}}|}{|\mathbf{\Pi}|} = 2^{-\Omega(\lambda)}$ .

Thus

$$\text{Adv}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{rer}}(\lambda) = \left| \Pr \left[ \text{Exp}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{rer-}0}(\lambda) = 1 \right] - \Pr \left[ \text{Exp}_{\text{KEM}_{\text{qps}}, \mathcal{A}}^{\text{rer-}1}(\lambda) = 1 \right] \right| \leq 2^{-\Omega(\lambda)}. \quad \blacksquare$$

**Acknowledgments.** Lin Lyu, Shengli Liu and Shuai Han are supported by the National Natural Science Foundation of China (Grant Nos. 61672346, 61373153). Dawu Gu is supported by the National Natural Science Foundation of China (Grant No. U1636217) together with Program of Shanghai Academic Research Leader (16XD1401300).

## References

- [BHK12] Böhl, F., Hofheinz, D., Kraschewski, D.: On definitions of selective opening security. In: Fischlin, M., Buchmann, J.A., Manulis, M. (eds.) *Public Key Cryptography - PKC 2012 - 15th International Conference on Practice and Theory in Public Key Cryptography*, Darmstadt, Germany, May 21-23, 2012. *Proceedings, Lecture Notes in Computer Science*, vol. 7293, pp. 522–539. Springer (2012)
- [BHY09] Bellare, M., Hofheinz, D., Yilek, S.: Possibility and impossibility results for encryption and commitment secure under selective opening. In: Joux, A. (ed.) *Advances in Cryptology - EUROCRYPT 2009, 28th Annual International Conference on the Theory and Applications of Cryptographic Techniques*, Cologne, Germany, April 26-30, 2009. *Proceedings, Lecture Notes in Computer Science*, vol. 5479, pp. 1–35. Springer (2009)
- [CG13] Canetti, R., Garay, J.A. (eds.): *Advances in Cryptology - CRYPTO 2013 - 33rd Annual Cryptology Conference*, Santa Barbara, CA, USA, August 18-22, 2013. *Proceedings, Part II, Lecture Notes in Computer Science*, vol. 8043. Springer (2013)
- [CW13] Chen, J., Wee, H.: Fully, (almost) tightly secure IBE and dual system groups. In: Canetti and Garay [CG13], pp. 435–460
- [DN00] Damgård, I., Nielsen, J.B.: Improved non-committing encryption schemes based on a general complexity assumption. In: Bellare, M. (ed.) *Advances in Cryptology - CRYPTO 2000, 20th Annual International Cryptology Conference*, Santa Barbara, California, USA, August 20-24, 2000. *Proceedings, Lecture Notes in Computer Science*, vol. 1880, pp. 432–450. Springer (2000)
- [DNRS99] Dwork, C., Naor, M., Reingold, O., Stockmeyer, L.J.: Magic functions. In: *40th Annual Symposium on Foundations of Computer Science, FOCS '99*, 17-18 October, 1999, New York, NY, USA, pp. 523–534. IEEE Computer Society (1999)
- [EHK<sup>+</sup>13] Escala, A., Herold, G., Kiltz, E., Ràfols, C., Villar, J.L.: An algebraic framework for diffie-hellman assumptions. In: Canetti and Garay [CG13], pp. 129–147
- [FHKW10] Fehr, S., Hofheinz, D., Kiltz, E., Wee, H.: Encryption schemes secure against chosen-ciphertext selective opening attacks. In: Gilbert, H. (ed.) *Advances in Cryptology - EUROCRYPT 2010, 29th Annual International Conference on the Theory and Applications of Cryptographic Techniques*, French Riviera, May 30 - June 3, 2010. *Proceedings, Lecture Notes in Computer Science*, vol. 6110, pp. 381–402. Springer (2010)
- [GHK17] Gay, R., Hofheinz, D., Kohl, L.: Kurosawa-desmedt meets tight security. In: Katz and Shacham [KS17], pp. 133–160
- [GHKW16] Gay, R., Hofheinz, D., Kiltz, E., Wee, H.: Tightly cca-secure encryption without pairings. In: Fischlin, M., Coron, J. (eds.) *Advances in Cryptology - EUROCRYPT 2016 - 35th Annual International Conference on the Theory and Applications of Cryptographic Techniques*, Vienna, Austria, May 8-12, 2016. *Proceedings, Part I, Lecture Notes in Computer Science*, vol. 9665, pp. 1–27. Springer (2016)
- [GM84] Goldwasser, S., Micali, S.: Probabilistic encryption. *J. Comput. Syst. Sci.* vol. 28(2), pp. 270–299 (1984)
- [HILL99] Håstad, J., Impagliazzo, R., Levin, L.A., Luby, M.: A pseudorandom generator from any one-way function. *SIAM J. Comput.* vol. 28(4), pp. 1364–1396 (1999)
- [HJR16] Hofheinz, D., Jager, T., Rupp, A.: Public-key encryption with simulation-based selective-opening security and compact ciphertexts. In: Hirt, M., Smith, A.D.

- (eds.) Theory of Cryptography - 14th International Conference, TCC 2016-B, Beijing, China, October 31 - November 3, 2016, Proceedings, Part II, Lecture Notes in Computer Science, vol. 9986, pp. 146–168 (2016)
- [HLOV11] Hemenway, B., Libert, B., Ostrovsky, R., Vergnaud, D.: Lossy encryption: Constructions from general assumptions and efficient selective opening chosen ciphertext security. In: Lee, D.H., Wang, X. (eds.) Advances in Cryptology - ASIACRYPT 2011 - 17th International Conference on the Theory and Application of Cryptology and Information Security, Seoul, South Korea, December 4-8, 2011. Proceedings, Lecture Notes in Computer Science, vol. 7073, pp. 70–88. Springer (2011)
- [HLQ13] Huang, Z., Liu, S., Qin, B.: Sender-equivocable encryption schemes secure against chosen-ciphertext attacks revisited. In: Kurosawa, K., Hanaoka, G. (eds.) Public-Key Cryptography - PKC 2013 - 16th International Conference on Practice and Theory in Public-Key Cryptography, Nara, Japan, February 26 - March 1, 2013. Proceedings, Lecture Notes in Computer Science, vol. 7778, pp. 369–385. Springer (2013)
- [HLQC13] Huang, Z., Liu, S., Qin, B., Chen, K.: Fixing the sender-equivocable encryption scheme in eurocrypt 2010. In: 2013 5th International Conference on Intelligent Networking and Collaborative Systems, Xi'an city, Shaanxi province, China, September 9-11, 2013, pp. 366–372. IEEE (2013)
- [Hof12] Hofheinz, D.: All-but-many lossy trapdoor functions. In: Pointcheval, D., Johansson, T. (eds.) Advances in Cryptology - EUROCRYPT 2012 - 31st Annual International Conference on the Theory and Applications of Cryptographic Techniques, Cambridge, UK, April 15-19, 2012. Proceedings, Lecture Notes in Computer Science, vol. 7237, pp. 209–227. Springer (2012)
- [Hof17] Hofheinz, D.: Adaptive partitioning. In: Coron, J., Nielsen, J.B. (eds.) Advances in Cryptology - EUROCRYPT 2017 - 36th Annual International Conference on the Theory and Applications of Cryptographic Techniques, Paris, France, April 30 - May 4, 2017, Proceedings, Part III, Lecture Notes in Computer Science, vol. 10212, pp. 489–518 (2017)
- [KS17] Katz, J., Shacham, H. (eds.): Advances in Cryptology - CRYPTO 2017 - 37th Annual International Cryptology Conference, Santa Barbara, CA, USA, August 20-24, 2017, Proceedings, Part III, Lecture Notes in Computer Science, vol. 10403. Springer (2017)
- [LDL<sup>+</sup>14] Lai, J., Deng, R.H., Liu, S., Weng, J., Zhao, Y.: Identity-based encryption secure against selective opening chosen-ciphertext attack. In: Nguyen, P.Q., Oswald, E. (eds.) Advances in Cryptology - EUROCRYPT 2014 - 33rd Annual International Conference on the Theory and Applications of Cryptographic Techniques, Copenhagen, Denmark, May 11-15, 2014. Proceedings, Lecture Notes in Computer Science, vol. 8441, pp. 77–92. Springer (2014)
- [LLH17] Lyu, L., Liu, S., Han, S.: Public-key encryption with tight simulation-based selective-opening security. *The Computer Journal* pp. 1–31 (2017)
- [LP15] Liu, S., Paterson, K.G.: Simulation-based selective opening CCA security for PKE from key encapsulation mechanisms. In: Katz, J. (ed.) Public-Key Cryptography - PKC 2015 - 18th IACR International Conference on Practice and Theory in Public-Key Cryptography, Gaithersburg, MD, USA, March 30 - April 1, 2015, Proceedings, Lecture Notes in Computer Science, vol. 9020, pp. 3–26. Springer (2015)
- [LSSS17] Libert, B., Sakzad, A., Stehlé, D., Steinfeld, R.: All-but-many lossy trapdoor functions and selective opening chosen-ciphertext security from LWE. In: Katz and Shacham [KS17], pp. 332–364
- [PW08] Peikert, C., Waters, B.: Lossy trapdoor functions and their applications. In: Dwork, C. (ed.) Proceedings of the 40th Annual ACM Symposium on Theory of Computing, Victoria, British Columbia, Canada, May 17-20, 2008, pp. 187–196. ACM (2008)

- [WC81] Wegman, M.N., Carter, L.: New hash functions and their use in authentication and set equality. *J. Comput. Syst. Sci.* vol. 22(3), pp. 265–279 (1981)

## A Supplementary Materials for Preliminaries

### A.1 Hash Functions

A hash function generator  $\mathcal{H}$  is a PPT algorithm that, on input  $1^\lambda$ , outputs an efficiently computable function  $H : \mathcal{X} \rightarrow \mathcal{Y}$ .

**Definition 10 (Collision Resistance).** *A hash function generator  $\mathcal{H}$  outputs collision resistant hash function  $H$  or  $H$  is collision resistant if for each PPT adversary  $\mathcal{A}$ ,  $\text{Adv}_{\mathcal{H},\mathcal{A}}^{\text{cr}}(\lambda) := \Pr[x \neq x' \wedge H(x) = H(x') \mid H \leftarrow_{\S} \mathcal{H}(1^\lambda), (x, x') \leftarrow \mathcal{A}(1^\lambda, H)]$  is negligible.*

**Definition 11 (Universal hash [WC81]).** *A hash function generator  $\mathcal{H}$  outputs universal hash function  $H : \mathcal{X} \rightarrow \mathcal{Y}$ , or  $H$  is universal, if for all  $x, x' \in \mathcal{X}$  with  $x \neq x'$ , it follows that  $\Pr[H(x) = H(x') \mid H \leftarrow_{\S} \mathcal{H}(1^\lambda)] \leq 1/|\mathcal{Y}|$ .*

We state a simplified version of Leftover Hash Lemma with uniform input.

**Lemma 2 (Leftover Hash Lemma [HILL99]).** *Suppose that a hash function generator  $\mathcal{H}$  outputs universal hash function  $H : \mathcal{X} \rightarrow \mathcal{Y}$ . Then for  $H \leftarrow_{\S} \mathcal{H}(1^\lambda)$ , it holds that  $\Delta((H, H(U_{\mathcal{X}})), (H, U_{\mathcal{Y}})) \leq \frac{1}{2} \cdot \sqrt{|\mathcal{Y}|/|\mathcal{X}|}$ , where  $U_{\mathcal{X}} \leftarrow_{\S} \mathcal{X}, U_{\mathcal{Y}} \leftarrow_{\S} \mathcal{Y}$ ,  $H$  and  $U_{\mathcal{X}}$  are independent and  $\Delta(\cdot)$  denotes the statistical distance.*

### A.2 Matrix Decision Diffie-Hellman Assumption

We recall the definitions of the Matrix Decision Diffie-Hellman (MDDH) Assumptions in [EHK<sup>+</sup>13].

**Definition 12 (Matrix Distribution).** *Let  $k, \ell \in \mathbb{N}$ , with  $\ell > k$ .  $\mathcal{D}_{\ell,k}$  is called a matrix distribution if it outputs matrices in  $\mathbb{Z}_q^{\ell \times k}$  of full rank  $k$  in polynomial time. Define  $\mathcal{D}_k := \mathcal{D}_{k+1,k}$ .*

Without loss of generality, for  $\mathbf{A} \leftarrow_{\S} \mathcal{D}_{\ell,k}$ , we assume that  $\overline{\mathbf{A}}$  is invertible.

**Definition 13 ( $\mathcal{D}_{\ell,k}$ -Matrix Decision Diffie-Hellman Assumption,  $\mathcal{D}_{\ell,k}$ -MDDH).** *Let  $\mathcal{D}_{\ell,k}$  be a matrix distribution. The  $\mathcal{D}_{\ell,k}$ -Matrix Decision Diffie-Hellman ( $\mathcal{D}_{\ell,k}$ -MDDH) Assumption holds relative to  $\text{GGen}$  if for each PPT adversary  $\mathcal{A}$ ,*

$$\text{Adv}_{\mathcal{D}_{\ell,k}, \text{GGen}, \mathcal{A}}^{\text{mddh}}(\lambda) := |\Pr[\mathcal{A}(\mathcal{G}, [\mathbf{A}], [\mathbf{Aw}]) = 1] - \Pr[\mathcal{A}(\mathcal{G}, [\mathbf{A}], [\mathbf{u}]) = 1]|$$

*is negligible, where the probability is taken over  $\mathcal{G} \leftarrow_{\S} \text{GGen}(1^\lambda), \mathbf{A} \leftarrow_{\S} \mathcal{D}_{\ell,k}, \mathbf{w} \leftarrow_{\S} \mathbb{Z}_q^k$  and  $\mathbf{u} \leftarrow_{\S} \mathbb{Z}_q^\ell$ .*

For each  $k \geq 1$ , specific distributions  $\mathcal{L}_k, \mathcal{SC}_k, \mathcal{C}_k$  (and others) over  $\mathbb{Z}_q^{(k+1) \times k}$  were specified in [EHK<sup>+</sup>13].  $\mathcal{L}_k$ -MDDH is the well-known  $k$ -Linear Assumption.

**Definition 14 (Uniform Distribution).** *Let  $\ell, k \in \mathbb{N}$ , with  $\ell > k$ . Denote by  $\mathcal{U}_{\ell,k}$  the uniform distribution over the set of all full-rank  $\ell \times k$  matrices over  $\mathbb{Z}_q$ . Let  $\mathcal{U}_k := \mathcal{U}_{k+1,k}$ .*

**Lemma 3 ( $\mathcal{U}_k$ -MDDH  $\Leftrightarrow \mathcal{U}_{\ell,k}$ -MDDH [GHKW16]).** *Let  $\ell, k \in \mathbb{N}$ , with  $\ell > k$ . For any PPT adversary  $\mathcal{A}$ , there exists a PPT adversary  $\mathcal{B}$  (and vice versa) such that  $\mathbf{T}(\mathcal{B}) \approx \mathbf{T}(\mathcal{A})$  and  $\text{Adv}_{\mathcal{U}_{\ell,k}, \text{GGen}, \mathcal{A}}^{\text{mddh}}(\lambda) = \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda)$ .*

**Lemma 4** ( $\mathcal{D}_{\ell,k}$ -MDDH  $\Rightarrow \mathcal{U}_k$ -MDDH [EHK<sup>+</sup>13]). *Let  $\mathcal{D}_{\ell,k}$  be a matrix distribution. For any PPT adversary  $\mathcal{A}$ , there exists a PPT adversary  $\mathcal{B}$  such that  $\mathbf{T}(\mathcal{B}) \approx \mathbf{T}(\mathcal{A})$  and  $\text{Adv}_{\mathcal{D}_{\ell,k}, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) = \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{A}}^{\text{mddh}}(\lambda)$ .*

**Definition 15** ( $Q$ -Fold  $\mathcal{D}_{\ell,k}$ -Matrix Decision Diffie-Hellman Assumption,  $Q$ -fold  $\mathcal{D}_{\ell,k}$ -MDDH). *Let  $Q \geq 1$  and  $\mathcal{D}_{\ell,k}$  be a matrix distribution. The  $Q$ -fold  $\mathcal{D}_{\ell,k}$ -Matrix Decision Diffie-Hellman ( $Q$ -fold  $\mathcal{D}_{\ell,k}$ -MDDH) Assumption holds relative to  $\text{GGen}$  if for each PPT adversary  $\mathcal{A}$ ,*

$$\text{Adv}_{\mathcal{D}_{\ell,k}, \text{GGen}, \mathcal{A}}^{\text{Q-mddh}}(\lambda) := |\Pr[\mathcal{A}(\mathcal{G}, [\mathbf{A}], [\mathbf{AW}]) = 1] - \Pr[\mathcal{A}(\mathcal{G}, [\mathbf{A}], [\mathbf{U}]) = 1]|$$

*is negligible, where the probability is taken over  $\mathcal{G} \leftarrow_{\S} \text{GGen}(1^\lambda)$ ,  $\mathbf{A} \leftarrow_{\S} \mathcal{U}_{\ell,k}$ ,  $\mathbf{W} \leftarrow_{\S} \mathbb{Z}_q^{k \times Q}$ ,  $\mathbf{U} \leftarrow_{\S} \mathbb{Z}_q^{\ell \times Q}$ .*

**Lemma 5** (Random Self-Reducibility of  $\mathcal{D}_{\ell,k}$ -MDDH [EHK<sup>+</sup>13]). *Let  $\ell, k, Q \in \mathbb{N}$  with  $\ell > k$  and  $Q > \ell - k$ . For any PPT adversary  $\mathcal{A}$ , there exists a PPT adversary  $\mathcal{B}$  such that  $\mathbf{T}(\mathcal{B}) \approx \mathbf{T}(\mathcal{A}) + Q \cdot \text{poly}(\lambda)$  where  $\text{poly}$  is a polynomial independent of  $\mathbf{T}(\mathcal{A})$  and*

$$\begin{aligned} \text{Adv}_{\mathcal{D}_{\ell,k}, \text{GGen}, \mathcal{A}}^{\text{Q-mddh}}(\lambda) &\leq (\ell - k) \cdot \text{Adv}_{\mathcal{D}_{\ell,k}, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + \frac{1}{q-1} \\ &= (\ell - k) \cdot \text{Adv}_{\mathcal{D}_{\ell,k}, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \end{aligned}$$

According to [EHK<sup>+</sup>13], for the special case of  $\mathcal{D}_{\ell,k} = \mathcal{U}_{\ell,k}$  there exists a tight reduction between the  $Q$ -fold  $\mathcal{U}_{\ell,k}$ -MDDH problem and the  $\mathcal{U}_{\ell,k}$ -MDDH problem.

**Lemma 6** (Random Self-Reducibility of  $\mathcal{U}_{\ell,k}$ -MDDH [EHK<sup>+</sup>13]). *Let  $\ell, k, Q \in \mathbb{N}$  with  $\ell > k$ . For any PPT adversary  $\mathcal{A}$ , there exists a PPT adversary  $\mathcal{B}$  such that  $\mathbf{T}(\mathcal{B}) \approx \mathbf{T}(\mathcal{A}) + Q \cdot \text{poly}(\lambda)$  where  $\text{poly}$  is a polynomial independent of  $\mathbf{T}(\mathcal{A})$  and  $\text{Adv}_{\mathcal{U}_{\ell,k}, \text{GGen}, \mathcal{A}}^{\text{Q-mddh}}(\lambda) \leq \text{Adv}_{\mathcal{U}_{\ell,k}, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + \frac{1}{q-1} = \text{Adv}_{\mathcal{U}_{\ell,k}, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}$ .*

Recall that the Decisional Diffie-Hellman (DDH) assumption is a special case of the MDDH assumption.

**Definition 16** (DDH Assumption). *We say that the DDH assumption holds relative to a prime order group  $\mathbb{G}$  if for each PPT adversary  $\mathcal{A}$ ,*

$$\text{Adv}_{\mathbb{G}, \mathcal{A}}^{\text{ddh}}(\lambda) := |\Pr[\mathcal{A}(\mathcal{G}, [a], [r], [ar]) = 1] - \Pr[\mathcal{A}(\mathcal{G}, [a], [r], [s]) = 1]|$$

*is negligible, where the probability is taken over  $\mathcal{G} = (\mathbb{G}, q, P) \leftarrow_{\S} \text{GGen}(1^\lambda)$  and  $a, r, s \leftarrow_{\S} \mathbb{Z}_q$ .*

*DDH assumption is equivalent to  $\mathcal{D}_{2,1}$ -MDDH assumption where  $\mathcal{D}_{2,1}$  is the distribution that outputs matrix  $\begin{pmatrix} 1 \\ a \end{pmatrix}$  for  $a \leftarrow_{\S} \mathbb{Z}_q$ .*

### A.3 Public Key Encryption

A PKE scheme PKE is made up of three PPT algorithms ( $\text{Gen}, \text{Enc}, \text{Dec}$ ),  $\text{Gen}(1^\lambda)$  outputs a public key and a secret key  $(\text{pk}, \text{sk})$ ;  $\text{Enc}(\text{pk}, m)$  takes as input the public key  $\text{pk}$  and a message  $m$ , and outputs a ciphertext  $C$ ;  $\text{Dec}(\text{sk}, C)$  takes as input the secret key  $\text{sk}$  and a ciphertext  $C$ , and it either outputs a message  $m$  or a failure symbol  $\perp$ . The correctness of a PKE scheme is relaxed to allow a negligible decryption error  $\epsilon(\lambda)$ . That is, for all  $m$  in the message space, all  $(\text{pk}, \text{sk}) \leftarrow \text{Gen}(1^\lambda)$ ,  $\Pr[\text{Dec}(\text{sk}, \text{Enc}(\text{pk}, m)) = m] \geq 1 - \epsilon(\lambda)$  where the probability is taken over the randomnesses used in encryption.

#### A.4 Concrete Instance of XAC.

For completeness, we include below the construction of  $\ell$ -cross-authentication codes proposed by Fehr et al. in [FHKW10]. It is also strong and semi-unique as shown in [LDL<sup>+</sup>14].

- Let  $\mathbb{F}_p$  be a finite field of size  $p$ , where  $p$ 's bit-length is a function of the security parameter  $\lambda$ .
- $\mathcal{XK} = \mathcal{K}_x \times \mathcal{K}_y = \mathbb{F}_p^2$  and  $\mathcal{XT} = \mathbb{F}_p^\ell \cup \{\perp\}$ .
- $(x, y) \leftarrow_{\S} \text{XGen}(1^\lambda)$ , where  $(x, y) \leftarrow_{\S} \mathbb{F}_p^2$ .
- $T \leftarrow \text{XAuth}((x_1, y_1), \dots, (x_\ell, y_\ell))$ . Let  $\mathbf{A} \in \mathbb{F}_p^{\ell \times \ell}$  be a matrix consisting of rows  $(1, x_i, x_i^2, \dots, x_i^{\ell-1})$  for  $i \in [\ell]$  and  $\mathbf{B} = (y_1, \dots, y_\ell)^\top \in \mathbb{F}_p^\ell$ . If  $\mathbf{A}T = \mathbf{B}$  has no solution or more than one solutions, set  $T := \perp$ . Otherwise,  $\mathbf{A}$  is a Vandermonde matrix. Let tag  $T = (T_0, \dots, T_{\ell-1})^\top$  be the unique solution of the linear system  $\mathbf{A}T = \mathbf{B}$ .
- Define  $T(z) = T_0 + T_1z + \dots + T_{\ell-1}z^{\ell-1} \in \mathbb{F}_p[z]$  with  $T = (T_0, \dots, T_{\ell-1})^\top$ .  $\text{XVer}((x, y), T) = 1$  if and only if  $T \neq \perp \wedge T(x) = y$ .
- For  $(x, y) \leftarrow_{\S} \mathcal{XK} = \mathbb{F}_p^2$  and any fixed  $T \in \mathcal{XT}$ ,  $\Pr[T(x) = y] = \frac{1}{p}$ . So  $\epsilon_{\text{XAC}}^{\text{imp}}(\lambda) \leq \frac{1}{p}$ .
- According to [FHKW10],  $\epsilon_{\text{XAC}}^{\text{sub}}(\lambda) \leq 2 \cdot \frac{\ell-1}{p}$ .
- $(x, y) \leftarrow \text{ReSamp}(T, i)$ . Choose  $x \leftarrow_{\S} \mathbb{F}_p$  and compute  $y := T(x)$ . Conditioned on  $T = \text{XAuth}((x_1, y_1), \dots, (x_\ell, y_\ell))$  and  $(x_j, y_j)_{j \in [\ell] \setminus i}$ , the statistical distance between  $(x, y)$  and  $(x_i, y_i)$  is  $\frac{\ell-1}{p}$ . So  $\delta(\lambda) = \frac{\ell-1}{p}$ .
- Any  $x \in \mathbb{F}_p$  uniquely determines  $y := T(x) = T_0 + T_1x + \dots + T_{\ell-1}x^{\ell-1}$  such that  $\text{XVer}((x, y), T) = 1$ .

## B Detailed description of simulator construction

Here, we illustrate how the simulator is constructed for the SIM-SO-CCA proof.

- $\mathcal{S}_1$  calls  $\text{Gen}$  to obtain  $(\text{pk}, \text{sk})$ . Then it calls  $\mathcal{A}_1^{\text{Dec}(\cdot)}(\text{pk})$  to obtain  $\alpha$  and the state  $a_1$ . Note that  $\mathcal{S}_1$  possesses  $\text{sk}$  and is able to provide the decryption oracle  $\text{Dec}(\cdot)$  to  $\mathcal{A}_1$ . The view of  $\mathcal{A}_1$  is exactly the same as that in  $\text{Exp}_{\text{PKE}, \mathcal{A}, n, \mathcal{M}, R}^{\text{so-cca-real}}(\lambda)$ .
- Without knowledge of  $\mathbf{m} = (\mathbf{m}_1, \dots, \mathbf{m}_n)$ , which is the output of  $\mathcal{M}(\alpha)$ ,  $\mathcal{S}_2$  generates the challenge ciphertext vector  $\mathbf{C} = (\mathbf{C}_1, \dots, \mathbf{C}_n)$  with each  $\mathbf{C}_i$  being an encryption of  $\ell$  ones, i.e.,

$$\mathbf{C}_i = \text{Enc}(\text{pk}, 1^\ell; \mathbf{R}_i).$$

Then  $\mathcal{S}_2$  calls  $\mathcal{A}_2^{\text{Dec} \notin \mathbf{C}(\cdot)}(a_1, \mathbf{C})$  to get the corruption set  $I$  and the state  $a_2$ . Recall in the ‘real’ experiment  $\text{Exp}_{\text{PKE}, \mathcal{A}, n, \mathcal{M}, R}^{\text{so-cca-real}}(\lambda)$ ,  $\mathcal{A}_2$  receives encryptions of real messages  $\mathbf{m}$ .

- $\mathcal{S}_3$  opens the challenge ciphertext vector  $\mathbf{C}_I$  where  $\mathbf{C}_i = \text{Enc}(\text{pk}, 1^\ell; \mathbf{R}_i) = (\psi_{i,1}, \dots, \psi_{i,\ell}, T_i)$  according to the corrupted set of messages  $\mathbf{m}_I$ .
  - If  $\mathbf{m}_{i,j} = 1$ ,  $\mathcal{S}_3$  opens with the original randomnesses;
  - If  $\mathbf{m}_{i,j} = 0$ ,  $\mathcal{S}_3$  utilizes  $\text{ReSamp}$  to re-sample  $\hat{K}_{i,j}$  so as to hide the real key  $K_{i,j}$ , and then uses  $\text{Sample}_{\mathcal{XK}}^{-1}$  to recover a properly distributed randomness for  $\hat{K}_{i,j}$ . It also uses  $\text{Sample}_{\mathcal{Y}}^{-1}$  to recover a properly distributed randomness for  $\psi_{i,j}$ .

Finally,  $\mathcal{S}_3$  collects the newly opened randomness  $\hat{\mathbf{R}}_I$  and calls  $\mathcal{A}_3^{\text{Dec} \notin \mathbf{C}(\cdot)}(a_2, \mathbf{m}_I, \hat{\mathbf{R}}_I)$  to get the output  $\text{out}_{\mathcal{A}}$  as its own output.

**Table 1.** Brief Description of Games  $H_0-H_{7,\lambda}$ 

	$\mathcal{O}_{\text{enc}}$				$\mathcal{O}_{\text{dec}}$		Remark/Assumption
	$\psi_0$ from	$\psi_1$ from	$\mathbf{k}_{r,1}$	reject if	$\mathbf{k}_\tau$	reject if	
$H_0$	$\mathbb{G}^{3k}$	$\text{span}([\mathbf{M}])$	$\mathbf{k}_{r,1}$		$\mathbf{k}_\tau$		$\text{Exp}_{\text{KEM}_{\text{mddh},\mathcal{A}}}(\lambda)$
$H_1$	$\text{span}([\mathbf{M}])$	$\text{span}([\mathbf{M}])$	$\mathbf{k}_{r,1}$		$\mathbf{k}_\tau$		MDDH
$H_2$	$\text{span}([\mathbf{M}])$	$\text{span}([\mathbf{M}])$	$\mathbf{k}_{r,1}$		$\mathbf{k}_\tau$	$\mathbf{y} \notin \text{span}(\mathbf{M})$	Hidden entropy of $\mathbf{k}_{1,\beta}$
$H_3$	$\text{span}([\mathbf{M}])$	$\text{span}([\mathbf{M}])$	$\mathbf{k}_{r,1}$	$\tau^b \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}$	$\mathbf{k}_\tau$	$\mathbf{y} \notin \text{span}(\mathbf{M})$ $\vee$ $\tau \in \mathcal{T}_{\text{enc}}$ with different input	Collision resistance of $\mathbf{H}$
$H_4$	$\text{span}([\mathbf{M}])$	$\text{span}([\mathbf{M}])$	$\mathbf{k}_{r,1}$	$\tau^b \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}$	$\mathbf{k}_\tau$	$\tau \in \mathcal{T}_{\text{enc}}$ with different input	Hidden entropy of $\mathbf{k}_{1,\beta}$
$H_5$	$\mathbb{G}^{3k}$	$\text{span}([\mathbf{M}])$	$\mathbf{k}_{r,1}$	$\tau^b \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}$	$\mathbf{k}_\tau$	$\tau \in \mathcal{T}_{\text{enc}}$ with different input	MDDH
$H_6$	$\mathbb{G}^{3k}$	$\mathbb{G}^{3k}$	$\mathbf{k}_{r,1}$	$\tau^b \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}$	$\mathbf{k}_\tau$	$\tau \in \mathcal{T}_{\text{enc}}$ with different input	MDDH
$H_{7,i}$	$\mathbb{G}^{3k}$	$\mathbb{G}^{3k}$	$\mathbf{k}_{r,1} + \mathbf{M}^\perp \text{RF}_i(\tau_i^1)$	$\tau^b \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}$	$\mathbf{k}_r + \mathbf{M}^\perp \text{RF}_i(\tau_i)$	$\tau \in \mathcal{T}_{\text{enc}}$ with different input	$H_6 = H_{7,0}$ and Lemma 7
$H_{7,\lambda}$	$\mathbb{G}^{3k}$	$\mathbb{G}^{3k}$	$\mathbf{k}_{r,1} + \mathbf{M}^\perp \text{RF}_\lambda(\tau^1)$	$\tau^b \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}$	$\mathbf{k}_r + \mathbf{M}^\perp \text{RF}_\lambda(\tau)$	$\tau \in \mathcal{T}_{\text{enc}}$ with different input	$b$ (almost) perfectly hidden

## C Proof of Theorem 2

For a bit string  $\tau \in \{0, 1\}^*$ , we view  $\tau$  as a vector and denote by  $\tau_i$  the  $i$ -th bit of  $\tau$ . We use  $\parallel$  to denote the concatenation of bit strings. For  $i \in [\|\tau\|]$ , define  $\tau_{\parallel i} := \tau_1 \parallel \dots \parallel \tau_i$  which is the prefix of  $\tau$ . And let  $\tau_{\parallel 0} := \varepsilon$ .

Fix a PPT adversary  $\mathcal{A}$ , consider an experiment  $\text{Exp}_{\text{KEM}_{\text{mddh},\mathcal{A}}}(\lambda)$  which selects a random bit  $b \leftarrow_{\$} \{0, 1\}$ , then calls  $\text{Exp}_{\text{KEM}_{\text{mddh},\mathcal{A}}}^{\text{mpr-ccca-}b}(\lambda)$  and gets its output  $b'$ . It is straightforward that

$$\text{Adv}_{\text{KEM}_{\text{mddh},\mathcal{A}}}^{\text{mpr-ccca}}(\lambda) = 2 \left| \Pr[b' = b \text{ in } \text{Exp}_{\text{KEM}_{\text{mddh},\mathcal{A}}}(\lambda)] - \frac{1}{2} \right|.$$

We will focus on the event  $b' = b$  in experiment  $\text{Exp}_{\text{KEM}_{\text{mddh},\mathcal{A}}}(\lambda)$  and gradually change this experiment to one in which  $\Pr[b' = b] = \frac{1}{2}$ . The changes are briefly illustrated in Table 1. The difference caused by each change can be shown to be very small through a tight security reduction or an information theoretical analysis. These changes is shown in Figure 14 and game  $H_0$  is almost the same as  $\text{Exp}_{\text{KEM}_{\text{mddh},\mathcal{A}}}(\lambda)$ . If we use the notation  $\Pr_i[E]$  to denote the probability that event  $E$  happens in game  $H_i$ , then  $\text{Adv}_{\text{KEM}_{\text{mddh},\mathcal{A}}}^{\text{mpr-ccca}}(\lambda) = 2 \left| \Pr_0[b' = b] - \frac{1}{2} \right|$ .

**Game  $H_0$ .** This game is almost the same as  $\text{Exp}_{\text{KEM}_{\text{mddh},\mathcal{A}}}(\lambda)$  except for only one difference in  $\mathcal{O}_{\text{enc}}$ .

- In  $\text{Exp}_{\text{KEM}_{\text{mddh},\mathcal{A}}}(\lambda)$ , the calculation of  $\gamma_1$  is done publicly. It randomly selects  $[\mathbf{y}_1]$  from  $\text{span}([\mathbf{M}])$  with randomness  $\mathbf{r}_1$ ,  $\tau^1 \leftarrow \text{H}([\overline{\mathbf{y}}_1])$  and calculates  $\gamma_1$  using public key and  $\mathbf{r}_1$ , i.e.,  $\gamma_1 \leftarrow \mathbf{r}_1^\top \cdot \sum_{j=1}^\lambda [\mathbf{M}^\top \mathbf{k}_{j,\tau_j^1}]$ .
- In  $H_0$ , the calculation of  $\gamma_1$  uses secret key. It randomly selects  $[\mathbf{y}_1]$  from  $\text{span}([\mathbf{M}])$ ,  $\tau^1 \leftarrow \text{H}([\overline{\mathbf{y}}_1])$  and calculates  $\mathbf{k}_{\tau^1} \leftarrow \sum_{j=1}^\lambda \mathbf{k}_{j,\tau_j^1}$  using the secret key. Finally it sets  $\gamma_1 \leftarrow [\mathbf{y}_1^\top] \mathbf{k}_{\tau^1}$ .

Since  $\mathbf{r}_1^\top \cdot \sum_{j=1}^\lambda [\mathbf{M}^\top \mathbf{k}_{j,\tau_j^1}] = [(\mathbf{M}\mathbf{r}_1)^\top] \sum_{j=1}^\lambda \mathbf{k}_{j,\tau_j^1} = [\mathbf{y}_1^\top] \mathbf{k}_{\tau^1}$ , this difference is only conceptual and  $H_0$  is almost the same as  $\text{Exp}_{\text{KEM}_{\text{mddh},\mathcal{A}}}(\lambda)$ . So

$$\text{Adv}_{\text{KEM}_{\text{mddh},\mathcal{A}}}^{\text{mpr-ccca}}(\lambda) = 2 \left| \Pr_0[b' = b] - \frac{1}{2} \right|. \quad (33)$$

**Game  $H_0 - H_1$ .**  $H_1$  is almost the same as  $H_0$  except for only one difference in  $\mathcal{O}_{\text{enc}}$ .

- In  $H_0$ ,  $\psi_0$  is randomly selected from  $\mathbb{G}^{3k}$  in each  $\mathcal{O}_{\text{enc}}$  query.

$\text{Exp}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}(\lambda):$ $H_0 - H_2 \quad \boxed{H_3 - H_6 \quad H_{7,i}}$ $b \leftarrow_{\mathcal{S}} \{0, 1\} \quad \boxed{\mathcal{T}_{\text{enc}}, \mathcal{T}_{\text{dec}} \leftarrow \emptyset}$ $\mathbf{M} \leftarrow_{\mathcal{S}} \mathcal{U}_{3k,k}$ $\mathbf{M}^\perp \leftarrow_{\mathcal{S}} \mathcal{U}_{3k,2k} \text{ s.t. } \mathbf{M}^\top \mathbf{M}^\perp = \mathbf{0}$ <p>Simulate random function</p> $\text{RF}_i : \{0, 1\}^i \rightarrow \mathbb{Z}_q^{2k}$ $\mathbf{k}_{1,0}, \dots, \mathbf{k}_{\lambda,1} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{3k}$ $\text{pk}_{\text{KEM}} \leftarrow \left( \begin{array}{c} \mathcal{G}, \mathbf{H}, [\mathbf{M}] \\ (([\mathbf{M}^\top \mathbf{k}_{j,\beta}]_{0 \leq \beta \leq 1}^1)_{1 \leq j \leq \lambda}) \end{array} \right)$ $b' \leftarrow_{\mathcal{S}} \mathcal{A}^{\mathcal{O}_{\text{enc}}(\cdot), \mathcal{O}_{\text{dec}}(\cdot, \cdot)}(\text{pk}_{\text{KEM}})$ <p>Return <math>b'</math></p>	$\mathcal{O}_{\text{enc}}():$ $H_0 \quad \boxed{H_1, H_2}$ $\boxed{H_3, H_4} \quad \boxed{H_5 \quad H_6 \quad H_{7,i}}$ $(\psi_0, \gamma_0) \leftarrow_{\mathcal{S}} \mathbb{G}^{3k} \times \mathbb{G}$ $\psi_0 \leftarrow_{\mathcal{S}} \text{span}([\mathbf{M}]) \quad \tau^0 \leftarrow \text{H}(\psi_0)$ $[\mathbf{y}_1] \leftarrow_{\mathcal{S}} \text{span}([\mathbf{M}]) \quad [\mathbf{y}_1] \leftarrow_{\mathcal{S}} \mathbb{G}^{3k}$ $\psi_1 \leftarrow [\mathbf{y}_1], \tau^1 \leftarrow \text{H}([\mathbf{y}_1])$ $\text{If } \tau^b \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}:$ $\text{Return } \perp$ $\mathcal{T}_{\text{enc}} \leftarrow \mathcal{T}_{\text{enc}} \cup \{\tau^b\}$ $\mathbf{k}_{\tau^1} \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j^1} + \mathbf{M}^\perp \text{RF}_i(\tau_i^1)$ $\gamma_1 \leftarrow [\mathbf{y}_1^\top] \mathbf{k}_{\tau^1}$ $\psi_{\text{enc}} \leftarrow \psi_{\text{enc}} \cup \{\psi_b\}$ <p>Return <math>(\psi_b, \gamma_b)</math></p>	$\mathcal{O}_{\text{dec}}(\text{pred}, \psi = [\mathbf{y}]):$ $H_0, H_1$ $\boxed{H_2 \quad H_3} \quad \boxed{H_4 - H_6 \quad H_{7,i}}$ $\text{If } \psi \in \psi_{\text{enc}} \quad \boxed{\forall \mathbf{y} \notin \text{span}(\mathbf{M})}:$ $\text{Return } \perp$ $\tau \leftarrow \text{H}([\mathbf{y}])$ $\text{If } \left[ \begin{array}{l} \exists [\mathbf{y}'] \in \psi_{\text{enc}} \text{ s.t.} \\ \tau = \text{H}([\mathbf{y}']) \wedge \mathbf{y} \neq \mathbf{y}' \end{array} \right]:$ $\text{Return } \perp$ $\mathcal{T}_{\text{dec}} \leftarrow \mathcal{T}_{\text{dec}} \cup \{\tau\}$ $\mathbf{k}_\tau \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j} + \mathbf{M}^\perp \text{RF}_i(\tau_i)$ $\gamma \leftarrow [\mathbf{y}^\top] \mathbf{k}_\tau$ $\text{If } \text{pred}(\gamma) = 0:$ $\text{Return } \perp$ <p>Return <math>\gamma</math></p>
---	---	---

Fig. 14. Games  $H_0 - H_6$  and  $H_{7,i}$  for  $i \in \{0, \dots, \lambda\}$ .

– In  $H_1$ ,  $\psi_0$  is randomly selected from  $\text{span}([\mathbf{M}])$  in each  $\mathcal{O}_{\text{enc}}$  query.

We can build an adversary  $\mathcal{B}$  and show that

$$|\Pr_0[b' = b] - \Pr_1[b' = b]| \leq \text{Adv}_{\mathcal{U}_{k,\mathcal{G}\text{Gen},\mathcal{B}}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (34)$$

Let  $Q_{\text{enc}}$  be the total number of  $\mathcal{O}_{\text{enc}}$  queries submitted by  $\mathcal{A}$ . To prove (34), we construct an adversary  $\mathcal{B}'$  and show that

$$|\Pr_0[b' = b] - \Pr_1[b' = b]| \leq \text{Adv}_{\mathcal{U}_{3k,k,\mathcal{G}\text{Gen},\mathcal{B}'}}^{\mathcal{O}_{\text{enc}}\text{-mddh}}(\lambda). \quad (35)$$

Upon receiving a challenge  $(\mathcal{G}, [\mathbf{M}] \in \mathbb{G}^{3k \times k}, [\mathbf{H}] := ([\mathbf{h}_1] \cdots [\mathbf{h}_{Q_{\text{enc}}}] \in \mathbb{G}^{3k \times Q_{\text{enc}}})$  for the  $Q_{\text{enc}}$ -fold  $\mathcal{U}_{3k,k}$ -MDDH problem,  $\mathcal{B}'$  simulates game  $H_0(H_1)$ . It randomly selects  $b \leftarrow_{\mathcal{S}} \{0, 1\}$  and invoke  $\mathcal{A}^{\mathcal{O}_{\text{enc}}(\cdot), \mathcal{O}_{\text{dec}}(\cdot, \cdot)}(\text{pk}_{\text{KEM}})$ . Note that  $\text{pk}_{\text{KEM}}$  and  $\mathcal{O}_{\text{dec}}$  oracle can be perfectly simulated by  $\mathcal{B}'$ . To reply the  $i$ -th  $\mathcal{O}_{\text{enc}}$  query made by  $\mathcal{A}$ ,  $\mathcal{B}'$  embeds  $[\mathbf{h}_i]$  to  $\psi_0$ , i.e.,  $\psi_0 \leftarrow [\mathbf{h}_i]$ . Finally  $\mathcal{B}'$  gets  $\mathcal{A}$ 's output  $b'$  and outputs  $1 \Leftrightarrow (b' = b)$ . Thus, if each column  $[\mathbf{h}_i]$  of  $[\mathbf{H}]$  is uniformly random over  $\mathbb{G}^{3k}$ ,  $\mathcal{B}'$  perfectly simulates  $H_0$ . If each column  $[\mathbf{h}_i]$  of  $[\mathbf{H}]$  is uniformly random over  $\text{span}([\mathbf{M}])$ ,  $\mathcal{B}'$  perfectly simulates  $H_1$ . So (35) follows.

Finally (34) follows from (35), Lemma 6 and Lemma 3.

**Game  $H_1 - H_2$ .**  $H_2$  is almost the same as  $H_1$  except for only one difference in  $\mathcal{O}_{\text{dec}}$ . A new “rejection rule” (outputting failure symbol  $\perp$  if some condition is satisfied) is added into  $\mathcal{O}_{\text{dec}}$ . This new rule rejects any  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi = [\mathbf{y}])$  query if  $\mathbf{y} \notin \text{span}(\mathbf{M})$ . Note that this condition can be determined efficiently by fist sampling  $\mathbf{M}^\perp \leftarrow_{\mathcal{S}} \mathcal{U}_{3k,2k}$  s.t.  $\mathbf{M}^\top \mathbf{M}^\perp = \mathbf{0}$  and utilizing the relation  $\mathbf{y} \notin \text{span}(\mathbf{M}) \Leftrightarrow (\mathbf{M}^\perp)^\top \mathbf{y} \neq \mathbf{0} \Leftrightarrow (\mathbf{M}^\perp)^\top [\mathbf{y}] \neq [\mathbf{0}]$ .

So,  $H_2$  differs from  $H_1$  only when  $\mathcal{A}$  submits some  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi = [\mathbf{y}])$  query s.t.

$$\mathbf{y} \notin \text{span}(\mathbf{M}) \wedge \text{pred}([\mathbf{y}^\top] \mathbf{k}_\tau) = 1. \quad (36)$$

If we denote this event as **Bad**, then it is straightforward that

$$|\Pr_1[b' = b] - \Pr_2[b' = b]| \leq \Pr_1[\text{Bad}] = \Pr_2[\text{Bad}] \quad (37)$$

Suppose the adversary  $\mathcal{A}$  submits  $Q_{\text{dec}}$   $\mathcal{O}_{\text{dec}}$  queries in total. Then

$$\Pr_2[\text{Bad}] \leq \sum_{i=1}^{Q_{\text{dec}}} \Pr_2[\text{Bad happens in the } i\text{-th query}]. \quad (38)$$

Let's fix some  $i \in [Q_{\text{dec}}]$  and consider in  $H_2$  the probability that **Bad** happens in the  $i$ -th  $\mathcal{O}_{\text{dec}}$  query. To do this, we use the fact that  $\mathbf{k}_{1,\beta} \leftarrow_{\S} \mathbb{Z}_q^{3k}$  are identically distributed as  $\mathbf{k}_{1,\beta} + \mathbf{M}^\perp \mathbf{w}$  for  $\beta \in \{0, 1\}$ , where  $\mathbf{k}_{1,\beta} \leftarrow_{\S} \mathbb{Z}_q^{3k}$ ,  $\mathbf{w} \leftarrow_{\S} \mathbb{Z}_q^{2k}$  and  $\mathbf{M}^\perp \in \mathbb{Z}_q^{3k \times 2k}$  s.t.  $\mathbf{M}^\top \mathbf{M}^\perp = \mathbf{0}$ . Then we will show that  $\mathbf{w}$  is hidden from  $\mathcal{A}$  until the  $i$ -th  $\mathcal{O}_{\text{dec}}$  query.

- The public key  $\text{pk}_{\text{KEM}}$  does not leak any information about  $\mathbf{w}$  since

$$\mathbf{M}^\top (\mathbf{k}_{1,\beta} + \mathbf{M}^\perp \mathbf{w}) = \mathbf{M}^\top \mathbf{k}_{1,\beta}.$$

- $\mathcal{O}_{\text{enc}}$  also hides  $\mathbf{w}$  since  $\mathbf{w}$  is only used in the generation of  $\gamma_1$ .

$$\gamma_1 = [\mathbf{y}_1^\top (\mathbf{k}_{\tau_1} + \mathbf{M}^\perp \mathbf{w})] = [\mathbf{y}_1^\top \mathbf{k}_{\tau_1}] \quad (39)$$

due to  $\mathbf{y}_1 \in \text{span}(\mathbf{M})$  in  $H_2$  and  $\mathbf{y}_1^\top \mathbf{M}^\perp = \mathbf{0}$ .

- The first  $i-1$   $\mathcal{O}_{\text{dec}}(\text{pred}, [\mathbf{y}])$  queries also hides  $\mathbf{w}$ . Since in  $H_2$ , all  $\mathbf{y} \notin \text{span}(\mathbf{M})$  will be rejected by the rejection rule and will be independent of  $\mathbf{w}$ ; all  $\mathbf{y} \in \text{span}(\mathbf{M})$  will not leak  $\mathbf{w}$  due to similar reason of (39).

Thus  $\mathbf{w}$  is not leaked to  $\mathcal{A}$  at all until the  $i$ -th  $\mathcal{O}_{\text{dec}}$  query. So in this query  $\mathcal{O}_{\text{dec}}(\text{pred}_i, [\mathbf{y}])$ , if  $\mathbf{y} \notin \text{span}(\mathbf{M})$ ,

$$\gamma = [\mathbf{y}^\top (\mathbf{k}_\tau + \mathbf{M}^\perp \mathbf{w})] = [\mathbf{y}^\top \mathbf{k}_\tau + \underbrace{\mathbf{y}^\top \mathbf{M}^\perp \mathbf{w}}_{\neq 0}]$$

will be random due to the randomness of  $\mathbf{w}$ . In this case,

$$\Pr_2[\text{Bad happens in the } i\text{-th query}] = \Pr_{\gamma \leftarrow_{\S} \Gamma}[\text{pred}_i(\gamma)].$$

So by (37) and (38), we have

$$|\Pr_1[b' = b] - \Pr_2[b' = b]| \leq \Pr_2[\text{Bad}] \leq \sum_{i=1}^{Q_{\text{dec}}} \Pr_{\gamma \leftarrow_{\S} \Gamma}[\text{pred}_i(\gamma)] = Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda). \quad (40)$$

**Game  $H_2 - H_3$ .**  $H_3$  is almost the same as  $H_2$  except for adding one reject rule in  $\mathcal{O}_{\text{enc}}$  and one reject rule in  $\mathcal{O}_{\text{dec}}$ .  $H_3$  initializes two sets  $\mathcal{T}_{\text{enc}}$  and  $\mathcal{T}_{\text{dec}}$ , and use them to store all  $\tau^b = \text{H}(\overline{\psi^b})$  used in  $\mathcal{O}_{\text{enc}}$  and all  $\tau = \text{H}(\overline{\psi})$  used in  $\mathcal{O}_{\text{dec}}$ , respectively.

- In  $\mathcal{O}_{\text{enc}}$ , the oracle rejects if  $\tau^b \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}$ .
- In  $\mathcal{O}_{\text{dec}}$ , the oracle rejects if  $\exists [\mathbf{y}'] \in \psi_{\text{enc}}$  s.t.  $\tau = \text{H}(\overline{[\mathbf{y}']}) \wedge \mathbf{y} \neq \mathbf{y}'$ .

We will use  $\text{Bad}_{\text{enc}}$  and  $\text{Bad}_{\text{dec}}$  to denote these two events, respectively. It is straightforward that

$$|\Pr_2[b' = b] - \Pr_3[b' = b]| \leq \Pr_3[\text{Bad}_{\text{enc}} \vee \text{Bad}_{\text{dec}}]. \quad (41)$$

We will show that  $\Pr_3[\text{Bad}_{\text{enc}} \vee \text{Bad}_{\text{dec}}] \leq \text{Adv}_{\mathcal{H}, \mathcal{B}}^{\text{cr}}(\lambda)$ . We construct an adversary  $\mathcal{B}$  against the collision resistant property of  $\mathcal{H}$  as follows.

On input  $(1^\lambda, \text{H})$  where  $\text{H} \leftarrow_{\S} \mathcal{H}(1^\lambda)$ ,  $\mathcal{B}$  can use  $\text{H}$  to perfectly simulate game  $H_3$  and detect whether event  $\text{Bad}_{\text{enc}}$  or event  $\text{Bad}_{\text{dec}}$  happens.

- If  $\text{Bad}_{\text{enc}}$  happens, with probability  $1 - \frac{Q_{\text{enc}}(Q_{\text{enc}}+Q_{\text{dec}})}{q^k} = 1 - 2^{-\Omega(\lambda)}$ , each  $\mathcal{O}_{\text{enc}}$  query will sample a  $\psi_b$  such that its upper part  $\overline{\psi_b}$  is fresh. By “fresh”, we mean that this  $\overline{\psi_b}$  is distinct from all previous upper parts sampled in  $\mathcal{O}_{\text{enc}}$  or submitted to  $\mathcal{O}_{\text{dec}}$ . The reason is that in the  $\mathcal{O}_{\text{enc}}$  of  $H_3$ , each  $\overline{\psi_b}$  is uniformly random over  $\text{span}([\overline{\mathbf{M}}]) = \mathbb{Z}_q^k$ . So if  $\tau^b = \text{H}(\overline{\psi_b}) \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}$  happens, we found a collision.
- If  $\text{Bad}_{\text{dec}}$  happens, i.e.,  $\tau = \text{H}([\overline{\mathbf{y}}]) = \text{H}([\overline{\mathbf{y}'}])$  for some  $\mathbf{y}' \neq \mathbf{y}$  and  $\mathbf{y}' \in \psi_{\text{enc}}$ , we also find a collision for  $\text{H}$ . The reason is that  $\mathbf{y} \in \text{span}(\mathbf{M})$  (otherwise it is rejected by  $\mathcal{O}_{\text{dec}}$ ),  $\mathbf{y}' \in \text{span}(\mathbf{M})$  (since  $\psi_{\text{enc}}$  contains  $\psi_b$  in  $\mathcal{O}_{\text{enc}}$  and they are all in  $\mathbf{M}$ 's span) and  $\mathbf{y}' \neq \mathbf{y}$  can imply  $\overline{\mathbf{y}'} \neq \overline{\mathbf{y}}$  (since  $\overline{\mathbf{M}}$  is invertible). Thus  $\text{H}([\overline{\mathbf{y}}]) = \text{H}([\overline{\mathbf{y}'}])$  implies a collision for  $\text{H}$ .

Overall, if  $\text{Bad}_{\text{enc}} \vee \text{Bad}_{\text{dec}}$  happens,  $\mathcal{B}$  finds a collision for  $\text{H}$  with probability  $1 - 2^{-\Omega(\lambda)}$ , i.e.,  $(1 - 2^{-\Omega(\lambda)}) \Pr_3[\text{Bad}_{\text{enc}} \vee \text{Bad}_{\text{dec}}] \leq \text{Adv}_{\mathcal{H}, \mathcal{B}}^{\text{cr}}(\lambda)$ . Thus  $\Pr_3[\text{Bad}_{\text{enc}} \vee \text{Bad}_{\text{dec}}] \leq \text{Adv}_{\mathcal{H}, \mathcal{B}}^{\text{cr}}(\lambda) + 2^{-\Omega(\lambda)}$ . Together with inequality (41), we have

$$|\Pr_2[b' = b] - \Pr_3[b' = b]| \leq \text{Adv}_{\mathcal{H}, \mathcal{B}}^{\text{cr}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (42)$$

**Game  $H_3 - H_4$ .**  $H_4$  is almost the same as  $H_3$  except for canceling the rejection rule added in  $H_2$ , i.e., it does not reject  $\mathbf{y} \notin \text{span}(\mathbf{M})$  anymore in  $\mathcal{O}_{\text{dec}}$ . The analysis for this difference is almost the same as the analysis for the difference between  $H_1$  and  $H_2$ , we omit the details and only state the conclusion here.

$$|\Pr_3[b' = b] - \Pr_4[b' = b]| \leq Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda). \quad (43)$$

**Game  $H_4 - H_5$ .**  $H_5$  is almost the same as  $H_4$  with only one difference in  $\mathcal{O}_{\text{enc}}$ .

- In  $H_4$ ,  $\psi_0$  is randomly selected from  $\text{span}([\mathbf{M}])$  in each  $\mathcal{O}_{\text{enc}}$  query.
- In  $H_5$ ,  $\psi_0$  is randomly selected from  $\mathbb{G}^{3k}$  in each  $\mathcal{O}_{\text{enc}}$  query.

The analysis for this difference is almost the same as the analysis for the difference between  $H_0$  and  $H_1$ , we omit the details and only state the conclusion here.

$$|\Pr_4[b' = b] - \Pr_5[b' = b]| \leq \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (44)$$

**Game  $H_5 - H_6$ .**  $H_6$  is almost the same as  $H_5$  with only one difference in  $\mathcal{O}_{\text{enc}}$ .

- In  $H_5$ ,  $\psi_1$  is randomly selected from  $\text{span}([\mathbf{M}])$  in each  $\mathcal{O}_{\text{enc}}$  query.
- In  $H_6$ ,  $\psi_1$  is randomly selected from  $\mathbb{G}^{3k}$  in each  $\mathcal{O}_{\text{enc}}$  query.

The analysis for this difference is almost the same as the analysis for the difference between  $H_0$  and  $H_1$ , we omit the details and only state the conclusion here.

$$|\Pr_5[b' = b] - \Pr_6[b' = b]| \leq \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (45)$$

**Game  $H_{7,i}$ .** For  $i \in \{0, \dots, \lambda\}$ , we define game  $H_{7,i}$ . In this game, a random function  $\text{RF}_i : \{0, 1\}^i \rightarrow \mathbb{Z}_q^{2k}$  is simulated. For  $i = 0$ , all  $\tau \in \{0, 1\}^\lambda$  is mapped to the same random variable  $\text{RF}_0(\tau_0) = \text{RF}_0(\varepsilon)$  by  $\text{RF}_0$ . For  $i = \lambda$ , each  $\tau \in \{0, 1\}^\lambda$  is mapped to a distinct random variable  $\text{RF}_\lambda(\tau_\lambda) = \text{RF}_\lambda(\tau)$  by  $\text{RF}_\lambda$ .

Furthermore, in  $H_{7,i}$ , an additional term is added when calculating  $\mathbf{k}_\tau$  in both  $\mathcal{O}_{\text{enc}}$  and  $\mathcal{O}_{\text{dec}}$ , i.e.,

$$\mathbf{k}_\tau \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j, \tau_j} + \mathbf{M}^\perp \text{RF}_i(\tau_{|i}).$$

**Game  $H_6 - H_{7.0}$ .**  $H_{7.0}$  is almost the same as  $H_6$  except for adding  $\mathbf{M}^\perp \text{RF}_0(\varepsilon)$  when calculating  $\mathbf{k}_\tau$  in both  $\mathcal{O}_{\text{enc}}$  and  $\mathcal{O}_{\text{dec}}$ . Observe that  $\mathbf{k}_{1,\beta} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{3k}$  are identically distributed as  $\mathbf{k}_{1,\beta} + \mathbf{M}^\perp \text{RF}_0(\varepsilon)$  for  $\beta \in \{0, 1\}$ , where  $\mathbf{k}_{1,\beta} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{3k}$ . So this change is only conceptual and

$$\Pr_6[b' = b] = \Pr_{7.0}[b' = b]. \quad (46)$$

**Game  $H_{7.0} - H_{7,\lambda}$ .** We will prove that

$$|\Pr_{7.0}[b' = b] - \Pr_{7,\lambda}[b' = b]| \leq 4\lambda \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 4\lambda Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (47)$$

First we prove the following lemma.

**Lemma 7 ( $H_{7,i} - H_{7,i+1}$ ).** Let  $Q_{\text{dec}}$  be the total number of  $\mathcal{O}_{\text{dec}}$  queries submitted by  $\mathcal{A}$ . Then, for all  $i \in \{0, \dots, \lambda - 1\}$ ,

$$|\Pr_{7,i}[b' = b] - \Pr_{7,i+1}[b' = b]| \leq 4\text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 4Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda) + 2^{-\Omega(\lambda)}.$$

Then (47) follows from Lemma 7 since there are  $\lambda$  hops between  $H_{7.0}$  and  $H_{7,\lambda}$ .

<p><math>\text{Exp}_{\text{KEM}^{\text{mddh}}, \mathcal{A}}(\lambda)</math>:</p> <p><math>H_{7,i} \quad H_{7,i.1} \quad H_{7,i.2} \quad H_{7,i.3}</math></p> <p><math>b \leftarrow_{\mathcal{S}} \{0, 1\}</math></p> <p><math>\mathcal{T}_{\text{enc}}, \mathcal{T}_{\text{dec}} \leftarrow \emptyset</math></p> <p><math>\mathbf{M} \leftarrow_{\mathcal{S}} \mathcal{U}_{3k,k} \quad \mathbf{M}_0, \mathbf{M}_1 \leftarrow_{\mathcal{S}} \mathcal{U}_{2k,k}</math></p> <p><math>\mathbf{M}^\perp \leftarrow_{\mathcal{S}} \mathcal{U}_{3k,2k}</math> s.t. <math>\mathbf{M}^\perp \mathbf{M}^\perp = \mathbf{0}</math></p> <p><math>\mathbf{M}_0^*, \mathbf{M}_1^* \leftarrow_{\mathcal{S}} \mathcal{U}_{3k,k}</math> with special span</p> <p>Simulate random functions</p> <p><math>\text{RF}_i : \{0, 1\}^i \rightarrow \mathbb{Z}_q^{2k}</math></p> <p><math>\text{RF}_i^{(0)}, \text{RF}_i^{(1)} : \{0, 1\}^i \rightarrow \mathbb{Z}_q^{2k}</math></p> <p><math>\mathbf{k}_{1,0}, \dots, \mathbf{k}_{\lambda,1} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{3k}</math></p> <p><math>\text{pk}_{\text{kem}} \leftarrow \left( \mathcal{G}, \mathbf{H}, [\mathbf{M}] \right)</math></p> <p><math>b' \leftarrow_{\mathcal{S}} \mathcal{A}^{\mathcal{O}_{\text{enc}}(\cdot), \mathcal{O}_{\text{dec}}(\cdot, \cdot)}(\text{pk}_{\text{kem}})</math></p> <p>Return <math>b'</math></p>	<p><math>\mathcal{O}_{\text{enc}}()</math>:</p> <p><math>H_{7,i} \quad H_{7,i.1} \quad H_{7,i.2} \quad H_{7,i.3}</math></p> <p><math>(\psi_0, \gamma_0) \leftarrow_{\mathcal{S}} \mathbb{G}^{3k} \times \mathbb{G}</math></p> <p><math>\tau^0 \leftarrow \mathbf{H}(\overline{\psi_0}), \mathbf{r} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^k</math></p> <p><math>[\overline{\mathbf{y}}_1] \leftarrow [\overline{\mathbf{M}}]\mathbf{r}, \tau^1 \leftarrow \mathbf{H}([\overline{\mathbf{y}}_1])</math></p> <p>If <math>\tau^b \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}</math></p> <p>Return <math>\perp</math></p> <p><math>\mathcal{T}_{\text{enc}} \leftarrow \mathcal{T}_{\text{enc}} \cup \{\tau^b\}</math></p> <p><math>\mathbf{k}_{\tau^1} \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j^1} + \mathbf{M}^\perp \text{RF}_i(\tau_i^1)</math></p> <p><math>\mathbf{k}_{\tau^1} \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j^1} + \mathbf{M}_0^* \text{RF}_i^{(0)}(\tau_i^1) + \mathbf{M}_1^* \text{RF}_i^{(1)}(\tau_i^1)</math></p> <p>If <math>\tau_{i+1}^1 = 0</math>:</p> <p><math>[\mathbf{y}_1] \leftarrow_{\mathcal{S}} \mathbb{G}^{2k}</math></p> <p><math>\mathbf{r}_0 \leftarrow_{\mathcal{S}} \mathbb{Z}_q^k, [\mathbf{y}_1] \leftarrow [\mathbf{M}\mathbf{r} + \mathbf{M}_0\mathbf{r}_0]</math></p> <p>Else: // <math>\tau_{i+1}^1 = 1</math></p> <p><math>[\mathbf{y}_1] \leftarrow_{\mathcal{S}} \mathbb{G}^{2k}</math></p> <p><math>\mathbf{r}_1 \leftarrow_{\mathcal{S}} \mathbb{Z}_q^k, [\mathbf{y}_1] \leftarrow [\mathbf{M}\mathbf{r} + \mathbf{M}_1\mathbf{r}_1]</math></p> <p><math>\psi_1 \leftarrow \begin{bmatrix} \overline{\mathbf{y}}_1 \\ \mathbf{y}_1 \end{bmatrix}, \gamma_1 \leftarrow [\mathbf{y}_1^\top] \mathbf{k}_{\tau^1}</math></p> <p><math>\psi_{\text{enc}} \leftarrow \psi_{\text{enc}} \cup \{\psi_b\}</math></p> <p>Return <math>(\psi_b, \gamma_b)</math></p>	<p><math>\mathcal{O}_{\text{dec}}(\text{pred}, \psi = [\mathbf{y}])</math>:</p> <p><math>H_{7,i}, H_{7,i.1}, H_{7,i.2} \quad H_{7,i.3}</math></p> <p>If <math>\psi \in \psi_{\text{enc}}</math>:</p> <p>Return <math>\perp</math></p> <p><math>\tau \leftarrow \mathbf{H}([\overline{\mathbf{y}}])</math></p> <p>If <math>\left[ \begin{array}{l} \exists [\mathbf{y}'] \in \psi_{\text{enc}} \text{ s.t.} \\ \tau = \mathbf{H}([\overline{\mathbf{y}}']) \wedge \mathbf{y} \neq \mathbf{y}' \end{array} \right]</math></p> <p>Return <math>\perp</math></p> <p><math>\mathcal{T}_{\text{dec}} \leftarrow \mathcal{T}_{\text{dec}} \cup \{\tau\}</math></p> <p><math>\mathbf{k}_\tau \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j} + \mathbf{M}^\perp \text{RF}_i(\tau_i)</math></p> <p><math>\mathbf{k}_\tau \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j} + \mathbf{M}_0^* \text{RF}_i^{(0)}(\tau_i) + \mathbf{M}_1^* \text{RF}_i^{(1)}(\tau_i)</math></p> <p><math>\gamma \leftarrow [\mathbf{y}^\top] \mathbf{k}_\tau</math></p> <p>If <math>\text{pred}(\gamma) = 0</math>:</p> <p>Return <math>\perp</math></p> <p>Return <math>\gamma</math></p>
--	--	---

**Fig. 15.** Games  $H_{7,i}, H_{7,i.1}, H_{7,i.2}$  and  $H_{7,i.3}$ .

*Proof of Lemma 7.* We first rewrite game  $H_{7,i}$  and define new games  $H_{7,i.1} - H_{7,i.3}$  in Figure 15. We make some change in oracle  $\mathcal{O}_{\text{enc}}$  and game  $H_{7,i}$  in Figure 15 appears to be different from the one in Figure 14. In Figure 15, we first select  $[\overline{\mathbf{y}}_1]$  randomly from  $\text{span}([\overline{\mathbf{M}}])$  and calculate  $\tau^1 = \mathbf{H}([\overline{\mathbf{H}}_1])$ . Then we select  $[\mathbf{y}_1]$  randomly from  $\mathbb{G}^{2k}$ . Since  $\overline{\mathbf{M}}$  is invertible, we have that  $[\overline{\mathbf{y}}_1]$  is uniform over  $\mathbb{G}^k$ . So  $[\mathbf{y}_1] = \begin{bmatrix} \overline{\mathbf{y}}_1 \\ \mathbf{y}_1 \end{bmatrix}$  is uniform over

$\mathbb{G}^{3k}$  and the oracles  $\mathcal{O}_{\text{enc}}$  in these two figures are actually the same.

**Game  $H_{7.i} - H_{7.i.1}$ .**  $H_{7.i.1}$  is almost the same as  $H_{7.i}$  except for changing how  $[\mathbf{y}_1]$  is generated in  $\mathcal{O}_{\text{enc}}$ .

- In  $H_{7.i}$ ,  $[\mathbf{y}_1]$  is uniform over  $\mathbb{G}^{2k}$ .
- In  $H_{7.i.1}$ , when  $\tau_{i+1}^1 = 0$ ,  $\mathbf{r}_0 \leftarrow_{\S} \mathbb{Z}_q^k$  is selected and  $[\mathbf{y}_1]$  is set to  $[\mathbf{M}\mathbf{r} + \mathbf{M}_0\mathbf{r}_0]$  for some  $\mathbf{M}_0 \leftarrow_{\S} \mathcal{U}_{2k,k}$ .

We can build an adversary  $\mathcal{B}$  and show that

$$|\Pr_{7.i}[b' = b] - \Pr_{7.i.1}[b' = b]| \leq \text{Adv}_{\mathcal{U}_{2k,k}, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (48)$$

Let  $Q_{\text{enc}}$  be the total number of  $\mathcal{O}_{\text{enc}}$  queries submitted by  $\mathcal{A}$ . To prove (48), we construct an adversary  $\mathcal{B}'$  and show that

$$|\Pr_{7.i}[b' = b] - \Pr_{7.i.1}[b' = b]| \leq \text{Adv}_{\mathcal{U}_{2k,k}, \text{GGen}, \mathcal{B}'}^{Q_{\text{enc}}\text{-mddh}}(\lambda). \quad (49)$$

Upon receiving a challenge  $(\mathcal{G}, [\mathbf{M}_0] \in \mathbb{G}^{2k \times k}, [\mathbf{H}] := ([\mathbf{h}_1 | \dots | \mathbf{h}_{Q_{\text{enc}}}] \in \mathbb{G}^{2k \times Q_{\text{enc}}})$  for the  $Q_{\text{enc}}$ -fold  $\mathcal{U}_{2k,k}$ -MDDH problem,  $\mathcal{B}'$  simulates game  $H_{7.i}(H_{7.i.1})$ . To reply the  $i$ -th  $\mathcal{O}_{\text{enc}}$  query made by  $\mathcal{A}$ ,  $\mathcal{B}'$  embeds  $[\mathbf{h}_i]$  to  $[\mathbf{y}_1]$  if  $\tau_{i+1}^1 = 0$ , i.e.,  $[\mathbf{y}_1] \leftarrow [\mathbf{h}_i] + [\mathbf{M}]\mathbf{r}$ . Finally  $\mathcal{B}'$  gets  $\mathcal{A}$ 's output  $b'$  and outputs  $1 \Leftrightarrow (b' = b)$ . Thus, if each column  $[\mathbf{h}_i]$  of  $[\mathbf{H}]$  is uniformly random over  $\mathbb{G}^{3k}$ ,  $\mathcal{B}'$  perfectly simulates  $H_{7.i}$  (since if  $\tau_{i+1}^1 = 0$ ,  $[\mathbf{y}_1] = [\mathbf{h}_i] + [\mathbf{M}]\mathbf{r}$  is uniform). If each column  $[\mathbf{h}_i]$  of  $[\mathbf{H}]$  is uniformly random over  $\text{span}([\mathbf{M}])$ ,  $\mathcal{B}'$  perfectly simulates  $H_{7.i.1}$ . So (49) follows.

Finally (48) follows from (49), Lemma 6 and Lemma 3.

**Game  $H_{7.i.1} - H_{7.i.2}$ .**  $H_{7.i.2}$  is almost the same as  $H_{7.i.1}$  except for changing how  $[\mathbf{y}_1]$  is generated in  $\mathcal{O}_{\text{enc}}$ .

- In  $H_{7.i.1}$ , when  $\tau_{i+1}^1 = 1$ ,  $[\mathbf{y}_1]$  is uniform over  $\mathbb{G}^{2k}$ .
- In  $H_{7.i.2}$ , when  $\tau_{i+1}^1 = 1$ ,  $\mathbf{r}_1 \leftarrow_{\S} \mathbb{Z}_q^k$  is selected and  $[\mathbf{y}_1]$  is set to  $[\mathbf{M}\mathbf{r} + \mathbf{M}_1\mathbf{r}_1]$  for some  $\mathbf{M}_1 \leftarrow_{\S} \mathcal{U}_{2k,k}$ .

We can build an adversary  $\mathcal{B}$  and show that

$$|\Pr_{7.i.1}[b' = b] - \Pr_{7.i.2}[b' = b]| \leq \text{Adv}_{\mathcal{U}_{2k,k}, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + \frac{1}{q-1} = \text{Adv}_{\mathcal{U}_{2k,k}, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (50)$$

The proof idea is almost the same as the one used in proving (48). We omit the proof details.

**Game  $H_{7.i.2} - H_{7.i.3}$ .** We first specify how  $\mathbf{M}_0^*$  and  $\mathbf{M}_1^*$  are selected. Note that with probability at least  $1 - \frac{2k}{q} = 1 - 2^{-\Omega(\lambda)}$  over the randomness of  $\mathbf{M}_0$  and  $\mathbf{M}_1$ ,  $\begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_0 & \mathbf{M}_1 \end{pmatrix}$

forms an invertible matrix over  $\mathbb{Z}_q^{3k \times 3k}$ . Therefore,  $\text{Ker}(\mathbf{M}^\top) = \text{span}(\mathbf{M}^\perp) = \text{Ker} \left( \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_0 \end{pmatrix}^\top \right) \oplus$

$\text{Ker} \left( \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix}^\top \right)$ . We can select  $\mathbf{M}_0^*, \mathbf{M}_1^* \in \mathbb{Z}_q^{3k \times k}$  such that  $\text{span}(\mathbf{M}_0^*) = \text{Ker} \left( \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix}^\top \right)$

and  $\text{span}(\mathbf{M}_1^*) = \text{Ker} \left( \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_0 \end{pmatrix}^\top \right)$ . Thus we have  $\text{span}(\mathbf{M}^\perp) = \text{span}(\mathbf{M}_1^*) \oplus \text{span}(\mathbf{M}_0^*)$

In this case, for all  $\tau \in \{0, 1\}^\lambda$ , we can replace  $\mathbf{M}^\perp \text{RF}_i(\tau_i)$  (used in  $H_{7.i.2}$ ) to  $\mathbf{M}_0^* \text{RF}_i^{(0)}(\tau_i) + \mathbf{M}_1^* \text{RF}_i^{(1)}(\tau_i)$  (used in  $H_{7.i.3}$ ) where  $\text{RF}_i^{(0)}$  and  $\text{RF}_i^{(1)}$  are two independent random function from  $\{0, 1\}^i$  to  $\mathbb{Z}_q^k$ . So with probability at least  $1 - 2^{-\Omega(\lambda)}$ , game  $H_{7.i.3}$  is almost the same with  $H_{7.i.2}$  and

$$|\Pr_{7.i.2}[b' = b] - \Pr_{7.i.3}[b' = b]| \leq 2^{-\Omega(\lambda)}. \quad (51)$$

We then rewrite game  $H_{7.i.3}$  and define new games  $H_{7.i.4} - H_{7.i.7}$  in Figure 16.

<p><math>\text{Exp}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}(\lambda)</math>:</p> <p><math>H_{7.i.3} \ H_{7.i.4} \ H_{7.i.5} \ H_{7.i.6} \ H_{7.i.7} = H_{7.i.8}</math></p> <p><math>b \leftarrow_{\\$} \{0, 1\}</math></p> <p><math>\mathcal{T}_{\text{enc}}, \mathcal{T}_{\text{dec}} \leftarrow \emptyset</math></p> <p><math>\mathbf{M} \leftarrow_{\\$} \mathcal{U}_{3k,k}, \mathbf{M}_0, \mathbf{M}_1 \leftarrow_{\\$} \mathcal{U}_{2k,k}</math></p> <p><math>\mathbf{M}^\perp \leftarrow_{\\$} \mathcal{U}_{3k,2k}</math> s.t. <math>\mathbf{M}^\top \mathbf{M}^\perp = \mathbf{0}</math></p> <p><math>\mathbf{M}_0^*, \mathbf{M}_1^* \leftarrow_{\\$} \mathcal{U}_{3k,k}</math> with special span</p> <p>Simulate random functions</p> <p><math>\text{RF}_{i \llbracket \mathbf{M} \rrbracket}^{(0)} : \{0, 1\}^{i \llbracket \mathbf{M} \rrbracket} \rightarrow \mathbb{Z}_q^k</math></p> <p><math>\text{RF}_{i \llbracket \mathbf{M} \rrbracket}^{(1)} : \{0, 1\}^{i \llbracket \mathbf{M} \rrbracket} \rightarrow \mathbb{Z}_q^k</math></p> <p><math>\text{RF}_{i \llbracket \mathbf{M}^\perp \rrbracket} : \{0, 1\}^{i \llbracket \mathbf{M}^\perp \rrbracket} \rightarrow \mathbb{Z}_q^{2k}</math></p> <p><math>\text{RF}_{i+1} : \{0, 1\}^{i+1} \rightarrow \mathbb{Z}_q^{2k}</math></p> <p><math>\mathbf{k}_{1,0}, \dots, \mathbf{k}_{\lambda,1} \leftarrow_{\\$} \mathbb{Z}_q^{3k}</math></p> <p><math>\text{pk}_{\text{kem}} \leftarrow \left( \begin{array}{c} \mathcal{G}, \text{H}, [\mathbf{M}] \\ (([\mathbf{M}^\top \mathbf{k}_{j,\beta}])_{0 \leq \beta \leq 1}^1)_{1 \leq j \leq \lambda} \end{array} \right)</math></p> <p><math>b' \leftarrow_{\\$} \mathcal{A}^{\text{O}_{\text{enc}}(\cdot), \text{O}_{\text{dec}}(\cdot, \cdot)}(\text{pk}_{\text{kem}})</math></p> <p>Return <math>b'</math></p>	<p><math>\mathcal{O}_{\text{enc}}()</math>:</p> <p><math>H_{7.i.3} \ H_{7.i.4} \ H_{7.i.5} \ H_{7.i.6} \ H_{7.i.7} = H_{7.i.8}</math></p> <p><math>(\psi_0, \gamma_0) \leftarrow_{\\$} \mathbb{G}^{3k} \times \mathbb{G}</math></p> <p><math>\tau^0 \leftarrow \text{H}(\psi_0), \mathbf{r} \leftarrow_{\\$} \mathbb{Z}_q^k</math></p> <p><math>[\overline{\mathbf{y}}_1] \leftarrow [\mathbf{M}]\mathbf{r}, \tau^1 \leftarrow \text{H}([\overline{\mathbf{y}}_1])</math></p> <p>If <math>\tau^b \in \mathcal{T}_{\text{enc}} \cup \mathcal{T}_{\text{dec}}</math></p> <p style="padding-left: 20px;">Return <math>\perp</math></p> <p><math>\mathcal{T}_{\text{enc}} \leftarrow \mathcal{T}_{\text{enc}} \cup \{\tau^b\}</math></p> <p><math>\mathbf{k}_{\tau^1} \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j^1}</math></p> <p><math>+ \mathbf{M}_0^* \text{RF}_{i \llbracket \mathbf{M} \rrbracket}^{(0)}(\tau_{i \llbracket \mathbf{M} \rrbracket}^1) + \mathbf{M}_1^* \text{RF}_{i \llbracket \mathbf{M} \rrbracket}^{(1)}(\tau_{i \llbracket \mathbf{M} \rrbracket}^1)</math></p> <p><math>\mathbf{k}_{\tau^1} \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j^1} + \mathbf{M}^\perp \text{RF}_{i+1}(\tau_{i+1}^1)</math></p> <p>If <math>\tau_{i+1}^1 = 0</math>:</p> <p style="padding-left: 20px;"><math>\mathbf{r}_0 \leftarrow_{\\$} \mathbb{Z}_q^k, [\mathbf{y}_1] \leftarrow [\mathbf{M}\mathbf{r} + \mathbf{M}_0\mathbf{r}_0]</math></p> <p>Else: <math>// \tau_{i+1}^1 = 1</math></p> <p style="padding-left: 20px;"><math>\mathbf{r}_1 \leftarrow_{\\$} \mathbb{Z}_q^k, [\mathbf{y}_1] \leftarrow [\mathbf{M}\mathbf{r} + \mathbf{M}_1\mathbf{r}_1]</math></p> <p><math>[\mathbf{y}_1] \leftarrow_{\\$} \mathbb{G}^{2k}</math></p> <p><math>\psi_1 \leftarrow \frac{[\overline{\mathbf{y}}_1]}{[\mathbf{y}_1]}, \gamma_1 \leftarrow [\mathbf{y}_1^\top] \mathbf{k}_{\tau^1}</math></p> <p><math>\psi_{\text{enc}} \leftarrow \psi_{\text{enc}} \cup \{\psi_b\}</math></p> <p>Return <math>(\psi_b, \gamma_b)</math></p>	<p><math>\mathcal{O}_{\text{dec}}(\text{pred}, \psi = [\mathbf{y}])</math>:</p> <p><math>H_{7.i.3} \ H_{7.i.4} \ H_{7.i.5} \ H_{7.i.6} \ H_{7.i.7} = H_{7.i.8}</math></p> <p>If <math>\psi \in \psi_{\text{enc}}</math>:</p> <p style="padding-left: 20px;">Return <math>\perp</math></p> <p><math>\tau \leftarrow \text{H}([\overline{\mathbf{y}}])</math></p> <p>If <math>\left[ \begin{array}{l} \exists [\mathbf{y}'] \in \psi_{\text{enc}} \text{ s.t.} \\ \tau = \text{H}([\overline{\mathbf{y}}']) \wedge \mathbf{y} \neq \mathbf{y}' \end{array} \right]</math></p> <p style="padding-left: 20px;">Return <math>\perp</math></p> <p><math>\mathcal{T}_{\text{dec}} \leftarrow \mathcal{T}_{\text{dec}} \cup \{\tau\}</math></p> <p><math>\mathbf{k}_{\tau} \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j}</math></p> <p><math>+ \mathbf{M}_0^* \text{RF}_{i \llbracket \mathbf{M} \rrbracket}^{(0)}(\tau_{i \llbracket \mathbf{M} \rrbracket}) + \mathbf{M}_1^* \text{RF}_{i \llbracket \mathbf{M} \rrbracket}^{(1)}(\tau_{i \llbracket \mathbf{M} \rrbracket})</math></p> <p><math>\mathbf{k}_{\tau} \leftarrow \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j} + \mathbf{M}^\perp \text{RF}_{i+1}(\tau_{i+1})</math></p> <p><math>\gamma \leftarrow [\mathbf{y}^\top] \mathbf{k}_{\tau}</math></p> <p>If <math>\text{pred}(\gamma) = 0</math>:</p> <p style="padding-left: 20px;">Return <math>\perp</math></p> <p>Return <math>\gamma</math></p>
--	---	---

Fig. 16. Games  $H_{7.i.3} - H_{7.i.7}$ .

**Game  $H_{7.i.3} - H_{7.i.4}$ .**  $H_{7.i.4}$  is almost the same as  $H_{7.i.3}$  except for replacing the random function  $\text{RF}_i^{(0)} : \{0, 1\}^i \rightarrow \mathbb{Z}_q^k$  with  $\text{RF}_{i+1}^{(0)} : \{0, 1\}^{i+1} \rightarrow \mathbb{Z}_q^k$ .

Consider the following function  $\text{RF}_{i+1}^{(0)}$ ,

$$\text{RF}_{i+1}^{(0)}(\tau_{i+1}) = \begin{cases} \text{RF}_i^{(0)}(\tau_i) & \text{If } \tau_{i+1} = 0 \\ \text{RF}_i^{(0)}(\tau_i) + \text{RF}_i^{\prime(0)}(\tau_i) & \text{If } \tau_{i+1} = 1 \end{cases}$$

This is indeed a random function with  $i + 1$  bits input if  $\text{RF}_i^{(0)} : \{0, 1\}^i \rightarrow \mathbb{Z}_q^k$  is an independent random function. If we use this function in  $H_{7.i.4}$ , then for all  $\tau \in \{0, 1\}^\lambda$  such that  $\tau_{i+1} = 0$ ,  $\text{RF}_{i+1}^{(0)}(\tau_{i+1}) = \text{RF}_i^{(0)}(\tau_i)$  and  $H_{7.i.4}$  will be the same with  $H_{7.i.3}$  in such cases.

Observe that for all  $\tau \in \{0, 1\}^\lambda$  such that  $\tau_{i+1} = 1$  and all  $\mathbf{y} \in \text{span} \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix}$

$$\begin{aligned} & \overbrace{\mathbf{y}^\top \left( \sum_{j=1}^{\lambda} \mathbf{k}_{j, \tau_j} + \mathbf{M}_0^* \text{RF}_i^{(0)}(\tau_i) + \mathbf{M}_0^* \text{RF}_i^{(0)}(\tau_i) + \mathbf{M}_1^* \text{RF}_i^{(1)}(\tau_i) \right)}^{H_{7.i.4}}, \\ & = \mathbf{y}^\top \underbrace{\left( \sum_{j=1}^{\lambda} \mathbf{k}_{j, \tau_j} + \mathbf{M}_0^* \text{RF}_i^{(0)}(\tau_i) + \mathbf{M}_1^* \text{RF}_i^{(1)}(\tau_i) \right)}_{H_{7.i.3}}, \end{aligned} \quad (52)$$

since  $\text{span}(\mathbf{M}_0^*) = \text{Ker} \left( \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix}^\top \right)$  and  $\mathbf{y}^\top \mathbf{M}_0^* = \mathbf{0}$ .

Then we have

- $\mathcal{O}_{\text{enc}}$  will be almost the same in  $H_{7.i.4}$  and  $H_{7.i.3}$ . Since when  $\tau_{i+1}^1 = 1$ ,  $\mathbf{y}_1 \in \text{span} \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix}$ .
- $\mathcal{O}_{\text{dec}}(\text{pred}, [\mathbf{y}])$  will be almost the same in  $H_{7.i.4}$  and  $H_{7.i.3}$  for any  $\mathbf{y} \in \text{span} \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix}$  with  $\tau_{i+1} = 1$ .

Thus, game  $H_{7.i.4}$  differs from  $H_{7.i.3}$  only if  $\mathcal{A}$  submits some  $\mathcal{O}_{\text{dec}}(\text{pred}, [\mathbf{y}])$  query such that  $\mathbf{y} \notin \text{span} \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix}$  but  $\tau_{i+1} = 1$ . We will call such a query an “*ill-formed*” query.

To show that “*ill-formed*” queries are rejected overwhelmingly in both games, we define two intermediate games  $H_{7.i.3'/4'}$ . These two games are almost the same with  $H_{7.i.3/4}$  except for explicitly reject all ill-formed  $\mathcal{O}_{\text{dec}}$  queries. According to the analysis above, we have that

$$\Pr_{7.i.3'}[b' = b] = \Pr_{7.i.4'}[b' = b]. \quad (53)$$

We will prove that

$$|\Pr_{7.i.3}[b' = b] - \Pr_{7.i.3'}[b' = b]| \leq Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda), \quad (54)$$

and

$$|\Pr_{7.i.4}[b' = b] - \Pr_{7.i.4'}[b' = b]| \leq Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda). \quad (55)$$

To prove (54), we define the event **Bad** as the adversary  $\mathcal{A}$  submits a  $\mathcal{O}_{\text{dec}}(\text{pred}, [\mathbf{y}])$  such that 1).  $[\mathbf{y}] \notin \psi_{\text{enc}}$ ; 2).  $\tau_{i+1} = 1$  for  $\tau = \text{H}([\overline{\mathbf{y}}])$ ; 3).  $\mathbf{y} \notin \text{span} \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix}$  and 4).  $\text{pred}([\mathbf{y}^\top] \mathbf{k}_\tau) = 1$  where  $\mathbf{k}_\tau = \sum_{j=1}^{\lambda} \mathbf{k}_{j, \tau_j} + \mathbf{M}_0^* \text{RF}_i^{(0)}(\tau_i) + \mathbf{M}_1^* \text{RF}_i^{(1)}(\tau_i)$ . It is straightforward that game  $H_{7.i.3}$  will be almost the same with game  $H_{7.i.3'}$  if event **Bad** does not happen. So we have

$$|\Pr_{7.i.3}[b' = b] - \Pr_{7.i.3'}[b' = b]| \leq \Pr_{7.i.3}[\text{Bad}] = \Pr_{7.i.3'}[\text{Bad}]. \quad (56)$$

Let  $Q_{\text{dec}}$  be the total number of decryption queries submitted by  $\mathcal{A}$ , we have that

$$\Pr_{7.i.3'}[\text{Bad}] \leq \sum_{i=1}^{Q_{\text{dec}}} \Pr_{7.i.3'}[\text{Bad happens in the } i\text{-th } \mathcal{O}_{\text{dec}} \text{ query}]. \quad (57)$$

So we will fix some  $i \in [Q_{\text{dec}}]$  and consider the  $i$ -th  $\mathcal{O}_{\text{dec}}(\text{pred}_i, [\mathbf{y}])$  query submitted by  $\mathcal{A}$  in game  $H_{7.i.3'}$ . We will show that Bad will not happen overwhelmingly in this  $\mathcal{O}_{\text{dec}}$  query.

We use the fact that  $\mathbf{k}_{i+1,1}$  contains some entropy that is hidden from  $\mathcal{A}$ . More precisely, we use the fact that  $\mathbf{k}_{i+1,1} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{3k}$  is identically distributed with  $\mathbf{k}_{i+1,1} + \mathbf{M}_0^* \mathbf{w}$  where  $\mathbf{k}_{i+1,1} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^{3k}$  and  $\mathbf{w} \leftarrow_{\mathcal{S}} \mathbb{Z}_q^k$ . We will show that in game  $H_{7.i.3'}$ ,  $\mathbf{w}$  is hidden from  $\mathcal{A}$  until the  $i$ -th  $\mathcal{O}_{\text{dec}}$  query.

- $\text{pk}_{\text{KEM}}$  does not leak any information about  $\mathbf{w}$ . Since  $\mathbf{M}^\top (\mathbf{k}_{i+1,1} + \mathbf{M}_0^* \mathbf{w}) = \mathbf{M}^\top \mathbf{k}_{i+1,1}$ . This is due to the fact that  $\text{span}(\mathbf{M}_0^*) = \text{Ker} \left( \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix}^\top \right) \subset \text{Ker}(\mathbf{M}^\top)$ .
- $\mathcal{O}_{\text{enc}}$  oracle does not leak any information about  $\mathbf{w}$ . This is because in the  $\mathcal{O}_{\text{enc}}$  oracle of game  $H_{7.i.3'}$ ,  $\mathbf{w}$  is used only in the generation of  $\gamma_1$  when  $\tau_{i+1}^1 = 1$ . In such cases, since  $\mathbf{y}_1 \in \text{span} \left( \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix} \right)$ ,  $\gamma_1 = [\mathbf{y}_1^\top (\mathbf{k}_{i+1,1} + \mathbf{M}_0^* \mathbf{w}) + \dots] = [\mathbf{y}_1^\top \mathbf{k}_{i+1,1} + \mathbf{y}_1^\top \mathbf{M}_0^* \mathbf{w} + \dots] = [\mathbf{y}_1^\top \mathbf{k}_{i+1,1} + \dots]$ .
- $\mathcal{O}_{\text{dec}}$  oracle does not leak any information about  $\mathbf{w}$ . This is because in the  $\mathcal{O}_{\text{dec}}$  oracle of game  $H_{7.i.3'}$ ,  $\mathbf{w}$  is used only in the generation of  $\gamma$  when  $\tau_{i+1} = 1$ . Similarly, if  $\mathbf{y} \in \text{span} \left( \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix} \right)$ ,  $\gamma$  does not contain any information about  $\mathbf{w}$ . So  $\mathbf{w}$  might be used only when  $\mathbf{y} \notin \text{span} \left( \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix} \right)$  and  $\tau_{i+1} = 1$ . However, such case satisfies the definition of ill-formed query and will be rejected directly in game  $H_{7.i.3'}$ , so the response is independent of  $\mathbf{w}$ .

Therefore,  $\mathbf{w}$  is not leaked to  $\mathcal{A}$  until the  $i$ -th  $\mathcal{O}_{\text{dec}}(\text{pred}_i, [\mathbf{y}])$  query.

So, if  $\tau_{i+1} = 1$  and  $\mathbf{y} \notin \text{span} \left( \begin{pmatrix} \overline{\mathbf{M}} & \mathbf{0} \\ \underline{\mathbf{M}} & \mathbf{M}_1 \end{pmatrix} \right)$ ,

$$\begin{aligned} \text{pred}_i(\gamma) &= \text{pred}_i([\mathbf{y}^\top \mathbf{k}_\tau]) \\ &= \text{pred}_i([\mathbf{y}^\top (\sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j} + \mathbf{M}_0^* \text{RF}_i^{(0)}(\tau_i) + \mathbf{M}_1^* \text{RF}_i^{(1)}(\tau_i))]) \\ &= \text{pred}_i([\mathbf{y}^\top (\mathbf{k}_{i+1,1} + \mathbf{M}_0^* \mathbf{w}) + \mathbf{y}^\top (\sum_{j \neq i+1}^{\lambda} \mathbf{k}_{j,\tau_j} + \mathbf{M}_0^* \text{RF}_i^{(0)}(\tau_i) + \mathbf{M}_1^* \text{RF}_i^{(1)}(\tau_i))]) \\ &= \text{pred}_i([\underbrace{\mathbf{y}^\top \mathbf{M}_0^*}_{\neq \mathbf{0}} \mathbf{w} + \mathbf{y}^\top (\sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j} + \mathbf{M}_0^* \text{RF}_i^{(0)}(\tau_i) + \mathbf{M}_1^* \text{RF}_i^{(1)}(\tau_i))]). \end{aligned}$$

Since  $\mathbf{y}^\top \mathbf{M}_0^* \neq \mathbf{0}$ , the input of  $\text{pred}_i$  is uniform due to the fresh randomness of  $\mathbf{w}$ . Thus we have

$$\Pr_{7.i.3'}[\text{Bad happens in the } i\text{-th } \mathcal{O}_{\text{dec}} \text{ query}] = \Pr_{\gamma \leftarrow_{\mathcal{S}} \Gamma}[\text{pred}_i(\gamma) = 1]. \quad (58)$$

Thus (54) follows from (58), (57) and (56). Similarly, we can prove (55).

Combining (53), (54) and (55), we have that

$$|\Pr_{7.i.3}[b' = b] - \Pr_{7.i.4}[b' = b]| \leq 2Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda). \quad (59)$$

**Game  $H_{7.i.4} - H_{7.i.5}$ .**  $H_{7.i.5}$  is almost the same as  $H_{7.i.4}$  except for replacing the random function  $\text{RF}_i^{(1)} : \{0, 1\}^i \rightarrow \mathbb{Z}_q^k$  with  $\text{RF}_{i+1}^{(1)} : \{0, 1\}^{i+1} \rightarrow \mathbb{Z}_q^k$ . We have that

$$|\Pr_{7.i.4}[b' = b] - \Pr_{7.i.5}[b' = b]| \leq 2Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda). \quad (60)$$

The proof of (60) is similar to the one of (59). Consider the following function  $\text{RF}_{i+1}^{(1)}$ ,

$$\text{RF}_{i+1}^{(1)}(\tau_{i+1}) = \begin{cases} \text{RF}_i^{(1)}(\tau_i) + \text{RF}'_i(\tau_i) & \text{If } \tau_{i+1} = 0 \\ \text{RF}_i^{(1)}(\tau_i) & \text{If } \tau_{i+1} = 1 \end{cases}$$

This is indeed a random function with  $i + 1$  bits input if  $\text{RF}'_i : \{0, 1\}^i \rightarrow \mathbb{Z}_q^k$  is an independent random function. The rest of the proof is also symmetric. Define the ill-formed query as a  $\mathcal{O}_{\text{dec}}(\text{pred}, [\mathbf{y}])$  query such that  $\mathbf{y} \notin \text{span} \begin{pmatrix} \mathbf{M} & \mathbf{0} \\ \mathbf{M} & \mathbf{M}_0 \end{pmatrix}$  but  $\tau_{i+1} = 0$ .

When analyze the probability that event **Bad** happens, use the entropy in  $\mathbf{k}_{i+1,0}$ , i.e.,  $\mathbf{k}_{i+1,0}$  distributes identically to  $\mathbf{k}_{i+1,0} + \mathbf{M}_1^* \mathbf{w}$  and show  $\mathbf{w}$  is not leaked at all. We omit the proof details here.

**Game  $H_{7.i.5} - H_{7.i.6}$ .**  $H_{7.i.6}$  is almost the same as  $H_{7.i.5}$  except for replacing  $\mathbf{M}_0^* \text{RF}_{i+1}^{(0)}(\tau_{i+1}) + \mathbf{M}_1^* \text{RF}_{i+1}^{(1)}(\tau_{i+1})$  with  $\mathbf{M}^\perp \text{RF}_{i+1}(\tau_{i+1})$  for an independent random function  $\text{RF}_{i+1} : \{0, 1\}^{i+1} \rightarrow \mathbb{Z}_q^{2k}$ . Similar to the analysis of (51), we have that

$$|\Pr_{7.i.5}[b' = b] - \Pr_{7.i.6}[b' = b]| \leq 2^{-\Omega(\lambda)}. \quad (61)$$

We omit the detailed analysis here.

**Game  $H_{7.i.6} - H_{7.i.7}$ .**  $H_{7.i.7}$  is almost the same as  $H_{7.i.6}$  except for selecting  $[\mathbf{y}_1]$  uniformly random from  $\mathbb{G}^{2k}$ . Similarly, we can show that

$$|\Pr_{7.i.6}[b' = b] - \Pr_{7.i.7}[b' = b]| \leq 2 \text{Adv}_{\mathcal{U}^k, \text{GGen}, \mathcal{E}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (62)$$

The proof of (62) can be seen as a combination of the proof of (49) and the proof of (50). We omit the proof details here.

**Game  $H_{7.i.7}$ .**  $H_{7.i.7}$  is almost the same with  $H_{7.i+1}$  and

$$\Pr_{7.i.7}[b' = b] = \Pr_{7.i+1}[b' = b]. \quad (63)$$

Thus, combining (48, 50, 51, 59, 60, 61, 62) and (63), Lemma 7 follows.  $\square$

**Game  $H_{7,\lambda}$ .** In this game,  $b$  is leaked to  $\mathcal{A}$  only through  $\gamma_b$  (the output of  $\mathcal{O}_{\text{enc}}$ ). We will show that,  $\gamma_1$  is actually uniform random over  $\mathbb{G}$ , just like  $\gamma_0$ . This conclusion follows from the following facts.

- Note that the oracle  $\mathcal{O}_{\text{dec}}$  in game  $H_{7,\lambda}$  has the rejection rule

$$([\mathbf{y}] \in \psi_{\text{enc}}) \vee (\exists [\mathbf{y}'] \in \psi_{\text{enc}} \text{ s.t. } \text{H}([\bar{\mathbf{y}}]) = \text{H}([\bar{\mathbf{y}}']) \wedge \mathbf{y} \neq \mathbf{y}').$$

This condition is equivalent to  $\tau = \text{H}([\bar{\mathbf{y}}]) \in \mathcal{T}_{\text{enc}}$ . It means if the random function  $\text{RF}_\lambda$  takes  $\tau^1$  as input in some  $\mathcal{O}_{\text{enc}}$  query, it will not take the same input  $\tau^1$  in any  $\mathcal{O}_{\text{dec}}$  query.

- $\text{RF}_\lambda$  will take distinct input  $\tau^1$  in each  $\mathcal{O}_{\text{enc}}$  query. This is due to the rejection rule of  $\mathcal{O}_{\text{enc}}$ .
- With probability  $1 - 2^{-\Omega(\lambda)}$ ,  $\mathbf{y}_1 \notin \text{span}(\mathbf{M})$  for all the  $\mathcal{O}_{\text{enc}}$  queries.

Thus, for each  $\gamma_1$  in  $\mathcal{O}_{\text{enc}}$  query,

$$\gamma_1 = \left[ \mathbf{y}_1^\top \sum_{j=1}^{\lambda} \mathbf{k}_{j,\tau_j^1} + \underbrace{\mathbf{y}_1^\top \mathbf{M}^\perp}_{\neq \mathbf{0}} \text{RF}_\lambda(\tau^1) \right] \text{ is random.}$$

Since  $\text{RF}_\lambda(\tau^1)$  is not used anywhere else. Thus,  $\gamma_0$  and  $\gamma_1$  are (almost) identically distributed and we can conclude that

$$\left| \Pr_{\tau,\lambda}[b' = b] - \frac{1}{2} \right| \leq 2^{-\Omega(\lambda)}. \quad (64)$$

Finally, combining (33, 34, 40, 42, 43, 44, 45, 46, 47) and (64), Theorem 2 follows.  $\blacksquare$

## D Proof of Theorem 3

*Proof of Theorem 3.* Before we proving Theorem 3, we first prove the following lemma.

**Lemma 8.** *For the KEM  $\text{KEM}_{\text{mddh}}$  in Figure 7, for any polynomial  $n = \text{poly}(\lambda)$  and any PPT algorithm  $\mathcal{A}$ ,*

$$\begin{aligned} & \left| \Pr[\mathcal{A}(\text{pk}_{\text{KEM}}, \text{sk}_{\text{KEM}}, \psi_1, \dots, \psi_n) = 1] - \Pr[\mathcal{A}(\text{pk}_{\text{KEM}}, \text{sk}_{\text{KEM}}, \psi'_1, \dots, \psi'_n) = 1] \right| \\ & \leq \text{Adv}_{\mathcal{U}_{3k,k}, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)} \end{aligned}$$

where  $(\text{pk}_{\text{KEM}}, \text{sk}_{\text{KEM}}) \leftarrow_{\S} \text{KGen}(1^\lambda)$  and  $(\psi_i, \gamma_i) \leftarrow_{\S} \text{KEnc}(\text{pk}_{\text{KEM}})$ ,  $\psi'_i \leftarrow_{\S} \Psi$  for all  $i \in [n]$ .

*Proof of Lemma 8.* This lemma follows from the fact that the encapsulation  $\psi$  (which is the output of  $\text{KEnc}(\text{pk}_{\text{KEM}})$ ) is a random vector over  $\text{span}([\mathbf{M}])$  and is independent of  $\text{sk}_{\text{KEM}}$ . More precisely, we can build a MDDH adversary  $\mathcal{B}'$  such that

$$\begin{aligned} & \left| \Pr[\mathcal{A}(\text{pk}_{\text{KEM}}, \text{sk}_{\text{KEM}}, \psi_1, \dots, \psi_n) = 1] - \Pr[\mathcal{A}(\text{pk}_{\text{KEM}}, \text{sk}_{\text{KEM}}, \psi'_1, \dots, \psi'_n) = 1] \right| \\ & \leq \text{Adv}_{\mathcal{U}_{3k,k}, \text{GGen}, \mathcal{B}'}^{n\text{-mddh}}(\lambda). \end{aligned} \quad (65)$$

Upon receiving a challenge  $(\mathcal{G}, [\mathbf{M}] \in \mathbb{G}^{3k \times k}, [\mathbf{H}] := ([\mathbf{h}_1 | \dots | \mathbf{h}_n]) \in \mathbb{G}^{3k \times n})$  for the  $n$ -fold  $\mathcal{U}_{3k,k}$ -MDDH problem,  $\mathcal{B}'$  random selects  $\mathbf{k}_{1,0}, \dots, \mathbf{k}_{\lambda,1} \leftarrow_{\S} \mathbb{Z}_q^{3k}$  and calculates  $([\mathbf{M}^\top \mathbf{k}_{j,\beta}])_{1 \leq j \leq \lambda, 0 \leq \beta \leq 1}$ . Thus  $\mathcal{B}'$  can perfectly simulate a properly distributed key pair  $(\text{pk}_{\text{KEM}}, \text{sk}_{\text{KEM}})$ . Then  $\mathcal{B}'$  calls  $\mathcal{A}(\text{pk}_{\text{KEM}}, \text{sk}_{\text{KEM}}, [\mathbf{h}_1], \dots, [\mathbf{h}_n])$  and outputs whatever  $\mathcal{A}$  outputs. Thus, if each column  $[\mathbf{h}_i]$  of  $[\mathbf{H}]$  is uniformly random over  $\mathbb{G}^{3k}$ ,  $\mathcal{B}'$  outputs  $\mathcal{A}(\text{pk}_{\text{KEM}}, \text{sk}_{\text{KEM}}, \psi'_1, \dots, \psi'_n)$ . If each column  $[\mathbf{h}_i]$  of  $[\mathbf{H}]$  is uniformly random over  $\text{span}([\mathbf{M}])$ ,  $\mathcal{B}'$  outputs  $\mathcal{A}(\text{pk}_{\text{KEM}}, \text{sk}_{\text{KEM}}, \psi_1, \dots, \psi_n)$ . Thus (65) follows.

Finally Lemma 8 follows from (65), Lemma 6 and Lemma 3.  $\square$

Now we prove Theorem 3. For any PPT adversary  $\mathcal{A}$  with negligible uncertainty  $\text{uncert}_{\mathcal{A}}(\lambda)$ , consider an experiment  $\text{Exp}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{rer}}(\lambda)$  which first randomly selects  $b \leftarrow_{\S} \{0, 1\}$ , then calls  $\text{Exp}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{rer}-b}(\lambda)$  and gets its output  $b'$ . It is straightforward that

$$\text{Adv}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{rer}}(\lambda) = 2 \left| \Pr[b' = b \text{ in } \text{Exp}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{rer}}(\lambda)] - \frac{1}{2} \right|. \quad (66)$$

Then we rewrite  $\text{Exp}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{rer}}(\lambda)$  in Figure 17 and make changes to it gradually through  $G_0$  to  $G_3$ . Game  $G_0 - G_3$  are defined below in Figure 17.

**Game  $G_0$ .** This game is almost the same as  $\text{Exp}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{rer}}(\lambda)$ . Then

$$\text{Adv}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{special}}(\lambda) = 2 \left| \Pr_0[b' = b] - \frac{1}{2} \right|. \quad (67)$$

**Game  $G_0 - G_1$ .**  $G_1$  is almost the same as  $G_0$  except for the generation of  $\psi_i$ .

$\text{Exp}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{rer}}(\lambda):$ <div style="border: 1px dashed black; padding: 2px; margin: 5px 0;"><math>G_0 \{G_1, G_2\} G_3</math></div> $b \leftarrow_{\$} \{0, 1\}$ $(\text{pk}_{\text{kem}}, \text{sk}_{\text{kem}}) \leftarrow_{\$} \text{KGen}(1^\lambda)$ $\psi_{\text{ran}} \leftarrow \emptyset$ $(st, 1^n) \leftarrow_{\$} \mathcal{A}^{\mathcal{O}_{\text{cha}}(\cdot, \cdot)}(\text{pk}_{\text{kem}})$ For $i \in [n]$ : $\psi_i \leftarrow_{\$} \Psi$ <div style="border: 1px dashed black; padding: 2px; margin: 5px 0;"><math>(\psi_i, \gamma_i) \leftarrow_{\\$} \text{KEnc}(\text{pk}_{\text{kem}})</math></div> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"><math>(\psi_i, \gamma_i) \leftarrow_{\\$} \Psi \times \Gamma</math></div> $\psi_{\text{ran}} \leftarrow \{\psi_1, \dots, \psi_n\}$ $b' \leftarrow_{\$} \mathcal{A}^{\mathcal{O}_{\text{cha}}(\cdot, \cdot)}(st, \psi_{\text{ran}})$ Return $b'$	$\mathcal{O}_{\text{cha}}(\psi, \text{pred}):$ <div style="border: 1px dashed black; padding: 2px; margin: 5px 0;"><math>G_0, G_1 \{G_2, G_3\}</math></div> If $\psi \notin \psi_{\text{ran}}$ : $\gamma \leftarrow \text{KDec}(\text{sk}_{\text{kem}}, \psi)$ Return $\text{pred}(\gamma)$ Else: // $\psi = \psi_i \in \psi_{\text{ran}}$ If $b = 1$ : $\gamma \leftarrow \text{KDec}(\text{sk}_{\text{kem}}, \psi_i)$ <div style="border: 1px dashed black; padding: 2px; margin: 5px 0;"><math>\tilde{\gamma} \leftarrow \tilde{\gamma}_i</math></div> Return $\text{pred}(\gamma)$ Else: Return 0
--	---

**Fig. 17.** Games  $G_0 - G_3$  with respect to  $\text{Exp}_{\text{KEM}_{\text{mddh}}, \mathcal{A}}^{\text{rer}}(\lambda)$ .

- In  $G_0$ ,  $\psi_i$  is uniform over  $\Psi$  for all  $i \in [n]$ .
- In  $G_1$ ,  $\psi_i$  is the output of  $\text{KEnc}(\text{pk}_{\text{KEM}})$  for all  $i \in [n]$ .

By Lemma 8, we have that

$$|\Pr_0[b' = b] - \Pr_1[b' = b]| \leq \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (68)$$

The reduction is straightforward and we omit the details here.

**Game  $G_1 - G_2$ .**  $G_2$  is almost the same as  $G_1$  except for one change in  $\mathcal{O}_{\text{cha}}$  oracle. In  $G_2$ , for a  $\mathcal{O}_{\text{cha}}(\psi, \text{pred})$  query where  $\psi = \psi_i \in \psi_{\text{ran}}$  and  $b = 1$ , instead of using  $\gamma \leftarrow \text{KDec}(\text{sk}_{\text{KEM}}, \psi_i)$ ,  $\gamma$  is set to  $\gamma_i$  which is generated by  $(\psi_i, \gamma_i) \leftarrow_{\$} \text{KEnc}(\text{pk}_{\text{KEM}})$ .

Since  $\text{KEM}_{\text{mddh}}$  is perfectly correct, this change is conceptual. Then we have

$$\Pr_1[b' = b] = \Pr_2[b' = b]. \quad (69)$$

**Game  $G_2 - G_3$ .**  $G_3$  is almost the same as  $G_2$  except for the generation of  $(\psi_i, \gamma_i)$ .

- In  $G_2$ ,  $(\psi_i, \gamma_i)$  is the output of  $\text{KEnc}(\text{pk}_{\text{KEM}})$  for all  $i \in [n]$ .
- In  $G_3$ ,  $(\psi_i, \gamma_i)$  is uniform over  $\Psi \times \Gamma$  for all  $i \in [n]$ .

We will reduce the indistinguishability between  $G_2$  and  $G_3$  to the mPR-CCCA security of  $\text{KEM}_{\text{mddh}}$ . More precisely, we will build an adversary  $\mathcal{B}$  (with  $\text{uncert}_{\mathcal{B}}(\lambda) = \text{uncert}_{\mathcal{A}}(\lambda)$ ) against the mPR-CCCA security of  $\text{KEM}_{\text{mddh}}$  such that

$$|\Pr_2[b' = b] - \Pr_3[b' = b]| \leq \text{Adv}_{\text{KEM}_{\text{mddh}}, \mathcal{B}}^{\text{mpr-ccca}}(\lambda). \quad (70)$$

On input  $\text{pk}_{\text{KEM}}$ ,  $\mathcal{B}$  simulates game  $G_2(G_3)$  as follows.

- $\mathcal{B}$  randomly selects  $b \leftarrow_{\$} \{0, 1\}$ .
- $\mathcal{B}$  calls  $\mathcal{A}^{\mathcal{O}_{\text{cha}}(\cdot, \cdot)}(\text{pk}_{\text{KEM}})$  to get  $(st, 1^n)$ .
  - To simulate  $\mathcal{O}_{\text{cha}}(\psi, \text{pred})$  for  $\mathcal{A}$ ,  $\mathcal{B}$  submits a  $(\text{pred}, \psi)$  query to its own  $\mathcal{O}_{\text{dec}}$  oracle. Since  $\mathcal{B}$  has not submitted any  $\mathcal{O}_{\text{enc}}$  query yet, set  $\psi_{\text{ran}}$  is empty. So it will always get a bit  $d = \text{pred}(\text{KDec}(\text{sk}_{\text{KEM}}, \psi))$  as response. Then  $\mathcal{B}$  forwards to  $\mathcal{A}$  the bit  $d$  as response.

- $\mathcal{B}$  queries  $\mathcal{O}_{\text{enc}}()$  oracle  $n$  times and gets the response  $(\psi_i, \gamma_i)$  for  $i \in [n]$ .
- $\mathcal{B}$  sets  $\psi_{\text{ran}} \leftarrow \{\psi_1, \dots, \psi_n\}$  and calls  $\mathcal{A}^{\mathcal{O}_{\text{cha}}(\cdot, \cdot)}(st, \psi_{\text{ran}})$  to get  $b'$ .
- To simulate  $\mathcal{O}_{\text{cha}}(\psi, \text{pred})$  for  $\mathcal{A}$ , note that now  $\psi_{\text{ran}} = \psi_{\text{enc}}$ . Thus
  - If  $\psi \notin \psi_{\text{ran}}$ ,  $\mathcal{B}$  asks its own oracle to answer the  $\mathcal{O}_{\text{cha}}(\psi, \text{pred})$  query from  $\mathcal{A}$  as before.
  - If  $\psi = \psi_i \in \psi_{\text{ran}}$ , to make sure that  $\text{uncert}_{\mathcal{B}}(\lambda) = \text{uncert}_{\mathcal{A}}(\lambda)$ ,  $\mathcal{B}$  first queries its own oracle  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi_i)$  and gets the response 0 (since  $\psi_i \in \psi_{\text{ran}} = \psi_{\text{enc}}$ ). Then  $\mathcal{B}$  returns 0 if  $b = 0$  and returns  $\text{pred}(\gamma_i)$  if  $b = 1$ .
- $\mathcal{B}$  outputs 1 if and only if  $(b' = b)$ .

$\mathcal{B}$  perfectly simulates game  $G_2$  for  $\mathcal{A}$  if the response of  $\mathcal{O}_{\text{enc}}()$  oracle  $(\psi_i, \gamma_i)$  is the output of  $\text{KEnc}(\text{pk}_{\text{KEM}})$  for all  $i \in [n]$  and perfectly simulates game  $G_3$  for  $\mathcal{A}$  if  $(\psi_i, \gamma_i)$  is uniform over  $\Psi \times \Gamma$  for all  $i \in [n]$ . Thus, (70) follows.

**Game  $G_3$ .** We will show that

$$\left| \Pr_3[b' = b] - \frac{1}{2} \right| \leq Q_{\text{cha}} \cdot \text{uncert}_{\mathcal{A}}(\lambda). \quad (71)$$

We first define  $\mathcal{I}_{\text{in}} := \{j \in [Q_{\text{cha}}] \mid \psi \in \psi_{\text{ran}} \text{ in the } j\text{-th } \mathcal{O}_{\text{cha}}(\psi, \text{pred}_j) \text{ query}\}$ . Consider the  $j$ -th  $\mathcal{O}_{\text{cha}}(\psi, \text{pred}_j)$  query for  $j \in \mathcal{I}_{\text{in}}$ . Suppose  $\psi = \psi_i \in \psi_{\text{ran}}$ . Then  $\mathcal{O}_{\text{cha}}$  will respond to  $\mathcal{A}$  as follows

$\begin{cases} \text{pred}_j(\gamma_i) & \text{if } b = 1 \\ 0 & \text{if } b = 0 \end{cases}$ . Suppose  $b = 1$ , now let's consider the probability that there exists  $j \in \mathcal{I}_{\text{in}}$  such that the  $j$ -th  $\mathcal{O}_{\text{cha}}$  query returns 1, i.e.,  $\Pr[\exists j \in \mathcal{I}_{\text{in}}, \text{pred}_j(\gamma_i) = 1]$ . In game  $G_3$ , since each  $\gamma_i$  is uniform over  $\Gamma$ , we have that

$$\begin{aligned} \Pr[\exists j \in \mathcal{I}_{\text{in}}, \text{pred}_j(\gamma_i) = 1] &\leq \sum_{j \in \mathcal{I}_{\text{in}}} \Pr_{\gamma \leftarrow_s \Gamma}[\text{pred}_j(\gamma) = 1] \\ &\leq \sum_{j \in [Q_{\text{cha}}]} \Pr_{\gamma \leftarrow_s \Gamma}[\text{pred}_j(\gamma) = 1] = Q_{\text{cha}} \cdot \text{uncert}_{\mathcal{A}}(\lambda). \end{aligned}$$

Thus, no adversary can have an advantage greater than  $Q_{\text{cha}} \cdot \text{uncert}_{\mathcal{A}}(\lambda)$  in game  $G_3$  and (71) follows.

Finally, combining (67, 68, 69, 70) and (71), Theorem 3 follows. ■

## E Supplementary Materials for Qualified Proof System

Recall the definition of  $\mathcal{L}^{\text{snd}}$ -indistinguishability of two proof systems in [GHK17].

**Definition 17 ( $\mathcal{L}^{\text{snd}}$ -indistinguishability of two proof systems).** Let  $\text{PS}_0 = (\text{PGen}_0, \text{PPrv}_0, \text{PVer}_0, \text{PSim}_0)$  and  $\text{PS}_1 = (\text{PGen}_1, \text{PPrv}_1, \text{PVer}_1, \text{PSim}_1)$  be two proof systems for a family of languages  $\mathcal{L} = \mathcal{L}_{\text{pars}}$ . Let  $\mathcal{L}^{\text{snd}} = \{\mathcal{L}_{\text{pars}}^{\text{snd}}\}$  be a family of languages, such that  $\mathcal{L}_{\text{pars}} \subseteq \mathcal{L}_{\text{pars}}^{\text{snd}}$ . For any adversary  $\mathcal{A}$ , define experiment  $\text{Exp}_{\mathcal{L}^{\text{snd}}, \text{PS}_0, \text{PS}_1, \mathcal{A}}^{\text{PS-ind}}$  in Figure 18. We say  $\text{PS}_0$  and  $\text{PS}_1$  are  $\mathcal{L}^{\text{snd}}$ -indistinguishable, if for all unbounded adversary  $\mathcal{A}$ , the advantage

$$\text{Adv}_{\mathcal{L}^{\text{snd}}, \text{PS}_0, \text{PS}_1, \mathcal{A}}^{\text{PS-ind}}(\lambda) := \left| \Pr \left[ \text{Exp}_{\mathcal{L}^{\text{snd}}, \text{PS}_0, \text{PS}_1, \mathcal{A}}^{\text{PS-ind}}(\lambda) = 1 \right] - \frac{1}{2} \right|$$

is negligible in  $\lambda$ .

$\text{Exp}_{\mathcal{L}^{\text{snd}}, \text{PS}_0, \text{PS}_1, \mathcal{A}}^{\text{PS-ind}}(\lambda):$ $b \leftarrow_{\S} \{0, 1\}$ $(\text{ppk}, \text{psk}) \leftarrow_{\S} \text{PGen}_b(\text{pars})$ $b' \leftarrow_{\S} \mathcal{A}^{\mathcal{O}_{\text{sim}}(\cdot), \mathcal{O}_{\text{ver}}^b(\cdot, \cdot)}(\text{ppk})$ $\text{Return} \begin{cases} 1 & \text{If } b' = b \\ 0 & \text{Otherwise} \end{cases}$	$\mathcal{O}_{\text{sim}}():$ $x \leftarrow_{\S} \mathcal{L}^{\text{snd}} \setminus \mathcal{L}$ $(\Pi, K) \leftarrow \text{PSim}_b(\text{psk}, x)$ $\text{Return } (x, \Pi, K)$	$\mathcal{O}_{\text{ver}}(x, \Pi, \text{pred}):$ $(v, K) \leftarrow \text{PVer}_b(\text{psk}, x, \Pi)$ $\text{If } \left[ \begin{array}{l} x \notin \mathcal{L}^{\text{snd}} \vee v = 0 \\ \vee \text{pred}(K) = 0 \end{array} \right]:$ $\text{Return } \perp$ $\text{Return } K$
--	--	--

**Fig. 18.** Experiment in the definition of  $\mathcal{L}^{\text{snd}}$ -indistinguishability of two proof systems.

Now we recall the definition of  $\widetilde{\mathcal{L}^{\text{snd}}}$ -extensibility of a proof system proposed in [GHK17].

**Definition 18** ( $\widetilde{\mathcal{L}^{\text{snd}}}$ -extensibility of a proof system). *Let  $\mathcal{L} \subseteq \mathcal{L}^{\text{snd}} \subseteq \widetilde{\mathcal{L}^{\text{snd}}}$  be three family of languages. An  $\mathcal{L}^{\text{snd}}$ -qualified proof system PS is said to be  $\widetilde{\mathcal{L}^{\text{snd}}}$ -extensible if there exists a proof system  $\widetilde{\text{PS}}$  for  $\mathcal{L}$  that complies with  $\widetilde{\mathcal{L}^{\text{snd}}}$ -constrained soundness and such that PS and  $\widetilde{\text{PS}}$  are  $\mathcal{L}^{\text{snd}}$ -indistinguishable.*

## F Proof of Lemma 1

*Proof of Lemma 1.* Game  $G_1$  differs from  $G_0$  if and only if  $\mathcal{A}$  submits an  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi = ([\mathbf{c}], \Pi))$  query such that

$$([\mathbf{c}], \Pi) \notin \psi_{\text{enc}} \wedge v = 1 \wedge \text{pred}(\gamma) = 1 \wedge \tau \in \mathcal{T}.$$

$\tau \in \mathcal{T}$  means there exist a previous  $\mathcal{O}_{\text{enc}}$  query such that  $[\mathbf{c}_b]$  is sampled and  $\text{H}([\overline{\mathbf{c}}])$  equals  $\text{H}([\overline{\mathbf{c}}_b])$ . We will denote this event as **Bad** and  $G_1$  differs from  $G_0$  if and only if **Bad** happens. So we have

$$|\Pr_0[b' = b] - \Pr_1[b' = b]| \leq \Pr_0[\text{Bad}]. \quad (72)$$

Since we have

$$\Pr_0[\text{Bad}] = \frac{1}{2} \Pr_0[\text{Bad} \mid b = 1] + \frac{1}{2} \Pr_0[\text{Bad} \mid b = 0], \quad (73)$$

we then bound  $\Pr_0[\text{Bad}]$  with Lemma 9 and Lemma 10.

### Lemma 9.

$$\Pr_0[\text{Bad} \mid b = 1] \leq \text{Adv}_{\mathcal{H}, B_1}^{\text{cr}}(\lambda) + Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda).$$

*Proof of Lemma 9.* We define game  $H$  which is exactly the same with  $G_0$  when  $b = 1$ . We denote  $\Pr_H[\text{E}]$  the probability that event **E** happens in game  $H$ . Then we have

$$\Pr_0[\text{Bad} \mid b = 1] = \Pr_H[\text{Bad}]. \quad (74)$$

Recall that, **Bad** happens when  $\mathcal{A}$  submits an  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi = ([\mathbf{c}], \Pi))$  query such that

$$([\mathbf{c}], \Pi) \notin \psi_{\text{enc}} \wedge v = 1 \wedge \text{pred}(\gamma) = 1 \wedge \tau \in \mathcal{T}.$$

We decompose it into two subevents,  $\text{Bad}^{\text{in}} := \text{Bad} \wedge [\mathbf{c}] \in \text{span}([\mathbf{A}])$  and  $\text{Bad}^{\text{out}} := \text{Bad} \wedge [\mathbf{c}] \notin \text{span}([\mathbf{A}])$ . It is straightforward that

$$\Pr_H[\text{Bad}] \leq \Pr_H[\text{Bad}^{\text{in}}] + \Pr_H[\text{Bad}^{\text{out}}]. \quad (75)$$

First we bound  $\Pr_H[\text{Bad}^{\text{in}}]$ . In  $H$ ,  $\tau \in \mathcal{T}$  means that there exists a previous  $\mathcal{O}_{\text{enc}}$  query such that  $[\mathbf{c}_1] = [\mathbf{A}]\mathbf{r}_1$  is sampled and  $\text{H}([\bar{\mathbf{c}}])$  equals  $\text{H}([\bar{\mathbf{c}}_1])$ . We further decompose this event into three cases as follows.

- For the case  $[\bar{\mathbf{c}}] \neq [\bar{\mathbf{c}}_1]$ , we found a collision for  $\text{H}$ .
- For the case  $[\bar{\mathbf{c}}] = [\bar{\mathbf{c}}_1] \wedge [\mathbf{c}] \neq [\mathbf{c}_1]$ , it will never happen. Since  $[\mathbf{c}], [\mathbf{c}_1] \in \text{span}([\mathbf{A}])$  and  $[\mathbf{A}]$  forms an invertible matrix,  $[\bar{\mathbf{c}}] = [\bar{\mathbf{c}}_1]$  would imply  $[\mathbf{c}] = [\mathbf{c}_1]$ .
- For the case  $[\mathbf{c}] = [\mathbf{c}_1]$ .  $([\mathbf{c}_1], \Pi_1) \in \psi_{\text{enc}}$  for  $(\Pi_1, [\kappa_1]) \leftarrow \text{PPrv}(\text{ppk}, [\mathbf{c}_1], \mathbf{r}_1)$ . Since  $([\mathbf{c}], \Pi) \notin \psi_{\text{enc}}$ , we have that  $\Pi \neq \Pi_1$ . By the perfect completeness property of PS, the verification  $\text{PVer}(\text{psk}, [\mathbf{c}_1], \Pi_1)$  will always pass. However,  $v = 1$  implies that the verification  $\text{PVer}(\text{psk}, [\mathbf{c}] = [\mathbf{c}_1], \Pi)$  also passes. This contradicts to the proof uniqueness property of PS. So this case will never happen.

Thus, we can build a PPT adversary  $\mathcal{B}_1$  and show that,

$$\Pr_H[\text{Bad}^{\text{in}}] \leq \text{Adv}_{\mathcal{H}, \mathcal{B}_1}^{\text{cr}}(\lambda). \quad (76)$$

Next, we bound  $\Pr_H[\text{Bad}^{\text{out}}]$ . For  $i \in [Q_{\text{dec}}]$ , we define event  $\text{Bad}_i^{\text{out}}$  be the event that  $\text{Bad}^{\text{out}}$  first happens in the  $i$ -th  $\mathcal{O}_{\text{dec}}$  query. Thus we have,

$$\Pr_H[\text{Bad}^{\text{out}}] = \sum_{i=1}^{Q_{\text{dec}}} \Pr_H[\text{Bad}_i^{\text{out}}]. \quad (77)$$

We define a new event  $\widetilde{\text{Bad}}$  be  $\mathcal{A}$  submits an  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi = ([\mathbf{c}], \Pi))$  query such that

$$\text{pred}(\gamma) = 1 \wedge [\mathbf{c}] \notin \text{span}([\mathbf{A}]).$$

Meanwhile, for  $i \in [Q_{\text{dec}}]$ , we define  $\widetilde{\text{Bad}}_i$  as the event that  $\widetilde{\text{Bad}}$  first happens in the  $i$ -th  $\mathcal{O}_{\text{dec}}$  query. Then  $\text{Bad}_i^{\text{out}}$  is a subevent of  $\widetilde{\text{Bad}}_i$  and

$$\Pr_H[\text{Bad}_i^{\text{out}}] \leq \Pr_H[\widetilde{\text{Bad}}_i]. \quad (78)$$

Then we bound  $\Pr_H[\widetilde{\text{Bad}}_i]$ . We use the fact that half of the  $\mathbf{k}_0$ 's entropy is hidden from  $\mathcal{A}$ . More precisely,  $\mathbf{k}_0 \leftarrow_{\S} \mathbb{Z}_q^{2k}$  is identically distributed as  $\mathbf{k}_0 + \mathbf{A}^\perp \mathbf{w}$ , where  $\mathbf{k}_0 \leftarrow_{\S} \mathbb{Z}_q^{2k}$ ,  $\mathbf{w} \leftarrow_{\S} \mathbb{Z}_q^k$  and  $\mathbf{A}^\perp \in \mathbb{Z}_q^{2k \times k}$  s.t.  $\mathbf{A}^\top \mathbf{A}^\perp = \mathbf{0}$ . Then we will show that, in game  $H$ ,  $\mathbf{w}$  is hidden from  $\mathcal{A}$  before  $\widetilde{\text{Bad}}$  first happens in the  $i$ -th  $\mathcal{O}_{\text{dec}}$  query.

- The public key  $\text{pk}_{\text{kem}}$  does not leak any information about  $\mathbf{w}$  since

$$(\mathbf{k}_0^\top + \mathbf{w}^\top (\mathbf{A}^\perp)^\top) \mathbf{A} = \mathbf{k}_0^\top \mathbf{A}.$$

- $\mathcal{O}_{\text{enc}}$  also hides  $\mathbf{w}$  since  $\mathcal{O}_{\text{enc}}$  in  $H$  only uses  $\text{pk}_{\text{kem}}$ .
- The first  $i - 1$   $\mathcal{O}_{\text{dec}}(\text{pred}, \psi = ([\mathbf{c}], \Pi))$  queries also hides  $\mathbf{w}$ . Since in  $H$ , before the  $i$ -th  $\mathcal{O}_{\text{dec}}$  query,
  - if  $[\mathbf{c}] \notin \text{span}([\mathbf{A}])$  then  $\text{pred}(\gamma) = 0$  (otherwise  $\widetilde{\text{Bad}}$  first happens before the  $i$ -th query). So these queries are rejected directly and is independent of  $\mathbf{w}$ ;
  - if  $[\mathbf{c}] \in \text{span}([\mathbf{A}])$ , since

$$((\mathbf{k}_0 + \mathbf{A}^\perp \mathbf{w})^\top + \tau \mathbf{k}_1^\top) \cdot [\mathbf{c}] + [\kappa] = (\mathbf{k}_0^\top + \tau \mathbf{k}_1^\top) \cdot [\mathbf{c}] + [\kappa] + \underbrace{\mathbf{w}^\top (\mathbf{A}^\perp)^\top [\mathbf{c}]}_{=0},$$

$\mathbf{w}$  is not used yet.

Thus  $\mathbf{w}$  is completely hidden from  $\mathcal{A}$  until the  $i$ -th  $\mathcal{O}_{\text{dec}}$  query. So in the  $i$ -th  $\mathcal{O}_{\text{dec}}(\text{pred}_i, \psi = ([\mathbf{c}], \Pi))$  query, if  $[\mathbf{c}] \notin \text{span}([\mathbf{A}])$ , since

$$\gamma = (\mathbf{k}_0^\top + \tau \mathbf{k}_1^\top) \cdot [\mathbf{c}] + [\kappa] + \mathbf{w}^\top \underbrace{(\mathbf{A}^\perp)^\top [\mathbf{c}]}_{\neq [0]},$$

$\gamma$  will be random due to the randomness of  $\mathbf{w}$ . In this case,

$$\Pr_H[\widetilde{\text{Bad}}_i] = \Pr_{\gamma \leftarrow \mathfrak{s}\Gamma}[\text{pred}_i(\gamma)]. \quad (79)$$

So combining (77), (78) and (79). We have that

$$\Pr_H[\text{Bad}^{\text{out}}] = \sum_{i=1}^{Q_{\text{dec}}} \Pr_H[\text{Bad}_i^{\text{out}}] \leq \sum_{i=1}^{Q_{\text{dec}}} \Pr_{\gamma \leftarrow \mathfrak{s}\Gamma}[\text{pred}_i(\gamma)] = Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda). \quad (80)$$

Finally, Lemma 9 follows from (74), (75), (76) and (80).  $\square$

**Lemma 10.**

$$\begin{aligned} \Pr_0[\text{Bad} \mid b = 0] &\leq \text{Adv}_{\mathcal{H}, \mathcal{B}_1}^{\text{cr}}(\lambda) + k \cdot \text{Adv}_{\mathcal{D}_{2k, k}, \text{GGen}, \mathcal{B}_2}^{\text{mddh}}(\lambda) + \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}_3}^{\text{mddh}}(\lambda) \\ &\quad + 2Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda) + 2^{-\Omega(\lambda)} \end{aligned}$$

*Proof of Lemma 10.* We define game  $J$  which is identical to  $G_0$  conditioned on  $b = 0$ . We denote  $\Pr_J[\text{E}]$  the probability that event  $\text{E}$  happens in game  $J$ . Then we have

$$\Pr_0[\text{Bad} \mid b = 0] = \Pr_J[\text{Bad}]. \quad (81)$$

Recall  $\text{Bad}$  is the event that  $\mathcal{A}$  submits an  $\mathcal{O}_{\text{dec}}(\text{pred}, \psi = ([\mathbf{c}], \Pi))$  query such that  $\exists([\mathbf{c}_0], \Pi_0) \in \psi_{\text{enc}}$

$$([\mathbf{c}], \Pi) \notin \psi_{\text{enc}} \wedge v = 1 \wedge \text{pred}(\gamma) = 1 \wedge \text{H}([\bar{\mathbf{c}}]) = \text{H}([\bar{\mathbf{c}}_0]).$$

Similarly, we can further decompose this event into three cases as follows.

- For the case  $[\bar{\mathbf{c}}] \neq [\bar{\mathbf{c}}_0]$ , we found a collision for  $\text{H}$ .
- For the case  $[\bar{\mathbf{c}}] = [\bar{\mathbf{c}}_0] \wedge [\mathbf{c}] \neq [\mathbf{c}_0]$ . We denote this subevent by  $\text{Bad}_{\mathcal{A}}$ .
- For the case  $[\mathbf{c}] = [\mathbf{c}_0]$ . We denote this subevent by  $\text{Bad}_{\mathcal{B}}$ .

Thus, we can build a PPT adversary  $\mathcal{B}_1$  and show that,

$$\Pr_J[\text{Bad}] \leq \text{Adv}_{\mathcal{H}, \mathcal{B}_1}^{\text{cr}}(\lambda) + \Pr_J[\text{Bad}_{\mathcal{A}}] + \Pr_J[\text{Bad}_{\mathcal{B}}]. \quad (82)$$

To bound  $\Pr_J[\text{Bad}_{\mathcal{A}}]$ , we first change game  $J$  to  $J_A$ .

- In game  $J$ ,  $[\mathbf{c}_0]$  is uniformly chosen from  $\mathbb{G}^{2k}$  in each  $\mathcal{O}_{\text{enc}}$  query.
- In game  $J_A$ ,  $[\mathbf{c}_0]$  is uniformly chosen from  $\text{span}([\mathbf{A}])$  in each  $\mathcal{O}_{\text{enc}}$  query.

We can build an adversary  $\mathcal{B}_2$  and show that

$$|\Pr_J[\text{Bad}_{\mathcal{A}}] - \Pr_{J_A}[\text{Bad}_{\mathcal{A}}]| \leq k \cdot \text{Adv}_{\mathcal{D}_{2k, k}, \text{GGen}, \mathcal{B}_2}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (83)$$

To prove (83), we construct an adversary  $\mathcal{B}'_2$  and show that

$$|\Pr_J[\text{Bad}_{\mathcal{A}}] - \Pr_{J_A}[\text{Bad}_{\mathcal{A}}]| \leq \text{Adv}_{\mathcal{D}_{2k, k}, \text{GGen}, \mathcal{B}'_2}^{\text{Qenc-mddh}}(\lambda). \quad (84)$$

Upon receiving a challenge  $(\mathcal{G}, [\mathbf{M}] \in \mathbb{G}^{2k \times k}, [\mathbf{H}] := ([\mathbf{h}_1 | \dots | \mathbf{h}_{Q_{\text{enc}}}] \in \mathbb{G}^{2k \times Q_{\text{enc}}})$  for the  $Q_{\text{enc}}$ -fold  $\mathcal{U}_{2k,k}$ -MDDH problem,  $\mathcal{B}'_2$  simulates game  $J(J_A)$ . To reply the  $i$ -th  $\mathcal{O}_{\text{enc}}$  query made by  $\mathcal{A}$ ,  $\mathcal{B}'_2$  embeds  $[\mathbf{h}_i]$  to  $[\mathbf{c}_0]$ , i.e.,  $[\mathbf{c}_0] \leftarrow [\mathbf{h}_i]$ . Finally  $\mathcal{B}'_2$  outputs 1 if and only if event  $\text{Bad}_A$  happens. Thus, if each column  $[\mathbf{h}_i]$  of  $[\mathbf{H}]$  is uniformly random over  $\mathbb{G}^{2k}$ ,  $\mathcal{B}'_2$  perfectly simulates game  $J$ . If each column  $[\mathbf{h}_i]$  of  $[\mathbf{H}]$  is uniformly random over  $\text{span}([\mathbf{A}])$ ,  $\mathcal{B}'_2$  perfectly simulates game  $J_A$ . So (84) follows.

Furthermore, (83) follows from (84) and Lemma 5.

In game  $J_A$ , we further decompose event  $\text{Bad}_A$  into two subevents.  $\text{Bad}_A^{\text{in}} := \text{Bad}_A \wedge [\mathbf{c}] \in \text{span}([\mathbf{A}])$  and  $\text{Bad}_A^{\text{out}} := \text{Bad}_A \wedge [\mathbf{c}] \notin \text{span}([\mathbf{A}])$ . So we have

$$\Pr_{J_A}[\text{Bad}_A] \leq \Pr_{J_A}[\text{Bad}_A^{\text{in}}] + \Pr_{J_A}[\text{Bad}_A^{\text{out}}]. \quad (85)$$

Similar to (80), we have

$$\Pr_{J_A}[\text{Bad}_A^{\text{out}}] \leq Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda). \quad (86)$$

For  $\text{Bad}_A^{\text{in}}$ , since  $[\mathbf{c}], [\mathbf{c}_0] \in \text{span}([\mathbf{A}])$  and  $\overline{\mathbf{A}}$  forms an invertible matrix. Then  $[\overline{\mathbf{c}}] = [\overline{\mathbf{c}_0}]$  would imply that  $[\mathbf{c}] = [\mathbf{c}_0]$ . So  $\text{Bad}_A^{\text{in}}$  never happens in game  $J_A$  and

$$\Pr_{J_A}[\text{Bad}_A^{\text{in}}] = 0. \quad (87)$$

Combining (83), (85), (86) and (87), we have that

$$\Pr_J[\text{Bad}_A] \leq k \cdot \text{Adv}_{\mathcal{D}_{2k,k}, \text{GGen}, \mathcal{B}_2}^{\text{mddh}}(\lambda) + Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (88)$$

To bound  $\Pr_J[\text{Bad}_B]$ , we first change game  $J$  to  $J_B$ .

- In game  $J$ ,  $[\mathbf{c}_0]$  is uniformly chosen from  $\mathbb{G}^{2k}$  in each  $\mathcal{O}_{\text{enc}}$  query.
- In game  $J_B$ ,  $[\mathbf{c}_0]$  is uniformly chosen from  $\text{span}([\mathbf{A}_0])$  in each  $\mathcal{O}_{\text{enc}}$  query.

Similar to (84), we can build an adversary  $\mathcal{B}'_3$  and show that

$$|\Pr_J[\text{Bad}_B] - \Pr_{J_B}[\text{Bad}_B]| \leq \text{Adv}_{\mathcal{U}_{2k,k}, \text{GGen}, \mathcal{B}'_3}^{Q_{\text{enc}}\text{-mddh}}(\lambda). \quad (89)$$

By Lemma 6 and Lemma 3, we can build an adversary  $\mathcal{B}_3$  and show that

$$|\Pr_J[\text{Bad}_B] - \Pr_{J_B}[\text{Bad}_B]| \leq \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}_3}^{\text{mddh}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (90)$$

Similarly, we can further decompose event  $\text{Bad}_B$  into two subevents.  $\text{Bad}_B^{\text{in}} := \text{Bad}_B \wedge [\mathbf{c}] \in \text{span}([\mathbf{A}])$  and  $\text{Bad}_B^{\text{out}} := \text{Bad}_B \wedge [\mathbf{c}] \notin \text{span}([\mathbf{A}])$ . So we have

$$\Pr_{J_B}[\text{Bad}_B] \leq \Pr_{J_B}[\text{Bad}_B^{\text{in}}] + \Pr_{J_B}[\text{Bad}_B^{\text{out}}]. \quad (91)$$

Similar to (80), we have

$$\Pr_{J_B}[\text{Bad}_B^{\text{out}}] \leq Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda). \quad (92)$$

For  $\text{Bad}_B^{\text{in}}$ , since  $[\mathbf{c}] \in \text{span}([\mathbf{A}])$  and  $[\mathbf{c}_0] \in \text{span}([\mathbf{A}_0])$ ,  $[\mathbf{c}] = [\mathbf{c}_0]$  means that  $[\mathbf{c}] = [\mathbf{c}_0] \in \text{span}([\mathbf{A}]) \cap \text{span}([\mathbf{A}_0])$ . With overwhelming probability  $\text{span}([\mathbf{A}]) \cap \text{span}([\mathbf{A}_0]) = \{[\mathbf{0}] \in \mathbb{G}^{2k}\}$ . Since  $[\mathbf{c}_0]$  is uniform over  $\text{span}([\mathbf{A}_0])$ ,  $[\mathbf{c}_0] = [\mathbf{0}]$  happens with probability only  $2^{-\Omega(\lambda)}$ . Thus we have

$$\Pr_{J_B}[\text{Bad}_B^{\text{in}}] \leq 2^{-\Omega(\lambda)}. \quad (93)$$

Combining (90), (91), (92) and (93), we have that

$$\Pr_J[\text{Bad}_B] \leq \text{Adv}_{\mathcal{U}_k, \text{GGen}, \mathcal{B}_3}^{\text{mddh}}(\lambda) + Q_{\text{dec}} \cdot \text{uncert}_{\mathcal{A}}(\lambda) + 2^{-\Omega(\lambda)}. \quad (94)$$

Then, Lemma 10 follows from (81), (82), (88) and (94).

Finally, Lemma 1 follows from (72), (73), Lemma 9 and Lemma 10.  $\square$

## G Proof of (28)

Define  $\mathbf{u}^\top := \mathbf{k}_0^\top \mathbf{A}_0$ , so  $(\mathbf{p}_0^\top | \mathbf{u}^\top) = \mathbf{k}_0^\top (\mathbf{A} | \mathbf{A}_0)$ . Note that, the square matrix  $(\mathbf{A} | \mathbf{A}_0)$  is of full rank with probability  $1 - 2^{-\Omega(\lambda)}$ , then the entropy of  $\mathbf{k}_0^\top$  is transferred to  $(\mathbf{p}_0^\top | \mathbf{u}^\top)$  intactly. Recall that  $\mathbf{k}_0^\top$  is uniform over  $\mathbb{Z}_q^{1 \times 2k}$ . Therefore,  $(\mathbf{p}_0^\top | \mathbf{u}^\top)$  is uniform over  $\mathbb{Z}_q^{1 \times 2k}$  as well. Consequently,  $\mathbf{u}^\top$  is uniformly distributed over  $\mathbb{Z}_q^{1 \times k}$  even conditioned on  $\mathbf{p}_0^\top$ .

In  $G_5$ , the  $\mathcal{O}_{\text{dec}}$  oracle rejects all  $[\mathbf{c}] \notin [\text{span}(\mathbf{A})]$ . Therefore, the information of  $\mathbf{k}_0^\top$  leaked through  $\mathcal{O}_{\text{dec}}$  is characterized by the public key  $\mathbf{p}_0^\top$ . Together with the fact that  $[\mathbf{c}_1] = [\mathbf{A}_0] \mathbf{r}_1$  in  $\mathcal{O}_{\text{enc}}$  of  $G_5$  and  $G_6$ , the computation of  $\mathbf{k}_0^\top [\mathbf{c}_1] = [\mathbf{k}_0^\top \mathbf{A}_0] \mathbf{r}_1$  in  $\mathcal{O}_{\text{enc}}$  of  $G_5$  can be replaced with  $[\mathbf{v}^\top] \mathbf{r}$  for  $\mathbf{v}^\top \leftarrow_{\S} \mathbb{Z}_q^{1 \times k}$  in  $G_6$ . Thus (28) follows.

# Table of Contents

Tightly SIM-SO-CCA Secure Public Key Encryption from Standard Assumptions	1
<i>Lin Lyu, Shengli Liu, Shuai Han, and Dawu Gu</i>	
1 Introduction	1
1.1 Our Contribution	3
1.2 Technique Overview	3
1.3 Instantiation Overview	4
2 Preliminaries	5
2.1 Prime-order Groups	6
2.2 Simulation-based, Selective-Opening CCA Security of PKE	6
2.3 Efficiently Samplable and Explainable (ESE) Domain	7
2.4 Cross-Authentication Codes	7
3 Key Encapsulation Mechanism	8
3.1 mPR-CCCA Security for KEM	8
3.2 RER Security of KEM	9
4 SIM-SO-CCA Secure PKE from KEM	9
4.1 PKE Construction	9
4.2 Tight Security Proof of PKE	9
5 Instantiations	16
5.1 KEM from MDDH	16
5.2 KEM from Qualified Proof System with Compact Public Key	17
The Qualified Proof System in [GHK17].	19
KEM from Qualified Proof System.	22
A Supplementary Materials for Preliminaries	29
A.1 Hash Functions	29
A.2 Matrix Decision Diffie-Hellman Assumption	29
A.3 Public Key Encryption	30
A.4 Concrete Instance of XAC.	31
B Detailed description of simulator construction	31
C Proof of Theorem 2	32
D Proof of Theorem 3	42
E Supplementary Materials for Qualified Proof System	44
F Proof of Lemma 1	45
G Proof of (28)	49